

CUSTOM INJECTION MOLDER | Preliminary Equipment List

Injection Molding Machines

1,124 Ton x 155 Oz. Haitian Model JU10000II/H Plastic Injection Molding Machine; s/n 20172100031506, 75.59" x 65.75" Platens, 56.29" Wide x 46.45" High Distance Between Tie Bars, 51.18" Clamp Stroke, 98.43" Max Daylight, 25.59" Min Mold Height (2017)

725 Ton x 140 Oz. Cincinnati Milacron Magna MH-725-140 Plastic Injection Molding Machine; s/n H07A0498031, 55.1" x 55.1" Platens, 37.4" x 37.4" Distance Between Tie Bars, 52" Clamp Stroke, 70.1" Max Daylight, 18.1" Min Mold Height (1998)

(2) 550 Ton x 54 Oz. Cincinnati Milacron Magna-T Servo MTS-500 Plastic Injection Molding Machines; s/n TB501DB010036 and 37, 47.2" x 47.2" Platens, 32.7" x 32.7" Distance Between Tie Bars, 32.3" Clamp Stroke, 72.64" Max Daylight, 13.8" Min Mold Height (2014)

550 Ton x 36 Oz. Cincinnati Milacron Model Powerline 550-36 Plastic Injection Molding Machine; s/n W26A020006, 47.2" x 47.2" Platens, 32.7" x 32.7" Distance Between Tie Bars, 32.3" Clamp Stroke, 72.64" Max Daylight, 13.8" Min Mold Height (2001)

360 Ton x 34.6 Oz. Haitian MA3200-IIS Plastic Injection Molding Machine; s/n 201907035055219, 38.98" x 38.98" Platens, 26.77" x 26.77" Distance Between Tie Bars, 25.2" Clamp Stroke, 51.97" Max Daylight, 9.84" Min Mold Height (2020)

310 Ton x 26 Oz. Cincinnati Milacron Magna-T Servo MTS-310 Plastic Injection Molding Machine; s/n TB80108010048, 37.0" x 37.0" Platens, 26.0" x 26.0" Distance Between Tie Bars, 24.0" Clamp Stroke, 53.5" Max Daylight, 7.9" Min Mold Height (2013)

280 Ton x 18.3 Oz. Haitian MA2500-IIS Plastic Injection Molding Machine; s/n 201907025051600, 33.46" x 33.46" Platens, 22.83" x 22.83" Distance Between Tie Bars, 21.26" Clamp Stroke, 44.09" Max Daylight, 8.66" Min Mold Height (2019)

225 Ton x 15.8 Oz. Cincinnati Milacron Magna-T Servo MTS-225 Plastic Injection Molding Machine; s/n TB701DB010029, 31.9" x 31.9" Platens, 22.4" x 22.4" Distance Between Tie Bars, 20.1" Clamp Stroke, 48" Max Daylight, 7.9" Min Mold Height (2013)

100 Ton x 4.9 Oz. Haitian / Zhafir Model ZE900-210 Plastic Injection Molding Machine; s/n 201815009051313, 24.21" x 22.44" Platens, 16.54" x 14.57" Distance Between Tie Bars, 12.2" Clamp Stroke, 28.74" Max Daylight, 5.91" Min Mold Height (2018)

90 Ton x 7.5 Oz. Cincinnati Milacron Magna-T Servo MTS-90 Plastic Injection Molding Machine; s/n TB301DB010012, 24.02" x 22.24" Platens, 15.94" x 14.17" Distance Between Tie Bars, 12.2" Clamp Stroke, 28" Max Daylight, 5.91" Min Mold Height (2013)

CUSTOM INJECTION MOLDER | Preliminary Equipment List

Robots

(10) Well-Lih Robots to 2020; Models MaxBW15-1700P, MaxBW10-1500P, MaxBW08-1300P, MaxA05-1000P, MaxBW10P and MaxCW10P

Plastic Auxiliary Equipment

(2) AEC Model GPWC-70 Portable Chillers; s/n 44K0544 and 42K0024

(6) AEC Model TC110 Thermolators

Various Hot Runner Controllers, Dryers, Mold Hold Downs and Related

Advantage Chilled Water Tank w/ Pumps

Toolroom Machinery

16" x 60" Romi Model 16-8 Engine Lathe, DRO, Tooling

2-HP Bridgeport Mill

Boyar 618 Surface Grinder, DRO

Saws, Drills, Welders, Plasma Cutter, Grinders

Air Compressors and Related

40-HP Ingersoll Rand Model RS30i-A125 Air Compressor (Late Model) – Located at Flocking Building

30-HP Schulz Model SRP-3030 Air Compressor – Located at Flocking Building

30-HP Ingersoll Rand Model SSR-EP30U Air Compressor; s/n J8542U92321

30-HP Leroi Model CL30CUB Horizontal Tank Air Compressor

Dryers, Receiving Tanks and Related

CUSTOM INJECTION MOLDER | Preliminary Equipment List

CMM and Quality Assurance

Brown & Sharpe Global Advantage 9.12.8 CMM; s/n 1207-6144, 35.43" X-Axis, 47.24" Y-Axis, 31.49" Z-Axis (2007)

Easson EV3020 Visual Measurement System; 300 x 200 x 200 Measuring Range, 339 x 239 x 10 Worktable Glass Area, Optical Magnification 0.7-4.5X, Image Magnification 20-125X

Trucks and Support Equipment

Predator XS Stretch Wrapper w/ Built in scale

Sayjack SJIII-3219 Electric Scissor Lift