

BAR INVENTORY

Complete list lots 950 through 982 To be offered as one lot subject to bid confirmation ** Owner will have 24 hours to accept or reject the high bid. Auctioneer makes no guarantee as to the accuracy of the listing, buyers must inspect for themselves prior to purchasing**

Lot #	PART_ID	DESCRIPTION	STOCK_UM	QTY
950	G43400-B3-322	4340 ALLOY STEEL, .322, AMS6415	FEET	828
				828
951	G87400-B3-260	8740 ALLOY STEEL, .260	FEET	384
951	G87400-B3-3225	8740 ALLOY STEEL, .3225	FEET	744
951	G87400-B3-385	8740 ALLOY STEEL, .385	FEET	36
951	G87400-B3-4475	8740 ALLOY STEEL, .4475	FEET	372
951	G87400-B3-510	8740 ALLOY STEEL, .510	FEET	35
951	G87400-B3-5725	8740 ALLOY STEEL, .5725	FEET	392
951	G87400-B3-625	8740 ALLOY STEEL, .625	FEET	108
951	G87400-B3-635	8740 ALLOY STEEL, .635	FEET	347
951	G87400-B3-760	8740 ALLOY STEEL, .760	FEET	147
				2,564
952	G87400-B3-4375	8740 ALLOY STEEL, .4375	FEET	1,740
				1,740
953	N06600-B1-250	DFARS, INCONEL 600, .250	FEET	84
953	N06600-B1-250C	DFARS, INCONEL 600, .250	FEET	6
953	N06625-B1-3125	DFARS, INCONEL 625, .3125	FEET	14
953	N06625-B1-500	DFARS, INCONEL 625, .500 SEE N06625-C1-500	FEET	39
953	N06625-B1-9375P	DFARS, INCONEL 625, .9375, P&W END-USE	FEET	5
953	N06625-B3-12500	DFARS, INCONEL 625, 1.2500	FEET	14
				162
954	N06625-B1-375A	DFARS, INCONEL 625, .375, GE S-400	FEET	2,500
				2,500
955	N07001-B1-219	DFARS, WASPALLOY BAR .219, AMS 5706	FEET	71
955	N07001-B1-625P	DFARS, WASPALLOY BAR .625, AMS5706	FEET	156
955	N07001-B1-750P	DFARS, WASPALLOY BAR .750, AMS5706	FEET	22
955	N07001-B3-3125	DFARS, WASPALLOY BAR .3125, AMS 5708, CR	FEET	189
955	N07001-B1-270	DFARS, WASPALLOY BAR .270, AMS 5706	FEET	39
955	N07001-B1-750	DFARS, WASPALLOY BAR .750, AMS 5706	FEET	24
955	N07001-B1-750	DFARS, WASPALLOY BAR .750, AMS 5706	FEET	186
955	N07001-B1-750	DFARS, WASPALLOY BAR .750, AMS 5706	FEET	12.5
				699
956	N07001-B3-270A	DFARS, WASPALLOY BAR .270, AMS 5706	FEET	1,345

				1,345
957	N07001-B3-270P	DFARS, WASPALLOY BAR .270, AMS 5708, CR	FEET	2,183
957	N07001-B3-328	DFARS, WASPALLOY BAR .328, AMS 5708, CR	FEET	48
957	N07001-B3-3125C	DFARS, WASPALLOY BAR .3125, AMS 5708	FEET	108
957	N07001-B3-3225A	DFARS, WASPALLOY BAR .3225, AMS 5706	FEET	8
957	N07001-B3-343	DFARS, WASPALLOY BAR .343, AMS 5706	FEET	12
				2,359
958	N07718-B1-1000	DFARS, INCONEL 718 1.000	FEET	49
958	N07718-B1-1500	DFARS, INCONEL 718 1.500	FEET	9
958	N07718-B1-234	DFARS, INCONEL 718 .234	FEET	48
958	N07718-B1-234P	DFARS, INCONEL 718 .234, PWA	FEET	24
958	N07718-B1-250A	DFARS, INCONEL 718 .250	FEET	24
958	N07718-B1-260P	DFARS, INCONEL 718 .260, AMS5662, PWA	FEET	12
958	N07718-B1-468P	DFARS, INCONEL 718 .468, AMS5662, PWA	FEET	11
958	N07718-B1-500P	DFARS, INCONEL 718 .500, AMS5662, PWA	FEET	10
958	N07718-B1-5625P	DFARS, INCONEL 718 .5625, PWA	FEET	154
958	N07718-B1-875	DFARS, INCONEL 718 .875	FEET	4
958	N07718-B3-203P	DFARS, INCONEL 718 .203, AMS5662, PWA	FEET	12
958	N07718-B3-250C	DFARS, INCONEL 718 .250, C50TF13, GE	FEET	24
958	N07718-B3-250P	DFARS, INCONEL 718 .250, AMS5662, PWA	FEET	47
958	N07718-B3-260	DFARS, INCONEL 718 .260, AMS5662, CR	FEET	26
958	N07718-B3-260P	DFARS, INCONEL 718 .260, AMS5662, PWA	FEET	12
958	N07718-B3-270P	DFARS, INCONEL 718 .270, AMS5662, PWA	FEET	12
958	N07718-B3-312	DFARS, INCONEL 718 .312, AMS5662, CR	FEET	95
958	N07718-B3-375A	DFARS, INCONEL 718 .375, AMS5662, PWA	FEET	12
958	N07718-B3-44758	DFARS, INCONEL 718 .4475, AMS5662, PWA	FEET	113
958	N07718-B1-2500P	DFARS, INCONEL 718 .2.500, AMS5662, PWA	FEET	62
				759
959	N07718-B3-3225B	DFARS, INCONEL 718 .3225, AMS5962, CR	FEET	1,376
				1,376
960	N07718-B3-385E	DFARS, INCONEL 718 .385, AMS5962, CR	FEET	746
960	N07718-B3-4375P2	DFARS, INCONEL 718 .4375, AMS5662, PWA	FEET	48
960	N07718-B3-4475C	DFARS, INCONEL 718 .4475, AMS5962, CR	FEET	190
960	N07718-B3-510B	DFARS, INCONEL 718 .510, AMS5962, CR	FEET	355
960	N07718-B3-515P	DFARS, INCONEL 718 .515, AMS5662, PWA	FEET	12
960	N07718-B3-750B	DFARS, INCONEL 718 .750, AMS5662	FEET	20
960	N07718-B3-750P	DFARS, INCONEL 718 .750, AMS5662, PWA	FEET	74
960	N07718-B3-760B	DFARS, INCONEL 718 .760, AMS5962, CR	FEET	35
960	N07718-B3-766	DFARS, INCONEL 718 .766, AMS5662	FEET	12
960	N07750-B1-203	DFARS, INCONEL X 750, .203	FEET	156

				1,647
961	N10242-B3-312	HAYNES 242 ALLOY BAR .312, CR	FEET	2,097
				2,097
962	R30159-B3-400	DFARS, MP-159 COBALT ALLOY BAR .400	FEET	369
				369
963	R30605-B1-1000	DFARS, L-605 COBALT BAR 1.000	FEET	12
963	R30605-B1-1875	DFARS, L-605 COBALT BAR .1875	FEET	24
963	R30605-B1-205	DFARS, L-605 COBALT BAR .205	FEET	29
963	R30605-B1-205A	DFARS, L-605 COBALT BAR .205, GE S-400	FEET	81
963	R30605-B1-220	DFARS, L-605 COBALT BAR .220, AMS5759	FEET	75
963	R30605-B1-3225	DFARS, L-605 COBALT BAR .3225	FEET	95
963	R30605-B1-3225A	DFARS, L-605 COBALT BAR .3225, AMS5759	FEET	12
963	R30605-B1-375	DFARS, L-605 COBALT BAR .375, AMS5759	FEET	96
963	R30605-B1-762	DFARS, L-605 COBALT BAR .762, GE S-400	FEET	223
963	R30605-B3-250	DFARS, L-605 COBALT BAR .250	FEET	107
				753
964	R56400-B3-1875	DFARS, TITANIUM 6Al-4V .1875, AMS4928	FEET	12
964	R56400-B3-260	DFARS, TITANIUM 6Al-4V, .260, AMS4928	FEET	36
964	R56400-B3-322	DFARS, TITANIUM 6Al-4V, .322, AMS4928	FEET	88
964	R56400-B3-385	DFARS, TITANIUM 6Al-4V, .385, AMS4928	FEET	425
				561
965	S17400-B1-6875P	DFARS, 17-4 PH STAINLESS STEEL .6875	FEET	72
				72
966	S31603-B7-2125	316L ST. ST. BAR 2.125	FEET	40
				40
967	S32100-B1-3125	DFARS, 321 ST.ST. BAR .3125	FEET	11
967	S32100-B1-375	DFARS, 321 ST.ST. BAR .375	FEET	12
				23
968	S34700-B1-250P	DFARS, 347 ST. ST.BAR .250	FEET	10
968	S34700-B1-500	DFARS, 347 ST. ST.BAR .500	FEET	7
				17
969	S66286-B1-250	DFARS, A286 ST. ST. BAR .250, AMS5732	FEET	49
969	S66286-B1-250P	DFARS, A286 S.S. BAR .250, AMS5732, PWA	FEET	6
969	S66286-B1-3125P	DFARS, A286 ST. ST. BAR .3125, AMS5732	FEET	9
969	S66286-B3-210	DFARS, A286 S.S. BAR .210, AMS5731, CR	FEET	108

969	S66286-B3-210A	DFARS, A286 S.S. BAR .210, AMS5853, CR	FEET	323
969	S66286-B3-260B	DFARS, A286 S.S. BAR .260, AMS5731, CR	FEET	192
969	S66286-B3-260C	DFARS, A286 S.S. BAR .260, AMS5726, CR	FEET	108
969	S66286-B3-260D	DFARS, A286 S.S. BAR .260, AMS5853, CR	FEET	48
969	S66286-B3-291	DFARS, A286 S.S. BAR .291, AMS5853, CR	FEET	12
969	S66286-B3-3225C	DFARS, A286 S.S. BAR .3225, AMS5853, CR	FEET	36
969	S66286-B3-375	DFARS, A286 S.S. BAR .375, AMS5731	FEET	8
969	S66286-B3-385	DFARS, A286 S.S. BAR .385, AMS5731	FEET	12
969	S66286-B3-385A	DFARS, A286 S.S. BAR .385, AMS5853, CR	FEET	41
				950
970	S66286-B1-625P	DFARS, A286 S.S. BAR .625, AMS5732, PWA	FEET	12
970	S66286-B1-750P	DFARS, A286 S.S. BAR .750, AMS5732, PWA	FEET	12
970	S66286-B3-4475B	DFARS, A286 S.S. BAR .4475, AMS5853, CR	FEET	357
970	S66286-B3-510A	DFARS, A286 S.S. BAR .510, AMS5726, CR	FEET	218
970	S66286-B3-5725	DFARS, A286 S.S. BAR .5725, AMS5731, CR	FEET	74
970	S66286-B3-635C	DFARS, A286 S.S. BAR .635, AMS5726, CR	FEET	48
970	S66286-B3-760	DFARS, A286 S.S. BAR .760, AMS5731, CR	FEET	51
970	S66286-B3-760A	DFARS, A286 S.S. BAR .760, AMS5853, CR	FEET	46
970	S66286-B3-5725B	DFARS, A286 S.S. BAR .5725, AMS5853, CR	FEET	252
970	S66286-B3-5725B	DFARS, A286 S.S. BAR .5725, AMS5853, CR	FEET	108
970	S66286-B3-938	DFARS, A286 SS BAR, .938 AMS 5731	FEET	103
				1,280
971	T20811-B3-385	H-11 TOOL STEEL, BAR STOCK, .385	FEET	144
971	T20811-B3-760	H-11 TOOL STEEL, BAR STOCK, .760	FEET	168
971	T20811-B3-510	H-11 TOOL STEEL, BAR STOCK, .510	FEET	13
971	G93106-B1-2500P	DFARS, 9310 ALLOY STEEL, BAR STOCK, 2.500	FEET	6
				331
972	R30035-B3-587	DFARS, MN35N BAR .587	FEET	63
				63
973	S66286-B3-4175	DFARS, A286 BAR, .4175	FEET	60
973	S66286-B3-359	DFARS, A286 BAR, .359	FEET	108
973	S66286-B3-3225D	DFARS, A286 BAR, .3225	FEET	744
973	S66286-B1-2186P	DFARS, A286 BAR, .2186	FEET	24
973	S66286-B3-375P	DFARS, A286 BAR, .375	FEET	143
				1079
974	N07718-B3-8125	DFARS, INCONEL 718 .8125, AMS5662	FEET	128
974	N07718-B3-760C	DFARS, INCONEL 718 .760, AMS5662	FEET	89
974	N07718-B3-760C	DFARS, INCONEL 718 .760, AMS5662	FEET	150
974	N07718-B3-885	DFARS, INCONEL 718 .885, AMS5662, PWA	FEET	150

974	N07718-B3-885	DFARS, INCONEL 718 .885, AMS5662, PWA	FEET	35
974	N07718-B1-6875	DFARS, INCONEL 718 .6875, AMS5662, PWA	FEET	50.5
974	N07718-B1-6875P	DFARS, INCONEL 718 .6875, PWA	FEET	5
974	G87400-B3-1135	8740 ALLOY STEEL, 1.135	FEET	456
				1063.5
975	R30605-B1-766	DFARS,L-605 COBALT BAR.766	FEET	27
				27
976	S32100-B1-360	DFARS, 321 SS BAR, .360, AMS 5645	FEET	80
				80
977	S34700-B1-3125P	DFARS, 347 SS BAR, .3125	FEET	12
				12
978	G61500-B3-312	6150 ALLOY STEEL BAR,.312 , AMS 6448	FEET	140
				140
979	S45500-B3-500	CUSTOM 455 BAR, .500	FEET	24
				24
980	S31603-B1-1062	316L ST. ST. BAR 1.062	FEET	12
				12
981	T20811-B3-4475	H-11 TOOL STEEL, BAR STOCK, .4475	FEET	288
				288
982	N06600-B1-375	DFARS, INCONEL 600, .375	FEET	12
				12