

VF-4SS WITH HRT210SP PROPOSAL

PROPOSAL: HFC3739

DATE: **NOV 7, 2018**

PREPARED FOR:

PORTER SYSTEMS INC 2000 E 196TH ST WESTFIELD, IN, 46074

QUOTATION



A Division of HFO Chicago, LLC Exclusive American Made Haas Distributor Servicing Northern Illinois and all of Indiana 555 Busse Rd., Elk Grove Village, IL 60007

316 N Mt Zion Rd., Lebanon, IN 46053

VF-4SS	\$77,995.00
Travels	
X Axis	1270 mm / 50.0 in
Y Axis	508 mm / 20.0 in
Z Axis	
Spindle Nose to Table (~ max)	
Spindle Nose to Table (~ min)	107 mm / 4.2 in
Options	
M-Code/MFIN Cable Assembly	
Tooling Taper (BT/CT): CT option	
12,000-rpm Spindle, 40 taper, 30 hp (22.4 kW) vector drive, inline direct-drive; requires balanced toolholders with G2.5 rating above 10,000 rpm	
Standard Program Memory, 1 GB	
55-Gallon (208 liter) Coolant Tank with 3/4 hp (0.6 kW) pump	
Early Power-Failure Detection Module	
Ethernet Interface	
HaasConnect: Remote monitoring of your Haas machine. Requires the machine to be connected to the Internet.	
Lifting Provision; built-in attachment points for lifting the machine	
Media Display M-Code; M-130 is used within an NC program to call up media files (images, videos, PDF files) from memory and display them on the control screen as the program runs. NextGen Control only. Rigid Tapping	
High-Speed Side-Mount Tool Changer, 40 taper, 30+1 tools	
1-Year Standard Warranty	
Haas Window Blast; airgun-activated feature for clearing coolant from the machine's window during machining.	
8 Spare M Functions	
Visual Part Programming System	
User-Definable Macros	
Spindle Orientation	Included
Coordinate Rotation and Scaling	Included
Rotary-Axis Calibration Tool. Note: The master gauge-length tool will be the same taper as the machine for which	Included
the option is ordered.	
4th-Axis Drive and Wiring	
Wireless Intuitive Probing System; Renishaw. Includes the Haas Visual Programming System, macros, spindle orientation, and coordinate rotation and scaling.	
Chip Auger	
Automatic Pallet Changer Ready; includes 8 Spare M Functions option, Macros, and M-Code/MFIN Cable	
Dynamic Work Offsets and Tool Center Point Control	\$ 4,995.00
MACHINE TOTAL	\$ 97,270.00
HRT210SP	\$11,495.00
Options	
Drive Motor: Sigma 5 Servomotor Drive, for use on 2011 or newer Haas mills	
This rotary unit is configured to connect directly to a Haas mill equipped with optional axis drives. It does not	Included
include a Haas rotary control unit. A separate Haas rotary control unit is available at additional cost.	
28.5' (8.7 m) Extended Cable for HRT210 and smaller	\$ 795.00
HRT210SP TOTAL	\$ 12,290.00
ADDITIONAL ITEMS	
Freight: From Haas automation to customer's dock. Rigging not included.	\$ 3,642.00
Shipping: HRT 210sp to Midaco for fitment.	
Midaco Pallet system : Series 40 S5020	
PC-1077 Discount: Nov VMC Promotion 7.5% Plant 1000	\$ -10,367.78

TOTAL INVESTMENT

\$188,942.22

Shipping	point	Oxnard, CA
Payment '	Terms	20% Down, 70% Prior to Shipment, 10% Net 30 Days from Shipmer
Warranty		1 Year Full Parts and Labo