

| No. | Equip # | Asset # | Description |
|-----|---------|---------|---|
| 1 | 140 | | 34" x 240" Kingston Model HR-6000 Engine Lathe; s/n 6M950928S, 5" Bore, Taper, 20-HP, 30" Chuck |
| 2 | 118 | | 34" x 250" Kingston Model HR-7000 Engine Lathe; s/n 078804136, 5" Bore, Taper, 20-HP, 30" Chuck |
| 3 | | | (Lot) Lathe Tooling in Crates |
| 4 | | | (Lot) Mics & Inspection Tools on Shelf & Cart |
| 5 | 88 | | 18" x 168" Landis Model 818-12 O.D. Grinder |
| 6 | 23 | | 10" x 72" Landis O.D. Grinder |
| 7 | | | (Lot) Plugs & Rings for O.D. Grinders in Crates |
| 8 | | | (Lot) Inspection Department w/ Telesis Portable Marking Systems, Tesa-Height 700 Height Gage, Granite Place, Electro-Tech VT15A Unit, Hamar L700/701 Alignment Laser, Misc. Inspection Tools |
| 9 | | | Romer Arm CMM; s/n 7525-3122-UC |
| 10 | | | (Lot) Shipping Department w/ Baliagh Table Saw w/ Guide and DRO, Sealed Air SP5 Foam Machine, Digital Scale, Misc. Tools & Equipment |
| 11 | 158 | | 6,500 Lb. Toyota Model 8FGCU32 LPG Lift Truck; s/n 65675, 131" Max Lift, 1,975 Hours (2016) |
| 12 | 154 | | 6,000 Lb. Combi Model C6000CB LPG 4-Way Lift Truck; s/n 20894 (2013) |
| 13 | 109 | | 24" x 120" Mazak Model M5 Flat Bed CNC Lathe; s/n 138118 |
| 14 | 9 | | 24" x 120" Mazak Model 24-120 Heavy Duty Engine Lathe; s/n 34952W, 18" Chuck |
| 15 | 12 | | 25" x 144" Kingston Model HR-4000 Heavy Duty Engine Lathe; s/n n/a, Removable Gap, VS Drive |
| 16 | 11 | | 24" x 160" Mazak Model 24-160 Heavy Duty Engine Lathe; s/n 43725W, 18" Chuck, Removable Gap |
| 17 | 10 | | 24" x 60" Dainichi Model DLG-SH Heavy Duty Engine Lathe; s/n 18543, 63x150 Cap., DRO, Removable Gap, 15" Chuck |
| 18 | 111 | | 30" x 160" Kingston Model HR-4000 Heavy Duty Engine Lathe; s/n 048702276, 20-HP, DRO, Removable Gap |
| 19 | 110 | | 30" x 160" Kingston Model HR-4000 Heavy Duty Engine Lathe; s/n A4870215G, 20-HP, DRO, Removable Gap |
| 20 | | | (Lot) Misc. Tooling for Lathes |
| 21 | 156 | | Doosan Puma Model 3100UL CNC Lathe; s/n ML0122-000071, Doosan Fanuc i-Series Control, 12" Chuck, 20.6" Max. Turn Dia., 124" Max. Turn Length, 4" Bar Cap., 2,800 RPM, Programmable Steady Rest, 10-Pos. Turret, Tailstock, Chip Conveyor (6851 run hours) |
| 22 | 151 | | Doosan Puma Model 3100ULY CNC Lathe w/ Milling and Y-Axis; s/n ML0124-00010, Y-Axis, Doosan Fanuc i-Series Control, 15" Chuck, 16.5" Max. Turn Dia., 123" Max. Turn Length, 4" Bar Cap., 2,800 RPM, 12-Pos. Turret, Programmable Steady Rest, Tailstock (5709 run hours) |
| 23 | | | (Lot) Tooling for 3100 CNC Lathes in Boxes and Crates Between Machines |
| 24 | | | Rebuilt Gear Box for Gun Drill |
| 25 | 117 | | 5,000 Lb. Komatsu Model 25 LPG Lift Trucks |
| 25a | 135 | | 5,000 Lb. Komatsu Model 25 LPG Lift Trucks |
| 26 | 1 | | 16" x 20" HEM Model H140M Horizontal Band Saw; s/n 351491, Heavy Bar Conveyor |
| 27 | | | Storage Container Contents; Production, Maintenance & office units only (not QC or sales) |
| 28 | 14 | | Wohlenberg Model B800T Counter Rotating Deep Hole Boring Lathe; s/n D4185, 1-1/2" to 6" Cap., 34' Centers, 32" Swing, 123" Stroke, 24" Chuck, 100-HP Spindle Drive, 75-HP Tailstock Motor, New Set of Gears & Shafts Sold Separately |
| 29 | 104 | | Wohlenberg Model B800B CNC Counter Rotating Deep Hole Boring Lathe; s/n D4350, Retrofitted 1/2020 w/ Fanuc 0-iTD CNC Control & Servos, 4" to 16" Cap., 6-7/8" Single Pass, 37' Centers, 32" Swing, 123" Stroke, 24" Chuck, 68KW Spindle & Tailstock Motors, Full Length Chip Conveyor, (2) 20' Additional Bed Sections Stored Outside, Rebuilt Spindle Gear Box to be Sold Separately |

| No. | Equip # | Asset # | Description |
|-----|---------|---------|---|
| 30 | | | (Lot) Gun Drill Tooling, Boring Bars, Indexable Cutting Heads, Inserts, Chucks and Related in Crates around Machines |
| 31 | 35 | | Leblond Gun Drill; s/n 55RC-855, 2.5" Cap., 70" Stroke, Programmable Hydraulic Pump for Chuck Clamp, 56KW Drive Motor, Updated 2019 |
| 32 | 64 | | Barrett Model 402E Chip Wringer; s/n 4021370E |
| 33 | 102 | | 30" x 144" Monarch Engine Lathe; s/n 39581 (1954) |
| 34 | 144 | | Ohio Tool Works Model OTW-1000-5-2M Programmable Horizontal Hone; s/n MH9011031, 6.5' Stroke, 5-HP Drive |
| 35 | 107 | | General Hone Model GH210-25-13 Programmable Horizontal Hone; s/n 0697188, 13' Stroke, 1" - 12" I.D. Cap., 18" O.D. Cap., 40-HP Hydraulic System, PLC Control |
| 36 | 116 | | General Hone Model GH210-25-13 Programmable Horizontal Hone; s/n 0198204, 13' Stroke, 1" - 12" I.D. Cap., 18" O.D. Cap., Flow-Con Model RBLS-50 Coolant Chiller System, 40-HP Hydraulic System, PLC Control |
| 37 | 117 | | General Hone Model GH220-40-25 Programmable Horizontal Hone; s/n 0599235, 25' Stroke, PLC Control |
| 38 | | | (Lot) Hone Tooling in Crates and on Racks around Machines |
| 39 | 16 | | 10' Barnes Drill #3 Horizontal Hone |
| | | | WELD AREA |
| 40 | n/a | | Miller Synchronwave 350LX Tig Welder (serial # ME150186L) |
| 41 | 157 | | Miller Dimension 452 Mig Welder w/ Wire Feed (# 157 ser# MF 510015C) |
| 41a | 108 | | Miller Dimension 452 Mig Welder w/ Wire Feeds (ser # kf975596) |
| 42 | no id | | Miller Invision 456P Mig Welder w/ Wire Feed (serial # LG220513A) |
| 43 | 130 | | Miller Dimension 652 Mig Welder w/ Wire Feed (serial # KH527147) |
| 44 | 77 | | Miller Dialarc HS Arc Welder (serial # JG134847) |
| 45 | 79 | | Genie Dual Personnel Roll-Around Electric Man Lift Platform |
| 46 | no id | | Lincoln Powerwave S500 Mig Welder w/ Wire Feed (serial # U1120402353) |
| 47 | 70 | | Miller Deltaweld 650 Mig Welder w/ Wire Feed (JE772237) |
| 48 | 68 | | Lincoln Idealarc Welder (serial # AC336908) |
| 48a | 71 | | Lincoln Idealarc Welder (serial # AC483582) |
| 48b | 73 | | Lincoln Idealarc Welder (serial # AC336906) |
| 48c | 78 | | Lincoln Idealarc Welder (serial # AC231486) |
| 49 | 136 | | Cooper Heat MQS 6-Way Power Supply |
| 50 | | | (Lot) Misc. in Welding Area, Turning Rolls on Skid, Lab Mill, Clamps & Accessories in Cabinets |
| | | | SPIN CAST |
| 51 | 58 | | 2 Ton Free-Standing Jib Crane w/hoist |
| 52 | 59 | | 2 Ton Free-Standing Jib Crane w/hoist |
| 53 | | | 10' Motorized Spin Cast Machine |
| 54 | | | Xermac Model XHC240 EDM Power Supply & Touchscreen Control; s/n 109 (New, Never Used) |
| 55 | | | (Lot) Misc. in Spin Cast Dept., 20" Abrasive Saw, Burner System for Furnace, Misc. Parts & Equipment on Skids |
| | | | GRINDING |
| 56 | 38 | | 32" Swing Churchill I.D. Grinder; 32" Swing Over Bed, 20" Swing Over Table, 32" x 38" T-Slotted Table |
| 57 | 82 | | 80" Swing Churchill I.D. Grinder; 80" Swing Over Bed, 36" Swing Over Table, 48" x 92" T-Slotted Table |
| 58 | | | (Lot) Misc. in Maintenance Area, Tools, Parts and Related |
| 59 | | | (Lot) Misc. in Room, Machine Parts, Transformer, LNS Unit |
| 60 | 103 | | 200 Ton HPM Model SL-200 Vertical Hydraulic Wheel Press; s/n 116 |
| 61 | 132 | | 5 Ton x 25' Approx. Portable Gantry Cranes by Spanco |
| 61a | 112 | | 5 Ton x 25' Approx. Portable Gantry Cranes by North American Industries |
| 62 | | | (Lot) Machine Accessories on Rack |
| 63 | | | DELETE |

| No. | Equip # | Asset # | Description |
|-----|---------|---------|---|
| 64 | 145 | | Belmont CNC Die Sinker EDM's Model Maxicut 246 |
| 64a | 146 | | Belmont CNC Die Sinker EDM's Model Maxicut 256 |
| 65 | 133 | | Elox Die Sinker EDM |
| 65a | 21 | | Cincinnati Die Sinker EDM |
| 65b | 20 | | Cincinnati Die Sinker EDM |
| 65c | 19 | | Cincinnati Die Sinker EDM |
| 65d | 152 | | ERM Die Sinker EDM |
| 66 | | | (Lot) EDM Accessories, Tool Holders, Carbon |
| 67 | 105 | | Lucas Model 40T66 CNC Horizontal Boring Mill; s/n 40T0124, 5' x 7' Table, Dynapath 50 Control, New Spindle Drive, New Fagor Servos, Ball Screws in 2019 |
| 68 | | | (Lot) Tooling for Boring Mill in Crates and Boxes |
| 69 | 137 | | 24" x 60" Summit Model 24x60B Engine Lathe; s/n 34952, DRO |
| 70 | 29 | | (Lot) Bridgeport Mill and Carbon Machining Area |
| 71 | 28 | | G&L Model 350T Horizontal Boring Mill; s/n 150-90-65 |
| 72 | | | (Lot) Tooling & Accessories for Boring Mill |
| 73 | | | 4' x 15' x 16" Granite Table |
| 74 | 155 | | Milltronics Model VM30 CNC VMC; s/n 5571 |
| 75 | 22 | | Hanchett Model VS-122 Hydraulic Knife Grinder; s/n 75/HAM-14 |
| 76 | 30 | | Lucas Model 30-DCP76 CNC Horizontal Boring Mill; s/n 30DC0510, 5' x 7' Table, Dynapath 50 Control |
| 77 | | | (Lot) Boring Mill Tooling and Accessories, Tool Holders, Vises, Angle Plates, V-Blocks |
| 78 | | | 4' x 185" Cast Iron T-Slotted Table |
| 79 | 43 | | HPM 70 Ton Horizontal Hydraulic Press (sn 13315) Williams and White??? |
| 80 | 32 | | 5' x 11" Col. Carlton Model 1A Raidal Arm Drill; s/n 4434 |
| 81 | 65 | | 5' x 11" Col. Mazak Model Hole-Master 512 Radial Arm Drill; s/n 77058L |
| 82 | | | 15' T-Slotted Cast Iron Table |
| 83 | 131 | | AB Martin Asquith Butler Type HPF Five-Axis CNC Machining Center; s/n 6096, Updated Hiedehain i530 CNC Control in 2015, 10' x 15' T-Slotted Table, Approx. 22' X-Axis Horizontal Travel, Approx. 8' Vertical Spindle Travel (Only 6' Above Table), 40-Pos. ATC, 50 Taper |
| 84 | | | (Lot) Tooling for AB Martin VMC, Toolholders, Clamps & Etc. |
| 85 | 169 | | IDS ID Straightening table w/optical gage (TIR); 20' Bed, 36" Swing |
| 86 | | | (Lot) New Tooling Inventory in (2) Cabinets |
| 87 | 66 | | Cincinnati Tool Grinder & Sterling Grinder |
| 88 | | | (15) Dump Hoppers |
| 89 | | | (Lot) Misc. Shop Equipment Throughout Plant, Fans, Tables, Tools & Related |
| 90 | 153 | | Doosan Puma 700XLY CNC Turning Center w/ Milling and Y-Axis; s/n ML0170-000060, 35.4" Max. Turning Dia., 199" Max. Turning Length, 15.7" X-Axis, 7.9" Y-Axis, 201" Z-Axis, 1,500 RPM Spindle, 7.1" Spindle Bore, 12-Pos. Turret, Live Tooling, Programmable double "cut thru" steady rest (Shunk), Tailstock (new 4/2013, 2945 run hours) |
| 91 | 159 | | Doosan Puma 600XLM CNC Turning Center w/ Milling; s/n ML0166-000035, 44.9" Max. Swing, 35.4" Max. Turning Dia., 199" Max. Turning Length, 18.5" X-Axis, 201" Z-Axis, 1,800 RPM Spindle, 6" Spindle Bore, 12-Pos. Turret w/ Live Tooling, Programmable double "cut thru" steady rest (Shunk), Tailstock (361 run hours) |
| 92 | 148 | | Kingston Model LC-34x5000 Flat Bed CNC Lathe; s/n L0223406090, BED TWISTED, Estimate \$100K repair costs, (6546 run hours) |
| 93 | | | (Lot) Tooling for Large CNC Lathes in Crates and Boxes between Machines |
| 94 | | | Bay 1 Bridge Cranes, Rail and Raceway: (3) 2 Ton x 35' Span Single Girder Underhung Bridge Cranes, 200' Rail and Raceway |
| 95 | | | Bay 2 Bridge Cranes, Rail and Raceway: (3) 2 Ton x 35' Span Single Girder Underhung Bridge Cranes, 200' Rail and Raceway |
| 96 | | | Bay 3 Bridge Cranes, Rail and Raceway: (2) 2 Ton x 35' Span Single Girder Underhung Bridge Cranes, 200' Rail and Raceway |

| No. | Equip # | Asset # | Description |
|-----|---------|---------|--|
| 97 | | | Bay 4 Bridge Cranes, Rail and Raceway: (1) 2 Ton x 35' Span Single Girder Underhung Bridge Cranes, 200' Rail and Raceway |
| 98 | 141 | | Kaeser Air compressor Model BSD50 |
| 99 | 46 | | Kaeser Air compressor Model BS60 |
| 100 | 142 | | Kaeser AirModel TD61 Dryer, Air Tank |