

FORMER ASSETS OF A LAWNMOWER MANUFACTURER INCLUDING LATE MODEL STAMTEC, AIDA & SEYI GAP FRAME PRESS, BLISS OBI PRESSES, WHEELABRATOR, TOOLROOM MACHINERY, LIFT TRUCKS, AIR COMPRESSORS, CORRUGATED TUBS, WIRE BASKETS & MORE

BidSpotter.com
To Become a Qualified Bidder on the Internet
See Instructions on Page 3

PUBLIC AUCTION

Former Assets of a

LAWNMOWER MANUFACTURER

830 Webster Ave. – Shelbyville, IN 46716

30 Miles Southeast of Indianapolis, IN

SALE DATE: THURSDAY, APRIL 20TH, STARTING AT 10:00 AM

INSPECTION: WEDNESDAY, APRIL 19TH, FROM 10:00 AM TO 4:00 PM



200 Ton Stamtec Model C1-200 Gap Frame Press



50 Ton Seyi Model SN1-50 Gap Frame Press



75 Ton Bliss Model 23M OBI Press



72" Wide Wheelabrator Rotary Table Shot Blast Machine



Pines Hydraulic Vertical Tube Bender



(5) LP Gas Lift Trucks by Yale, Nissan & Komatsu up to 5,000 LB



Sale Under The Management Of

CINCINNATI INDUSTRIAL AUCTIONEERS

auctioneers | appraisers | since 1961 | cia-auction.com | info@cia-auction.com

2020 Dunlap St., Cincinnati, Ohio 45214 Phone 513-241-9701 Fax 513-241-6760



60 Ton Bliss Model 6 OBI Press



110 Stamtec Model G1-110 Gap Frame Press



88 Ton Aida Model NCI-80(2) Gap Frame Press



121 Ton Heller Sutherland Model Mark-121 Gap Frame Press



(2) 60 Ton L&J Model W-60 OBI Press



4,000 LB Feed Lease Model FLCC-4iM-24 Coil Cradle



41' Long Metal Wash Machine Company Model 42X36 WRRD Three-Stage Wash System

GAP FRAME PRESSES

200 Ton Stamtec Model G1-200 Gap Frame Press; S/N C268, Bed Size: 55" LR X 32" FB T-Slotted, Ram Size: 33" FR X 24" FB Plain, Bolster Plate Thickness: 6.5", Stroke: 7.874", Stroke Per Minute: 20-50, Slide Adjustment: 4.33", Shut Height: 17.71", Window Size: Open, Palm Button Control, Air Brake **SEE PHOTO**

121 Ton Heller Sutherland Model Mark-121 Gap Frame Press; S/N HS-232, Bed Size: 45" LR X 27" FB T-Slotted, Ram Size: 25.5" LR X 20.5" FB Plain, Bolster Plate Thickness: 6", Stroke: 7", Stroke Per Minute: 35-65, Slide Adjustment: 3.5", Shut Height: 13.7", Window Size: Open, Palm Controls, Air Clutch and Brake **SEE PHOTO**

- 26" Wide Feed Lease Pneumatic Feeder
- 4,000 LB Feed Lease Model FLCC-4iM-24 Coil Cradle; S/N 4246 **SEE PHOTO**

110 Stamtec Model G1-110 Gap Frame Press; S/N 0407, Bed Size: 45" LR X 24" FB T-Slotted, Ram Size: 25.5" LR X 18.5" FB T-Slotted, Bolster Plate Thickness: 5", Stroke: 7.09", Stroke Per Minute: 30-60, Slide Adjustment: 3.15", Shut Height: 13.73", Window Size: Open, Palm Button Control, Air Clutch and Brake, Gemco Patriot Series 1992 Press-Set control (New 1995) **SEE PHOTO**

- 26" Wide Feed Lease Pneumatic Feeder
- 15" Wide Coil Cradle
- Littl No. 25 Electric Single End Uncoiler

88 Ton Aida Model NCI-80(2) Gap Frame Press; S/N 00208-6438, Bed Size: 37" LR X 24" FB T-Slotted, Ram Size: 21" LR X 18" FB T-Slotted, Bolster Plate Thickness: 5.5", Stroke: 6.29", Stroke Per Minute: 40-75, Slide Adjustment: 3.14", Shut Height: 12.59", Window Size: 6.5" LR X 4.5" TB, Palm Controls, Air Brake and Clutch **SEE PHOTO**

50 Ton Seyi Model SNI-50 Gap Frame Press; S/N EW-45-535, Bed Size: 33" LR X 17" FB Plain, Ram Size: 17" LR X 13.75"

Plain, Bolster Plate Thickness: 5", Stroke: 4.33" Stroke Per Minute: 50-85, Slide Adjustment: 2.36", Shut Height: 10.6", Window Size: 14" LR X 8" TB, Palm Controls, Air Brake and Clutch **SEE PHOTO**

- 4" PRE Model P120F04R2065PRF Servo Feed; S/N 0305-004, with Introl Design DC1E-411E Controller, 4" Max Width, 187" Max Thickness
- 3,000 Lb. Rowe Model 3015J Coil Cradle; S/N 17317, Max OD With 18"

50 Ton Heller Sutherland Model Mark 50 Gap Frame Press; S/N HS-364, Type T, Bed Size: 33" LR X 17" FB Plain, Ram Size: 17" LR X 14" FB Plain, Bolster Plate Thickness: 3-1/2", Stroke: 4.3", Stroke Per Minute: 50-85, Shut Height: 14", Window Size: 2.3" LR, Palm Controls

OBI PRESSES
75 Ton Bliss Model 23M OBI Press; S/N N/A, Bed Size: 32" LR X 24" FB Drilled and Tapped, Ram Size: 19" LR X 15" FB, Bolster Plate Thickness: 3.5", Window Size: 8" LR X 6" TB, Palm Button Controls, Minster Air Clutch and Brake **SEE PHOTO**

60 Ton Bliss Model 6 OBI Press; S/N N/A, Bed Size: 32" LR X 22" FB Drilled and Tapped, Ram Size: 14" LR X 10" FB, Bolster Plate Thickness: 3", Window Size: Open, Palm Button Control, Minster Air Clutch and Brake **SEE PHOTO**

(2) 60 Ton L&J Model W-60 OBI Press; S/N N/A, Bed Size: 38" LR X 24" FB Drilled and Tapped, Ram Size: 24" LR X 12" FB, Bolster Plate Thickness: 2.5", Window Size: 22" LR X 16" TB, Palm Button Controls, Minster Air Clutch and Brake **SEE PHOTO**

55 Ton Johnston Machine OBI Press; S/N N/A, Bed Size: 30" LR X 18" FB Drilled and Tapped, Ram Size: 18" LR X 10" FB, Bolster Plate Thickness: 3", Window Size: 24" LR X 20" TB, Palm Button Controls, Air Clutch

45 Ton Bliss OBI Press; S/N N/A, Bed Size: 30" LR X 17" FB T-Slotted, Ram Size: 12" LR X 8" FB Plain, Bolster Plate Thickness: 2.5", Stroke: 3", Stroke Per Minute:

N/A, Slide Adjustment: 3", Shut Height: 12.25", Window Size: 12" LR X 6" TB, Palm Button Controls, Minster Air Clutch and Brake

35 Toledo Press Model 5 OBI Press; S/N N/A, Bed Size: 23" LR X 15.5" FB Drilled and Tapped, Ram Size: 6" LR X 6" FB Plain, Bolster Plate Thickness: 2", Window Size: 1.75" LR X 4" TB, Palm Button Controls, Air Clutch

30 Ton Johnson Machine Model N/A OBI Press; S/N N/A, Bed Size: 27" LR X 16" FB Drilled and Tapped, Ram Size: 7.5" LR X 9" FB, Bolster Plate Thickness: 3", Window Size: 17" LR X 12" TB, Palm Button Controls, Minster Air Clutch and Brake

27 Ton Johnson Model 27FW-AC OBI Press; S/N 69022, Bed Size: 21.5" LR X 13" FB Drilled and Tapped, Ram Size: 9" LR X 7.5" FB Plain, Bolster Plate Thickness: 2", Stroke: 2.5", Stroke Per Minute: 160, Slide Adjustment: 2.5", Shut Height: 9.875", Window Size: Open, Palm Controls, Air Clutch and Brake

10 Ton L&J OBI Press; S/N N/A, Bed Size: 15" LR X 8" FB Drilled and Tapped, Ram Size: 6" LR X 7" FB, Bolster Plate Thickness: 1", Window Size: 4" LR X 1" TB, Palm Button Controls, Air Clutch and Brake

WHEELABRATOR
72" Wide Wheelabrator Rotary Table Shot Blast Machine; S/N A134095, with (2) Dustcop Model FT-40-5P Dust Collector and Reclaim **SEE PHOTO**

TUBE BENDERS
5 Ton Pines Hydraulic Vertical Tube Bender; S/N 44362-76173, 20 HP, 3/4" Die **SEE PHOTO**
Pines Hydraulic Vertical Tube Bender; S/N 44362-94013, with Control, 20 HP, 3/4" Die (Out of Service) **SEE PHOTO**

TOOLROOM MACHINERY
3 HP Acer Model EVS-3VS Vertical Mill; S/N 12120371, 9" X 42" T-Slotted Table, 50 - 3,750 RPM, (New 2002)

3 HP Bridgeport Vertical Mill; S/N 110478, 9" x 42" Power Feed Table, Lyman MK-7 Powerfeed,

Tracher "Toolmaker" AC Pro Drive, DRO

1 HP Bridgeport 8-Speed Vertical Milling Machine; S/N J-127484, 9" X 34" T-Slotted Table, 80 - 2,720 RPM Spindle Speed, with Bridgeport Shaping Attachment

12" X 30" Chevalier Model SGS-1230AHD Hydraulic Surface Grinder; S/N 568004, 5 HP (New 1995) **SEE PHOTO**

6" X 18" Boyer and Schultz Hand Feed Surface Grinder

13" X 32" Clausing Colchester 13" Shop Lathe; Spindle Speed 30 - 2,500 RPM, 2" Collet Chuck, 1-3/4" Spindle Hole **SEE PHOTO**

K&T No. 3B Horizontal Mill; 7-1/2 HP, 15" X 55" T-Slotted Table

28" Leeland-Gifford Floor Drill

11" X 14" Peerless Horizontal Hack Saw

20" Powermatic Model 87 Vertical Band Saw; S/N 8087002, 24" x 24" Table

PRODUCTION MACHINERY

(2) Heald Model 322-A Double End Finishers **SEE PHOTO**

6" Deprag Model 1511-Es Vibratory Bowl Parts Feeder; S/N 1024478, with Pneumatic Punch (New 2004)

(12) Norton Plain Cylindrical Grinders

RG Haskins Co Model 3-UT Proconier Machine; S/N T-21240, 1,140 rpm, 1/2 HP

FINISHING EQUIPMENT

3' Diameter X 5' Long Tumbler; 7-1/2 HP with SLY Dust Collector **SEE PHOTO**

Cress Model C1228/924HLC Electric Furnace; S/N 9910, 2,500 Degree Max Temp

Brown Instrument Model 1001/81010 Electric Furnace; S/N 211454, 2,000 Degree Max Temp

Blade Gas Furnace Oven; S/N N/A, 1,600 Degree Max Temp, 2" High X 6" Wide

Clarke Blast Cabinet

LAWNMOWER MANUFACTURER



5 Ton Pines Hydraulic Vertical Tube Bender



150 HP Ingersoll Rand Model SSR-EP150 Enclosed Rotary Screw Air Compressor



Bridgeport Vertical Mills & 20" Powermatic Band Saw



13" X 32" Clausing Colchester 13" Shop Lathe



(2) Heald Model 322-A Double End Finishers

Mower Blade Equipment
Consisting of; Blade Sharpener and Furnace and Fume Collector, Blade Twisting Machine, Blade Rattler

PAINT LINE

41' Long Metal Wash Machine Company Model 42X36 WRRD Three-Stage Wash System; S/N 3566, Wash Cycles, (2) Rinse Cycles, 800 Gallon Wash, 490 Gallon Rinse 1, 460 Gallon Rinse 2, 22" X 36" Window, 64" Wide X 41" Long Overall Dimensions

SEE PHOTO

52" X 60" X 87" Binks Back Draft Paint Booth

(2) Triton 300 Paint Pods

RACKS

(7) Sections Pallet Rack

(74) Blue Stackable Racks

Cantilever Rack

BASKETS - STEEL CONTAINERS

(90) Corrugated Steel Tubs

(4) Collapsible Plastic Totes

(184) Collapsible Wire Baskets with Steel

(Lot) Miscellaneous Plastic Tubs

(14) Skids Wire Baskets Shrink Wrapped

PACKAGING EQUIPMENT

Wulftec Model WSMH-150B Stretch Wrapper; S/N 34553-1-

0906, 50" X 50" Rotating Table (New 2006)

3M-Matic Type 19200 800.3 Adjustable Case Sealer; S/N 1440

SEE PHOTO

100 Lb. Doran Model Digibar 4200 Digital Scale; 14" x 20" Platform

JIB CRANE

3 Ton X 15' Arm Spanco Jib Crane with 3 Ton Budget Electric Chain Hoist

10' X 3,000 Lb. New Castle Spreader Bar

AIR COMPRESSORS

150 HP Ingersoll Rand Model SSR-EP150 Enclosed Rotary Screw Air Compressor; S/N F35904U98064, 45,088 Total Hours, 29,902 Loaded Hours

SEE PHOTO

Ingersoll Rand TM800 Air Dryer; S/N 97KTM512, 175 PSIG

SEE PHOTO

500 Gallon Air Receiving Tank

LIFT TRUCKS

5,000 LB Komatsu FG255 LP Gas Solid Tire Lift Truck; S/N 3019120, Three-Stage Mast, 84" Mast Height, 185" Lift Height 42" Forks, Side Shift, 4,514 Hours

5,000 LB Komatsu Model FG25ST LP Gas Solid Tire Lift Truck; S/N 405256A (3,117 Hours), S/N 500557A

(5,736 Hours), Three-Stage Mast, 188" Lift Height, 42" Forks

4,500 LB Cascade Model

45E-PS-0004 Pusher Attachment; S/N SELR-1740-T1

4,500 LB Cascade Model 45E-PPP-A001R1 Pusher Attachment; S/N 30615-1

5,000 LB Yale Model GLC050 Solid Tire LP Gas Lift Truck; S/N A910V21080K, 3-Stage Mast, 82" Mast Height, 189" Lift Height, 42" Forks, Finger Tip Control, 14,572 Hours (New 2012)

6,000 LB Nissan Model MCU1F2A301V Solid Tire LP Gas Lift Truck; S/N CU1F2-9Q0437, 3-Stage Mast, 88" Mast Height, 185" Lift Height, 46" Forks, 2,718 Hours (New 2008)

BOX TRUCK

1989 Chevrolet Turbo Diesel 70 Tiltmaster 22' Box Truck; VIN # J88K7A1N6KL3200054, Diesel Engine, 5-Speed Manual Transmission, Modern Wagon Box, 109,959 Miles

SEE PHOTO

DUST COLLECTORS

Dust & Fume Collectors Consisting of; (2) Air Flow Dust Collectors, (3) Micro Air MA4200 Fume Collectors, Dustvent Model 15T3 Cyclones Dust Collector; S/N 5803, 3 HP, Micro Air MA4100 Fume Collector

SHOP EQUIPMENT

(12) Various Size Dump Hoppers

(3) Miller Model CP300 Welders; S/N KD382184, KA874265, and JK641992, with Feeds and Fume Collectors

Shop Built 2-Head Spot Welder

2,000 Lb. Vestil Model EHLTG-5250-2-36

Hydraulic Scissor Lift Table; S/N S241510, 52" x 48" Table, 3-Phase, 60 Hz (New 2004)

6" X 11' New London Engineering Model 510 Incline Metal Belt Conveyor; S/N 05-78735 (New 2005)

Shop Equipment Consisting of; 1 Ton Duff Electric Chain Hoist, Pallet Trucks, (2) Electric Die Lift Carts, Pedestal Fans, Arbor Presses, Belt Sanders, (2) Bench Centers, Bench with Vise, (3) Die Carts, (2) HD Storage Cabinets, Banding Cart, Steel Carts, and Other Various Shop Equipment

OVERSTOCK

Large quantity of overstock, returns including; opened cordless and electric lawn mowers, trimmers, snow blowers, chain saws, chippers, edgers, tillers, push mowers and parts

WEBCAST BIDDER INSTRUCTIONS

> All Internet bidders must register for this auction at www.bidspotter.com at least 48-Hours Prior to the Sale Date, **if you do not you will not be approved.**

> All Internet bidders must Post a Deposit of Approx. 25% of Your Planned Spending Budget or \$5,000.00 Minimum with Cincinnati Industrial Auctioneers in Order to be approved to Bid. Those who do Not Post the Deposit Will Not be Approved. **Period.**

BidSpotter.com



Large Quantity of Various Electric Lawn care Equipment



1989 Chevrolet Turbo Diesel 70 Tiltmaster 22' Box Truck



(40) Corrugated Steel Tubs & (184) Wire Baskets



Ingersoll Rand TM800 Air Dryer



12" X 30" Chevalier Model SGS-1230AHD Hydraulic Surface Grinder



3' Diameter X 5' Long Tumbler



3M-Matic Type 19200 800.3 Adjustable Case Sealer

PUBLIC AUCTION

Former Assets of a

LAWNMOWER MANUFACTURER

830 Webster Ave. – Shelbyville, IN 46716
30 Miles Southeast of Indianapolis, IN

SALE DATE:
Thursday, April 20th
STARTING: 10:00 AM

INSPECTION:
Wednesday, April 19th
10:00 AM to 4:00 PM



CINCINNATI INDUSTRIAL AUCTIONEERS

auctioneers | appraisers | since 1961

Contact Information
2020 Dunlap St.
Cincinnati, Ohio 45214
Phone 513-241-9701
Fax 513-241-6760
www.cia-auction.com



Gap Frame & OBI Presses



Wheelabrator



Toolroom Machinery

FIRST CLASS MAIL!

PRE-SORT
FIRST CLASS
U.S. POSTAGE
PAID
CINCINNATI, OHIO
PERMIT NO. 3593

Important Mail

TO BE DIRECTED TO THE ATTENTION
OF EXECUTIVE PERSONNEL

THURSDAY, APRIL 20TH

PUBLIC AUCTION

Former Assets of a

LAWNMOWER MANUFACTURER

830 Webster Ave.
Shelbyville, IN 46716
30 Miles Southeast of Indianapolis, IN

IMPORTANT NOTICE:

Although information has been obtained from sources deemed reliable, the auctioneer makes no warranty or guarantee, expressed or implied, as to the accuracy of the information herein contained. It is for this reason that buyers should avail themselves of the opportunity to make inspection prior to the sale. This brochure is intended to provide general information of the equipment being offered and is subject to errors, omissions, additions or deletions. Please check with the Auctioneer's Office for a final listing. Items offered may or may not necessarily be sold as described and/or photographed in this brochure.

MAIL BIDS ACCEPTED WITH A 25% DEPOSIT

DIRECTIONS

From I-74 Proceed to Exit 113 for IN-9 Toward Shelbyville. Turn South onto IN-9 Proceed 1.7 Mile to Right Turn onto Washington Street. Continue 0.6 Mile on Washington Street to Left Turn onto Montgomery Street. Proceed 0.3 Mile to Right Turn onto Webster Ave, Continue to Sale Site on Right. Watch for Auction Parking and Auction Signs.

AUCTIONEERS

Cincinnati Industrial Auctioneers, Inc. –
License No. AC63004471
Jeffrey L. Luggen – License No. AU01051612
Joseph M. Luggen – License No. AU11200137



TERMS OF SALE

All equipment described herein will be sold "as is", "where is" to the highest bidder or bidders for cash in accordance with our regular terms and conditions of sale. Unless other satisfactory arrangements are made, a **25% deposit** in cash, certified or cashier's check payable to Cincinnati Industrial Auctioneers, Inc., **is required on all purchases.** Firm and personal checks accepted only if accompanied by a letter from your bank guaranteeing your funds. All sales are subject to state and/or local taxes unless a signed exemption form is presented at the time of purchase. **All balances are due at the conclusion of the sale.** No merchandise may be removed while the sale is in progress. **All bidders must comply with our Standard Terms of Sale,** copies of which will be available at the sale site or can be obtained from our website.

15% ONSITE BUYER'S PREMIUM
18% ONLINE BUYER'S PREMIUM



Sale Under The Management Of

CINCINNATI INDUSTRIAL AUCTIONEERS

auctioneers | appraisers | since 1961 | cia-auction.com | info@cia-auction.com
2020 Dunlap St., Cincinnati, Ohio 45214 Phone 513-241-9701 Fax 513-241-6760