

# (2) PUBLIC AUCTIONS

## LIVE ONSITE WEBCAST AUCTION

Exceptionally Well Maintained Large Capacity  
CNC Machining, Tool, Die And Mold Making Machinery and  
Equipment Including VMC's, Lathes, T-Slotted Tables, Bridge  
Cranes and Support Equipment

On the Premises of

## BRIDGESTONE AMERICAS TIRE OPERATIONS, LLC

1700 Firestone Parkway – Akron, Ohio 44317

**SALE DATE: WEDNESDAY,  
DECEMBER 18TH,  
STARTING AT 9:00 AM**

**INSPECTION: TUESDAY, DECEMBER 17TH,  
FROM 8:00 AM TO 4:00 PM**



Takumi Model V20A Large  
Capacity CNC Vertical  
Machining Center



Dainichi Model F50 X 1250 Slant Bed CNC Turning Center

## ONLINE ONLY AUCTION

Online Only Auction of Forklifts and Support Equipment Including (8)  
2006 - 2008 Taylor Lift Trucks to 30,000 Lb., (12) Other Lift Trucks, Man  
Lifts, Kubota ATV's, Test, Electrical, Shop and Support Equipment

## FORKLIFTS AND SUPPORT EQUIPMENT

LOCATION 1 - WARREN WAREHOUSE

26155 Groesbeck Hwy. - Warren, Michigan 48089

LOCATION 2 - STOCKTON WAREHOUSE

6600 Stockton Road - Fairfield, Ohio 45014

**ONLINE BIDDING ENDS: THURSDAY,  
DECEMBER 19TH AT 11:00 AM (EST)**

**INSPECTION FOR BOTH LOCATIONS: WEDNESDAY,  
DECEMBER 18TH FROM 10:00 AM TO 4:00 PM**



(6) 30,000 LB Taylor Model TCO-300S Big Red  
Cushion Tire Lift Trucks (New as 2008)



(2) 16,000 LB Taylor Model THO-160S Big Red  
Dual Pneumatic Tire Lift Trucks (New as 2008)



Sale Under The Management Of

**CINCINNATI INDUSTRIAL AUCTIONEERS**

auctioneers | appraisers | since 1961 | [cia-auction.com](http://cia-auction.com) | [info@cia-auction.com](mailto:info@cia-auction.com)  
2020 Dunlap St., Cincinnati, Ohio 45214 Phone 513-241-9701 Fax 513-241-6760



# LIVE ONSITE AND WEBCAST AUCTION – BRIDGESTONE/FIRESTONE



21" Chuck 54" CC

Dainichi Model F50 X 1250 Slant Bed CNC Turning Center



25" X 120" Leblond Model 2516 Geared Head Engine Lathe



Fanuc Robocut Alpha-1A CNC Wire EDM



SMG Model V32 CNC Vertical Machining Center



(10) Available

(7) 5' X 20' and (3) 5' X 10' X 6-1/4" Thick T-Slotted Cast Iron Floor Set-Up Tables / Plates



Takumi Model V20A Large Capacity CNC Vertical Machining Center

## CNC TURNING CENTERS

**Dainichi Model F50 X 1250 Slant Bed CNC Turning Center**, S/N 24821, Fanuc Series 15-T Controls, 4.5" Dia. Spindle Bore, 12-Station Turret, 27" Max Swing, 52" Between Centers, 15" X-Axis, 32" Z-Axis, 60 HP, 280-1,120 RPM Spindle Speed, 21" 3-Jaw Chuck, Hydraulic Draw, Clamping on Chuck, Chip Conveyor, 82 KVA Transformer (New 1991) SEE PHOTO

## CNC VERTICAL MACHINING CENTERS

**Takumi Model V20A Large Capacity CNC Vertical Machining Center**, S/N J0505, Fanuc 18M CNC Control, 40" X 86" T-Slotted Table, (2) Chip Conveyors, 78.85" X-Axis, 42.08" Y-Axis, 29.64" Z-Axis, 6,000 RPM Spindle, 50 Taper Spindle, 32-Position ATC, Yuasa Model UTGP 4th-Axis; S/N 662801, (New 5/2000) SEE PHOTO

**SMG Model V48 CNC Vertical Machining Center**, S/N 8932129, Fanuc Series O-M CNC Control, 20" X 46" Table, 40 Taper Spindle, 21-Position ATC, 47.24" X-Axis, 29.98" Y-Axis, 23.62" Z-Axis, 30 KVA Transformer

**SMG Model V32 CNC Vertical Machining Center**, S/N 9348005, Fanuc Series O-M CNC Control, 18" X 46" T-Slotted Table, 40 Taper Spindle, 16-Position ATC, 52.68" X-Axis, 21.25" Y-Axis, 23.80" Z-Axis, 30 KVA Transformer, **SMW Model RT-31 4th-Axis Attachment**; S/N 552, Incremental Indexing SEE PHOTO

(75) Cat. 50 Taper Toolholders  
(10) Cat. 40 Taper Toolholders

## CNC WIRE EDM

**Fanuc Robocut Alpha-1A CNC Wire EDM**, S/N 93Z1A026, Fanuc Series 16-WA Control, Pendant, 30" X 24" X 11" Tank, EBBCO DI Exchange System, 26" X 20" X 12" Max Work Piece, 1,250 Lb. Max Weight, 17.73" X-Axis, 11.82" Y-Axis, 11.82" Z-Axis (New 1993) SEE PHOTO

## VERTICAL TURRET LATHE

**48" Webster Bennett Vertical Turret Lathe**, S/N 650197, Accurite DRO, 5-Station Turret, 8.4-187 RPM, 48" 4-Jaw Chuck, 56" Max Swing, 26" Vertical Lift, 35" Height Under Turret, 30 HP Scan-O-Matic Tracer Attachment w/ 24" X 30" Template Plate, Green Mercier Hydro-Pneumatic Accumulator System SEE PHOTO

## FLOOR PLATES

(7) 5' X 20' X 7" Thick T-Slotted Cast Iron Floor Set-Up Tables / Plates w/ Leveling Adjustment  
(3) 5' X 10' X 6-1/4" Thick T-Slotted Cast Iron Floor Set-Up Tables / Plates SEE PHOTO

## OVERHEAD BRIDGE CRANES

**10 Ton X 40' Approx. Span P&H Double Girder Top Running Overhead Bridge Crane**, S/N CT23968, 6-Way Pendant Controls, 10 Ton P&H Cable Hoist  
• 225' Approx. Crane Rail & Raceway \*\*To Be Sold Separate and Subject to High Bid Conformation\*\*  
**7-1/2 Ton X 48' Approx. Span Integrity Crane Services Single Girder Top Running Overhead Bridge Crane**, S/N 29671, 7 1/2 Ton Shaw Box Cable Hoist, Remote Controls, Telecrane Controls

• 100' Approx. Crane Rail & Raceway \*\*To Be Sold Separate\*\*  
(3) 5 Ton X 48' Approx. Span Crane America Services Single Girder Top Running Overhead Bridge Cranes; 5 Ton Shaw Box Cable Hoists, with 6-Way Pendant Controls SEE PHOTO

• 100' Approx. Crane Rails & Raceway \*\*To Be Sold Separate\*\*  
**2 Ton X 30' Approx Span Crane America Services Single Girder Under Hung Overhead Bridge Crane**; 2 Ton Shaw Box Cable Hoist, 6-Way Pendant Controls  
• 75' (Approx.) Crane Rail & Raceway \*\*To Be Sold Separate\*\*

1/2 Ton X 8' Arm Beacon Line Floor Type 360 Degree Jib Crane; 1000 LB CM Electric Chain Hoist, 10' Column  
**7 Ton X 16' Spreader Bar**

## ENGINE LATHES

**25" X 120" Leblond Model 2516 Geared Head Engine Lathe**, S/N 4NEL1689, Taper Attachment, 12-1,500 RPM, Accurite III DRO, 18" 3-Jaw Chuck, 2" Spindle Bore, Tailstock, Steady Rest SEE PHOTO  
**22" X 60" Sharp Model 2260G Gap Bed Geared Head Engine Lathe**, S/N 7712001, 15-1,500 RPM, 3" Spindle Bore, 12" 3-Jaw Chuck, Tailstock, Steady Rest

**15" X 84" Cincinnati Tray Top Engine Lathe**, S/N 1W3L5A-213, 20-820 RPM, Tailstock, Steady Rest, 1-1/2" Spindle Hole, Collet Chuck

**13" X 40" Sharp Model 1340 Geared Head Engine Lathe**, S/N 23055, 45-18,000 RPM, 1-1/4" Spindle Hole, 8" 4-Jaw Chuck, Tailstock

## VERTICAL MILLING MACHINES

**2 HP Bridgeport CNC Three-Axis CNC Vertical Milling Machine**, S/N 250752, Anilam 1400 Series CNC Control, 30 Taper Spindle, 60-4200 RPM Spindle, 9" X 48" T-Slotted Power Table, Power Knee SEE PHOTO

(2) 5/7.5 HP Sharp Model VHB Vertical / Horizontal Milling Machines; S/Ns 450B02012 & 450B02015, Accurite III DRO, 12" X 52" T-Slotted Table, Vertical: 5HP Motor, BT40 Taper Spindle, 85-3,150 RPM Spindle Speed, Horizontal: 7.5HP Motor, BT50 Taper Spindle, 45-1,700 RPM Spindle Speed

(2) 1 HP Bridgeport 8-Speed Vertical Milling Machines; S/Ns 99037 & 79198, Sony Millman DRO, 9" X 36" T-Slotted Power Table

## BAND SAWS

**19" WE Wells Model V2014F Vertical Band Saw**; S/N 775010, w/ Blade Welder

**19" Powermatic Model 87 Vertical Band Saw**  
**14" Rockwell Model 28300 Vertical Band Saw**

## MISC. MACHINERY

**Burr King Model Vibra-King 45-4T Vibratory Parts Finisher**; S/N 4524, 1-1/2 HP, 14" X 35" X 12" Deep Bowl  
**Cleaver-Brooks Model CSB Electric Steam Package Boiler**; S/N G01435, Size 24" X 4" - 6, Max Pressure 300

## SPRAY BOOTH

**21' X 9' X 10' Devilbiss Paint Arrestor Type Back Draft Spray Booth**; 21" X 9" X 10" Interior Dimensions, Rear Exhaust, Siemens Controls

## LIFT TRUCKS

(2) 5,000 LB Hyster Model S50FT LP Gas Solid Tire Lift Trucks; S/N F187V07592D, Three-Stage Mast, 218" Lift Height, Monorail, Side Shift, Finger Tip Controls (New 2006)

(2) 3,000 LB Hyster Electric Three-Wheel Lift Trucks; w/ 36 Volt Chargers

## MACHINE ACCESSORIES

**Machine Accessories and Tooling Consisting Of:** (20) 30 Taper Toolholders, 15" Troyke Rotary Table, (2) 8" Super Spacers, Sine Plates, V-Blocks, Tapping Heads, (4) 6" Kurt and (2) 6" Bridgeport Mill Vises, R-8 Collets and Tool Holders, Indextable Lathe Tooling, Alorist Tool Posts with (15) Holders, Boring Bars, Carbide Inserts, Palmgren Mill Vise, and Other Related Items

## SHOP EQUIPMENT

**Shop Equipment Consisting Of:** (3) 15' Berner Model 9000B Invisible Door Air Curtain, (12) Pedestal Fans, (10) Portable Shop Ladders, Steel Banding Set, 200 AMP Lincoln Torpedo Style Welder, Shop Carts, Steel Cabinets, 2-Wheel Hand Carts, THX Linear Motion Hardware, Bearings, Pillow Blocks, (15) Skids of Assorted Electrical Components, Self Dumping Hoppers, (2) 10-Drawer Blue Print Files, Shop Vacs, Nylon Slings, Rinks Paint Pots, and Other Items



(3) 5 Ton X 48' Approx. Span Crane America Services Single Girder Top Running Overhead Bridge Cranes



48" Webster Bennett Vertical Turret Lathe



2 HP Bridgeport CNC Three-Axis CNC Vertical Milling Machine



**NEW 2006/2008**

(6) 30,000 LB Taylor Model TCO-300S Big Red Cushion Tire Lift Trucks



**NEW 2007/2008**

(2) 16,000 LB Taylor Model THO-160S Big Red Dual Pneumatic Tire Lift Trucks



**NEW 2009**

8,000 Lb. Caterpillar Model GC45KSTR Solid Tire LP Gas Lift Truck

## LOCATION 1 - GROESBECK HIGHWAY, WARREN, MICHIGAN

### (6) 30,000 LB TAYLOR LIFT TRUCKS

(6) 30,000 LB Taylor Model TCO-300S Big Red Cushion Tire Lift Trucks; See website for More Photos, Serial Numbers and Exact Hours, (5) Units New 2006, (1) Unit New 2008, Hours Range from 2,700 to 5,700, Engine: Cummins Six Cylinder B5-9-C512 Turbo Charged Diesel Engine 259 Cu. In., Transmission: Power Shift 3/3 Automatic Transmission, Power Steering, 120" Mast Height, 120" Lift Height, Overhead Pull Back Tilt Cylinders, Clearview Mast, 72" Fork Length, Taylor Hydraulic Fork Positioner, Operator Cab w/ Air Conditioning, Gauge Package, Lights, Wipers, 30,000 LB Rate Capacity @ 24" Load Center - Spec Sheet Available Online (New 2006/2008)

SEE PHOTO

### (2) 16,000 LB TAYLOR LIFT TRUCKS

(2) 16,000 LB Taylor Model THO-160S Big Red Dual Pneumatic Tire Lift Trucks; See website for More Photos, Serial Numbers and Exact Hours, (1) Unit New 2007 w/ 4,000 Hours, (1) Unit New 2008 w/ 3,700 Hours, Engine: Cummins Six Cylinder B5-9-C512 Turbo Charged Diesel Engine 259 Cu. In., Transmission: Power Shift 3/3 Automatic Transmission, Power Steering, 104" Max Height, 132" Max Lift Height, Frame Mount Tilt Cylinders, Clearview Two-Stage Mast, 60" Fork Length, Cascade Model 1200 Fork Rotator, Operators Cab w/ Air Conditioning, Gauge Package, Lights, Wipers, 16,000 LB Rate Capacity, 10,600 LB w/ Attachment - Spec Sheet Available Online (New 2007/2008)

SEE PHOTO

## LOCATION 2 - STOCKTON ROAD, FAIRFIELD, OHIO

### SIDE LOADER

6,600 Lb. Linde Model S30D Pneumatic Tire Diesel Side Loader; S/N EIX316200029, 15,429 Total Weight, 165"7/24" Mast, 4' Forks, Perkins Diesel Engine, 3,140 Hours (New 2009)

### LP LIFT TRUCKS

8,000 Lb. Caterpillar Model GC45KSTR Solid Tire LP Gas Lift Truck; S/N AT87A30450, 3-Stage Mast, 172" Lift Height, Set up For Rotate / Swing and Clamp / Uncrimp, 1,005 Hours (New 2009)

SEE PHOTO

• 6,000 Lb. Cascade Model 60-RCS-142 Roll Clamp Attachment; S/N 961256-3, 360 Degrees Rotation, Swing and Clamp (New 2009)

5,000 Lb. Daewoo Model GC25P-3 Solid Tire LP Gas Lift Truck; S/N DM-00609, Side Shifter, 3-Stage Mast, 186" Lift Height, 9,976 Hours

SEE PHOTO

5,000 Lb. Nissan Model CPJ02A25PV Solid Tire LP Gas Lift Truck; S/N CPJ02-9W4032, Side Shifter, 2-Stage Mast, 187" Lift Height, 5,207 Hours

SEE PHOTO

3,000 Lb. Toyota Model 7FGCU15 Solid Tire LP Gas Lift Truck; S/N 61798, Side Shifter, 189" Lift Height, 3-Stage Mast, Fourth Lever with Quick Coupling For Attachment, 9,911 Hours

8,000 Lb. Caterpillar Model GP40 LP Gas Pneumatic Tire Lift Truck; S/N 1CM00391, 187" Lift Height, 52" Forks, Side Shifter, 48" Wide Carriage, V-6 Engine, 9,110 Hours

6,000 Lb. Clark Model GPX30C Wide Carriage Diesel Pneumatic Tire Lift Truck; S/N GPX230C-0056-8550KOF, 4,096 Hours, 123" Lift, 48" Forks, 60" Wide Carriage

## ELECTRIC LIFT TRUCKS

3,500 Lb. Toyota Model 7FBCU25 Solid Tire Electric Lift Truck; S/N 72570, 3-Stage Mast, 218" Lift Height, Side Shift, Dual Pallet Fork Spreader, 36 Volt with Tennant 36 Volt Charger, 18,619 Hours

3,500 Lb. Toyota Model 7FBCU25 Solid Tire Electric Lift Truck; S/N 72569, 3-Stage Mast, 218" Lift Height, Side Shifter, Dual Pallet Fork Spreader, 36 Volt with 36 Volt Tennant Charger, 10,868 Hours

4,500 Lb. Hyster Model W45XT Electric Walk-Behind Pallet Truck; S/N A215H02050P, 12 Volt Built in Charger

2,000 Lb. Crown Model W2T-130 Electric Walk-Behind Stacker; S/N 11453

## SCISSOR LIFT

JLG Model 3969 Scissor Electric Self Traveling Man Lift; S/N CO126320200014747, 48 Volt, 39" Max Deck Height, 32" Max Travel Height, 750 Lb. Platform Capacity, Built in Charger, 5' X 9' Platform with 4" Extension, 4,000 Hours SEE PHOTO

MEC Model 2558 Dual Fuel Self Traveling Scissor Lift; S/N 7700143

## ALL TERRAIN VEHICLES

2007 Kubota Model RTV1100 4X4 Closed Cab Diesel ATV; S/N 12559, Three-Speed Transmission, Pneumatic Tires, Air Conditioned Cab, Hours: 690

(3) 2007 Kubota Model RTV900 4X4 Diesel ATVs; S/N 81730, Hours: 639, S/N 85390, Hours: 514, S/N 85371, Hours: 1290, Three-Speed Transmission, Pneumatic Tires

## TOOLROOM MACHINERY

20" Wafios Model MSD500 Double End Nail Grinder; S/N 24171146, 20" Grinding Wheels

Sunnen Model CHV-31C Cylinder / Line Hone; S/N 1J1-1115, 250 Volt, Single Phase, Coolant

K.O. Lee Part No. B2060H Tool and Cutter Grinder; S/N 13650BK, Power Table Feed, 1J Collet Motorized Work Head, 1J Collet Set, 6" 4-Jaw Chuck, Work Rests, Work Centers, 230 Volt, 3-Phase SEE PHOTO

Easco-Sparcatron Model Tool Maker 916 Die Sinker EDM; S/N 79-9-1-02, 220 Volt, Acu-Rite II DRO, System 3R Tool Holder, 9" X 16" T-Slotted Table, 1,999 Burn Hours

250 Amp Lincoln Model Wire-Matic 250 Mig Welding Power Supply; S/N U1930309720, Built in Wire Feeder

250 Amp Miller Model CP-250TS Mig Welding Power Supply; S/N KB132806, with Miller S-54A Wire Feeder

## MISC. MACHINERY AND EQUIPMENT

Vibro Block Model VBF25-0 Vibratory Belt Feeder; Code No. 5510, 58" X 65" Stainless Steel Hopper, 12" X 6" TEC Plastic Belt Incline Conveyor

Delta Model 43565 / RU-50 Overarm Pin Router; S/N 1347, 3 HP, 208-230/480 3-Phase, 18" X 24" Tilting Table, Foot Pedal Control

(2) Hot Melt Technologies Model G4 Proflex Hot Melt Glue Application Systems; (1) with Gun, (1) No Gun

Graco Therm-O-Flow Hot Melt Dispensing System; with Graco President Model 207-352 Pneumatic Pump, Graco Model 245198 Hot Melt Dispensing Gun, 480 Volt SEE PHOTO

(2) 2,500 Lb. Bishamon LS Series 24" X 48" Electric / Hydraulic Scissor Lift Table

10 HP Murphy-Rodgers Model 10C7 1/2 Dust Collector

## PUMPS

(2) 30 HP Gorman-Rupp T Series Model T6A60S-B Self Priming Centrifugal Pumps; S/N 1331920 and 1331919 SEE PHOTO

(2) 21 HP Gorman-Rupp Model JT4H60-E21 Electric Pumps; S/N 1291767N and 1291768N, 230/460 Volt

## HYDRAULIC TEST STAND / PUMPS

25 HP Heco Hydraulic Test Stand; S/N H8313, 0-5000 PSI, 3 HP, Vickers Filter Unit

75 HP AHE Model 1-27141-0 Hydraulic Pump Unit; S/N 50021211, with TS Model RM-2N Heat Exchanger

75 HP AHE Model 1-06688 Hydraulic Pump Unit; S/N 40021380-2, with TS Model RM-2N Heat Exchanger, 208-230-460 Volt

## ELECTRICAL EQUIPMENT

(18) Dry Type Distribution Transformers From 112.5 KVA - 15 KVA by Cutler-Hammer, GE, Power Tran, Square D, MGM SEE PHOTO

(3) Cutler Hammer Pow-R-Line PRL3A Panel Board, 240 Volt, 250 Amp

200 Amp Siemens Cat G3042L3200CU Breaker Panel

## INTERNET BIDDER INSTRUCTIONS

> All Internet bidders must Post a Deposit of Approx. 25% of Your Planned Spending Budget or \$5,000.00 Minimum with Cincinnati Industrial Auctioneers in Order to be approved to Bid. Those who do Not Post the Deposit Will Not be Approved. **Period.**

> There is a 18% Buyer's Premium in Effect for All Online Purchases.



Graco Therm-O-Flow Hot Melt Dispensing System



(2) 250 Amp Miller and Lincoln Welders



JLG Model 3969 Scissor Electric Self Traveling Man Lift



(4) Kubota RTV-1100 and RTV900 ATV's (New 2007)



6,600 Lb. Linde Model S30D Pneumatic Tire Diesel Side Loader



(18) Dry Type Distribution Transformers From 112.5 KVA - 15 KVA by Cutler-Hammer, GE, Power Tran, Square D, MGM

# (2) PUBLIC AUCTIONS

## LIVE ONSITE WEBCAST AUCTION

On the Premises of

### BRIDGESTONE AMERICAS TIRE OPERATIONS, LLC

1700 Firestone Parkway – Akron, Ohio 44317

**SALE DATE: WEDNESDAY,  
DECEMBER 18TH,  
STARTING AT 9:00 AM**



Takumi V20A CNC VMC



(6) 30,000 LB Taylor Lift Trucks



Dainichi CNC Turning Center



(2) 16,000 LB Taylor Lift Trucks

## ONLINE ONLY AUCTION

### FORKLIFTS AND SUPPORT EQUIPMENT

LOCATION 1 - WARREN WAREHOUSE

26155 Groesbeck Hwy. - Warren, Michigan 48089

LOCATION 2 - STOCKTON WAREHOUSE

6600 Stockton Road - Fairfield, Ohio 45014

**ONLINE BIDDING ENDS:  
THURSDAY, DECEMBER 19TH  
AT 11:00 AM (EST)**

FIRST CLASS MAIL!

PRE-SORT  
FIRST CLASS  
U.S. POSTAGE  
**PAID**  
CINCINNATI, OHIO  
PERMIT NO. 3593



### Important Mail

TO BE DIRECTED TO THE ATTENTION  
OF EXECUTIVE PERSONNEL

## LIVE ONSITE WEBCAST AUCTION

On the Premises of

### BRIDGESTONE AMERICAS TIRE OPERATIONS, LLC

1700 Firestone Parkway – Akron, Ohio 44317

**SALE DATE: WEDNESDAY,  
DECEMBER 18TH,  
STARTING AT 9:00 AM**

INSPECTION: TUESDAY, DECEMBER 17TH,  
FROM 8:00 AM TO 4:00 PM

**15% ONSITE BUYERS PREMIUM  
18% ONLINE BUYERS PREMIUM**

### AUCTIONEERS

Cincinnati Industrial Auctioneers, Inc. – License No. 63-1983-10439

Jeffrey L. Luggen – License No. 57-1983-33789

Joseph M. Luggen – License No. 2010-0000-19

John F. Rome – License No. 57-2000-84249

## ONLINE ONLY AUCTION

### FORKLIFTS AND SUPPORT EQUIPMENT

LOCATION 1 - WARREN WAREHOUSE

26155 Groesbeck Hwy. - Warren, Michigan 48089

LOCATION 2 - STOCKTON WAREHOUSE

6600 Stockton Road - Fairfield, Ohio 45014

**ONLINE BIDDING ENDS:  
THURSDAY, DECEMBER 19TH  
AT 11:00 AM (EST)**

INSPECTION FOR BOTH LOCATIONS:  
WEDNESDAY, DECEMBER 18TH FROM 10:00  
AM TO 4:00 PM

**18% BUYERS PREMIUM IN EFFECT FOR ALL PURCHASES**

Terms: Payment Due 24-Hours After Sale via Wire Transfer or Company Check

**Removal: Open 8:00 AM to 4:00 PM on Dec. 20th –  
By Appointment Only After Dec. 20th.**



Sale Under The Management Of

## CINCINNATI INDUSTRIAL AUCTIONEERS

auctioneers | appraisers | since 1961 | [cia-auction.com](http://cia-auction.com) | [info@cia-auction.com](mailto:info@cia-auction.com)

2020 Dunlap St., Cincinnati, Ohio 45214 Phone 513-241-9701 Fax 513-241-6760