

PUBLIC

AUCTION

Bidspotter.com
To Become a Qualified Bidder on the Internet
See Instructions on Page 2

PLANT CLOSED



**NEW AS
2001**

(2) Latour Robomac Model 310 CNC 3D Wire Benders



**NEW
2005**

ITW Gema Optimatic 12-Gun Poly Upper Pass-Thru Automatic Powder Coat Booth



**NEW
1997**

Clifford Model CWL EEziWeld CNC Programmable Wire Mesh Welder



150 Ton X 12' HTC Model 150G Hydraulic Power Press Brake

275,000 SQ. FT. STEEL STORE FIXTURE & DISPLAY MANUFACTURER INCLUDING POWDER COAT LINE, WIRE & SHEET FABRICATING, WELDING & SUPPORT EQUIPMENT

Featuring: 2005 ITW Gema 12-Gun Automatic Powder Coating Booth, GFS Touch-Up Booth, 2007 Col-Met Stainless Steel Tunnel Washer, Dry-Off Oven, 600' Conveyor, Clifford & Schlatter CNC Wire Mesh Welders, (2) Latour Robomac 310 Five-Axis CNC Wire Formers, (5) Lewis Wire Straight & Cut Machines, Misc. Wire Fabricating Equipment, (2) Niagara SC2-48-30 SDC Presses, 1990 Niagara BN-80 Gap Frame Press, (10) Other OBI and Gap Presses, Feed Equipment, Genesis Robotic Welders, (10) Press Brakes by LVD, HTC & Cincinnati, Wysong & Pacific Shears, Pines Tube Benders, Other Tube and Rod Benders, (25) Various Style Spot Welders, (50+) Mig Welders, Toolroom Equipment, Material Handling Equipment, (10) Lift Trucks, Compressors, Finished Goods, W.I.P., Steel Coils, Steel Racking, Large Scrap Opportunity, Lots of Dunnage Carts/Tubs & More



950 Riverside Dr. – Chattanooga, Tennessee 37403

Just east of Downtown along river

Tuesday, October 16th Starting at 9:00 AM

**INSPECTION: MONDAY, OCTOBER 15TH
FROM 10:00 AM TO 4:00 PM**



80 Ton Niagara Model Bison BN-80-OBS Variable Speed Gap Frame Press



(2) 100 Ton Niagara Model SC2-100-48-30 Straight Side Double Crank Presses



Sale Under The Management Of

CINCINNATI INDUSTRIAL AUCTIONEERS

auctioneers | appraisers | since 1961 | cia-auction.com | info@cia-auction.com
2020 Dunlap St., Cincinnati, Ohio 45214 Phone 513-241-9701 Fax 513-241-6760



NEW 1997

Clifford Model CWL EEZiWeld CNC Programmable Wire Mesh Welder



Schlatter Model MG12.4/4C Wire Mesh Welder



NEW 1999

F.E. Lewis Model 2SV5 Automatic Wire Straight & Cut Machine



Lewis Model 8C Automatic Wire Straight & Cut Machine



Lewis Model 2CV4 Automatic Wire Straight & Cut Machine



NEW AS 2001



(2) Latour Robomac Model 310 CNC 3D Wire Benders

CNC WIRE BENDERS

(2) **Latour Robomac Model 310 CNC 3D Wire Benders**; S/N 00-09-042 (2000) and S/N 01-011-53 (2001), Wire Dia. Range: .118" To .393" (3 To 10mm); Five Axis; 3 Forming Heads; Feed Length Unlimited; (1) with Rear Rotating Straightening Attachment; Both Supplied With DNC-800 CNC Programmable Controls (**New 2000/2001**) **SEE PHOTO**

(2) **Latour Model D1000 Motorized Horizontal Decoilers**; Max. Load: 1200kg (2640 Lbs.)

WIRE MESH WELDERS

Schlatter Model MG12.4/4C Wire Mesh Welder; Wire Mesh Width: 49"; Distance Between Two Outer Wires: 47.25"; Min.-Max. Wire Dia. Range Line + Cross Wire: .072" To .33" (2.0 To 8.5mm); Max. Line Wire Length: Up To 10'; Line Wire Spacing: .750" Steplessly; Cross Wire Spacing: 1/2" Min.; Type Zg-12-Mvl-50 Linear Pullout Unit; 4 Type C3 100kva Transformers (Not To Be Exact); Schlatter Type Mp-

Pls/55-1350 Cnc Weld & Power Controls; Presently Set Up With 4 Weld Press Heads; Operators Control Pulpit, **Machine Specs To Be Approx., Not Exact** **SEE PHOTO**

Clifford Model CWL EEZiWeld CNC Programmable Wire Mesh Welder; S/N 8541/07/97; Max. Cross Wire Length: 51" (1300mm); Max. Welding Width: 47.2" (1200mm); Min.-Max. Wire Dia. Line + Cross Wire: .078" To .315" (2.0-8.0mm); Cross Wire Feeder-Picker Type Magazine With Magnetic Feeder; Min. Cross Wire Pitch: .315" (8.0mm); 10' Feed Table; Pullout Table; Presently Set Up With 2 Weld Heads (**New 1997**) **SEE PHOTO**

Schlatter Type MG12.4/4C Mesh Welder; S/N GS1.4024.5155, Max. Mesh Width: 49"; Line + Cross Wire Dia: .078" To .334" (2.0 To 8.5mm); Cross Wire Hopper; Control Panel; Welder-Control Panel Not Complete-Parts Machine

Schlatter Type MG12.0/3C Wire Mesh Welder; S/N GS1.1020.4734Max. Cross Wire Length: 49"; Max. Welding Width: 47.2"; Min.-Max. Line + Cross Wire Dia: .078"-.334" (2.0-8.5mm); Last

Welded .225" Wire Mesh Grid Racking Up To 6'; Wire Feed Table; Cross Wire Hopper; Electric Weld Controls, Welder-Control Panel Not Complete-Parts Machine

WIRE FABRICATING EQUIPMENT

F.E. Lewis Model 2SV5 Automatic Wire Straight & Cut Machine; S/N 369-12, Wire Dia. Range: .062" To .312", 400 FPM, 12' Runout Track, Red Lion Digital FPM Control (**New 1999**) **SEE PHOTO**

> **F.E. Lewis Motorized Horizontal Wire Decoiler**

Lewis Model 8C Automatic Wire Straight & Cut Machine; S/N 8C-123, Wire Dia. Range: .156" To .375", Stationary Cut-Off, 200 FPM Max., 13' Runout Rack, PB Controls, Manual Pay-Off **SEE PHOTO**

Lewis Model 2CV4 Automatic Wire Straight & Cut Machine; S/N 535-16, Wire Dia. Range: .062" To .250"; 65 To 200 FPM, 16' Runout Track, PB Controls, Manual Pay-Off (**New 1973**) **SEE PHOTO**

15% ONSITE BUYERS PREMIUM
18% ONLINE BUYERS PREMIUM



Nilson Type S-3 Four-Slide Machine

WEBCAST BIDDER INSTRUCTIONS

- > All Internet bidders must register for this auction at www.bidspotter.com at least 48-Hours Prior to the Sale Date, **if you do not you will not be approved.**
- > All Internet bidders must Post a Deposit of Approx. 25% of Your Planned Spending Budget or \$5,000.00 Minimum with Cincinnati Industrial Auctioneers in Order to be approved to Bid. Those who do Not Post the Deposit Will Not be Approved. **Period.**
- > **Only Major Items** Will be Available for Online Bidding. Please refer to the Listing on www.bidspotter.com for Available Online Items.
- > There is a 18% Buyer's Premium in Effect for All Online Purchases.
- > We Highly Recommend that Potential Buyers Attend this Auction & Bid Live Onsite. This will give you the Ability to Inspect the Items & Fully Appreciate Their Condition, Along with Saving You 3% of the Buyer's Premium.



No Last Minute Registrations will be accepted. Make Sure to Register & Post Your Deposit No Later than 48-Hours Prior to the Start of the Auction.



ITW Gema Optimatic 12-Gun Poly Upper Pass-Thru Automatic Powder Coat Booth

Lewis Model 2C Automatic Wire Straight & Cut Machine; S/N N/A, Wire Dia. Range: .093" To .250", 10' Runout Track, 150 FPM, Manual Pay-Off

Nilson Type S-3 Four-Slide Machine; S/N 66840, No. 67220 **SEE PHOTO**

Sterling Model 31410 Butt Welder

Zokua Alphil Model BW Butt Welder

Penn Model 8A Wire Clipper/Trimmer; S/N 977-1

(3) Carbide Model TIV Wire Clipper/Trimmers

POWDER COAT LINE

ITW Gema Optimatic 12-Gun Poly Upper Pass-Thru Automatic Powder Coat Booth; Job No. G10566, 42" X 72" Windows, (12) ITW Gema Type AS02 Guns; S/N 14001.01023 w/ Optitronic Digital Gun Controls, 17' Tunnel Length, (2) ITW Gema Optiflex Manual Touch Up Guns, Side Draft Dust Collector, AVG EZ Series Touch Screen PLC w/ Gematic Digital Control, Fire Suppression System (New 2005) **SEE PHOTO**

> **ITW Gema Type VZ01-14 Powder Mixing Station;** S/N 4001.2784, Gematic Powder Centre Digital Control, 55-Gal. Drum Unload Station (New 2005) **SEE PHOTO**

GFS Global Finishing Solutions Modular Galvanized Panel Pass-Thru Touch Up Booth; S/N N/A, 42" X 72" Windows, 12' Tunnel Length, Aget Dustkop Dust Collector (New 2005) **SEE PHOTO**

> **(2) ITW Gema Type CG01 EasyTronic Manual Touch Up Guns**

Col-Met Three-Stage Stainless Steel Pass-Thru Tunnel Type Parts Washer; Job No. 22977, Approx. 70' Long Tunnel, 42" X 72" Window, Natural Gas Fired Burners, Stage 1 Heater/Cleaner, Stage 2 Rinse, Stage 3 Rinse, Stainless Panel and Fabricated Steel Construction, PB Control Panel (New 2007) **SEE PHOTO**

14' X 32' Approx. JR Greene Three-Pass Natural Gas Fired Combination Dry-Off and Cure Oven; S/N 861708, 3,500,000 BTU, PB Control w/ Updated Honeywell Digital Temp Control **SEE PHOTO**

Approx. 600' Chain Type Overhead Conveyor; Hooks 24" On Centers, 5-1/2" X 1" Link Sections **SEE PHOTO**

(9) 34" X 44" Portable Pyramid Style Powder Reclaim Hoppers

Gema 9-Cartridge Dust Collector w/ 5' X 5' X 5' Filter Box and 32" X 32" X 12' Long Indoor Filtration Unit (New Approx. 2005) **SEE PHOTO**

AIR COMPRESSORS & RELATED

100 HP Ingersoll Rand Model SSR-EP100 Rotary Screw Cabinet Enclosed Air Compressor; S/N CK6876U05287, 446 CFM, 125 PSIG, 30,955 Total Hours, 27,803 Loaded Hours (New 2005) **SEE PHOTO**

Ingersoll Rand Model TMS-0540 Refrigerated Air Dryer; S/N 42529040, 232 PSI

100 HP Ingersoll Rand Model SSR-EP100 Rotary Screw Cabinet Enclosed Air Compressor; S/N F5482U92

60 HP Ingersoll Rand Model SSR-XF60AA Rotary Screw Cabinet Enclosed Air Compressor; S/N D1201U84A

Bellair Model ACT-800-4 Air Dryer; S/N 1170FF800-02-17-2010 (New 2010)

(2) 50 HP Worthington Roll-Air 50 Rotary Screw Cabinet Enclosed Air Compressors

Air Compressor Related Consisting of; (2) Vertical Air Tanks, Ingersoll Rand Model 9 Dryer, Ingersoll Rand Model TMS-950 Air Dryer; (New 2001)



Col-Met Three-Stage Stainless Steel Pass-Thru Tunnel Type Parts Washer



GFS Global Finishing Solutions Modular Galvanized Panel Pass-Thru Touch Up Booth



14' X 32' Approx. JR Greene Three-Pass Natural Gas Fired Combination Dry-Off and Cure Oven



Approx. 600' Chain Type Overhead Conveyor



100 HP Ingersoll Rand Model SSR-EP100 Rotary Screw Cabinet Enclosed Air Compressor



ITW Gema Type VZ01-14 Powder Mixing Station



Gema 9-Cartridge Dust Collector w/ 5' X 5' X 5' Filter Box and 32" X 32" X 12' Long Indoor Filtration Unit



155 Ton X 12' HTC Model 155-12H Hydraulic Power Press Brake



150 Ton X 12' HTC Model 150G Hydraulic Power Press Brake



150 Ton X 124" LVD Type 150BH-10-MNC-95 Multi-Axis CNC Press Brake



3/8" X 12' Pacific Model 875HD12 Hydraulic Power Squaring Shear



130 / 225 Approx. Ton X 14' Cincinnati Series 130X10 Mechanical Power Press Brake



(3) 14 Ga. X 6' Diacro Hydra-Power Model 14-72 Mechanical Power Press Brakes



16 Ga. X 8' Diacro Hydra-Power Model 16-96 Mechanical Power Press Brake

MULTI-AXIS CNC PRESS BRAKE

150 Ton X 124" LVD Type 150BH-10-MNC-95 Multi-Axis CNC Press Brake; S/N 18713, 135/30 PPI Max Cap., LVD MNC 95/C Control w/ Back Gauge, Auto Tool Clamping, 124" Overall Length of Bed and Ram, 96" Between Housings, 3+Axis Back Gauge (New 1992) **SEE PHOTO**

PRESS BRAKES

130 / 225 Approx. Ton X 14' Cincinnati Series 130X10 Mechanical Power Press Brake; S/N 28818, 14' Overall Length of Bed and Ram, 126" Between Housings, Autogage CNC 99 Back Gauge, Push & Pacm Buttons **SEE PHOTO**

155 Ton X 12' HTC Model 155-12H Hydraulic Power Press Brake; S/N 8852588, 12' Overall Length of Bed and Ram, 10' Between Housings, PB Control, Floor Mount, No Pit **SEE PHOTO**

150 Ton X 12' HTC Model 150G Hydraulic Power Press Brake; S/N 774770, 12' Overall Length of Bed and Ram, 126" Between Housings, Hurco Autobend 7 BG, Floor Mount, No Pit **SEE PHOTO**

90 / 130 Approx. Ton X 8' Cincinnati Series 50X6 Mechanical Power Press Brake; S/N 21239, 8' Overall Length of Bed and Ram, 6' Between Housings, Autogage CNC 99 Back Gauge

16 Ga. X 8' Diacro Hydra-Power Model 16-96 Mechanical Power Press Brake; S/N 1-101-0, 8' Overall Length of Bed and Ram, 60" Between Housings, FOMBG **SEE PHOTO**

8' Wysong Mechanical Power Press Brake; S/N N/A, 8' Overall Length of Bed and Ram, 60" Between Housings, Hurco Autobend 5 Back Gauge

(3) 14 Ga. X 6' Diacro Hydra-Power Model 14-72 Mechanical Power Press Brakes; S/N 6600175 w/ Autogage CNC 99 Back Gauge, S/N N/A and S/N 6600378381 w/ FOMBG **SEE PHOTO**

25 Ton X 4' Promecam Type RG-25-12 Upacking Press Brake; S/N 32-25-1112A769, Autogage Back Gauge, Missing Control

Large Quantity of Press Brake Tooling Consisting of; (2) 3" X 3" X 10' 4-Way Dies, Approx. (100) Other Various Standard Punches & Dies From 2' - 12' In Length, Die Holders, Large Quantity Uni Punch Frames & Punches

GAP FRAME PRESSES

80 Ton Niagara Model Bison BN-80-OBS Variable Speed Gap Frame Press; S/N P53550, 6" Stroke, 13" S.H., 4.5" Adj., 24" X 36" Bed Area, 18" X 24" Ram Area, 40-75 SPM, Link Omni Link LCD Control, Wintress Stuart PAC Control, Light Curtains, Palm Buttons (New 1990) **SEE PHOTO**

> Servo Feed Line Consisting of; Air Feeds Model AF-3 12 X 30 Single Grip Air Feed w/ Edge Deburr and Cradle

75 Ton Aida Model PC-7(2) Single Crank Gap Frame Press; S/N 15207-0551, 6.2" Stroke, 55 SPM, 37" X 19" Bed, 12.5" SH, 2.7" Adj., Push & Palm Buttons **SEE PHOTO**

50 Ton Aida Model PC-5(2) Single Crank Gap Frame Press; S/N 15205-1577, 5.9" Stroke, 70 SPM, 33" X 17" Bolster, 11.8" S.H., 2:55" Adj., Push & Palm Buttons

Servo Feed Line Consisting of; PA Industries Model SNF-12 Servo Roll Feed w/ Advantage Control, PA Industries Model SS-1210 7-Roll Straightener

SSDC PRESSES

(2) 100 Ton Niagara Model SC2-100-48-30 Straight Side Double Crank Presses; S/N 47590 @ 44 SPM, S/N 47589 @ 30-60 SPM, 6" Stroke, 18-1/2" S.H., 7" Adj., 48" X 30" Bed and Ram,

18" Windows, Push & Palm Buttons, Light Curtains, Counterbalance **SEE PHOTO**

> Feed Line on V/S Machine Consisting of; Air Feeds Inc. Model AP3-12X30 SG Air Feed w/ Model 5H-10 Edge Deburr & Coil Cradle

200 Ton Minster Model 50-7-84 Straight Side Double Crank Press; S/N 8040, 12" Stroke, 12" Adj., 44" X 84" X 4" Thick Bolster, Palm Buttons **SEE PHOTO**

OBI PRESSES

60 Ton Minster Model 6 OBI Press; S/N N/A, Air Clutch, Minster Clutch Control; S/N 0371, 22" X 32" Bed Area

60 Ton Danly Model 60 OBI Press; S/N 6051760163, 3" Stroke, 13-3/4" S.H., 3" Adj., 100 SPM, Air Clutch, Light Curtains

45 Ton L&J Model 45 OBI Press; S/N 45852A, 3" Stroke, 3" Adj., 10-1/2" SH, 20" X 15" Bed, Push & Palm Buttons

27 Ton SBL Johnson Model 27 FW/AC OBI Press; S/N 78006, 2-1/2" Stroke, 13-3/8 S.H., 21" X 13" Bed, Air Clutch, PB Control, Dallas Model D32J, 12X30 SG Air Feed, 15" Rowe Model B15-C3000J Cradle Straightener, ASL Manual Uncoiler

Bliss No. 23 OBI Press; S/N N/A, Air Clutch

(2) Bliss No. 215 OBI Presses

SQUARING SHEARS

3/8" X 12' Pacific Model 875HD12 Hydraulic Power Squaring Shear; S/N S10292, Front Operated Power BG w/ Sony DRO **SEE PHOTO**

1/4" X 10' Wysong Model 1025 Mechanical Power Squaring Shear; S/N P37-659, FOPBG, PB Control **SEE PHOTO**

14 Ga. X 52" Wysong Hydraulic Power Squaring Shear



1/4" X 10' Wysong Model 1025 Mechanical Power Squaring Shear



Partial View Large Quantity Press Brake Tooling



80 Ton Niagara Model Bison BN-80-OBS Variable Speed Gap Frame Press



(2) 100 Ton Niagara Model SC2-100-48-30 Straight Side Double Crank Presses



MISCELLANEOUS FABRICATING

W.A. Whitney Single End Punch; S/N 651-160-25462, 32" Throat, 72" Table, PB Control, Hydraulic Unit
Whitney Portable Angle Shear w/ Tube Die; S/N 606-052-126848

TUBE AND ROD BENDERS

S&S FSD Model F50 Adjustable Dual Head Vertical Tube Bender; S/N 990109, 10' Wide Adj. Base, PLC Control, Clamping Heads, Digital PLC Control (New 1999) **SEE PHOTO**
Pines Model 1 Horizontal Tube Bender; S/N 11035-90114, Mandrel Extractor, PB Control (New 1990) **SEE PHOTO**

Pines Horizontal Tube Bender; S/N 1012D-48-1449, Mandrel Extractor, PB Control

Pines Model 3T Vertical Tube Bender; S/N 44361-68446, Unhooked, Out Of Service

Various Pines Bending Dies

(2) Di-Acro Model 6 Hydraulic Power Horizontal Tube Benders
(2) Manufacturer Unknown Adj. Dual Head Pneumatic Rod Benders

(2) Lubow Model MC-10 Pneumatic Rod Benders
(3) Lubow (Or Like) Pneumatic Rod Benders
Manufacturer Unknown Four-Head Vertical Rod Bender

MISCELLANEOUS MACHINERY

3M-Matic 700A Type 29200 Adjustable Case Sealer; S/N 4352, Mounted on Portable Base w/ Digital Scale

Other Misc. Machinery Consisting of; (5) 5' X 6' Pneumatic Tilting Tables, 10" Delta Table Saw w/ Feed Guide, Milwaukee Panel Saw, (2) Portable Bag Type Dust Collectors, Skilsaw Mitre Saw, AMT Portable Electric Pump w/ (4) Bundles 3" ID Hose, Greenlee Manual Hydraulic Conduit Bending Set w/ Dies to 3" Approx., Hilman Skate Set w/ 6-Skates, 40 HP Leeson Cat No. G150110.60 Electric Motor New in Crate, 2" Wilton Pedestal Belt Sander, 20" Tannewitz Vertical Band Saw w/ Welder, 5,000 Watt Master Portable Low Set, (10) Various Scissor Lift Tables, 15" X 120" Ultramatic Vibratory Tub, (10) Various Drills, D.E. Grinders, Sanders and Other Miscellaneous Machinery

SHOP EQUIPMENT

Large Quantity of Shop Equipment Consisting Of; (10) Self Dumping Hoppers, (15) Fireproof Cabinets, (50) Sections Various Size & Style Pallet Racking, Maintenance Parts for Electrical, Hydraulic, Plumbing and Related, Pedestal Column & Circular Type Fans, Powerhouse Gas Press One Washer, Electric Hoists, Portable Step Sets, Roller Conveyor, Scissor Lift Tables, Steel Banding Sets, Hand Tools, Pallet Trucks, Dump Hoppers, Electric Motors, Transformers, Various Maintenance Tools and Supplies and Many Other Related Items

TRUCKS AND TRAILERS

1986 International Model C96 Yard Tractor; Vin No. 1H5RAGT-NXGH817689, Miles: 554,585

1966 Trailmobile 42' Box Van Trailer
1979 Strick 40' Box Van Trailer


15% ONSITE BUYERS PREMIUM
18% ONLINE BUYERS PREMIUM



200 Ton Minster Model 50-7-84 Straight Side Double Crank Press



75 Ton Aida Model PC-7(2) Single Crank Gap Frame Press



S&S FSD Model F50 Adjustable Dual Head Vertical Tube Bender



Partial View Late Model Feed Equipment



Partial View Lubow and Di-Acro Benders



Pines Model 1 Horizontal Tube Bender



Partial View (6 of 38) Mig Welders



12" X 16" HEM Model Sidewinder Auto-4 Mitre Head Automatic Horizontal Band Saw



Powerboss Model TSS82/HD Rider Type LP Gas Floor Sweeper



(7) 40 KVA Sterling Model SP24AS Rocker Arm Spot Welders



(3) 300 KVA Federal Type P3-24A Press Type Spot Welders



Wulftec Rotary Pallet Stretch Wrapper



24" X 120" Leblond Geared Head Engine Lathe

HORIZONTAL BAND SAW

12" X 16" HEM Model Sidewinder Auto-4 Mitre Head Automatic Horizontal Band Saw; S/N 944106, 12.75" X 16" (W) Capacity @ 90 Degrees (L), 10" X 10" (W) Capacity @ 45 Degrees (L), 1" X 13'6" X .035" Blade, 24" Approx. Automatic Hydraulic Bar Feed, Digital Control, Coolant (New 1994) **SEE PHOTO**

WELDING ROBOTS

Genesis Versa-System Robotic Welding Cell; S/N 1138, Currently Disassembled, Fanuc Arc Mate 120iL Robot w/ Control, Miller Auto Invision Power Supply, 40" X 80" Tilting Weld Station, Other Station Disassembled, AP Torch Cleaner (New 12/1998)

Genesis Robotic Welding Cell; S/N 652, Currently Disassembled, Fanuc Arc Mate 100 Robot w/ R-J2 Control, Miller Maxtron 450 Power Supply w/ Robotic Interface II Control, Bernard Chiller, Front & Back Head Stock & Tailstock Sets, Approx. 80" Apart, But Disassembled, Skid Mounted (New 2/1996)

SPOT WELDERS - ALL TYPES

(3) 300 KVA Federal Type P3-24A Press Type Spot Welders; S/N's N/A, Weltronic Control **SEE PHOTO**

250 KVA Sciacky Type EPQN.4-63-250-30 Press Type Spot Welder; S/N 9995, Sciacky Control

250 KVA TJ Snow Press Type Spot Welder; Work Order No. 9911VM00227, EN 1000 Control, Foot Pedal, 9" X 9" Ram And Platen

100 KVA Progressive Press Type Spot Welder; Technitron 2000B Control

100 KVA Sciacky Type PMC-01T Press Type Spot Welder; Technitron 2000B Control

100 KVA Alphil Model ARK4 52" Throat Two-Point Spot Welder; S/N 7395, Entron Control

(2) 75 KVA Acme Pneumatic Rocker Arm Spot Welders; 30" Throat, EN1000 Control

50 KVA Sciacky Model Mirco P Rocker Arm Spot Welder; 24" Throat

(7) 40 KVA Sterling Model SP24AS Rocker Arm Spot Welders; 30" Throat, FP Control, Most Mounted on Portable Bases **SEE PHOTO**

(2) Lora Pneumatic Rocker Arm Spot Welders; 30" Throats, EN1000 Control

TJ Snow Hanging Spot Welder; Work Order No. 98058149058

Manufacturer Unknown 12-Head Spot Welder For 26" X 20" U-Pattern

Lors Model 189 9' Wide 12-Head Spot Welder; S/N 5701648

(3) Approx. 8' Wide Alphil Model MGW-8 Multi-Head Spot Welders

WELDERS AND RELATED

(5) Miller Deltaweld 302 Mig Welders w/ 22 Series Wire Feeds
Miller Deltaweld 451 Mig Welder w/ 60 Series Wire Feeds

Miller XMT-304 Mig Welder w/ XR-Control Wire Feeds

Miller Millermatic 350P Mig Welder w/ Built In Wire Feeds

(2) Miller Millermatic 300 Mig Welders w/ Built In Wire Feeds
Miller CP-300 Mig Welder w/ 52 Series Wire Feeds

(6) Miller CP-200 Mig Welders w/ 60 Series Wire Feeds

(5) ESAB 350 MPI Mig Welders w/ Mig 35 Series Wire Feeds

(4) ESAB SVI300 Mig Welders w/ Mig 35 Series Wire Feeds

(2) ESAB VI-300 Mig Welders w/ Mig 35 Series Wire Feeds

Red-O-Arc EX300 Contractor Mig Welder w/ Miller Wire Feeds

(10) Linde VI-253 Mig Welders w/ Wire Feeds

Welding Tables and Related Equipment Consisting of; 5' X 5' Approx. and 30" X 60" Acorn Welding Tables, Leads, Mig Guns, Clamps, Tools, Curtains, Safety Equipment and Many Other Related Items

LIFT TRUCKS AND RELATED

(5) 5,000 LB Toyota Model 42-6FGCU25 LP Gas Solid Tire Lift Truck; S/N 72598, No. 346, S/N 70235, No. 345, S/N 77636, No. 344, S/N 67623- Model 7FGCU25, No. 347, 189" Max Lift, Sideshift (New 1997 - 2000)

5,000 LB Caterpillar Model GC25K LP Gas Solid Tire Lift Truck; S/N AT82D01452, 170" Max Lift, Sideshift (New 2002)

(2) 5,500 LB Clark Model GCX30E LP Gas Solid Tire Lift Trucks; S/N GX230F-0210-9372FB, S/N N/A, 189" Max Lift (New 1992/1994)

5,000 LB Clark Model CGC-25 LP Gas Lift Truck; S/N 966-9404, 189" Max Lift, SS, Out Of Service (New 1996)

4,000 LB Clark Model GCX-20 LP Gas Solid Tire Lift Truck; S/N GX230-1595-7585, 188" Max Lift, Sideshift.

Approx. 20,000 LB Hyster Dual Pneumatic Tire LP Gas Lift Truck; S/N 466363838, Mast Cylinder Out

Powerboss Model TSS82/HD Rider Type LP Gas Floor Sweeper; S/N 6635103 (2,257 Hours) **SEE PHOTO**

Zetor Model S594 Farm Tractor w/ Bucket Attachment **SEE PHOTO**

(4) EZGO & Club Car Electric Golf Carts

Woods CM36 Mower w/ Kohler Engine



14" X 36" Gallmexer and Livingston No. 65A Hydraulic Surface Grinder w/ Electric Chuck



6" X 18" Brown and Sharpe Micromaster Surface Grinder



Dake Model 125H Hydraulic Shop Press



Partial View (4 of 11) Lift Trucks To 20,000 Lb. Capacity

WORK-IN-PROCESS, FINISHED GOODS, INVENTORY, COMPONENT PARTS, CARTS, BASKETS AND RACKS

Large Quantity Various Work-In-Process Including Fabricated Sheet, Tube and Wire Parts; To Be Sold For Scrap Approx. (90) Skids, Carts, Baskets, Racks

Approx. (500) Various Wood Skids of all Sizes

Approx. (300) Various Size & Style Tubular Frame and Wire Mesh Carts **SEE PHOTO**

Approx. 15,000 LB Coil Steel Inventory **SEE PHOTO**

Approx. (50) Gaylords / Baskets New Casters of All Types Including Rubber Coated Steel, Plastic, Pneumatic & Other **SEE PHOTO**

Approx. (50) Skids Various New Hardware Including Peg Board Hooks, Bolts, Screws & Related

Approx. (70) Aluminum Base 18" X 60" Beverage Carts w/ 52" High Side Frames

(135) 40" X 48" X 28" Collapsible Wire Baskets

(85) 40" X 66" X 24" Fabricated Stacking Racks **SEE PHOTO**

(22) Sections 42"D X 54"W X 12'H Meco Structural Frame Bolt Together Rack; 3-Shelves Per Section, Sheet Decking

STRETCH WRAPPERS AND RELATED

Orion Model 166/138 Rotary Pallet Stretch Wrapper; S/N N/A, 72" Dia. Table, 96" Approx. Max Height

Lantech Model T-Wrapper Rotary Pallet Stretch Wrapper; S/N N/A, 4' X 4' Table

Muller Model 301 Rotary Pallet Stretch Wrapper; S/N 90820392, 72" Dia. Table, 8' Approx. Height

Wulftec Rotary Pallet Stretch Wrapper; S/N N/A, 60" Dia. Table, 72" Max Height **SEE PHOTO**

MATERIAL HANDLING

6 Ton X 36' Approx. Span Louden Bottom Running Double Girder Overhead Bridge Crane; Bottom Running Yale Cable Hoist, 6-Way Pendant

2 Ton X 20' Approx. X 100' Approx. Long Free Standing Overhead Bridge Crane System; SG Bottom Running Bridge w/ Bottom Running Hoist

Material Handling Equipment Consisting of; Anver Model VT180-2.95-09 Free-Standing Jib Type Vacuum Lifter w/ Pump, (2) Crane Type Adjustable Sheet Lifters, Crane Type Fork Set, 8' & 16' Spreader Bars, Port-A-Weigh Digital Crane Scale, (10) Various Electric Hoists

TOOLROOM MACHINERY

24" X 120" Leblond Geared Head Engine Lathe; S/N H325, Taper, Face Plate, 3 & 4 Jaw Chucks, Steady Rest **SEE PHOTO**

14" X 36" Gallmexer and Livingston No. 65A Hydraulic Surface Grinder w/ Electric Chuck **SEE PHOTO**

33" X 120" Putnam Mechanical Planer; Side Heads, (2) Vertical Heads

2 HP Bridgeport Series I V/S Vertical Milling Machine

1-1/2 HP Bridgeport V/S Vertical Milling Machine

2 HP DoAll V/S Vertical Milling Machine

Kempsmith No. 3 Universal Type G Mill

10" X 24" Jet Model 1024P Bench Type Lathe

Other Toolroom Machinery and Equipment Consisting of; Brown & Sharpe No. 10N Universal Tool Grinder w/ Motorized Workhead, (2) 24" Cincinnati Standard Mechanical Power Shaper, 24" Gould & Eberhardt Universal Shaper, Wells Model 8 Horizontal Band Saw, 16" DoAll Model ML Vertical Band Saw, Roll-In Vertical Band Saw, Oster 535 Power Pipe Threader, Dake Model 125H Hydraulic Shop Press, (10) Various D.E. Grinders, Drills and Sanders, Large Quantity of Miscellaneous Machine Accessories Including; Machining Vises, C-Clamps, Perishable Tooling, Work Benches, Carts, Die Springs, Die Carts, Tool Steel, Lathe Tooling



Zetor Model S594 Farm Tractor w/ Bucket Attachment



Approx. 15,000 LB Coil Steel Inventory



Approx. (50) Gaylords / Baskets New Casters of All Types Including Rubber Coated Steel, Plastic, Pneumatic & Other



(85) 40" X 66" X 24" Fabricated Stacking Racks



Partial View Small Tools and Shop Equipment

LARGE SCRAP OPPORTUNITY
Some of this machinery and inventory will be sold for scrap at the auction



Approx. (300) Various Size & Style Tubular Frame and Wire Mesh Carts

PUBLIC PUBLIC

AUCTION

PLANT CLOSED

275,000 SQ. FT. STEEL STORE FIXTURE & DISPLAY MANUFACTURER INCLUDING POWDER COAT LINE, WIRE & SHEET FABRICATING, WELDING & SUPPORT EQUIPMENT



950 Riverside Dr. – Chattanooga, Tennessee 37403
Just east of Downtown along river

TUESDAY, OCTOBER 16TH
STARTING AT 9:00 AM
INSPECTION: Monday, October 15th
from 10:00 AM – 4:00 PM



(2) Wire Mesh Welders

Cincinnati Industrial Auctioneers Inc.
2020 DUNLAP STREET
CINCINNATI, OHIO 45214

PRE-SORT
FIRST CLASS
U.S. POSTAGE
PAID
CINCINNATI, OHIO
PERMIT NO. 3593

FIRST CLASS MAIL!



(2) Robomac CNC Benders



2005 ITW Gema Booth



Important Mail
TO BE DIRECTED TO THE ATTENTION
OF EXECUTIVE PERSONNEL

PUBLIC PUBLIC

AUCTION

PLANT CLOSED

275,000 SQ. FT. STEEL STORE FIXTURE & DISPLAY MANUFACTURER INCLUDING POWDER COAT LINE, WIRE & SHEET FABRICATING, WELDING & SUPPORT EQUIPMENT



950 Riverside Dr. – Chattanooga, Tennessee 37403
Just east of Downtown along river

TERMS OF SALE

All equipment described herein will be sold "as is", "where is" to the highest bidder or bidders for cash in accordance with our regular terms and conditions of sale. Unless other satisfactory arrangements are made, a 25% deposit in cash, certified or cashier's check payable to Cincinnati Industrial Auctioneers, Inc., is required on all purchases. Firm and personal checks accepted only if accompanied by a letter from your bank guaranteeing your funds. All sales are subject to state and/or local taxes unless a signed exemption form is presented at the time of purchase. All balances are due at the conclusion of the sale. No merchandise may be removed while the sale is in progress. All bidders must comply with our Standard Terms of Sale, copies of which will be available at the sale site or can be obtained from our website. 15% buyer's premium in effect for this sale.

DIRECTIONS

From I-75 North of Downtown Chattanooga Exit at no. 4 TN Rt. 153 toward the airport and proceed 5 miles to exit no. 6 TN Rt. 3195 Amnicola Hwy. Turn Left or West onto the Amnicola Hwy. and proceed approx. 5 miles to slight onto Riverside Dr. and proceed 1-1/2 miles to driveway for auction site, just before Riverside turns into a divided highway. GPS and Mapquest have a tough time finding the plant. Watch for auction signs and arrows.

IMPORTANT NOTICE:

Although information has been obtained from sources deemed reliable, the auctioneer makes no warranty or guarantee, expressed or implied, as to the accuracy of the information herein contained. It is for this reason that buyers should avail themselves of the opportunity to make inspection prior to the sale. This brochure is intended to provide general information of the equipment being offered and is subject to errors, omissions, additions or deletions. Please check with the Auctioneer's Office for a final listing. Items offered may or may not necessarily be sold as described and/or photographed in this brochure.

MAIL BIDS ACCEPTED WITH A 25% DEPOSIT

AUCTIONEERS

Cincinnati Industrial Auctioneers, Inc.
License No. 00002225
Jeffrey L. Luggen – License No. 00001758
Joseph M. Luggen – License No. 000011379



15% ONSITE BUYERS PREMIUM
18% ONLINE BUYERS PREMIUM



Sale Under The Management Of
CINCINNATI INDUSTRIAL AUCTIONEERS
auctioneers | appraisers | since 1961 | cia-auction.com | info@cia-auction.com
2020 Dunlap St., Cincinnati, Ohio 45214 Phone 513-241-9701 Fax 513-241-6760