ONLINE AUCTION

ONLINE ONLY AUCTION OF LARGE CAPACITY PLASTIC RECYCLING EQUIPMENT INCLUDING (3) 6" DAVIS PELLETIZING LINES TO 2006, NRM LINE, SHREDDERS, GRANULATORS, DENSIFIERS, CONVEYORS, FORK LIFTS, SPARE PARTS AND SUPPORT EQUIPMENT



ONLINE BIDDING ENDS: THURSDAY, APRIL 11TH AT 11:00 AM INSPECTION: DAY PRIOR FROM 10:00 AM TO 4:00 PM











Sale Under The Management Of CINCINNATI INDUSTRIAL AUCTIONEERS auctioneers | appraisers | since 1961 | cia-auction.com | info@cia-auction.com 2020 Dunlap St., Cincinnati, Ohio 45214 Phone 513-241-9701 Fax 513-241-6760



ONLINE BIDDING ENDS APRIL 11TH - 11:00 AM



100-HP Cumberland Model X-1000 Plastic Granulator



**200-HP SSI Model SR375H-RAM Single Shaft Hydraulic Shredder



4.5" Crown NRM Pacemaker Water Ring Pelletizing Line





**150-HP Vecoplan RG52-FF and 250-HP Dual Tub Densifier Line



6" Davis Standard Model Thermatic Water Ring Pelletizing Line

PELLETIZING LINES 6" Davis Standard Model 60IN60T Water Ring Pelletizing Line; s/n BG556,

(2006), Order 82006, 400-HP AC Motor, Yaskawa Type F7 AC Drive, 30:1 L/D Ratio, Water Cooled, Eurotherm Temperature Controls, Polymer Systems Screen Changer, s/n SYS-33009-1, 5-HP Hydraulic Unit, Xaloy Berringer WRP-35S Water Ring Pelletizer; 3-HP Chopper Head, 5-HP Wash Head, 48" Macon Model MA48566 Two-Deck Screener (New 2006)

6" Davis Standard Model 60IN60TPIH Water Ring Pelletizing Line; s/n 28600, Order 68944 (5/2000), 500-HP, Emerson Mentor II V/S A/C Drive, 34:1 L/D Ratio, Water Cooled, 17.21:1 Gearbox Ratio, 526-HP Capacity with 1.5 S.F. Eurotherm Temperature Controllers,

Xaloy Screen Changer, Xaloy Berringer WRP-35S Water Ring Pelletizer w/ 3-HP Chopper Head, 42" x 10" Dia. Filter, 30" Sweco CS30 Screener (**New** 2000)

 Spare 500-HP Emerson Motor; 1750 - 1900 RPM, 500-Volt

6" Davis Standard Model Thermatic Water Ring Pelletizing Line; 300-HP AC Motor, Tec Westinghouse ER7-4300 A/C Drive, Davis Control Panel, 30:1 L/D Ratio, Xaloy Dual Bolt Screen

Changer, Xaloy Water Ring Pelletizer, 28° x 84° Witte Classifier; s/n 5817 4.5° Crown NRM Pacemaker Water Ring Pelletizing Line; s/n 10502, 25.25:1 L/D Ratio, 300-HP Motor, Xaloy Screen Changer, WRP Water Ring Pelletizer, 24° Sweco Shaker, Blower and Cyclone Discharge **6" NRM Pacemaker Extruder w/ Hydraulic Screen Changer;** s/n 5455, 18:1 L/D, Hydraulic Screen Changer

• Rebuilt 200-HP GE Electric Motor; 500-Volt, 1750 / 1900 RPM

Berringer / Gala Water Ring Pelletizer; 3-HP Chopper Head, 3-HP Washer Motor, 10° Dia. x 40° Filter, Blowers, 32° Dia. Two-Deck Shaker

GRANULATOR, SHREDDER AND DENSIFIER SYSTEMS

**150-HP Vecoplan RG52-FF and 250-HP Dual Tub Densifier Line; 150-HP Vecoplan Model RG52/150/SPK-FF Single Shaft Shredder; s/n 10209010 (2007), 42° x 18' Approx. Rubber Belt Incline Conveyor (New 2007), 250-HP Dual-Tub Densifier System; 42" x 44" Tubs, PB Controls, Belt Driven, Swivel Loading Conveyor for Switch Between Tubs, Approx. 20' Rubber Belt Load Conveyor, Work Platform, Tub Dumpers, Blowers, Motor & Tub Mounted on Heavy Base, Baldor Motors

200-HP SSI Model SR375H-RAM Single Shaft Hydraulic Shredder; s/n U0169, Rotor less than 1 year old, 15° Dia. x 54° Rotor, 42° x 25' Approx. Rubber Belt Incline ConveyorSubject to owner and Bankruptcy court approval

150-HP Vecoplan Model RG52/150/SPK-FF Single Shaft Shredder; s/n 8571010, Film and Fiber Rotor, PLC Control, 42" x 20' Approx. Rubber Belt Incline Conveyor (New 2006)

IMPORTANT NOTICE

Items marked with a ** are being sold subject to Bankruptcy Court, Owner and Lender approval. High bidders will be required to place a 20% deposit of the bid price and the balance will be due immediately following approval. This process could take up to 30 days.



(3) 250-HP Dual-Tub Densifier Systems



CYCLE TEX, INC.



*2015 Heil Dry Bulk Tanker Trailer

100-HP Cumberland Model X-1000 Plastic Granulator; s/n 48100-99015, 20" x 40" Opening, Incline Conveyor, 15-HP Blower (New 2000)

(3) 250-HP Dual-Tub

Densifier Systems; 42" x 44" Tubs, PB Controls, Belt Driven, Swivel Loading Conveyor for Switching Between Tubs, Each w/ Approx. 20' Rubber Belt Load Conveyor, Work Platform, Tub Dumpers, Blowers, Motor & Tub Mounted on Heavy Base, Most w/ Marathon Motors, ABB Drives

• 250-HP Marathon Model HVB-449TFS-0038 Electric Motor (Rebuilt 2018)

32" x 17' Vecoplan Model VR-85/12 Shaker Table; s/n 12264010 (2010)

BLENDERS, MATERIAL HANDLING AND RELATED

**(6) Various Size Bolt Together Material Silos, See catalog listing for details (2) 10' Dia. x 11' High Approx. Fabricated Steel Blenders

(2) 5' Dia. x 8' High Cone Bottom Blenders; Approx. 7.5-HP Blender Motor, Cyclone, Bunting Magnet

(5) Hydraulic Gaylord Dumper Systems w/ Fabricated Hoppers to 10' x 10' x 5'; Some Auger Unload Conveyors

40-HP Foremost Model V-40-**50 Vacuum Pump;** s/n 35600, w/ Conair Hopper, Bunting Magnet, Air Lock, Conair Model DC Filter System 40-HP Foremost Model P-30-

50 Vacuum Pump; s/n 35601, w/ Magnetic Separator & Air Lock Conair Model DC2 Filter; s/n

146783 (2) 40-HP Gardner Denver DuroFlow 45 Series Model GGDCADAX Vacuum Pumps;

w/ Air Lock & Conair Filter Syste Hoppers, Motors, Parts, Bins, & Related

28" x 44" Witte Shaker; s/n

(4) Digital Platform Scales

COOLING TOWER 500 Ton Marley Model NC8307GS Series Cooling Tower; s/n 210107-A1

FORKLIFTS AND

SCISSOR LIFTS (2) 5,000 Lb. Toyota Model 8FGU25 Solid Pneumatic Tire LP Gas Lift Trucks; s/n 68146 w/ 3,684 Hours and s/n 68169 w/ 6,368 Hours, 3-Stage Mast, 189" Lift Height, 84" Mast Height, Side Shift, Fork Positioning, 3684 Hours

5,000 Lb. Clark Model G025L Solid Pneumatic Tire LP Gas Lift Truck; s/n C0230L-0192-9750, 3-Stage Mast, 185" Lift Height, Side Shift

Skyjack Model SJ3226 Electric Scissor Lift; s/n 276640, 26' Platform Height, 500 lb. Capacity,



500 Ton Marley Model NC8307GS Series Cooling Tower

28" Wide x 84" Long Platform w/ 36" Extension Skyjack Model 3219 Electric

Scissor Lift

MAINTENANCE **EQUIPMENT AND** PARTS

Maintenance Equipment Including w/ (8) Miller Welders, Drills, Saws, Hand and Power Tools & Supplies (3) 5-HP Aeromechanical B14 Blowers

(25+/-) Skids New and Used Electric Motors from 1-HP to 20-HP

Used Electric Components Including Electric Panels, Breakers, V/S Drives

AIR COMPRESSORS AND SUPPORT

EQUIPMENT 50-HP Sullair Model 3709A Rotary Screw Air Compressor; s/n 200607070105 25-HP Sullair Model 10B-25-AC Rotary Screw Air

10-HP Ingersoll Rand Vertical Tank Air Compressor

3060 Vertical Hydraulic Baler; s/n V8-618 (1998)

Spectrometer; s/n 142236

Thermo Electron Corp. Class 1 Laser Spectrometer TA Instruments Model DSC2010 Differential Scanning Calorimeter w/ Purge & Vacuum Parts **Carver Model 2627 Mounting** Press: s/n 2697-242 (2) Tinius Olsen Extrusion

Plastometers Other Related Including; Ohaus

Lab Scale, Mettler Scale, Thermolyne & Blue M Bench Type Furnaces

TRUCKS AND TRAILERS *2007 Kenworth Model

W900 Tandem Axle Road Tractor; Vin #1xKWD49x08I225874. GVWR -53,200 Cummins Model ISx525 Diesel Engine; Eaton Fuller 10-Speed Transmission (No. FR018210C), Rear Axle - D46-170P, Axle Ratio - 4.10, Vacuum Pump System Driven by Chelsea PTO System, 287,073 Miles. VDO Electric Driver Log

**2015 Heil Dry Bulk Tanker Trailer; Vin #5JLSP4326F5W41620, Capacity: 1600 Ft Cubed, GVWR: 65.000 Lb.

**1976 Butler Tandem Axle Dry Bulk Tanker Trailer; Vin #738055, Capacity: 1500 Cu. Ft. **1973 Fruehauf Tandem

Axle Dry Bulk Trailer; Vin # OMR634801 **1969 Fruehauf Tandem

Axle Dry Bulk Trailer; Vin #34579636

BidSpotter.com





> Bidders in the United States will receive approval forms from our office upon registering for the auction on www.bidspotter.com, pending the Auctioneers review of the information provided you will be approved at the Auctioneers discretion. > Bidders outside of the United States must post a deposit of

approx. 25% of their planned spending budget or \$2,500.00 minimum with Cincinnati industrial auctioneers in order to be approved to bid. Those who do not post the deposit will not be approved. period.



Berringer / Gala Water Ring Pelletizer



50-HP Sullair Model 3709A Rotary Screw Air Compressor



Galbreath Model VP2260HD-3060 Vertical **Hydraulic Baler**



5,000 Lb. Clark Model **G025L Solid Pneumatic Tire LP Gas Lift Truck**



(2) 5' Dia. x 8' High Cone Bottom Blenders



(2) 10' Dia. x 11' High Approx. Fabricated Steel Blenders



(2) 5,000 Lb. Toyota Model 8FGU25 Solid Pneumatic Tire LP Gas Lift Trucks



Maintenance Parts and Supplies



(5) Material Pumps to 50 HP





Compressor; s/n 003-67319

(10) Various Size Dump

Hoppers

Galbreath Model VP2260HD-

AB EOUIPMENT Perkin Elmer Model 1605



Plant Closed – Assets from Bankruptcy

CYCLE TEX, INC. 111 W. Westcott Way Dalton, GA 30720 Second location a few miles away at 1711 Kimberly Park Drive

IMPORTANT NOTICE:

Although information has been obtained from sources deemed reliable, the auctioneer makes no warranty or guarantee, expressed or implied, as to the accuracy of the information herein contained. It is for this reason that buyers should avail themselves of the opportunity to make inspection prior to the sale. This brochure is intended to provide general information of the equipment being offered and is subject to errors, omissions, additions or deletions. Please check with the Auctioneer's Office for a final listing. Items offered may or may not necessarily be sold as described and/or photographed in this brochure. **PHOTOGRAPHY BY JEFFREY M. LUGGEN**

DIRECTIONS

From I-75 Approx. 100 miles north of Atlanta, GA, exit at No. 336 US-41. Proceed east on US-41 for approx. 2 miles to N. Glenwood Ave. turn right (south) and proceed 1/2 mile to Springdale Rd. turn right and proceed 1/4 mile to Lamar ave. drive 1/4 mile through the yield sign and auction site will be on left. From main plant to Kimberly location get back to US-41, just before the junction of I-75 turn right onto Willowdale Rd. proceed 1/4 mile to Kimberly, turn right and destination will be on left.

AUCTIONEERS

Jeffrey L. Luggen – License No. AUNR002532 Joseph M. Luggen – License No. AU004100



TERMS OF SALE

All equipment described herein will be sold "as is", "where is" to the highest bidder or bidders for cash in accordance with our regular terms and conditions of sale. Unless other satisfactory arrangements are made, a 25% deposit in cash, certified or cashier's check payable to Cincinnati Industrial Auctioneers, Inc., is required on all purchases. Firm and personal checks accepted only if accompanied by a letter from your bank guaranteeing your funds. All sales are subject to state and/or local taxes unless a signed exemption form is presented at the time of purchase. All balances are due at the conclusion of the sale. No merchandise may be removed while the sale is in progress. All bidders must comply with our Standard Terms of Sale, copies of which will be available at the sale site or can be obtained from our website.

18% BUYER'S PREMIUM IN EFFECT FOR ALL PURCHASES



Sale Under The Management Of CINCINNATI INDUSTRIAL AUCTIONEERS auctioneers | appraisers | since 1961 | cia-auction.com | info@cia-auction.com 2020 Dunlap St., Cincinnati, Ohio 45214 Phone 513-241-9701 Fax 513-241-6760