LATE MODEL CNC AND MANUAL MACHINING FACILITY INCLUDING CLAUSING 5000MT CNC TURNING CENTER, VMC'S, SLANT BED TURNING CENTERS, 36' X 168" AMERICAN PACEMAKER LATRE, 5" LUCAS AND 4" G & L'EORING/MILL,/BLAST CABINET, FORKLITTS AND SUPPORT EQUIPMENT

Sids Porter com To Become see Instructions on Page 5 on the Internet

Plant Closed

DILWORTH MACHINE

600 Cherry Fork Ave. - Leetonia, Ohio 44431 (20 Miles South of Youngstown, Ohio)

SALE DATE: TUESDAY, JANUARY 26TH, STARTING AT 11:00 AM

INSPECTION: MONDAY, JANUARY 25TH FROM 10:00 AM TO 4:00 PM













Sale Under The Management Of

INDUSTRIAL AUCTIONEERS

auctioneers | appraisers | since 1961 | cia-auction.com | info@cia-auction.com 2020 Dunlap St., Cincinnati, Ohio 45214 Phone 513-241-9701 Fax 513-241-6760



TUESDAY, JANUARY 26TH





Ecoca Model MT-415/2000 CNC Turning Center



24"/32" X 84" Meuser H.D. Gap Bed Engine Lathe



27.5" X 72" Monarch H.D. Engine Lathe



Clausing Model Multi-Turn 5000 MT CNC Gap Bed Turning Center

CNC TURNING CENTER

Clausing Model Multi-Turn 5000 MT CNC Gap Bed Turning Center; S/N PG9601, 2,000 RPM Spindle Speed, 37.8" Swing in Gap, 26" Swing Over Bed, 18" Over Cross Slide, 60" Between Centers, 11.8" Gap Width in Front of Faceplate, Fanuc Series Oi-TD CNC Controls, 20" 4-Jaw Chuck, 4" Spindle Hole, Cross Slide Travel (X-Axis 13"), 8-Station Auto Indexing Turret, 25 HP Drive Motor, Chip Conveyor, Steady Rest (New 2014)

Ecoca Model MT-415/2000 CNC Turning Center; S/N 6911209, Fanuc Series Oi-TC CNC Controls, 27.5" Swing Over Bed, 19.6" Swing Over Cross Slide, 20" Max. Turning Diameter, 77.5" Max Work Length, 10.4" X-Axis, 78.3" Z-Axis, 15" 3-Jaw Chuck, 2,500 RPM Spindle Speed, 5.1" Thru Hole Spindle Diameter, 12-Station Tool Turret, 30 HP Drive Motor, Chip Conveyor (New 2007)

SEE PHOTO

ENGINE LATHES

37" X 168" American H.D. Engine Lathe; S/N 77934/66, 27
Spindle Speeds from 7.5 to 750
RPM, 3" Spindle Hole, 24" 4-Jaw
Chuck, Tailstock (Motorized),
Steady Rest, Newall 2-Axis DRO,
24" Swing Over Cross Slide, 50 HP
Spindle Motor

SEE PHOTO

24"/32" X 84" Meuser H.D. Gap Bed Engine Lathe; S/N 38821, 18-Speeds from 16 to 800 RPM, 16" Swing Over Cross Slide, 3 1/4" Spindle Hole, 24" 4-Jaw Chuck, Tailstock, Newall Model E70-M DRO, Steady Rest, Taper Attachment **SEE PHOTO**

17" X 80" Clausing Colchester Geared Head Engine Lathe; S/N 7/0001-04801, 20 - 1,600 RPM, 3" Spindle Hole, 16" 4-Jaw Chuck, Tailstock, 10 1/2" Swing Over Cross Slide, Steady Rest, Taper Attachment SEE PHOTO

27.5" X 72" Monarch H.D. Engine Lathe; S/N 29711, 16-Speeds from 14 to 707 RPM, 2" Spindle Hole, 24" 4-Jaw Chuck, Tailstock, Newall Model E70-L DRO, 13" Swing Over Cross Slide, Steady Rest SEE PHOTO

20.5" X **72"** Monarch H.D. Engine Lathe; S/N 28715-K, 16-Speeds From 12 to 487 RPM, 1.5" Spindle Hole, 18" 4-Jaw Chuck, Tailstock, Newall Model DP700 DRO, 11" Swing Over Cross Slide, Steady Rest SEE PHOTO






DILWORTH MACHINE





Fadal Model VMC6030HT CNC Vertical Machining Center



S/N 940942, 12-Speeds from 32 to 1,800 RPM, 2" Spindle Hole, 10" 4-Jaw Chuck, Tailstock, 8" Swing Over Cross Slide SEE PHOTO

CNC VERTICAL MACHINING CENTERS Fadal Model VMC6030HT CNC

Vertical Machining Center; S/N 012008041591, Fadal Multi-Processor CNC Controls, 30" x 60" Table, 60" X-Axis, 30" Y-Axis, 30" Z-Axis, 40 Taper Spindle, 10,000 RPM, 24-Position ATC, 4,694 Hours Power On (New 2008) SEE PHOTO

(40) 40 Taper Toolholders Comet "Mighty" Model VMC850 CNC Vertical

Machining Center; S/N 000747, Mitsubishi CNC Controls, 18" x 39" Table, 20" X-Axis, 15.7" Y-Axis, 15.7" Z-Axis, 40 Taper Spindle, 8,000 RPM, 20-Position ATC (New 1996) SEE PHOTO

KEYSEATERS

1.25" D.C. Morrison Keyseater; S/N K904723, 24" x 27" Table **SEE PHOTO**

1.25" D.C. Morrison Keyseater; S/N KR571010, 24" x 27" Table

BLAST CABINET & RELATED

Empire Pro-Finish Model PF-6060 Abrasive Blast Cabinet; S/N 146675, 60" LR x 60" FB x 44" High, w/ 36" Diameter Rotary Table Inside Cabinet, Reclaim

SEE PHOTO

➤ Empire Model DCM-200A Dust Collector; S/N 28090, 39" LR x 33" FB x 62" High

10' Wide x 7' Deep x 9' High Standard Model OFB-1000 Back Draft Paint Booth; Order No. 256083 (New 2012)

SEE PHOTO

➤ Assorted Paint Guns & Related Items

MISC. EQUIPMENT

3 HP Acer Ultima Model 3VK Variable Speed Vertical Mill; S/N 060050169, Power Table & Knee Feeds, 10" x 50" Table, 60 - 4,200 RPM, Mitutoyo 2-Axis DRO

SEE PHOTO

2 HP Lagun Variable Speed Vertical Mill; 9" x 42" Table 1 HP / 8-Speed Bridgeport Vertical Mill; S/N 71004, 9" x 32"

Van Norman Vertical Milling Machine; 10" x 46" Table, 40 - 1.100 RPM

Jiffy Model C-5 Tap Disintegrator; S/N 1284-7, 22" x 22" Table

10" x 17" Wilton Model 7020 Horizontal Band Saw; S/N 0406021, 1" Wide Blade

SEE PHOTO

32" Wide Shop Built Horizontal / Hydraulic Straightening Press w/ Enerpac Model PEM2022 Electric Power Unit SEE PHOTO Enerpac H-Frame Shop Press 15' Long Horizontal Shop Built

Cylinder Honing Machine; Up to 5" Diameter Capacity SEE PHOTO 450 Amp Hobard Mega Mig

450 Mig Welder w/ Hobart 2410 Wire Feeder 300 Amp Hobart Model RC300

Mig Welder w/ Model 27 Wire Feeder

30" x 132" T-Slotted Machine Table Used as Welding Table SEE PHOTO

Pandjiris Model Piper 3 PR Tank Turning Rolls; S/N 13210X01-11, Pendant Control, 2" x 12" Diameter

Weldall Welding Clamps Ace Bench Model Fume Collector

6" Belt / 12" Disc Jet Combination Sander



Comet "Mighty" Model VMC850 CNC Vertical Machining Center



3 HP Acer Ultima Model 3VK Variable Speed Vertical Mill



.25" D.C. Morrison (evseater



Empire Pro-Finish Model PF-6060 Abrasive Blast Cabine



15" X 40" Kent Model KLS-1540 Gap Bed Engine



20.5" X 72" Monarch H.D. Engine Lathe



17" X 80" Clausing Colchester Geared Head Engine Lathe



WWW.cia-auction.com





5" Lucas Model 542B Horizontal Boring Mill

BORING MILLS 5" Lucas Model 542B

Horizontal Boring Mill; S/N
42B-4578, 48" x 110" Table, 50
Taper Spindle, 72" Vertical Travel,
10 - 1,220 RPM, Newall Model
1220 DRO, Out Board Support,
46" In and Out Table Travel, 56"
Left to Right Table Travel, 30" Quill
Travel
SEE PHOTO

(2) 13" X 61.5" Drilled & Tapped Angle Plates 36" X 36" Rotary Table SEE PHO (20) 50 Taper Toolholders

4" Giddings & Lewis - Fraser Type 70A-DP4-T Horizontal Boring Mill; S/N 150-1373, 36" X 74" Table, 60" Vertical Travel, Standard RPMs Ranges 10 to 600, High Range from 650 to 1,300, 4" Morse Taper Spindle, 40 HP, 58" In and Out Table Travel, 35" Left to Right Table Travel, 30" Quill Travel SEE PHOTO

3" Lucas Model 41B-48 Horizontal Boring Mill; S/N

SEE PHOTO 41B-1405, Newall DP700 DRO,

36" x 62" Table, 32" Vertical Travel, 16 - 1,500 RPM, 3" Morse Taper Spindle, 44" In and Out Table Travel, 15" Left to Right Table Travel, 24" Quill Travel, Outboard Support SEE PHOTO

(2) 7" X 48" Drilled & Tapped Angle Plate (2) 24" X 24" Drilled & Tapped Angle Plate 20" Rotary Table



4" Giddings & Lewis – Fraser Type 70A-DP4-T Horizontal Boring Mill



36" X 36" Rotary Table



3" Lucas Model 41B-48 Horizontal Boring Mill



10" x 17" Wilton Model 7020 Horizontal Band Saw



Large Quantity of Cylindrical Steel Inventory Various Diameters and Lengths, Some Chromed Cylinder Shafts



TUESDAY, JANUARY 26TH





16,000 LB Taylor Model THD160 Pneumatic Tire Diesel Power Lift Truck



2012 Ford F750 XLT Super Duty Single Axle Straight Truck



6,000 LB Clark Model CG30 LP Gas Cushion Tire Lift Truck

MACHINE ACCESSORIES & TOOLING Machine Accessories Including; (3) 6" Kurt Mill Vises, Hold Downs, Set Up

Blocks, Angle Blocks

Large Quantity of Tooling

Including; Boring Bars, Drills, Reamers,
Tans, Large Morse Taper Drills, Lathe

Including; Boring Bars, Drills, Reamers Taps, Large Morse Taper Drills, Lathe Tooling, Chuck Jaws, Drill Chucks, Quick Change Toolholders

LIFT TRUCK

16,000 LB Taylor Model THD160 Pneumatic Tire Diesel Power Lift

Truck; S/N 35836, total weight 23750 lbs, cummins engine, hydraulic fork positioning, 72" forks, 117" mast, Red Dot roof mount A/C Unit, 3,693 Hours (New 2009) SEE PHOTO

6,000 LB Clark Model CG30 LP Gas Cushion Tire Lift Truck; S/N
C365L-0284-9401FB, 3-Stage Mast,
189" Lift Height, 83" Mast, 42" Forks,
Side Shift, 5,412 Hours **SEE PHOTO**

4,200 LB Caterpillar Model C6500 LP Gas Cushion Tire Lift Truck;

S/N AT83F50273, 24" Load Center, 199" Max Fork Height, 19570 Hours

TRUCK

2012 Ford F750 XLT Super Duty Single Axle Straight Truck; Vin #3FRWF7KXCV184372, Cummins 6-Cyl. Model 1SB6.7-260 Diesel Engine, Engine No. 73390496, Rated at 260 HP at 2,400 RPM, 25,999 GVWR, Automatic Transmission, Full Power, Cruise Control, AM/FM w/ CD Player, Air Brakes, 8' Wide x 15' Wood Floor Flat Bed w/ Side Rails, 4,334 Miles

RACKS

(6) 36"Deep x 120" Wide x 144" High Slot & Lock Adjustable Beam Pallet Racking

65" Deep x 124" Wide x 100" High Angled Single Sided Cantilever Rack; 14" Arms

78" Deep x 146" Wide x 100" High Angled Single Sided Cantilever Rack; 9" - 26" Arms

90" Deep x 60" Wide x 72" High Angled Double Sided Cantilever Rack

STEEL INVENTORY

Large Quantity of Cylindrical Steel Inventory Various Diameters and Lengths, Some Chromed Cylinder Shafts SEE PHOTO

SHOP EQUIPMENT

Large Quantity of Hydraulic Cylinder rebuild or manufacture parts SEE PHOTO

SEE PHOTO
Large Quantity of Shop Equipment
Including; (4) Lyon Tooling Cabinets,
Dump Hopper, Cable Slings, Nylon
Slings, Shop Ladder, Enerpac Cylinder,
48" x 96" H.D. Welding Table, 36" x 48"
H.D. Welding Table w/ Vise, Parts
washers, Toolboxes, Pipe Vise, Roto Bin
w/ Hardware, Sockets, Pneumatic Hand
Tools, (2) D.E. Grinders

INSPECTION EQUIPMENT

Large Quantity Inspection Equipment Including; Large
Micrometers, Starrett Machinist Levels,
Micrometer Sets, Various Size Calipers



10' Wide x 7' Deep x 9' High Standard Model OFB 1000 Back Draft Paint Booth



32" Wide Shop Built Horizontal / Hydraulic Straightening Press w/ Enerpac Model PEM2022 Electric Power Unit

15% ONSITE BUYERS PREMIUM 18% ONLINE BUYERS PREMIUM

WEBCAST BIDDER INSTRUCTIONS

- > All Internet bidders must register for this auction at www.bidspotter.com at least 48-Hours Prior to the Sale Date, *if you do not you will not be approved.*
- All Internet bidders must Post a Deposit of Approx. 25% of Your Planned Spending Budget or \$5,000.00 Minimum with Cincinnati Industrial Auctioneers in Order to be approved to Bid. Those who do Not Post the Deposit Will Not be Approved. Period.





30" x 132" T-Slotted Machine Table Used as Welding Table



Large Quantity of Hydraulic Cylinder rebuild or



15' Long Horizontal Shop Built Cylinder Honing Machine



Large Quantity of Inspection Equipment Including; Large Micrometers, Starrett Machinist Levels, Calipers, & More

LATE MODEL CNC AND MANUAL MACHINING FACILITY INCLUDING CLAUSING 5000MT CNC TURNING CENTER, VMC'S, SLANT BED TURNING CENTERS, 36" X 168" AMERICAN PACEMAKER LATHE, 5" LUCAS AND 4" G & L BORING MILL, **BLAST CABINET, FORKLIFTS AND SUPPORT EQUIPMENT**

Plant Closed

600 Cherry Fork Ave. - Leetonia, Ohio 44431 (20 Miles South of Youngstown, Ohio)

SALE DATE: TUESDAY, JANUARY 26TH **STARTING AT 11:00 AM**

INSPECTION: Monday, January 25th 10:00 AM to 4:00 PM



auctioneers | appraisers | since 1961 | www.cia-auction.com

Contact Information 2020 Dunlap St. Cincinnati, Ohio 45214 Phone 513-241-9701 Fax 513-241-6760











PRF-SORT FIRST CLASS U.S. POSTAGE **PAID**

CINCINNATI, OHIO PERMIT NO. 3593



Important Mail

TO BE DIRECTED TO THE ATTENTION OF EXECUTIVE PERSONNEL

TUESDAY, JAN

Plant Closed

600 Cherry Fork Ave. - Leetonia, Ohio 44431 (20 Miles South of Youngstown, Ohio)

IMPORTANT NOTICE:

Although information has been obtained from sources Although information has been obtained from sources deemed reliable, the auctioneer makes no warranty or guarantee, expressed or implied, as to the accuracy of the information herein contained. It is for this reason that buyers should avail themselves of the opportunity to make inspection prior to the sale. This brochure is intended to provide general information of the equipment being offered and is subject to errors, omissions, additions or deletions. Please check with the Auctioneer's Office for a final listing. Items offered may or may not necessarily be sold as described and/or photographed in this brochure

MAIL BIDS ACCEPTED WITH A 25% DEPOSIT

DIRECTIONS

From I-76 and I-80 Junction Proceed East on I-80 to Exit 224A for OH-11 South Towards Canfield. Continue 16.7 Miles on OH-11 to the OH-344 Exit. Turn West onto OH-344 Continue 1 Mile to Home St Turn Right. Proceed to First Stop Sign and Sale Site will be Straight Ahead. Watch for Auction Signs and Auction Parking.

AUCTIONEERS

Cincinnati Industrial Auctioneers, Inc. -OH License No. 63-1983-10439

Jeffrey L. Luggen – OH License No. 57-1983-33789 Jerome A. Luggen – OH License No. 62-1983-33799 Joseph M. Luggen - OH License No. 2010-0000-19 Ryan L. Luggen – OH License No. 2014-0000-22 John F. Rome - OH License No. 57-2000-84249









TERMS OF SALE

All equipment described herein will be sold "as is", "where is" to the highest bidder or bidders for cash in accordance with our regular terms and conditions of sale. Unless other satisfactory arrangements are made, a 25% deposit in cash, certified or cashier's check payable to Cincinnati Industrial Auctioneers, Inc., is required on all purchases. Firm and personal checks accepted only if accompanied by a letter from your bank guaranteeing your funds. All sales are subject to state and/or local taxes unless a signed exemption form is presented at the time of purchase. All balances are due at the conclusion of the sale. No merchandise may be removed while the sale is in progress. All bidders must comply with our Standard Terms of Sale, copies of which will be available at the sale site or can be obtained from our website

15% ONSITE BUYER'S PREMIUM 18% ONLINE BUYER'S PREMIUM

Sale Under The Management Of



INDUSTRIAL AUCTIONEERS

auctioneers | appraisers | since 1961 | cia-auction.com | info@cia-auction.com 2020 Dunlap St., Cincinnati, Ohio 45214 Phone 513-241-9701 Fax 513-241-6760