

LATE MODEL FOOD PROCESSING & PACKAGING EQUIPMENT INCLUDING RIBBON BLENDERS, KETTLES, LIQUIFIER, HOMOGENIZERS, POUCH FILLERS, ROTARY FILLERS, DRY FILLERS, CAPPERS, LABLERS, PUMPS, CHILLERS, LIFT TRUCKS, AIR COMPRESSORS & SUPPORT EQUIPMENT

**BidSpotter.com**  
See Instructions on Page 3  
To Become a Qualified Bidder on the Internet

# PUBLIC AUCTION

Plant Closed

## DIXIE DEW PRODUCTS INC.

1360 Jamike Ave. – Erlanger, Kentucky 41018

**SALE DATE: THURSDAY, SEPTEMBER 7TH, STARTING AT 11:00 AM**

**INSPECTION: WEDNESDAY, SEPTEMBER 6TH, FROM 10:00 AM TO 4:00 PM**



APV Crepaco S/S Jacketed Ribbon Blender



8.5" Tronics Model S3M C-00495-01-1 Side Application Pressure Sensitive Labeler



40 HP Urchel Model 1700 S/S Comitrol Processor



300 Gallon Lee Model 300D-9 S/S Jacketed Kettle



Packaging Technologies "Holmatic" Model CR-8 Rotary Filler & Sealer



All-Fill Cerebus Model B-300 Form, Fill & Seal Vertical Dry Filler



Sale Under The Management Of

**CINCINNATI INDUSTRIAL AUCTIONEERS**

auctioneers | appraisers | since 1961 | [cia-auction.com](http://cia-auction.com) | [info@cia-auction.com](mailto:info@cia-auction.com)

2020 Dunlap St., Cincinnati, Ohio 45214 Phone 513-241-9701 Fax 513-241-6760



15 HP Cherry Burrell S/S Liquifier



Gaulin Model 300CGD Three-Piston S/S Head Homogenizer



Mateer-Burt Model 1900 Vertical Dry Filler



Phase Fire Systems Model SEA-1000 Sleeve Film Applicator



Prodo Pak Model 601-CSW-10 Form, Fill & Seal Six-Valve Pouch Filling Machine



Acra Pak Model DCE-D Inline Two-Lane Piston Type Cup Filler



(6) Positive Displacement Pumps up to 3"

## STAINLESS JACKETED RIBBON BLENDER

APV Crepaco S/S Jacketed Ribbon Blender; S/N K-0234, Approx. 37 Cubic Feet, National Board #8522, 72" Long x 48" Wide x 48" Deep, Lift Up Stainless Steel Lid w/ Manhole, 4" Bottom Outlet, Approx. 500 Gallon Capacity, Hydraulic Operated Agitator, Max WP 100 PSI at 350 Degrees Fahrenheit (1993)

24" Wide x 60" Long x 24" Deep Carbon Steel Ribbon Blender; Steel Lid, Bottom Discharge, Heavy Duty Steel Frame

## STAINLESS STEEL JACKETED KETTLES

300 Gallon Lee Model 300D-9 S/S Jacketed Kettle; S/N 18712-1, National Board #8663, Top Mounted Double Motion Scrap Agitator w/ Pneumatic Lift Cylinder, Max WP: 90 PSI at 342 Degrees Fahrenheit, 3" Bottom Outlet (New 2001)

250 Gallon Lee Model D9MT S/S Jacketed Kettle; S/N 21296-6, National Board #8841, Single Motion Scrap Agitator w/ Pneumatic Lift Cylinder, S/S Frame Work, Max WP 90 PSI at 332 Degrees Fahrenheit

250 Gallon S/S Jacketed Kettle; Lightening Mixer, 3" Bottom Outlet, Steel Frame Work

100 Gallon Lee S/S Jacketed Kettle; Double Motion Scrap Agitator w/ Pneumatic Lift Cylinders, S/S Frame Work, Bottom Outlet

50 Gallon Brighton S/S Jacketed Kettle; S/N C5968, National Board #5280, Single Motion Scrap Agitator w/ Lightening Mixer, S/S Frame Work, Max WP 90 PSI at 350 Degrees Fahrenheit

10 Quart Groen Model TBA Cabinet Mounted Steam Kettle

## URCHEL COMITROL

40 HP Urchel Model 1700 S/S Comitrol Processor; S/N 3201, Mounted on 72" High Stainless Frame, 3" Inlet

## VERSATOR

7 1/2 HP Cornell Model D-16H S/S Versator Mechanical Vacuum Deaerator; S/N 9518, w/ Vacuum Pump

## HOMOGENIZERS

Gaulin Model 800DJF-10-3PS Three-Piston S/S Head Homogenizer; S/N 2576132, w/ 5,000 PSI Pressure Gauge

Gaulin Model 300CGD Three-Piston S/S Head Homogenizer; S/N 222484268, w/ 5,000 PSI Pressure Gauge

2 HP S/S Single Piston Laboratory Homogenizer

## LIQUIFIER

15 HP Cherry Burrell S/S Liquifier; S/N 75RM-87-114, Stainless Tank Dimensions: 35" x 35" x 20" Deep, 24" Top Manhole, 2 1/2" Discharge Valve, Approx. 100 Gallon Capacity

## VOTATOR SCRAP BARREL CHILLER

Votator Model VB91W S/S Side Scrap Surface Barrel Type Chiller; S/N 6960

(2) Coldpule Ice Cream Machines

## STAINLESS STEEL PIPE, VALVES & FITTINGS

Large Quantity 1 1/2" / 2" / 3" Stainless Steel Pipe, Valves, Fittings; Threaded & Tri-Clamp

## LABELERS

8.5" Tronics Model S3M G-00495-01-1 Side Application Pressure Sensitive Labeler; S/N G-00495-01-1, 7 1/2" Wide Table Top Product Feed Conveyor (New 2007)

Avery Model 7005M-WA-4 Pressure Sensitive Label Applicator; S/N 402555, 4 1/2" Wide Table Top Conveyor System

Superior Label Systems Roll-Tak Model 200 Roll Feed Pressure Sensitive Wrap-Around Side Labeler; 7" Cleated Belt Conveyor, 4 1/2" Label Height

Garvey Model 1550 Inline Labeller; S/N 13272

## PACKAGING EQUIPMENT

Preferred Packaging Model RE-602 Two-Up Automatic Rotary Heat Seal Machine; 4" Dia. 8-Stand Indexing Table, (2) 4 1/2" Dia. x 4" Deep Stations, Delta PLC Control, (2) Digital Temp Controllers (Unused)

Phase Fire Systems Model SEA-1000 Sleeve Film Applicator; S/N RFR-663

6" Wide x 40" Long Phase Fire Systems S/S Portable Heat Shrink Tunnel

140 Packaging LLC Model HS-295 Semi-Automatic Shuttle Interchangeable Die Cutting

Heat Seal Machine; 11" x 16" Tray Dimensions, 15.25" Width Film

Pryor Model BT5 Pneumatic 5 Gallon Bucket Lid Closer; S/N 930416

BIC Product No. 40 Paxall Container Former; S/N 501, Approx. 5" Wide x 3" Deep Product Compartments

## POUCH FORM, FILL & SEAL MACHINE

Prodo Pak Model 601-CSW-10 Form, Fill & Seal Six-Valve Pouch Filling Machine; S/N 775, 1 Oz - 2 Oz. Fill Heads, Two-Sides Top & Bottom Seals, Stainless Steel Product Hopper, (2) Roll Material Feed

## ROTARY FILLER

Packaging Technologies "Holmatic" Model CR-8 Rotary Filler & Sealer; S/N 14675-100, 24" Eight-Station Table, 4 1/2" Dia. Stations, w/ Capping Station, Exit Conveyor (New 2001)

## VERTICAL DRY FILLERS

All-Fill Cerebus Model B-300 Form, Fill & Seal Vertical Dry Filler; S/N 22115, Sysmac Pro-16 Control, PB Control, 24" Max Filler Width, All-Fill Cerebus Digital Keypad

Mateer-Burt Model 1900 Vertical Dry Filler; S/N 806241, Mateer Microset Digital Control, Approx. 1.5 Gallon Hopper

## PISTON FILLERS

Acra Pak Model DCE-D Inline Two-Lane Piston Type Cup Filler; S/N 35, PVC Construction, 2.5" - 5.75" Container Diameter, 7.5" Container Height

Elgin Two-Piston Filler; S/N 44364, S/S Hopper w/ Bottom Discharge, Two-Lane Feed Conveyor

(2) Elgin Four-Piston Fillers; Approx. 10 Gallon S/S Feed Hoppers, w/ Bottom Discharge, Four-Lane Product Feed Conveyor

Anderson Bros. Model 34F Filler; Approx. 3 Gallon Feed Hopper, 4" Wide x 48" Long Conveyor

OCM Pneumatic Four-Piston S/S Filler; S/N 58624

## STEAM CAPPER

Anchor Hocking Series 2 Lug Style Steam Flow Capper; S/N GSCGM-17, 4 1/2" Stainless Steel Table Top Product Conveyor, Lid Feed Hopper

## CAPPERS

Karl Klemet Model U4 Four-Spindle Inline Screw Capper; S/N 87302, 4 1/2" Table Top Product Conveyor, 84" Long Infeed & 96" Long Outfeed Conveyor, Klemet Model HE-72 S/S Hopper Cap Feeder

Consolidated Packaging Machinery Corp. Model S-1-F CaPeM Single Spindle Screw Capper; S/N 2989

## SILO TANKS / PVC TANKS / METERS

(2) Approx. 80,000 Lb. Insulated Carbon Steel Vertical Cylindrical Silo Tanks; Insulated, Approx. Dimensions: 10'4" Dia. x 16'4" w/ Varec Auto Tank Gauge

(2) 3,000 Gallon PVC Vertical Cylindrical Tanks; Steel Stands, 4" Bottom Outlets

(2) Liquid Control Model D4180 Metering Valves w/ Pre-Set Counters

## WALK IN COOLERS

13' Wide x 11' Deep x 9' High Tanka Modular Panel Construction Walk In Cooler; (2) Sets Double Doors in Front, Floor, Galvanized Finish

6' Wide x 10' Deep x 8' High Antique Wood Walk In Cooler;

## POSITIVE DISPLACEMENT PUMPS / PUMPS

3" S/S Positive Displacement Pump; 2 HP Motor, 3" Tri-Clamp Inlet/Outlet

3" Waukesha Positive Displacement Pump; S/N 1908-SS, 5 HP Variable Speed Motor, 3" Screw Outlet

3" IDEX S/S Positive Displacement Pump Model 0600; S/N 04F1817, 3" Screw Outlet, 3 HP Variable Speed Motor

2" Tri-Clover Model PR60-2M-UR4-SLS Positive Displacement Pump; 2 HP Motor, 2" Screw Fitting

2" S/S Positive Displacement Pump; 2 HP Motor

1 1/2" Waukesha Positive Displacement Pump; 2 HP Variable Speed Motor, 1 1/2" Tri-Clamp Outlet

Graco "Senator" Model 624-250 S/S Pneumatic Pump (2) 1 1/2" S/S Centrifugal Pumps

## DOUGH DEPOSITOR

Homogenette "Lectro Posit" S/S Dough Depositor; S/N FB293AJ, Approx. 5 Gallon Feed Hopper, 10" Wide Conveyor



Anchor Hocking Series 2 Lug Style Steam Flow Capper



Karl Klemet Model U4 Four-Spindle Inline Screw Capper



Preferred Packaging Model RT-602 Two-Up Automatic Rotary Heat Seal Machine

## PRODUCT CONVEYORS / ACCUMULATION TABLES

(2) Hapman Standard Helix Flexible Screw Conveyor Systems w/ S/S Feed Hoppers, 12' Flexible Screw Length; S/N X14694-AA

18" Wide x 10' Plastic Chain Portable Product Conveyor w/ Variable Speed

12" x 10' Dorner Belt Type Product Conveyor w/ Variable Speed

24" Wide x 96" Long Arrow Table Top Product Conveyor; (2) Separate Conveying Lanes in Opposite Directions w/ Variable Speed Controls

4" Wide x 10' Long Plastic Table Top Product Conveyor

(2) 48" S/S Product Accumulation Tables

18" Long x 12" Wide Clamco Portable Heat Tunnel

## SCALES

(2) 5,000 Lb. Weightronix Model WI-125 4' x 4' Electronic Platform Scale; S/N 055491

50 Lb. Silverline Model 3250 S/S Bench Scale

## VIDEO JET PRINTERS

(2) Videojet Model 1550 Inkjet Printers; Complete w/

Print Head, Touch Screen Controls, Stainless Steel Enclosure, (2) Videojet Model 37E Inline Inkjet Printers; Complete w/ Print Head, Keypad Control, Stainless Steel Enclosure,

## BALER / COMPACTOR

CCC Custom 30/30 Two-Compartment Baler; 30" x 30" x 54" Tall Compartments, Hydraulic Compaction Unit,

KenBay Model Cydesdale RotoPac Industrial Waste Compactor

## WATER CHILLER

30 Ton Carrier Model 30RAN010J-511FC "Aquanap" Air Cooled Water Chiller; S/N 4503F64240, R22 Refrigerant

## AIR COMPRESSORS

25 HP Ingersoll Rand Model UP6S-25S-125 Cabinet Type Air Compressor; S/N CBV403051, 125 PSI (2015)

10 HP Campbell Hausfeld Horizontal Tank Mounted Air Compressor

5 HP Black Max Vertical Tank Mounted Air Compressor

## STEAM BOILERS

100 HP Abco Industries Inc. Model 100-RD Natural Gas Fired Steam Boiler; S/N 8738, 150 PSI WP, w/ Supply Tank

50 HP Abco Industries Inc. Model 30-C Natural Gas Fired Steam Boiler; S/N 8627, National Board #8412, 150 PSI WP, w/ Supply Tank

## PALLET RACKS

(50) Sections Various Styles and Manufacturers Adjustable Beam Pallet Racks; Approx. Size is 8' Wide x 4' Deep x 14' Tall

## SKID WRAPPER / BOX TAPPER

60" Dia. Cousins Model PUP-550 Rotary Stretch Wrapper Customized Equipment Box Tapper

## LIFT TRUCKS / PALLET TRUCKS

5,000 LB Mistubishi Model FGC25NQP LP Gas Lift Truck; S/N AF82F02287, 187" Lift Height, Tri-Stage Mast

(2) 3,000 LB Caterpillar Model GC18K LP Gas Lift Trucks; S/Ns AT81C-00612 & AT81C-00672, 188" Lift Height, Tri-Stage Mast

3,000 LB Clark Model GCS127S LP Gas Lift Truck; S/N 7546KCF, 187" Lift Height

4,000 LB Clark Model WP40 Electric Pallet Truck; S/N 0399PM8161, w/ 24-Volt Charger

(2) Hydraulic Hand Pallet Jacks

## AIR COMPRESSORS

25 HP Ingersoll Rand Model UP6S-25S-125 Cabinet Type Air Compressor; S/N CBV403051, 125 PSI (New 2015)

10 HP Campbell Hausfeld Horizontal Tank Mounted Air Compressor

5 HP Black Max Vertical Tank Mounted Air Compressor

200 Gallon Vertical Steel Receiving Tank

## MISCELLANEOUS SHOP EQUIPMENT

20" Powermatic Model 81 Vertical Band Saw; S/N 8081145, (Lot) Misc. Ladders, Fiberglass Ladders, (Lot) Pedestal Fans, 8' Portable Steps, 200 Amp Millermatic Welder, Benches, Cabinets, Hand Tools, Banding Set, S/S Tables, S/S Melt Cans, S/S Refrigerators, Wire Rack, Doughboy Model E3 Bag Stitcher, 18" Wide x 5' Long S/S Pass Thru Washer, Sanimark Mixmatic 110 Mixer, Etc.

## LABORATORY EQUIPMENT


Lab Equipment Consisting of; (2) Brookfield Model HAT Viscometers, Darkfield Quebec Colony Counter, Torison Lab Balance, Corning Hot Plate / Stirrer, Blue M Countertop Lab Oven, Fisher Model 503 Isotemp Incubator, Nikon Stereoscope, Orion Model 410A PH Meter, Mettler Model H31A Lab Balance, Gerber Laboratory Centrifuge, Laboratory Glass, Etc.

## WEBCAST BIDDER INSTRUCTIONS

- > All Internet bidders must register for this auction at [www.bidspotter.com](http://www.bidspotter.com) at least 48-Hours Prior to the Sale Date, **if you do not you will not be approved.**
- > All Internet bidders must Post a Deposit of Approx. 25% of Your Planned Spending Budget or \$5,000.00 Minimum with Cincinnati Industrial Auctioneers in Order to be approved to Bid. Those who do Not Post the Deposit Will Not be Approved. **Period.**



(2) Videojet Model 1550 Inkjet Printers



60" Dia. Cousins Model PUP-550 Rotary Stretch Wrapper



100 HP Abco Industries Inc. Model 100-RD Natural Gas Fired Steam Boiler



25 HP Ingersoll Rand Model UP6S-25S-125 Cabinet Type Air Compressor



(4) LP Gas Lift Trucks Up To 5,000 LB by Mitsubishi and Caterpillar

# PUBLIC AUCTION

Plant Closed

## DIXIE DEW PRODUCTS INC.

1360 Jamike Ave.  
Erlanger, Kentucky 41018

**SALE DATE:**  
**THURSDAY, SEPT. 7th**  
**STARTING: 11:00AM**

**INSPECTION:**  
Wednesday, September 6th  
10:00 AM to 4:00 PM



CINCINNATI  
**INDUSTRIAL AUCTIONEERS**

auctioneers | appraisers | since 1961

Contact Information  
2020 Dunlap St.  
Cincinnati, Ohio 45214  
Phone 513-241-9701  
Fax 513-241-6760  
[www.cia-auction.com](http://www.cia-auction.com)



Food Processing Equipment



Packaging Equipment



Process Support Equipment



(4) LP Gas Lift Trucks

FIRST CLASS MAIL!

PRE-SORT  
FIRST CLASS  
U.S. POSTAGE  
**PAID**  
CINCINNATI, OHIO  
PERMIT NO. 3593

### Important Mail

TO BE DIRECTED TO THE ATTENTION  
OF EXECUTIVE PERSONNEL

**THURSDAY, SEPTEMBER 7TH**

# PUBLIC AUCTION

Plant Closed

## DIXIE DEW PRODUCTS INC.

1360 Jamike Ave.  
Erlanger, Kentucky 41018

### IMPORTANT NOTICE:

Although information has been obtained from sources deemed reliable, the auctioneer makes no warranty or guarantee, expressed or implied, as to the accuracy of the information herein contained. It is for this reason that buyers should avail themselves of the opportunity to make inspection prior to the sale. This brochure is intended to provide general information of the equipment being offered and is subject to errors, omissions, additions or deletions. Please check with the Auctioneer's Office for a final listing. Items offered may or may not necessarily be sold as described and/or photographed in this brochure.

MAIL BIDS ACCEPTED WITH A 25% DEPOSIT

### DIRECTIONS

From I-75 approx. 5 miles South of the Ohio River, Exit I-275 West (Exit #185), Proceed 2 Miles to Mineola Pike (Exit #2), Turn South onto Mineola Pike and Proceed .7 Miles to Left Turn onto Jamike Avenue, Proceed 1/2 Mile to Sale Site on Left. Watch for Auction Parking and Auction Signs.

### AUCTIONEERS

Jeffrey L. Luggen – KY License No. RP 7066  
Joseph M. Luggen – KY License No. RP 3521



### TERMS OF SALE

All equipment described herein will be sold "as is", "where is" to the highest bidder or bidders for cash in accordance with our regular terms and conditions of sale. Unless other satisfactory arrangements are made, a **25% deposit** in cash, certified or cashier's check payable to Cincinnati Industrial Auctioneers, Inc., **is required on all purchases.** Firm and personal checks accepted only if accompanied by a letter from your bank guaranteeing your funds. All sales are subject to state and/or local taxes unless a signed exemption form is presented at the time of purchase. **All balances are due at the conclusion of the sale.** No merchandise may be removed while the sale is in progress. **All bidders must comply with our Standard Terms of Sale,** copies of which will be available at the sale site or can be obtained from our website.

**15% ONSITE BUYER'S PREMIUM**  
**18% ONLINE BUYER'S PREMIUM**



Sale Under The Management Of

## CINCINNATI INDUSTRIAL AUCTIONEERS

auctioneers | appraisers | since 1961 | [cia-auction.com](http://cia-auction.com) | [info@cia-auction.com](mailto:info@cia-auction.com)  
2020 Dunlap St., Cincinnati, Ohio 45214 Phone 513-241-9701 Fax 513-241-6760