LATE MODEL CNC TURNING, MACHINING AND GRINDING FACILITY ¢



adal Model VMC-4525HT CNC Vertical Machining Center





Mazak Model Super Quick Turn 18M Mark II Three-Axis CNC **Turning Center**

SALE UNDER THE MANAGEMENT OF



Cincinnati Industrial Auctioneers Inc. 2020 DUNLAP ST., CINCINNATI, OHIO 45214 PHONE (513) 241-9701 / FAX (513) 241-6760 **INTERNET: www.cia-auction.com** EMAIL: info@cia-auction.com

Featuring: 2005 Kitamura MyCenter HX-400i CNC HMC, (6) Fadal CNC VMC's Models 4525, 4020 and 3016 as Late as 2005, Mazak Model QT-25, 18M, 15N and QT-8 CNC Turning Centers as Late as 1996, Studer S-20 CNC Grinder (1997), (5) Parker Majestic Surface Grinders, Parker Majestic OD/ID Grinder, SMTW Cylindrical Grinder, (2) Bridgeport Vertical Mills, Moore CNC and Conventional Jig Grinders, (2) Moore Jig Bores, 30" X 72" Leblond Lathe, Hardinge HLVH Lathe, (4) Sunnen Hones, Doall C-916 Horizontal Band Saw, Lista Cabinets and Shop Equipment

Sid Ser-Com

Select Herrs to Be Offered Online

To Become a chemis to Be Offered On a Qualified Bidder Offered On Bidder Page 2 on the 1

ORDERED SOLD BY SECURED CREDITOR RIE INDUSTRIES, INC.

810 East Cambourne Street – Ferndale, Michigan 48220 10 Miles North of Downtown Detroit, Michigan





Kitamura Model MyCenter HX400iF Two-Pallet CNC Horizontal Machining Center



IN CONJUNCTION WITH Wachinery Network Auctions

15910 VENTURA BLVD., SUITE 1410, ENCINO, CA 91436 PHONE (818) 788-2260 / FAX (310) 826-2320 INTERNET: www.machinerynetworkauctions.com EMAIL: info@machinerynetworkauctions.com



THURSDAY, JUNE 23RD





Fadal Model VMC-4525HT CNC Vertical Machining Center



Fadal Model VMC-4525HT CNC Vertical Machining Center



Fadal Model VMC-4020HT CNC Vertical Machining Center w/ Pallet Changer



Fadal Model VMC-4020HT CNC Vertical Machining Center



Kitamura Model MyCenter HX400iF Two-Pallet CNC Horizonta Machining Center

CNC HORIZONTAL MACHINING CENTER

Kitamura Model MyCenter HX400iF Two-Pallet CNC Horizontal Machining Center; S/N 42809, Fanuc Series 16i-MB CNC Control, (2) 15.75" X 15.75" Pallets, 28.9" X-Axis, 24" Y-Axis, 24" Z-Axis, 001 Degree

Full 4th-Axis, 13,000 RPM Spindle, 40 Taper Spindle, 50-Position ATC, Coolant System, Thru-Spindle Coolant, Hakusan Chip Conveyor **(New 2005) SEE PHOTO**

CNC VERTICAL MACHINING CENTERS Fadal Model VMC-4525HT CNC Vertical

Machining Center; S/N 012005017336, Fadal 32MP CNC Control, 25" X 48" Table, 45" X-Axis, 25" Y-Axis, 24" Z-Axis, 10,000 RPM High Torque Spindle, 40 Taper Spindle, 24-Position ATC, Cool Power Thru-Spindle Coolant (New 2005) SEE PHOTO

➤ 12" Fadal Model V300 4th-Axis Table; S/N 022004092158

Fadal Model VMC-4525HT CNC Vertical

Machining Center;SN 012001123017, Fadal Multiprocessor CNC Control, 25" X 48" Table, 45" X-Axis, 25"Y-Axis, 32" Z-Axis, 10,000 RPM High Torque Spindle, 40Taper Spindle, 24-Position ATC, Cool Power Thru-Spindle (New 2002)SEE PHOTO

6" Fadal Model TR65 Rotary 4th / 5th-Axis Table; S/N 052001121144

Fadal Model VMC-4020HT CNC Vertical

 Machining Center w/ Pallet Changer;
 S/N 9405278,

 Fadal 88HS CNC Control, (2) 19" X 39" Drilled &

 Tapped Aluminum Pallets, Fadal Model 910-1 Pallet

 Changing System, 40" X-Axis, 20" Y-Axis, 28" Z-Axis,

 40-Taper Spindle, 30-Position ATC, Colant System

 (New 1994)

Fadal Model VMC-4020HT CNC VerticalMachining Center; S/N 9503320, Fadal 88HS CNCControl, 20" X 45" Table, 40" X-Axis, 20" Y-Axis, 28" Z-Axis, RPM Spindle, 40 Taper Spindle, 21-Position ATC,Coolant System (New 1995)SEE PHOTO

6" Fadal Model VH65 Rotary 4th-Axis Table; S/N 6580592

Fadal Model VMC-4020 CNC Vertical Machining Center; S/N 8809720, Fadal 88 CNC Control, 20" X 43" Table, 40" X-Axis, 20" Y-Axis, 20" Z-Axis, 40 Taper Spindle, 21 Position ATC, Coolant System (New 1988) SEE PHOTO

≻ 6" Mfg. Unknown Model Indexer PT160 4th-Axis Table

Fadal Model VMC-3016 CNC Vertical Machining Center; S/N 9306728, Fadal 32MP CNC Control, 16" X 36" Table, 30" X-Axis, 16" Y-Axis, 20" Z-Axis, 40 Taper Spindle, 21-Position ATC, Coolant System (New 1993) SEE PHOTO

➤ 6" Fadal Model VH65 4th-Axis Table; S/N 236595



- All Internet bidders must register for this auction at www.bidspotter.com at least 48-Hours Prior to the Sale Date, *if you do not you will not be approved.*
- All Internet bidders must Post a Deposit of Approx. 25% of Your Planned Spending Budget or \$5,000 Minimum with Cincinnati Industrial Auctioneers in Order to be approved to Bid. Those who do Not Post the Deposit Will Not be Approved. Period.
- Only Major Items Will be Available for Online Bidding. Please refer to the Listing on www.bidspotter.com for Available Online Items.
- There is a 18% Buyer's Premium in Effect for All Online Purchases.



We Highly Recommend that Potential Buyers Attend this Auction & Bid Live Onsite. This will give you the Ability to Inspect the Items & Fully Appreciate Their Condition, Along with Saving You 3% of the Buyer's Premium.

No Last Minute Registrations will be accepted. Make Sure to Register & Post Your Deposit No Later than 48-Hours Prior to the Start of the Auction.



ERIE INDUSTRIES, INC.





Mazak Model Super Quick Turn 18M Mark II Three-Axis CNC Turning Center

TOOL HOLDERS (400) Cat. 40 Tool Holders of All Types

CNC TURNING CENTERS Mazak Model Super Quick Turn 18M Mark II

Three-Axis CNC Turning Center; S/N 123194, Mazatrol T-Plus CNC Control, Live Tooling, 10" Kitagawa B-210 3-Jaw Chuck, 19.9" Distance Between Centers, 20" Swing Over Bed, 15.7" Swing Over Cross Slide, 7.09" X-Axis, 20.8" Z-Axis, 35-4,000 RPM Spindle, 3.1" Hole Thru Spindle, 12-Position Live Tool Turret, Chip Conveyor, Coolant System, Tool Eye (New 1996)

SEE PHOTO

Mazak Model Quick Turn 25 CNC Turning Center; S/N 715386, Mazatrol Cam T-2 CNC Control, 10" Kitagawa B-10 3-Jaw Chuck, 39.37" Distance Between Centers, 20" Swing Over Bed, 15.75" Swing Over Cross Slide, 7.87" X-Axis, 40" Z-Axis, 30-3,000 RPM Spindle, 3.15" Hole Thru Spindle, Universal 8D 16-Index Tool Turret, Chip Conveyor, Coolant System, Tool Eye SEE PHOTO

Mazak Model Quick Turn 15 CNC Turning Center; S/N 113527, Mazatrol T-Plus CNC Control, 8" Kitagawa B-208 3-Jaw, 18" Distance Between Centers, 17" Swing Over Bed, 10" Swing Over Cross Slide, 7.09" X-Axis, 20.12" Z-Axis, 45-4500 RPM Spindle, 2.44" Hole Thru Spindle Universal 8D 8-Station Tool Turret, Ship Conveyor, Coolant System, Tool Eye (New 1995)

SEE PHOTO Mazak Model Quick Turn 15 CNC Turning Center; S/N 75781, Mazatrol Cam T-2 CNC Control, 8" Kitagawa B-208 3-Jaw Chuck, 20" Distance Between



Mazak Model Quick Turn 15 CNC Turning Center

Centers, 17" Swing Over Bed, 10" Swing Over Cross Slide, 6.12" X-Axis, 20.12" Z-Axis, 36-3600 RPM Spindle, 2.44" Hole Thru Spindle, Universal 8D 8-Position Tool Turret, Chip Conveyor, Coolant System, Tool Eye **SEE PHOTO**

Mazak Model Quick Turn 8 CNC Turning Center; S/N 78401, Mazatrol Cam T-2 CNC Control, 5C Collet Chuck, 11.8" Max Swing, 6.3" Max Turn Dia., 5.9" Max Turn Length, 4.9" X-Axis, 11.4" Z-Axis, 8-Position Tool Turret, Chip Conveyor, Coolant System, Tool Eye SEE PHOTO

Large Quantity CNC Lathe Tooling and Accessories

TOOLING AND MACHINE ACCESSORIES (400) Cat. 40 Tool Holders of All Types

SEE PHOTO Large Quantity CNC Lathe Tooling and

Accessories (22) Lista Two-Section Multiple Drawer Maple

Top Tooling Cabinets (8) Lista Multiple Drawer Tooling Cabinets

(10) Two-Door Storage Tooling Cabinets

Large Quantity of Perishable Tooling Including; Carbide Inserts, Carbide Drills, Carbide End Mills, H.S. Drills, H.S. End Mills, Taps, Reamers, (10) Drill Index Cabinets, Keyseat Cutters and Other Related Items

Large Quantity of Machine Accessories Consisting of; (6) 6" and 8" Mill Vises, 8" Hartford Super Spindle, Hold Down, Hardware, Parallels V-Blocks and Other Related Items



Fadal Model VMC-4020 CNC Vertical Machining Center



Mazak Model Quick Turn 25 CNC Turning Center



Mazak Model Quick Turn 15 CNC Turning Center



Mazak Model Quick Turn 8 CNC Turning Center



Fadal Model VMC-3016 CNC Vertical Machining Center



THURSDAY, JUNE 23RD





Studer Model S20 CNC O.D. Cylindrical Grinding Machine w/ I.D. Attachment

CNC GRINDERS

Studer Model S20 CNC O.D. Cylindrical Grinding Machine w/ I.D. Attachment; S/N 021.0154.90.038, GE Fanuc Series 16-T CNC Control w/ Pendant, 16.5" Distance Between Centers, 7.87" Max Swing Over Table, 16.53" Max. Longitudinal Slide Travel, 16.5" Max. Grinding Length, 5.90" Max. Wheelhead Slide Travel, 13.77" Dia. X 1.26" Wide X 5"

Bore Grinding Wheel, 30 Degree Swivel Range, Motorized Workhead, Workrest, Tailstock (New 1997) SEE PHOTO Voumard Model 200 CNC UB-T4-ID Four-Head CNC I.D. Grinding Machine; S/N 210133, Voumard CNC Control, Acomel Motor Control Unit, 8" Magnetic Chuck SEE PHOTO

CYLIDRICAL AND CENTERLESS GRINDERS

11" X 24" Falcon Chevalier Model GU1124A O.D. Cylindrical Grinder; S/N 1662U-59, Newall DP7 Dro, 8" 6-Jaw Chuck, Penta Multi-Drive Variable Speed Drive SFE PHOTO

SMTW Model M1050 Centerless Grinder; S/N 1006, 50 MM Work Size, Model 150A Electric Control Cabinet, S/N 95-02, SDS Controller, 2500 Dynamic Balance System, Newall DPG DRO, 6" Wide Grinding Wheels, Wheel Dresser Attachment SEE PHOTO

13" X 30" Parker Majestic Universal Cylindrical I.D. / O.D. Grinder; S/N 1662U-59, Newall DP7 DRO, Motorized Workhead w/ 8" Chuck and V/S Drive, PB Control

CNC AND CONVENTIONAL JIG GRINDERS / BORERS

Moore Model 3 CNC Jig Grinder; S/N G828, Fagor NASA Model AGS-3 CNC Controls, 11" X 24" T-Slotted Table, Controls Integrated into Table, Knee and Spindle

Moore Model 3 Conventional Jig Grinder; S/N G404, 11" X 24" Table, w/ 12" X 24"X 6" High T-Slotted Sub Table (3) Moore Model 3 Jig Bores; S/Ns B851, B-966, B-269, 11" X 24" Tables, Accu-Rite, 2-Axis Dros

SURFACE GRINDERS AND GRINDING ACCESSORIES

(4) 6" X 12" Parker Majestic No. 22 Surface Grinders; S/N 5344-ZM-87, 2369-SCM-69, 1995-5CM-67, 2370-SCM-69, Sony Dros SEE PHOTO

(2) 6" X 12" Parker Majestic No. 2 Surface Grinder; S/Ns 1001- SCM-57, 1264-SCM-62 Sony Dro's SEE PHOTO

6" X 18" Boyar Schultz Pro-Grind V Surface Grinder; S/N PGV161, Dro SEE PHOTO Huge Quantity (Approx. 100 Pcs.) of Grinding Accessories and Fixtures Including; (3) 10" Roto Grind Rotary Fixtures, Centering Fixtures, Radius Dressers, Table Mount Fixtures and Many Other Related Items SEE PHOTO

MILLING MACHINES

(2) 1 HP Bridgeport 8-Speed Vertical Milling Machines; S/N 131698 and 105006, 9" X 36" Tables, PTF, Newall and Monitor III 2-Axis Droš

MISC. MACHINERY

9" X 16" DoAll Model C916S Horizontal Band Saw;S/N 503-94557, 1" Blade, In-Feed ConveyorSEE PHOTO31" Dia Basket Model 800 ADF System;S/N 9010-

1261, Electric Heat Rotary Parts, Washer60" Stroke Lapointe Horizontal Broach; S/N 40143, 16 Ton Pull, M-Ram Effective Area 21.2 Sq. Inches, Max

10 Ion Puil, M-kam Ellective Area 21.2 Sq. Inches, Max 1500 Pounds Per Sq. Inch SEE PHOTO 40" X 40" Abrasive Blast Cabinet w/ Dustkop Filter

Bag Type Dust Collector

Mfg. Unk. 4-Post Strip Built Hydraulic Straightening Press; 14" Between Post, 30" Vertical Stroke

So-Low Environmental Equipment Model C85-3 Ultra-Low Freezer; S/N 0304695, Temp Range 40 - 85 Celsius

Vibra King Model 200 5X Bench Type Vibratory Finishing Machine



Huge Quantity (Approx. 100 Pcs.) of Grinding Accessories and Fixtures



(4) 6" X 12" Parker Majestic No. 22 Surface Grinders



(2) 6" X 12" Parker Majestic No. 2 Surface Grinder



40" X 40" Abrasive Blast Cabinet w/ Dustkop Filter Bag Type Dust Collector



Voumard Model 200 CNC UB-T4-ID Four-Head CNC I.D. Grinding Machine



Bank View Moore No. 3 CNC and Manual Jig Grinders



11" X 24" Falcon Chevalier Model GU1124A O.D. Cylindrical Grinder



SMTW Model M1050 Centerless Grinder



13" X 30" Parker Majestic Universal Cylindrical I.D. / O.D. Grinder



THURSDAY, JUNE 23RD





Hardinge Model HC Precision Lathe

LATHES – ALL TYPES

26"/32" X 72" Leblond Regal Gap Bed Geared Head Engine Lathe; S/N 311-759, 2-1/4" Spindle Hole, 74-1080 RPM, 15" 3-Jaw Chuck, Monitor II Dro SEE PHOTO

Hardinge Model HC Precision Lathe; S/N HC-2631-G, 8-Position Turret Type Toolpost, Motorized Cross Slide, 5C Collet SEE PHOTO Chuck

15" X 60" Leblond Engine Lathe; S/N C9091, 25-500 RPM, 8" 3-Jaw Chuck, Monitor III Dro

(2) Hardinge Bench Type Speed Lathes

SUNNEN HONES

Sunnen Model MBB 1660-K Precision Hone; S/N321-SEE PHOTO 95627

Sunnen Model MBB 1660 Precision Hone; S/N 83748 Sunnen Model MBB-1670-DMS Power Stroked

Precision Hone; S/N 70103 (2) Sunnen Model MBB-1600 Precision Hones;

S/N 45652 & 41163

Large Quantity of Sunnen Hone Accessories Including; Sunnen Cabinets, Mandrels Stones

AIR COMPRESSOR

30 HP Sullair Model LS-100 Rotary Screw Cabinet Enclosed Air Compressor; S/N N/A, Late Model SEE PHOTO

Heat Sink Air Dryer

LIFT TRUCK

5,500 Lb Clark Model C500-55 LP Gas Cushion Tire Lift Truck; S/N 355-481-3557-377, 2-Stage Mast



26"/32" X 72" Leblond Regal Cap Bed Ceared Head Engine Lathe

INSPECTION EQUIPMENT

14" Deltronic Model DH214 Optical Comparator; S/N 269094730, Deltronic MPC-5 Dro

14" Deltronic Model DH14 Optical Comparator; S/N A98102063, Deltronic MPC-5 Dro

14" Deltronic Model DH14 Optical Comparator; S/N A78011105, Deltronic 612-R Dro

Numerex Model 1518-10 MD-CER Coordinate Measuring Machine; S/N CMM910101022, PC System Control w/ Wenzel Pendant, 20" X 30" Table, Renishaw PH1 Probe (New 1991) SEE PHOTO

Taylor Hobson Model From Talysurf 120 Surfaces & Contour Measurement System; S/N 223, PC System Control, 19.5" X 30" Granite Table, 4.7" X-Axis, 17.7" Motorized Vertical Column (New 1990)

Federal Model VAS-300 Roundness Measurement System; S/N 830155, Formscan 3000, Auto Centering Computerm 10" Dia Mag Chuck

Large Quantity of Inspection Tools Including; Wilson Rockwell 3TTBB Hardness Tester, (2) Digital Bore-O-Scopes, 36" X 48" X 8" Tru Stone Grade A Granite Surface Plate, Various Size Micrometers, Height Gauges, Bore Gages, Depth Gages, Thread Gages, Gage Blocks, Pin Gages, Slot Gages, Optical Flats, Plug Gages, V-Blocks, (15) Various Size Granite Surface Plats, Granite Base Digital Indicators & Many Other Related Items

SHOP EQUIPMENT

Shop Equipment Consisting of; Acetylene Outfit, (2) Hydraulic Pallet Tracks, 2-Wheel Drum Truck, Rubbermaid Shop Carts, 2-Door Steel Storage Cabinets, Electrometric De-Magnetizer, Work Benches, Steel Shelving, Single Spindle Drills, Double End Pedestal Grinders, Hand Tools, Dake Arbor Press, Hose Reels, Air Line Reels and Other Related Items





(400) Cat. 40 Tool Holders



Measurement System



(1 of 3) 14" Deltronic Optical Comparators w/ DRO's





Measuring Machine



30 HP Sullair Model LS-100 Rotary Screw Cabinet Enclosed Air Compressor



9" X 16" DoAll Model C916S Horizontal Band Saw



60" Stroke Lapointe Horizontal Broach





Partial View Large Quantity Inspection Tools and

Taylor Hobson Model From Talysurf 120 Surfaces & Contour







ORDERED SOLD BY SECURED CREDITOR



10 Miles North of Downtown Detroit, Michigan

IMPORTANT NOTICE:

Although information has been obtained from sources deemed reliable, the auctioneer makes no warranty or guarantee, expressed or implied, as to the accuracy of the information herein contained. It is for this reason that buyers should avail themselves of the opportuni-ty to make inspection prior to the sale. This brochure is intended to provide general information of the equip-ment being offered and is subject to errors, omissions, additions or deletions. Please check with the Auctioneer's Office for a final listing. Items offered may or may not necessarily be sold as described and/or photographed in this brochure. this brochure.

MAIL BIDS ACCEPTED WITH A 25% DEPOSIT



cincinnati Industrial Auctioneers Inc. 2020 DUNLAP ST., CINCINNATI, OHIO 45214 PHONE (513) 241-9701 / FAX (513) 241-6760 **INTERNET: www.cia-auction.com** EMAIL: info@cia-auction.com

SALE UNDER THE MANAGEMENT OF

DIRECTIONS

From I-75 North of Detroit Exit at 9 Mile Rd. Proceed West on 9 Mile Approx. 1 Mile to Hilton Ave., Proceed North on Hilton 2 Blocks to Cambourne St. Turn Left onto Cambourne and Proceed 1 Block to Sale Site on Left. Watch for Auction Signs.

AUCTIONEERS

Jeffrey L. Luggen Jeffrey M. Luggen Frank J. Rome

Jerome A. Luggen Joseph M. Luggen John F. Rome







TERMS OF SALE

All equipment described herein will be sold "as is", "where is" to the highest bidder or bidders for cash in accordance with our regular terms and conditions of sale. Unless other satisfactory arrangements are made, a 25% deposit in cash, certified or cashier's check payable to Cincinnati Industrial Auctioneers, Inc., is required on all purchases. Firm and personal checks accepted only if accompanied by a letter from your bank guaranteeing your funds. All sales are subject to state and/or local taxes unless a signed exemption form is presented at the time of purchase. All balances are due at the conclusion of the sale. No merchandise may be removed while the sale is in progress. All bidders must comply with our Standard Terms of Sale, copies of which will be available at the sale site or can be obtained from our website

15% ONSITE BUYER'S PREMIUM 18% ONLINE BUYER'S PREMIUM

IN CONJUNCTION WITH Wachinery Network Auctions

15910 VENTURA BLVD., SUITE 1410, ENCINO, CA 91436 PHONE (818) 788-2260 / FAX (310) 826-2320 INTERNET: www.machinerynetworkauctions.com EMAIL: info@machinerynetworkauctions.com