

PUBLIC

AUCTION

Bidspotter.com™
Select Items To Be Offered Online
See Instructions on Page 2
To Become a Qualified Bidder on the Internet

ASSETS FROM BANKRUPTCY

THREE-DAY THREE-LOCATION AUCTION OF HIGH QUALITY PALLET RACK MANUFACTURER INCLUDING MACHINERY, EQUIPMENT AND \$10,000,000 RAW MATERIAL, WIP & FINISHED PRODUCT INVENTORY

U.S. Bankruptcy Court for the Middle District of Pennsylvania Case No. 5-10-07862

EXCEL STORAGE PRODUCTS, LP.

LOCATION 1 BROOKINGS

500 Insbrook Lane
Brookings, South Dakota 57006

**SALE DATE: TUESDAY, MARCH 22ND
STARTING AT 10:00 AM**

Inspection: Monday, March 21st
From 10:00 AM to 4:00 PM

LOCATION 2 STROUDSBURG

830 Crowe Road & Rt. 447 N
East Stroudsburg, Pennsylvania 18301

**SALE DATE: TUESDAY, MARCH 29TH
STARTING AT 9:00 AM**

Inspection: Monday, March 28th
From 10:00 AM to 4:00 PM

LOCATION 3 CADIZ (W.C. CARDINAL)

One Industrial Park Road
Cadiz, Ohio 43907

**SALE DATE: THURSDAY, MARCH 31ST
STARTING AT 9:00 AM**

Inspection: Wednesday, March 30th
From 10:00 AM to 4:00 PM

Featuring: (10) Complete Rollforming Lines Tooled to Roll Pallet Rack Components Including; Upright Posts, Beams, Bracing Parts & Decking Slats by Yoder, Rafter, Tishken & Others, Some Equipped w/ Thermatool Welders & Misc., 2,500 Ton Steel Coil Inventory, 500 Ton Structural Inventory, \$3,000,000.00 Finished Product Pallet Rack Inventory, \$1,000,000.00 WIP Inventory, (15+) Hydraulic & Mechanical Press Brakes, (10) Straight Side Presses by Minster & Others to 300 Ton, (20) OBI & Gap Presses to 250 Ton, Controlled Automation & Peddinghaus Beam Lines, Large Capacity Band Saws, Complete Powder Coating Lines, Rumble Automation Auto End Cap Welders, Large Quantity Rack Manufacturing Equipment, (100+) Welders, (30+) Lift Trucks, Bridge Cranes, Air Compressors, Trucks, Huge Quantity Support Equipment.

**EXCEL
STORAGE PRODUCTS**



Machinery & Equipment



2,500 Ton Steel Coil Inventory



\$3,000,000 Finished Product Inventory



**Cincinnati Industrial
Auctioneers Inc.**

2020 DUNLAP ST., CINCINNATI, OHIO 45214
PH (513) 241-9701 / FAX (513) 241-6760
INTERNET: www.cia-auction.com



**Myron Bowling
Auctioneers Inc.**

P.O. BOX 369 ROSS, OHIO 45061
PH (513) 738-3311 / FAX (513) 738-0221
INTERNET: www.myronbowling.com



PPL Auction

3100 DUNDEE ROAD,
SUITE 915, NORTHBROOK, IL 60062
PH (224) 927-5300 / FAX (224) 927-5311
INTERNET: www.pplauction.com

LOCATION ONE – BROOKINGS / EXCEL STORAGE PRODUCTS, LP



Approx. \$500,000 Finished Product Inventory Including 17,400 Beams and 2,500 Uprights



Approx. 25 Ton (\$23,000 Cost) Steel Coil Inventory



Approx. 275 Ton (\$279,000 cost) Structural Inventory



Approx. 275 Ton (\$279,000 Cost) Structural Steel Angle, Channel, Tube and I-Beam Inventory for Mezzanine Construction



Approx. 220 Tons (\$225,000) WIP Inventory Including Beams, Frames, Cantilever, Columns, Tube and Accessories



RAW MATERIAL INVENTORY

Approx. 275 Ton (\$279,000 Cost) Structural Steel Angle, Channel, Tube and I-Beam Inventory for Mezzanine Construction **SEE PHOTO**

Approx. 25 Ton (\$23,000 Cost) Steel Coil Inventory **SEE PHOTO**

FINISHED PRODUCT INVENTORY

Approx. 17,400 (\$300,000) Various Size Finished Beams

Approx. 2,500 (\$210,000) Various Size Finished Uprights

Other Finished Components Include Approx. \$55,000 of Accessory Pieces, Approx. \$4,500 of Hardware and Other

WORK-IN-PROCESS (WIP) INVENTORY

Approx. 175,000 Pieces (\$19,500) Beam End Caps (Clips)

Approx. 220 Tons (\$225,000) WIP Inventory Including Beams, Frames, Cantilever, Columns, Tube and Accessories **SEE PHOTO**

IMPORTANT NOTICE

THE INVENTORY FIGURES WERE GATHERED FROM MANAGEMENT AND COURT DOCUMENTS AND ARE MEANT TO BE USED AS AN ESTIMATE GUIDE ONLY. INTERESTED PARTIES ARE STRONGLY ADVISED TO INSPECT AND ANALYZE QUANTITIES INCLUDED IN THE INDIVIDUAL CATEGORIES AND LOTS OFFERED IN THE AUCTION. AUCTIONEER MAKES NO GUARANTEES AS TO THE ACCURACY OF ANY OF THE FIGURES.

WEBCAST BIDDER INSTRUCTIONS

- > All Internet bidders must register for this auction at www.bidspotter.com at least 48-Hours Prior to the Sale Date, **if you do not you will not be approved.**
- > All Internet bidders must Post a Deposit of Approx. 25% of Your Planned Spending Budget or \$5,000.00 Minimum with Cincinnati Industrial Auctioneers in Order to be approved to Bid. Those who do Not Post the Deposit Will Not be Approved. **Period.**
- > **Only Major Items Will be Available for Online Bidding.** Please refer to the Listing on www.bidspotter.com for Available Online Items.



- > There is a 15% Buyer's Premium in Effect for All Online Purchases.
- > We Highly Recommend that Potential Buyers Attend this Auction & Bid Live Onsite. This will give you the Ability to Inspect the Items & Fully Appreciate Their Condition, Along with Saving You 3% of the Buyer's Premium.

No Last Minute Registrations will be accepted. Make Sure to Register & Post Your Deposit No Later than 48-Hours Prior to the Start of the Auction.

UPRIGHT POST & BEAM ROLLFORMING LINE

To Be Sold Separate And Overall

Yoder 3" Arbor X 15-Stand Model MS3 Roll Former;
S/N Y-8649-0996, 3" Arbors, 20" Roll Space, 24" Horizontal
Spacing, 100 HP Toothed Belt Drive (**New 1996**) **SEE PHOTO**

Thermatool Model VT-160 Induction Welding Station; S/N
810, Forming Head with Scarfing Station, Cooling Trough,
Power Supply **SEE PHOTO**

Final Sizing Station w/ PLC Control

**160 Ton Stamtec Model G1-160 Open Back Gap Notching
Press;** S/N S80785, 3.55" Stroke, 3.94" Adjustment, 19.9" Shut
Height, 40 -70 SPM, 31.52" X 49.25" Bed, 6" Bolster, Air Clutch,
Cascade Infeed Rollers **SEE PHOTO**

18" Waddington Pull Thru Servo Stock Feed; w/ Operator
Control Pedestal, Looping Station with Photoelectric Cell

150 Ton Clearing Model LM-150 OBI Flying Cut-off Press;
S/N 54-5254, 30" X 50" Bed, 30" X 50" Flying Die Slide, Durant
Solid State Control, Air Clutch **SEE PHOTO**

Cooling Tanks, Controls, Electrics, Conveyors and Related

RACK COMPONENT ROLLFORMING LINE

To Be Sold Separate And Overall

**Yoder 2-1/2" Arbor X 14-Stand Model MS 2-1/2S Roll
Former;** S/N Y-8650-0996, 2.5" Arbors, 18" Roll Space, 18"
Horizontal Spacing, 60 HP Toothed Belt Drive, Operator Control
Pedestal (**New 1996**) **SEE PHOTO**

36" Littell No. 90 Expanding Mandrel Coil Reel; S/N S-8655-
73

**18" Mfr. Unknown Variable Speed Power Stock
Straightener**

**24" Iron Bay Model S54F Cropping Shear Butt Welding
Station;** S/N 149606, w/ Shearing Head, Seam Welding Head,
Flattener & Pinch Rolls **SEE PHOTO**

.125" X 18" X 12" Pneumatic Stock Feed; S/N 13413

**Coil Handling Equipment 18" Model SMX18 Servo Stock
Feed;** S/N SMX18-21-08, Mounted on Perfecto Adjustable
Height Mount, w/ Control, Looping Station

60 Ton Henry & Wright 4-Post Notching Press; S/N 77-103,
3" Stroke, 2" Adjustment, 15.5" Shut Height, Air Clutch **SEE PHOTO**

60 Ton Federal No. 55 OBI Flying Cut-off Press; S/N 55-340,
6" Stroke, 18" Die Space, 90 SPM, 17" Throat, 28" X 36" Bed,
w/ Die Slide, Air Clutch **SEE PHOTO**

Cooling Tanks, Controls, Electrics, Conveyors and Related

RAFTER FORMING STATION

**Rafter Equipment Corporation New Roll Former Micro-
Adjustable Guide/Final Forming Station**

FIXTURES AND DIES

**(4) Assorted Heavy Duty Pallet Rack End Frame Welding
Jigs; Clamps**

27' Rotary Pneumatic Welding Clamping Station; Motor
Driven Rotation & Pneumatic Clamping

Large Assortment Punch Press Cut-off & Piercing Dies

**12% ONSITE BUYERS PREMIUM
15% ONLINE BUYERS PREMIUM**

INTELLECTUAL PROPERTY TO BE OFFERED AT THE STROUDSBURG AUCTION

**Rights to Trade Names Including Excel Storage
Products, W.C. Cardinal, United Steel Products &
Others**

**Rights to Domain Names Including
www.esprack.com, www.excelrack.com,
www.usprack.com**

**Promotional Material including the website
design and product flyers**

**Servers and PC's with Engineering Drawings and
Customer Information**

SOLD "AS-IS" "WHERE-IS" "AS-FOUND"

**NO TOOLING OR FIXTURES WILL BE INCLUDED WITH
THE INTELLECTUAL PROPERTY**

**Line Tooled to Roll: 3" X 3" & 3" X 1-5/8" Open Back and Welded Closed Back Posts at
Speeds of Approx. 55 SPM, 2-1/2" – 6" Face Welded Step Beam at Speeds of Up to 100 FPM**



Yoder 3" Arbor X 15-Stand Model MS3 Roll Former



Reverse View Yoder 3" Arbor X 15-
Stand Roll Former



Thermatool Model
VT-160 Induction
Welding Station



Partial View Change Over Tooling

**Line Tooled to Roll: Pallet Support Decking Arms, Horizontal & Diagonal Upright Lacing
(Bracing) Arms, 1" X 1" & 1" X 2" Non Welded Tube, 3-1/4" X 10" & 3-1/4" X 12" C-Channel
for Cantilever Upright Posts & Legs**



Yoder 2-1/2" Arbor X 14-Stand Model MS 2-1/2S Roll Former



60 Ton Henry & Wright 4-Post
Notching Press



24" Iron Bay Model S54F Cropping
Shear Butt Welding Station




60 Ton Federal
No. 55 OBI Flying
Cut-off Press

LOCATION ONE - BROOKINGS / EXCEL STORAGE PRODUCTS, LP



Controlled Automation Model ABL-86T-WM2 High Speed CNC Angle & Flat Bar Punching & Shearing Machine



Peddinghaus Model BPL-1000/5D CNC Beam Line Punch



150 Ton X 12' Verson Model B-710-150 Mechanical Power Press Brake



Whitney Portable C-Frame Dual Head Hydraulic Punching Station



Mfg. Unk. Gas Fired Stainless Steel Construction 2-Stage Pass Thru Parts Washer



160 Ton Stamtec Model G1-160 Open Back Gap Notching Press



150 Ton Clearing Model LM-150 OBI Flying Cut-off Press



200 Ton Federal Model S1-200-36-42 Straight Side Single Crank Press

BEAM LINES

Controlled Automation Model ABL-86T-WM2 High Speed CNC Angle & Flat Bar Punching & Shearing Machine; S/N 02-57, Set-Up for 40' Length Stock, 6" X 6" X 5/8" Cap. Angle, 6" X 5/8" Flat Bar, Hydraulic Hold Downs, Gauging Station, Right & Left Leg Punching Stations, Hydraulic Shearing Station, Roller Infeed & Outfeed Tables, 30 HP Hydraulic Pump Mounted on Hydraulic Fluid Reservoir, Controlled Automation Operator Control Pedestal (New 2002) **SEE PHOTO**

Peddinghaus Model BPL-1000/5D CNC Beam Line Punch; S/N BPC-123, (2) Flange Presses, 6-1/4" Throat, 2" Stroke, 1-1/2" Max Hole Dia., 100 Ton Capacity, (1) Web Press, 21" Throat, 2" Stroke, 1-1/2" Max Hole Dia., 100 Ton Web Press, Four-Axis Positioning, Hydraulic Hold Downs, Adjustable Gauging Stations, Roller Infeed & Outfeed Tables, Remote 25 HP Hydraulic System, Peddinghaus Fagor Touchpad Programmable Operator Control Pedestal (New 1993) **SEE PHOTO**

END CAP WELDER

12' Rumble Automation Semi-Automatic Programmable Adjustable Width Pallet Rack Beam End Cap Welding Station; w/ 96" Formed Beam Blank Double Chain Infeed Deck, (2) Gravity Feed End Clamp Power Clamping Stations, (4) Miller Automatic 1A MIG Welding Heads with (4) 450 Amp Miller Model Deltaweld 452 Power Supplies, (2) 60" Skate Wheel Welded Beam Outfeed Arms, and PLC Controls, Allen Bradley Panelview 1200 PLC Control **SEE PHOTO**

MISC. FABRICATING EQUIPMENT

Whitney Portable C-Frame Dual Head Hydraulic Punching Station; w/ 30 Ton 4" Throat and 50 Ton (Est.) 5" Throat, C-Frame Punches, Common Portable Hydraulic Power Unit **SEE PHOTO**

150 Ton X 12' Verson Model B-710-150 Mechanical Power Press Brake; S/N 20343, 3" Stroke, 5" Adjustment, 12" Shut Height, 30 SPM, 12' Overall Length of Bed & Ram, 126" Between Housings, 9.5" Throat, 7.75" Wide Bed, Bed & Ram Machined for Angles, Power Ram Adjustment **SEE PHOTO**

60 Ton X 10' Niagara Model IB60-8-1 Power Press Brake; S/N N/A, 10' Overall Length of Bed & Ram, 102" Between Housings, 8.5" Throat, Power Ram Adjustment

Scotchman Model 5075C9-80 Hydraulic Ironworker; S/N 443, w/ Punching, Shearing & Possible Braking Capability **1,600 LB X 48" Cooper Weymouth Model PR4 Expanding Mandrel Coil Reel;** S/N 052591, with Brake **Assorted Unipunch Tooling & Accessories and 9.5" X 144" T-Slot Unipunch Die Bed**

BAND SAWS

24" X 24" (Est.) Wagner Model WPB520A Automatic Horizontal Band Saw; S/N 43706, Power Roller Infeed Conveyor, Power Clamping, 24" Power Stroke, Coolant, Chip Conveyor, Hydraulic Feed **SEE PHOTO**

18" Marvel Armstrong-Blum Series 81/11 Model 81/11 Mitring Vertical Band Saw; S/N 462411, Power Adjustment, Pneumatic Clamping, 20" x 10' Power Roller Infeed Conveyor with Pneumatic Clamping, Roller Outfeed Table, Coolant **SEE PHOTO**

18" Marvel Armstrong-Blum Series 8-Mark I Model 8-Mark I Mitring Vertical Band Saw; S/N 820922, Manual Clamping, Coolant

PRESSES

200 Ton Federal Model S1-200-36-42 Straight Side Single Crank Press; S/N S1-102, 10" Stroke, 8" Adjustment, 26" Shut Height, 28 SPM, 36" X 42" Bed, 6" Bolster, Air Clutch & Counterbalances **SEE PHOTO**

12" X 24" Pneumatic Stock Straightener/Feeder

12" (Est.) X 10,000 LB. (Est.) Power Coil Cradle with Straightening & Looping Stations

100 Ton (Est.) Verson No. 75 OBI Press; 20" x 34" Bed, 1.5" Bolster, Air Clutch

WELDERS & RELATED

(5) 450 Amp Miller Model Deltaweld 452 Mig Welders; Power Supply, Miller 24V or 70 Series Wire Feeder, Cables & Gun

450 Amp Miller Model Deltaweld 451 Welding Power Supply

400 Amp Lincoln Model Idealarc RC-400 Portable Mig Welder; Power Supply, Lincoln LN7GMA Wire Feeder, Cables & Gun

(7) 300 Amp Miller Model Deltaweld 302 & 300 Portable Mig Welders; Power Supply, Miller 24V, 60 or 70 Series Wire Feeder, Cables & Gun

(2) 300 Amp Miller Model CP300 Portable Mig Welders; Power Supply, Miller 60 Series or R-115 Wire Feeder, Cables & Gun

(4) 250 Amp Miller Model CP250TS Portable Mig Welders; Power Supply, Miller R-115 Wire Feeder, Cables & Gun

200 Amp Miller Model CP200 Portable Mig Welder; Power Supply, Miller S-22A Wire Feeder, Cables & Gun

200 Amp Miller Model AEAD-200LE Portable Gasoline Powered Arc Welder

(3) 200 or 300 Amp (Est.) Miller Portable Mig Welders; Power Supply, Millermatic Wire Feeder, Cables & Gun

Other Welding Related Equipment Consisting of; 500 Amp Hobart Arc Welder, Hypertherm Model Powermax 800 Portable Plasma Cutting System, Linde Model PCM-50 Portable Plasmarc Cutting System, Floor Mount Welding Boom w/ Accessories (removed for transport), Large Quantity Assorted Canvas Welding Curtains, (9) Assorted National Standard Fiber Welding Wire Feed Drums w/ Cone Lid



Powder Coat Systems Stainless Steel Pass Thru Powder Coat Paint Booth



10' X 10' X 25' (Est.) Overhead Storage Mezzanine

LOCATION ONE - TUESDAY, MARCH 22ND STARTING AT 10:00 AM



12' Rumble Automation Semi-Automatic Programmable Adjustable Width Pallet Rack Beam End Cap Welding Station

POWDER COAT LINE

Powder Coat Systems Stainless Steel Pass Thru Powder Coat Paint Booth; 36" X 72" Opening, (2) Iontech Power Multiple Gun Reciprocators w/ (13) Guns & Power Supplies, (5) Assorted Nordson & Iontech Powder Coat Feed Systems, (5) Assorted Reclaim Powder Recycling Systems **SEE PHOTO**

Mfg. Unk. Gas Fired Stainless Steel Construction 2-Stage Pass Thru Parts Washer; w/ Maxon Gas Fired Wash Tank Heater, Solid State System Analyzing Monitor, (2) Fluid Tanks, Overhead Plastic Fluid Holding Tank with Platform, Pumps & Dedicated Gas Fired Dry Off Tunnel, Reclaim **SEE PHOTO**

Mfg. Unk. 2-Stage Infrared/Gas Fired Bake Oven; Infrared Technologies 1st Stage & Gas Fired 2nd Stage with Burners & Controls

450' (Est.) Heavy Duty Rafter Hung Overhead Chain/Beam Finishing Conveyor; w/ Hangers on 24" Centers w/ Interconnecting Hanger Bars, Conveyor Drive **Pollution Control Products Single-Door Gas Burn Off Oven;** w/ Controls

12,500 lb. (Est.) Protech & Corvel Blue, Yellow, Gray & Black New Powder Coat Paint; Wrapped on Skids in Factory Boxes

Large Quantity Assorted Parts Hanger Hooks

AIR COMPRESSORS

75 HP Atlas Copco Model GA75 Rotary Air Compressor; S/N H0L030480, Enclosed in Sound Housing, w/ Atlas Copco Elektronikon Solid State Control **SEE PHOTO**

CRANES & RELATED

(2) 1/2 Ton Single Girder Overhead Manual Travel Bridges; w/ 1/2 Ton Cuffing Manual Travel Radio Controlled Chain Hoist, 10' (Est.) Span, w/ 30' (Est.) Rafter Hung Runway, Radio Controls

Assorted Lifting Equipment Including: (6) 2 Ton & 3 Ton Assorted Overhead Electric Chain Hoists, 10,000 LB X 5 LB CAS Corporation Digital Crane Hook Scale, Crane Hook, Fork Attachments, Plate Grabs, Coil Grabs, Lifting Chains, Lifting Slings, Spreader Beams & Cables

ROLLING STOCK

10,000 LB Allis Chalmers Model ACS100-D-PS Gasoline Pneumatic Tire Side Loader Forklift; S/N AKJ128678, 48" Forks, 147" Lift, 2-Stage Traveling Mast, Enclosed Cab, Carry Decks **SEE PHOTO**

6,000 LB Kalmar Model P60BXP/5 LP Gas Solid Tire Forklift; S/N 553410A, 190" Lift, 3-Stage Mast, Overhead Guard, Side Shift **SEE PHOTO**

1994 Ford F-250 All Wheel Drive Pick-up Truck; Vin #2FTHF26G8RCA17457, V8 Gas, Automatic Transmission, 50 Gallon (Est.) Auxiliary Fuel Tank w/ Manual Operated Pump

(2) Factory Cat Model 34 Electric Walk-Behind Floor Sweepers; w/ Charger

40" Murray 12.5 HP Gasoline Riding Mower Lawn Tractor

MEZZANINES

18' X 18' X 18' High (Est.) Overhead Welding Station Mezzanine (for Power Supply Placement); w/ 4-Position Welding Station Capability Underneath, Each Station w/ Post & Floor Mounted Jib, Overhead Bridge to Separate Electrical Distribution Mezzanine w/ (2) Rows of Bus Bar w/ Assorted Switch Boxes (very late & new) **SEE PHOTO**

10' X 10' X 25' (Est.) Overhead Storage Mezzanine; w/ 8' x 14' Bolt Together Office Structure Underneath with Windows & Man Door, Single Stairway to Mezzanine Level, Safety Rails **SEE PHOTO**

MISC. MACHINERY & EQUIPMENT

24" Wilton Type 24514 Geared Head Single-Spindle Drill Press; S/N 59663, Crank Adjustable T-Slot Oil Groove Work Table

Haugen-Ogura Portable Electric Hydraulic Hole Puncher; S/N 50033

Other Misc. Machinery Consisting of; 24" Cincinnati Bickford Super Service Heavy Duty Box Column Drill, 14" Central Machinery Floor Drill, 12" Hammond Heavy Duty Double End Snag Grinder, Double End Bench and Pedestal Grinders, 14" Evolution Model EVO380 Raptor Bench Top Cold Saw, 14" Milwaukee Bench Top Abrasive Cut-off Saw, 12" Dewalt Model DW715 Bench Top Compound Miter Saw, 12" Dewalt Model DW705 Bench Top Compound Miter Saw, 10" Ridgid Model MS1066LZ Bench Top Compound Laser Guide Miter Saw, 8" Roll-in Vertical Band Saw; 18" x 30" Work Table w/ Manual Vise, No. 4 Pedestal Compound Mandrel Press, Manual Hydraulic Adjustable Bed H-Frame Shop Press And Other Related Items

SHOP EQUIPMENT

Large Quantity Shop and Support Equipment Consisting of; (11) Assorted 1/2 Cu. Yd. (Est.) Forkliftable Self Dumping Hoppers, (130) 42" x 60" Stacking Steel Material Transport Skids; Assorted Separator Legs, 60" X 105" X 5000 LB (Est.) Hydraulic Scissor Lift, (2) 60" X 104" X 5000 LB (Est.) Hydraulic Scissor Lifts, Banding Carts & Tools, 18" 4-Tier Single Side Cantilever Material Storage Rack; Adjustable Arms, New Spools of Metal & Plastic Banding Material, Assorted Rolls of Bubble Wrap, Pallet Rack, Storage Shelving, Vertical Material Storage Racks, Oil Containers, Cantilever Material Racks, Acetylene Torch Carts, Safety Ladders, Step Ladders, Extension Ladders, Magnetic Base Drills, Hand Tools, Power Hand Tools, Electrical Repair Parts, Storage Cabinets, Shop Office Furniture, Shrink Fast Propane Fired Shrink Wrap Heater, Pallet Jacks, Fire Extinguishers, Tool Boxes, Assorted Heavy Duty Material Support Stands, (6) Assorted Floor/Post Mounted Lifting Jibs And Many Other Related Items

OFFICE EQUIPMENT

Nortel Norstar Networks Telephone System; w/ (12) Assorted Desktop Telephones and (2) Receptionist Style Multiple Line Telephones

Business Machines & Office Furniture Including; ADP Full Hand Punch Digital Time Recorder; w/ Master Programmer & Power Supply, Savin 4027 Copier/Fax Machine, Sharp AR-M277 Digital Imager, HP Designjet 430 Plotter, HP Designjet 750C Plus Plotter, HP Laserjet 9000 DN Printer, HP Color Laserjet 2600N Printer, Cubicles, Work Stations, Desks, Chairs, File Cabinets, Conference Tables & Chairs, Computers, Servers, Computer Networking Equipment



75 HP Atlas Copco Model GA75 Rotary Air Compressor



10,000 LB Allis Chalmers Model ACS100-D-PS Gasoline Pneumatic Tire Side Loader Forklift



6,000 LB Kalmar Model P60BXP/5 LP Gas Solid Tire Forklift



24" X 24" (Est.) Wagner Model WPB520A Automatic Horizontal Band Saw



18" Marvel Armstrong-Blum Series 81/11 Model 81/11 Mitring Vertical Band Saw




Partial View (25) Various Model Miller MIG Welders



18' X 18' X 18' High (Est.) Overhead Welding Station Mezzanine (for Power Supply Placement)

LOCATION TWO – STROUDSBURG / EXCEL STORAGE PRODUCTS, LP



Approx. \$2,000,000 Finished Product Inventory Including 14,000 Uprights and 49,000 Beams



Partial View Finished Galvanized Inventory



Approx. 49,557 (\$900,000) Finished Beams of All Sizes

IMPORTANT AUCTION NOTICE

This Auction will take place at two Facilities approx. 2 Miles Apart. The Main Plant is located at 830 Crowe Rd. This is where the Start of the Sale, Auction Office, Bidder Registration and Most of the equipment will be located. All Bidders Should proceed there to Register Before going to the Secondary Plant at Rt. 447 N.

Directions to Rt. 447 N Location: From Main Plant Go Back to Stokes Rd. and Make a Left, Proceed Approx. 1-1/2 Miles to Rt. 447 turn Left and Proceed Approx 1 Mile to Sale Site on Right.

THESE FACILITIES WILL HAVE LITTLE OR NO HEAT



RAW MATERIAL INVENTORY

Approx. 2,000 Tons (\$1,450,000 Cost) Steel Coil Inventory in Widths from 2" to 17"; Approx. 1130 Tons at 447 Building **SEE PHOTO**

65 Tons (\$250,000 Cost) Other Steel Inventory Including Structural, Channel, Tube, Beam & Related

FINISHED PRODUCT INVENTORY

Approx. 14,336 (\$1,000,000) Finished Uprights of All Sizes; Including Some Galvanized, Some at 447 Building

Approx. 49,557 (\$900,000) Finished Beams of All Sizes; Including Some Galvanized, Some at 447 Building **SEE PHOTO**

Other Finished Good Components Including; Approx. \$185,000 of Accessories & \$33,000 of Hardware

WORK-IN-PROCESS (WIP) INVENTORY

Approx. 560 Ton (\$600,000) In-Process Inventory for All Rack Components; Mostly in Upright Frames & Beams, Various Other Accessories, Clips, Columns, Tubes & Related **SEE PHOTO**



Approx. 2,000 Tons (\$1,450,000 Cost) Steel Coil Inventory in Widths from 2" to 17"



IMPORTANT NOTICE

THE INVENTORY FIGURES WERE GATHERED FROM MANAGEMENT AND COURT DOCUMENTS AND ARE MEANT TO BE USED AS AN ESTIMATE GUIDE ONLY. INTERESTED PARTIES ARE STRONGLY ADVISED TO INSPECT AND ANALYZE QUANTITIES INCLUDED IN THE INDIVIDUAL CATEGORIES AND LOTS OFFERED IN THE AUCTION. AUCTIONEER MAKES NO GUARANTEES AS TO THE ACCURACY OF ANY OF THE FIGURES.



Approx. 560 Ton (\$600,000) In-Process Inventory for All Rack Components



Approx. 150,000 End Caps

PALLET RACK BEAM ROLLFORMING LINE

*To Be Sold Separate And Overall
Located At 447*

Line Tooled To Roll: 3" – 4" – 5" – 6" Seam Welded Beams

Rafter 3" Arbor X 16-Stand Model RT-3000-16 Roll Former; S/N R400789, Rafter Job #R-4007, 14-Stand Main Base, 2-Stand Sizing Base, Machine Type: Form-To-Shape Structural for Seam Welding, 3" Roll Shaft Dia., 18" Roll Space on Passes 1 Thru 13 and 14" on Passes 14 Thru 16, 24" Horizontal Centers on Passes 1 – 7 and 12 – 14, 24" on Passes 15 – 16, 30" on Passes 7 – 12, Pass Line Height: 40" to Bottom of Base and 50" to Floor, Drive Motors: Breakdown at 75 HP, Fin Pass at 75 HP, Pullout at 30 HP, Line Speed: 125 FPM, PB Control and Electrics
SEE PHOTO

12,000 LB Per Side Canadian Automation Model CAT-12DCR Double End Uncoiler; S/N 96-A-1008, Expansion Range: 18-1/2" – 21-1/2", Samco Hydraulic Overarm (New 1996)
SEE PHOTO

Kent Corporation Model 21.2005AB Auto Shear & End Coil Splicing Welder; S/N USP.W/7055, w/ Miller Synchronwave 350 Welding Power Source, 15 HP Hydraulic Unit
SEE PHOTO

Vertical Tower / Horizontal Material Looping Accumulation System; Approx. 600' Horizontal Material Travel

American Machine Two-Station Flying Hydraulic Punching Machine; S/N N/A, 40 HP Hydraulic Unit, AMS MP300 Series Length Control Systems Console
SEE PHOTO

Thermatool Model TC-150 High Frequency Oscillator Seam Welding System
SEE PHOTO

150 Ton South Bend Model 150BG-AC OBI Cut-Off Press; S/N 77012, 10" Stroke, 24" Shut Height, 33" X 50" Bed
75' Powered Rubber Belt & Roller Type Run-Out Conveyor



Rafter 3" Arbor X 16-Stand Model RT-3000-16 Roll Former



Close-Up View of Beam Profile



Thermatool Model TC-150 High Frequency Oscillator Seam Welding System



Kent Corporation Model 21.2005AB Auto Shear & End Coil Splicing Welder



Rafter 2-Sided Sizing Station



12,000 LB Per Side Canadian Automation Model CAT-12DCR Double End Uncoiler



American Machine Two-Station Flying Hydraulic Punching Machine

UPRIGHT POST ROLL FORMING LINE

To Be Sold Separate And Overall

Line Tooled to Roll: 3" X 3", 2-1/2" X 3", 3" X 1-5/8", 4" X 2-1/2" Upright Posts, .075 - .090 and .120 Wall Thickness

Rafter 3" Arbor X 14-Stand Model RT-3000-14 Roll Former; S/N R416396, Rafter Job No. R-4163, Right to Left Line Direction, 3" Dia. Roll Shaft, 15" Roll Space, 150 FPM, 75 HP D.C. Drive Motor, PB Control, Light Curtains, Electrics
SEE PHOTO

10,000 Lb Samco Model 54-10000-DE Uncoiler; S/N 1683, 17" – 21" Coil I.D., 72" Max I.D., Hydraulic Expansion, Proto Hydraulic Expansion, Proto Hydraulic Overarm w/ 10,000 Lb Paxsim Coil Upender
SEE PHOTO

10" Wide Guild International Auto Shear & End Coil Splicing Welder; S/N US-049403, .150" Max Material Thickness, Miller Synchronwave 250 Welder Power Source
SEE PHOTO

Material Loop Accumulation System w/ Vertical Tower and Approx. 600' of Horizontal Material Travel

18" Cooper Weymouth Model 18C Straightener; S/N M31363

12" Wide Cooper Weymouth Model SMX HDSE4 Servo Feed; S/N C17891, .125 Max. Thickness
SEE PHOTO

300 Ton Minster Hevi-Stamper Model E2-300-36-36 Straight Side Press; S/N ES-300-21656, 0-175 SPM, 2" Stroke, 6" Slide Adj., 30" Shut Height, 22-1/2" Windows
SEE PHOTO

Pre-Punch Die for Stamping Teardrop

60 Ton Federal OBI Press; S/N 60236, 4" Stroke, 120 SPM, 13" Die Space

Line Tooled to Roll: 3" X 3", 2-1/2" X 3", 3" X 1-5/8", 4" X 2-1/2" Upright Posts, .075 - .090 and .120 Wall Thickness



Rafter 3" Arbor X 14-Stand Model RT-3000-14 Roll Former



Close-Up View Upright Post Profile



10,000 Lb Samco Model 54-10000-DE Uncoiler



300 Ton Minster Hevi-Stamper Model E2-300-36-36 Straight Side Press



12" Wide Cooper Weymouth Model SMX HDSE4 Servo Feed



10" Wide Guild International Auto Shear & End Coil Splicing Welder

INTELLECTUAL PROPERTY TO BE OFFERED AT 11:00AM ON AUCTION DAY

Rights to Trade Names Including Excel Storage Products, W.C. Cardinal, United Steel Products & Others

Rights to Domain Names Including
www.esprack.com, www.excelrack.com,
www.usprack.com

Promotional Material including the website design and product flyers

Servers and PC's with Engineering Drawings and Customer Information

SOLD "AS-IS" "WHERE-IS" "AS-FOUND"

NO TOOLING OR FIXTURES WILL BE INCLUDED WITH THIS LOT

LOCATION TWO – STROUDSBURG / EXCEL STORAGE PRODUCTS, LP

Line Tooled to Roll: C-Channel Pallet Support Slats Approx. 1-1/2" X 2-3/4"



Tishken 2-1/2" Arbor X 12-Stand Model 12HW-2-1/2 Roll Former



American Machinery Flying Hydraulic Pre-Punch Press



American Machinery Flying Hydraulic Cut-Off Press



Prisma Model 50 CP-21 Cut-off Press



Close-Up View Pallet Support Slat Profile



Cooper Weymouth Uncoiler and Straightener



Line Tooled to Roll: C-Channel Upright Braces Approx. 1-1/2" X 1" w/ Fold Over



Yoder 2-1/2" Arbor X 9-Stand Model M2-1/2 Roll Former



Close-Up View Upright Braces



5,000 Lb Cooper Weymouth Model 5000-18DP D.E. Uncoiler

Line Tooled to Roll: C-Channel Upright Post Reinforcement Legs Approx. 1-1/2" X 2-3/4"



Tishken 2-1/2" Arbor 8-Stand Model 8HW-2-1/2 Roll Former



Close-Up View Post Reinforcement Leg



Prisma Model 50 CP-21 Cut-off Press

PALLET SUPPORT ROLL FORMING LINE

To Be Sold Separate And Overall

Line Tooled to Roll: C-Channel Pallet Support Slats
Approx. 1-1/2" X 2-3/4"

Tishken 2-1/2" Arbor X 12-Stand Model 12HW-2-1/2 Roll Former; S/N 16902-A1-79, 2-1/2" Shaft, 10" Roll Space, Stands 14" On Centers, 6" Vertical Adjustment, Controls, Electrics, Drive Motor **SEE PHOTO**

6,000 LB Eagan Press Partner Model M601-30 Single End Uncoiler; S/N 2046

12" Wide Copper Weymouth Model SE12B Straightener; S/N 051431, .125 Max Thickness

American Machinery Flying Hydraulic Pre-Punch Press; S/N 021996-2091-51-01, Light Curtains, 30 HP Hydraulic Unit **SEE PHOTO**

American Machinery Flying Hydraulic Cut-Off Press; S/N 021996-2091-51-02, Light Curtains, 30 HP Hydraulic Unit **SEE PHOTO**

Prisma Model 50 CP-21 Cut-off Press; S/N 0211-USP, 50 Ton Clutch Capacity, 2-1/2" Stroke, 20 HP Hydraulic Unit **SEE PHOTO**

BRACING ROLL FORMING LINE

To Be Sold Separate And Overall

Line Tooled to Roll: C-Channel Upright Braces
Approx. 1-1/2" X 1" w/ Fold Over

Yoder 2-1/2" Arbor X 9-Stand Model M2-1/2 Roll Former; S/N 2598, 2-1/2" Shaft, 12" Roll Space, 18" Horizontal Centers, 6" Vertical Adj., Light Curtains, Controls, Electrics, Drive Motor **SEE PHOTO**

5,000 Lb Cooper Weymouth Model 5000-18DP D.E.

Uncoiler; S/N 134, 18" Max Width, 16" - 20" Min. / Max I.D., 60" Max O.D. **SEE PHOTO**

12" Wide Perfecto Model 700-12 Stock Feeder; S/N F7-4646

Guild Model PSA-135-10 Auto Shear & End Coil Splicing Welder; Job No. U5059305, 150 Amp Miller Econo-Twin Welder Power Source

45 Ton Bliss No. 215 OBI Cut-Off Press; S/N P31535

UPRIGHT POST REINFORCEMENT RAIL FORMING LINE

To Be Sold Separate And Overall

Line Tooled to Roll: C-Channel Upright Post Reinforcement
Legs Approx. 1-1/2" X 2-3/4"

Tishken 2-1/2" Arbor 8-Stand Model 8HW-2-1/2 Roll Former; S/N 14456-A10-79, 2-1/2" Shafts, 11" Roll Space, 14" Horizontal Centers, 4" Vertical Adj., Light Curtains, Controls, Electrics, Drive Motor **SEE PHOTO**

4,000 Lb Rowe Model 4020-DS/L Single End Uncoiler; S/N 16442, 20" Max Width, 60" Max O.D.

Prisma Model 50 CP-21 Cut-Off Press; S/N 0207-USP, 1200 RPM, 50 Ton Clutch Capacity, 25 Cuts Per Minute, 2-1/2" Stroke, 20 HP Hydraulic Unit **SEE PHOTO**

RACK COMPONENT STAMPING DIES

Dies for Pre-Punching Teardrop in Strip

(15) Dies for Stamping Footplates In Sizes to 8" X 8"

AUTOMATIC END CAP WELDING SYSTEMS

(2) 12' Rumble Automation Automatic Beam End Cap Welding Systems; System Designed to Weld Both End Caps Simultaneously, Beam Width Adjustable From 60" to 144", Equipped w/ (4) Welding Heads, (4) 450 Amp Miller Deltaweld, 452 Power Sources, (4) Miller 75 Series Wire Feeders, (4) Miller Model 1A Welders, Central Exhaust System, Allen Bradley Panel View 1000 Control **SEE PHOTO**

18' Wide Mfg. Unk. Automatic Double End Beam End Cap Welding Station; (4) Head Welding System w/ Miller 1A Welding Controls

MANUAL END CAP WELDING SYSTEMS

(6) 192" Wide Manual Double End Beam End Cap Welding Stations; Each Station w/ Rotary Beam Fixture Table and (2) Miller Welders w/ Wire Feeds - To Be Sold Separate

UPRIGHT FRAME WELDING STATIONS

(13) 20' - 45' Wide Manual Upright Frame Welding Stations; Each Station Configured w/ Fixture Table and (2) Welders w/ Wire Feeds, (3) 30", (3) 36", (4) 45" And (1) 20", - (2) 40" Wide Stations Located at 447

WELDERS & RELATED

(13) 450 Amp Miller Deltaweld 452 Welding Power Supplies; Equipped w/ Miller 60, 70 or 75 Series Wire Feeds (Late Model)

LOCATION TWO – TUESDAY, MARCH 29TH STARTING AT 9:00 AM

(2) 400 Amp Lincoln Ideal Arc DC400 Welding Power Supplies; Equipped w/ LN 7 Wire Feeders
(16) 300 Amp Miller CP302 Welding Power Supplies; Most Equipped w/ Miller 60 Series Wire Feeds **(Late Model)**
(6) 250 Amp Miller CP250 Welding Power Supplies; Most Equipped w/ Lincoln LN-7 Series Wire Feeds
Approx. (40) Partial Drums of Welding Wire on Welders Approx. 35,000 Lbs.
Large Quantity Welding Accessories Including; Welding Leads, Mig Guns, Wire Feed Parts, Clamps, Curtains and Many Other Related Items

ROBOTIC WELDING CELLS

Genesis Versa-System Single Robot Dual Positioner Robotic Welding Cell; Panasonic Model AW-006AL Six-Axis Welding Robot; S/N E2163, Pendant Controls, 500 Amp Panasonic Dip-Pulse Mig HM500 Power Source, (2) 39" X 120" Long Rotating Fixture Tables, Genesis Shop Order No. 782 **(New 1997)** – Located at 447 **SEE PHOTO**

Genesis Versa System Dual Positioner Robotic Welding Cell; Panasonic Model AW-005C Six-Axis Panarobo Robot, (2) 24" X 58" Positioner Tables

SSDC PRESS & FEED LINE

300 Ton Minster Hevi-Stamper Model E2-300-54-36 SSDC Press; S/N E2-300-22110, 0-140 SPM, 4" Stroke, 6" Adj., 31" Shut Height, 36" X 54" Bolster, 24" Windows, Witniss ProCam 1500 Cam Switch, Triad Light Curtains, Push and Palm Button Controls **SEE PHOTO**

12" Wide Cooper Weymouth Model SMX-12 Servo Feeder; S/N 13237, .156 Stock Thickness

Tishken Model GR-16 H Straightener; S/N 17804-2

6,000 Lb American Steel Line SE Uncoiler; S/N 9/72

OBI PRESSES & FEED LINES

125 Ton South Bend Model 125 BG-AC OBI Press; S/N 78053, 6" Stroke, 2-1/2" Shut Height, 4" Adj., 27" X 42" Bed, 40 SPM, Air Clutch, Push & Palm Buttons

60 Ton Bliss Model C60 OBI Press; S/N NA, 20" Stroke, 3" Slide Adj., 13-1/2" Shut Height, Triad Light Curtains, 22" X 32" Bolster, Air Clutch, Push & Palm Buttons

➢ **12" Wide Copper Weymouth Model SMXSE 12 Servo Feed;** S/N C21947, .156 Stock Thickness

➢ **14" Wide Press Partner Straightener**

➢ **6,000 Lb Litell No. 60/24 Uncoiler;** S/N 72882-63

60 Ton Minster No. 6 OBI Press; S/N N/A, 21" X 32" Bolster, Triad Light Curtains, Air Clutch, Push & Palm Buttons

60 Ton Roussele No. 6 OBI Press; S/N 10395, 18" X 30" Bolster, Triad Brake Monitor, Air Clutch, Push & Palm Buttons

45 Ton Bliss Model C45 OBI Press; S/N H69080 / HP52463, 3" Stroke, 3" Adj., 12-1/4" Shut Height, 18" X 29" Bolster, Air Clutch, Push & Palm Buttons

40 Ton Federal OBI Press; S/N 4-2188, 3" Stroke, 120 SPM, 15" X 26" Bolster, Air Clutch, Push & Palm Buttons

Cooper Weymouth Model HD-185EZ Servo Feed – Located in Storage Building at Crowe Rd.

SAWS – ALL TYPES

22" X 28" Behringer Model HPB-530A Programmable Column Type Horizontal Band Saw; S/N 698405, 2" Wide Blade, Automatic Feed, Hydraulic Clamping, 30' HD Infeed Conveyor (New 1998) – Located at 447 Address **SEE PHOTO**

Peddinghaus Model DSC-300/3 Automatic Hydraulic Cold Saw; S/N N/A, Fagor CNC Control – In Storage Building at Crowe Rd. Location

KMT Model SIRO SH-E Programmable Mitre Base Cold Saw – Located at 447

(2) 9" X 16" Doall Model C-916S Horizontal Band Saws; S/N's 529-97439 & 50394456, 158" Blade Length

Dake Model Tiger 350SX Cold Saw – Located at 447

PRESS BRAKES

225 Ton X 8' Cincinnati Series 9 Mechanical Press Brake; S/N 36289, 96" Overall Length of Bed and Ram, 77" Between Uprights, Air Clutch, Push & Palm Buttons – Located at 447 **SEE PHOTO**

150 Ton X 20' Chicago Mechanical Press Brake; S/N N/A, 20' Overall Length of Bed and Ram, 174" Max Between Uprights, Air Clutch, Push & Palm Buttons – Located at 447 **SEE PHOTO**

90 Ton X 12' Dries & Krump Chicago Model 1012L Mechanical Press Brake; S/N L15102, 12' Overall Length of Bed and Ram, 126" Between Uprights, Air Clutch, Light Curtains, Palm Button and Foot Controls **SEE PHOTO**

65 Ton X 12' Verson Mechanical Press Brake; S/N 24304-2010-65, 12' Overall Length of Bed and Ram, 125" Between Uprights, Light Curtains

30 Ton X 6' Chicago Model 46ASP Mechanical Press Brake; S/N L95, 72" Overall Length of Bed and Ram, 54" Between Uprights



(2) 12' Rumble Automation Automatic Beam End Cap Welding Systems



Genesis Versa-System Single Robot Dual Positioner Robotic Welding Cell



(20) Welding Stations For Beam and Upright Welding To 45' Wide



22" X 28" Behringer Model HPB-530A Programmable Column Type Horizontal Band Saw



150 Ton X 20' Chicago Mechanical Press Brake



90 Ton X 12' Dries & Krump Chicago Model 1012L Mechanical Press Brake



(40) Late Model Miller Mig Welders



300 Ton Minster Hevi-Stamper Model E2-300-54-36 SSDC Press



225 Ton X 8' Cincinnati Series 9 Mechanical Press Brake



(6) OBI Presses to 125 Ton

LOCATION TWO – STROUDSBURG / EXCEL STORAGE PRODUCTS, LP



Nordson 20-Gun Poly Upper Pass Thru Automatic Powder Coat Booth



150' Long Tellkamp Natural Gas Fired Three-Stage Parts Washer



250' Long Tellkamp Natural Gas Fired Cure Oven



100 HP Sullair Model VCC-200-100HA Rotary Screw Cabinet Type Air Compressor



Air Tek Model TWB300 Air Dryer



Steelman Industries Model 698BC Natural Gas Fired Drive-In Burn-Off Oven



Nordson 34-Gun Poly Upper Pass Thru Automatic Powder Coat Booth



120' Long Tellkamp Natural Gas Fired Dry-Off Oven



125 HP Sullair Model TS-20-125L AC Rotary Screw Cabinet Type Air Compressor



6,000 LB Combilift Model L30060LA45 LP Gas Side Loader

POWDER COAT SYSTEM

Nordson 34-Gun Poly Upper Pass Thru Automatic Powder Coat Booth; 32' Long, 32" X 168" Window Size, Nordson Sure Coat Gun Controllers, Nordson Versa Screen PLC Control **SEE PHOTO**

Nordson 20-Gun Poly Upper Pass Thru Automatic Powder Coat Booth; 30' Long, 24" X 132" Window Size, Nordson Versa-Spray Gun Controls, Versa-Screen Main Central Console **SEE PHOTO**

150' Long Tellkamp Natural Gas Fired Three-Stage Parts Washer; 32" X 168" Window, Complete w/ Pumps, Filters & Control Panel **(New 1998)** **SEE PHOTO**

120' Long Tellkamp Natural Gas Fired Dry-Off Oven; 32" X 168" Window, Modular Panel Construction, Complete w/ Recirculation & Exhaust Blowers, Control Panel **(New 1997)** **SEE PHOTO**

250' Long Tellkamp Natural Gas Fired Cure Oven; 32" X 168" Window Size, Modular Panel Construction, Maxon Burner Systems, Honeywell Temperature Controller, Complete w/ Blowers & Control Cabinet **SEE PHOTO**

Steelman Industries Model 698BC Natural Gas Fired Drive-In Burn-Off Oven; S/N B980240, 96" Deep X 72" Wide X 96" High Inside Dimensions **SEE PHOTO**

Steelman Industries Model 698 Natural Gas Fired Drive-In Burn-Off Oven – Located in Storage Building at Crowe Rd.

Approx. (250) Drums (\$200,000) New Powder Coat Paint; 250 LB Drum Weight, Most In Lowes & Home Depot Color Schemes

(10) Nordson Paint Reclaim Units
(3) AZO Model L7240 Paint Pumps

TOOLROOM MACHINERY

20" X 80" Lion Geared Head Engine Lathe; S/N 9769, 32-2000 Rpm, Taper, 16" 3-Jaw Chuck

3 HP Vectrax Model GS16V Variable Speed Vertical Mill; S/N 9030101, Dro, Power Table and Knee Feeds, 9" X 49" Table

3 HP Sharp Variable Speed Vertical Mill; S/N 51200304, PTF, Dro, 10" X 50" Table

Other Toolroom Machinery Consisting of; 1 HP Bridgeport 8-Speed Vertical Mill; S/N 60109, PTF, 9" X 42" Table – Located at 447, 12" X 36" Thompson Hydraulic Surface Grinder; S/N 35545215, 6" X 18" K.O. Lee Surface Grinder; S/N 1163-867, 10" X 18" South Bend Lathe; S/N 147232, 20" MSC Model 095112892 Geared Head Milling & Drilling Machine, 16" Doall Model MC Vertical Band Saw; S/N 4610936 w/ Blade Welder, 24" X 24" Table, 14" Nikon Model H-14B Optical Comparator – Located at 447, Wilson Model 5M Hardness Tester, Machine Accessories Including; (3) 8" Kurt Mill Vises Drill Vises, 5-C and R-S Collets, Drill Chucks, Rotary Tables, H.S. Drills, Tops, Reamers and Other Related Items

MISC. MACHINERY

Pines No. 2 Horizontal Hydraulic Tube Bender; S/N 11035-78031, Pines Go No. M-82634 – Located at 447

48" Chicago Size W31 Hand Brake – Located at 447

48" Dia. Turntable Type Mfg. Unknown Electric Fired Rotary Parts Washer; Weliguard Control

Nitto Model SC-05 Portable Hydraulic Punches

AIR COMPRESSORS & RELATED

125 HP Sullair Model TS-20-125L AC Rotary Screw Cabinet Type Air Compressor; S/N 003-11693, 100/110 PSIG **SEE PHOTO**

100 HP Sullair Model VCC-200-100HA Rotary Screw Cabinet Type Air Compressor; S/N 003-137787 **SEE PHOTO**

(2) 60 HP Ingersoll Rand Model SSR60 Rotary Screw Cabinet Type Air Compressors – Located at 447

(2) 25 HP Twistair Model TA020-BAN2C Horizontal Tank Rotary Screw Air Compressors – Located at 447

15 HP Twistair Model TA-015TAN2C Horizontal Tank Air Compressor; Shop No. 133962

Zeks Model 800DBB4040 Air Dryer; S/N 134080-M498

Atlas Copco Model FX13 Air Dryer; S/N CAX006831 **(New 2006)** – Located at 447

Air Tek Model TWB300 Air Dryer; S/N 95C-6625 – Located at 447 **SEE PHOTO**



**NEW
2006**

(3) 7,250 lb Toyota Model 7FGCU35 LP Gas Solid Tire Lift Trucks



**NEW
2004**

8,000 LB Hyster Model S80XM LP Gas Solid Tire Lift Truck



(2) 48' Utility Mfg. Type ES2CHE Tandem Axle Flat Bed Trailers

BACK UP GENERATORS

15 KW Onan Model 15JC Natural Gas Powered Back-Up Generator; S/N 0930514585, Onan Model DT40 Transfer Switch

10 KW Onan Model 705JB-3R3172P Natural Gas Back-Up Generator Set; Onan Model LTEU-30L Transfer Switch – Located at 447

LIFT TRUCKS AND RELATED

10,000 LB Yale Model GLC100 LP Gas Solid Tire Lift Truck; S/N C818V01799Z, GM Engine, Lever Shift, Standard Mast, Side Shifting Fork Positioner, ROPS (New 2002)

(3) **7,250 lb Toyota Model 7FGCU35 LP Gas Solid Tire Lift Trucks;** Lever Shift, Standard Mast, Side Shift, ROPS (New 2006) **SEE PHOTO**

8,000 LB Hyster Model S80XM LP Gas Solid Tire Lift Truck; S/N F004Z02572B, GM Engine, Monotrol, 3-Stage Mast, 182" Lift Height, Side Shift, ROPS (New 2004) **SEE PHOTO**

8,000 LB Caterpillar Model GC40KS1 LP Gas Solid Tire Lift Truck; S/N AT87A01142, 92"/201" 3-Stage Mast (New 2005)

(2) **5,000 LB Doosan Model GC25-3 LP Gas Solid Tire Lift Trucks;** S/N J2-0068 & 00609, 83"/186" 3-Stage Mast (New 2007)

5,000 LB Clark Model C25C LP Gas Solid Tire Lift Truck; S/N C323L-0904-9592KF, 82" / 189" 3-Stage Mast (New 2006)

6,000 LB Combilift Model L30060LA45 LP Gas Side Loader; S/N 8281, 24" Load Centers, 3-Stage Mast, Side Shift, 45" Forks, 2078 Hours (New 2005) **SEE PHOTO**

500 LB JLG Model N40 Electric Snorkel Lift; S/N 0300060184, 40' Max Platform Height, 20' Horizontal Reach, Built-In Charger (New 2001) **SEE PHOTO**

John Deere Gator 4X2 Utility Vehicle; Dual Fuel LP & Gasoline, 728 Hours

(6) **5,500 LB Little Mule Pallet Jacks (Brand New)**

TRUCKS AND TRAILERS

2000 Chevrolet 1500 4X4 Extended Cab Pick-Up Truck; Vin #1GCEK19V51E133037, 4.8 Liter Gas Engine, Automatic, 207,949 Miles

1995 Mack Model CH613 Twin Screw Road Tractor; Vin #1M2AA14Y15W052563, 8-Speed Maxitoxe Transmission, 2-Speed Axle, 400 HP Mack Model E7-400 Six-Cylinder Engine, 227,482 Miles, 16,833 Hours

(2) 48' Utility Mfg. Type ES2CHE Tandem Axle Flat Bed Trailers; Vin #'s 1UYF52481JA909605 & 1UYF5248XJA909604 **SEE PHOTO**

(2) **28' Fruehauf Model F8B-91.5-F4-28W6 Single Axle Van Trailers;** Vin #'s 1H2V02814GC017874 & 1H2V02819HH029662 **SEE PHOTO**

10'W X 28' Long Dual Axle Office Trailer; (2) Entry Doors, Heat/AC Unit **SEE PHOTO**

8'W X 20' Long Single Axle Office Trailer; Entry Door, Electric Hook-Up, Steps

OVERHEAD BRIDGE CRANES & RELATED

7-1/2 Ton X 60' Span Shaw Box Double Girder Top Running Overhead Bridge Crane; S/N 94509, 6-Way Pendant – Located at 447 **SEE PHOTO**

7-1/2 Ton X 65' Approx. Span Shaw Box Double Girder Top Running Overhead Bridge Crane; S/N 94473, 6-Way Pendant **SEE PHOTO**

5 Ton X 65' Approx. Span Shaw Box Double Girder Top Running Overhead Bridge Crane; S/N N/A, 6-Way Pendant **SEE PHOTO**

3 Ton X 65' Approx. Span Industrial Crane and Equipment Double Girder Top Running Overhead Bridge Crane; S/N 148, 6-Way Pendant

3 Ton X 65' Approx. Span Shaw Box Double Girder Top Running Overhead Bridge Crane; S/N N/A, 6-Way Pendant

WIRE BASKETS

(500+) **Galvanized Collapsible Stacking Wire Baskets** Sizes Include 42" Wide X 42" Long X 34" Deep, 55" Wide X 36" Long X 28" Deep, 80" Wide X 42" Long X 36" Deep; Most Lightly Used, Very Clean and Good Condition – *Final Quantities To Be Determined – See Catalog or Call For Details*

SHOP EQUIPMENT

Large Quantity Shop Equipment to Support a 225,000 Sq. Ft. Facility Including: (15) Self Dumping Hoppers, Hydraulic Pallet Trucks, Electric Die Lifts, HD Steel Tables, 5,000 Lb Toledo Platform Scale, Acetylene Outfits, Steel Banding Sets, Storage Cabinets, Shop Carts, Stacking Steel Racks, Building and Machine Maintenance Parts, Pallet Rack, Storage Shelving, Vertical Material Storage Racks, Oil Containers, Cantilever Material Racks, Safety Ladders, Step Ladders, Extension Ladders, Magnetic Base Drills, Hand Tools, Power Hand Tools, Electrical Repair Parts, Shop Office Furniture, Fire Extinguishers, Tool Boxes, Assorted Heavy Duty Material Support Stands and Many Other Related Items

OFFICE EQUIPMENT

Office Equipment Consisting of: Copy Machines, Misc. PC's & Printers, Executive Wood Office Sets, Conference Room Table & Chairs, Modular Office Units, Free-Standing Desks, Tables, Chairs, File Cabinets & Related – Located at 447 Building



10'W X 28' Long Dual Axle Office Trailer



Late Model Office Equipment



KMT Model SIRO SH-E Programmable Mitre Base Cold Saw



1995 Mack Model CH613 Twin Screw Road Tractor



**NEW
2001**

500 LB JLG Model N40 Electric Snorkel Lift



7-1/2 Ton X 60' Span Shaw Box Double Girder Top Running Overhead Bridge Crane



7-1/2 Ton X 65' Approx. Span Shaw Box Double Girder Top Running Overhead Bridge Crane



5 Ton X 65' Approx. Span Shaw Box Double Girder Top Running Overhead Bridge Crane

LOCATION THREE – CADIZ (W.C. CARDINAL) / EXCEL STORAGE PRODUCTS, LP



Approx. 60 Ton Mild and 70 Ton Galvanized Steel Coil Inventory



200 Ton Various Shape Full Length Structural Steel Inventory



Huge Finished Product Inventory Including Approx. (500) Uprights, (2000) Beams and (1000) Wire Decking Shelves



Large Work-In-Process Inventory



RAW MATERIAL INVENTORY

120,000 Lbs Mild Steel Coil Stock Inventory In Thickness from .0560" – .0780" And Widths from 3.125" – 12.125"
140,000 Lbs CLS Galvanized Steel Coil Stock Inventory In Thickness from .0690" – .102" And Widths from 3.50" – 9.699"
200 Ton Various Shape Full Length Structural Steel Inventory; Square Tube, Angles, Channels, I-Beams, Shelf Spanner Bars, 12" I-Beams **SEE PHOTO**
25 Ton Sheet Steel Inventory In Sheet Sizes to 57" X 120" and up to .250" Thickness
20,000 Lb Pre-Cut Mild Steel Inventory

HUGE NEW FINISHED PALLET RACK INVENTORY

(500) Various Size Teardrop and Keystone Uprights
(2000) Various Size Teardrop and Keystone Beams
Huge Quantity Various Size Beam Spanner Bars
(1000) Various Size Wire Rack Shelf Decking
Huge Hardware and Misc. Assembly Item Inventory

WORK-IN-PROCESS (WIP) INVENTORY

Large Quantity of Pallet and Cantilever Rack Work in Process Materials; Teardrop and Keystone Upright Posts, 1" X 1-1/2" U-Braces, Beam End Connectors, Cantilever Rack Arms, Cantilever Uprights, Cantilever Bases, Large Quantity Unpainted Completed Pallet Rack Uprights and Beams in Various Sizes, Uprights, Protection Shields, Many Other Related Items

FASTENER INVENTORY

Large Quantity New Fastener Inventory
Consisting of; Large Bolts, Hex Head Bolts, Washers, Nuts and Related Items

UPRIGHT POST ROLL FORMING LINE

To Be Sold Separate And Overall

Line Tooled to Roll: Tooled To Roll 3" X 3" Upright Posts

Tishken 2-1/2" Arbor X 14-Stand Model 14-HW-2-1/2 Roll Former; S/N 15027-73, 12" Roll Space, 14" Horizontal Center Distance, 2-1/2" Dia. Shaft Size, Presently Tooled for 3" X 3" Upright Posts **SEE PHOTO**
6,000 Lb X 18" Regal Single End Uncoiler; S/N 9822392

Iron Bay Model MN2S Coil Splicing Welder; S/N 1250204, 10" X .135 Capacity, Lincoln Powermatic 175 Welding Power Supply **SEE PHOTO**

12" X .125 Littell Model 412-3P-D Continuous Straightener; S/N 41589-50

350 Ton Minster Model 40-E Straight Side Single Crank Press; S/N 9-7522, 3" Stroke, 6" Slide Adjustment, 36" FB X 48" LR Bed Size, Air Clutch, 125 SPM, Air Counterbalance **SEE PHOTO**

10" Wide Servo Max Servo Feeder

60 Ton Federal Model F55 Open Back Inclined Press; S/N 401, 4" Stroke, 90 SPM, Tooled for Keystone Upright Out-Off

(4) Pre-Punch Dies Available for Manufacturing Teardrop and Keystone Posts for Pallet Rack Uprights

UPRIGHT BRACE ROLL FORMING LINE

To Be Sold Separate And Overall

Line Tooled to Roll: Tooled for C-Channel Upright Braces

Mfg. Unk. 2" Arbor X 6-Stand Gear Driven Roll Former; 12" Roll Space, 18" Horizontal Center Distance, 2" Shaft Dia., Tooled for 1" X 1-1/2" V-Channel for Upright X-Braces

4,000 Lb X 12" Wide Feedlease Single End Uncoiler

60 Ton Toledo No. 6 Open Back Inclined Press; Air Clutch, (2) V-Channel Cut-Off Die

PRESS BRAKES

500 Ton X 14' Cincinnati Model 500H Series X 10 Hydraulic Press Brake; S/N 38736, 14' Overall Length of Bed and Ram, 10'6" Distance Between Housings, 12" Stroke **SEE PHOTO**

LOCATION THREE – THURSDAY, MARCH 31ST STARTING AT 9:00 AM

400 / 600 Ton X 19' Cincinnati Series 21 Mechanical Press Brake; S/N 12072, 19' Overall Length of Bed and Ram, 12'6" Distance Between Housings, Updated Electrics, Palm Buttons, Motorized Ram Adjustment **SEE PHOTO**

400 / 600 Ton X 18' Cincinnati Series 21 Mechanical Press Brake; S/N 17303, 18' Overall Length of Bed and Ram, 13' Distance Between Housings, Motorized Ram Adjustment, Air Clutch **SEE PHOTO**

335 / 500 Ton X 12' Cincinnati Series 19 X 10 Mechanical Press Brake; S/N 30303, 12'6" Overall Length of Bed and Ram, 1066" Between Housings, 500 Ton at Bottom Stroke & 335 Ton at Mid Stroke, Capacity, 4" Stroke Motorized Ram Adjustment **SEE PHOTO**

225 / 400 Ton X 14' Cincinnati Series 130 X 12' Mechanical Press Brake; S/N 25442, 14' Overall Length of Bed and Ram, 12'6" Distance Between Housings, 4" Stroke, Motorized Ram Adjustment, Air Clutch **SEE PHOTO**

325 Ton X 12' Standard Industrial Model AB325-12 Hydraulic Press Brake; S/N F12031284, 12' Overall Length of Bed and Ram, 10'6" Between Housings, Manual Back Gauge **SEE PHOTO**

150 Ton X 12 Pacific Model K150-12 CNC Hydraulic Press Brake; S/N 5739, 12' Overall Length of Bed and Ram, 10'6" Between Housings, Automec Autogauge CNC 1000 Back Gauge **SEE PHOTO**

120 Ton X 10' Warco Mechanical Press Brake; S/N 4850, 120" Overall Length of Bed and Ram, 102" Distance Between Housings, 3" Stroke, Motorized Ram Adjustment **SEE PHOTO**

Large Quantity of Press Brakes & Unipunch Dies Including: V-Bottom, Top Knife, 4-Way Dies, Standard Punches and Dies, Various Size Unipunch Die Sets

SQUARING SHEARS

12' X 1/2" Cincinnati Model 4H12 Century Hydraulic Power Squaring Shear; S/N 36125, 36" Front Operated Motorized Back Gauge, Roller Ball Table, 120" Right Hand Squaring Arm **SEE PHOTO**

12 Ga. X 78" Niagara No. 46 Mechanical Power Squaring Shear; S/N 49789, 12 Ga. Mild Steel, 14 Ga. Stainless Capacity

16 Ga. X 52" Di-Acro Mechanical Power Squaring Shear; S/N N/A, Foot Pedal

HYDRAULIC PRESS

300 Ton Manufacturer Unknown Model HPS-300 H-Frame Hydraulic Down Stroke Press; 16" FB X 24" LR Bed Size Complete w/ Hydraulic Unit **SEE PHOTO**

STAMPING PRESSES & FEED EQUIPMENT

215 Ton Bliss No. 307 1/2 A Straight Side Single Crank Press; 8" Stroke, 34" X 34" Bed Size, Air Clutch, Air Counterbalance

60 Ton Niagara Model M-60 Open Back Inclined Press; S/N 40581, 7" Stroke, 17-1/2" Shut Height, 3" Adjustment, 32" X 21" Bed Size, 45 SPM, Air Clutch and Brake, Strip Cut-Off Die **SEE PHOTO**

60 Ton Minster No. 6 Open Back Inclined Press; S/N 12247, 4" Stroke (Out of Service)

18" Servo-Max Servo Feeder

10,000 Lb Littell Single End Uncoiler

18" Jaybird Model J15-1812 Air Feeder w/ Straitening Rolls; S/N R-232

5,000 Lb X 18" Wide Tishken Single End Coil Reel; S/N 15026-773

20" Mfg. Unk. Continuous Feeder Straightener; 3 Over 4 Rolls, 3-1/2" Dia. Rolls, Entry and Exit Pinch Rolls

IRONWORKER / HYDRAULIC PUNCHES

5" X 5" X 3/8" Piranha Model P3 Hydraulic Ironworker; S/N P3-081, 50 Ton Capacity, 10" Flat Capacity, Front Punch, Coper / Notcher Attachment **SEE PHOTO**

4-1/2" x 4-1/2" X 3/8" Geka Model Hydracrop 55/A Hydraulic Ironworker; S/N 14909, 12" X 5/8" Flat Capacity, 1-9/16" Round Bar Capacity, Front Punch and Coper / Notcher Attachments **SEE PHOTO**

20 Ton (Est.) Whitney C-Frame Hydraulic Flange Punch

Custom Built Hydraulic Punch w/ (4) Punch Stations and 20 HP Hydraulic Unit



Tishken 2-1/2" Arbor X 14-Stand Model 14-HW-2-1/2 Roll Former



12' X 1/2" Cincinnati Model 4H12 Century Hydraulic Power Squaring Shear



225 / 400 Ton X 14' Cincinnati Series 130 X 12' Mechanical Press Brake



400 / 600 Ton X 19' Cincinnati Series 21 Mechanical Press Brake



120 Ton X 10' Warco Mechanical Press Brake



Close-Up View Upright Profile



500 Ton X 14' Cincinnati Model 500H Series X 10 Hydraulic Press Brake



400 / 600 Ton X 18' Cincinnati Series 21 Mechanical Press Brake



150 Ton X 12 Pacific Model K150-12 CNC Hydraulic Press Brake



325 Ton X 12' Standard Industrial Model AB325-12 Hydraulic Press Brake



300 Ton Manufacturer Unknown Model HPS-300 H-Frame Hydraulic Down Stroke Press



4-1/2" x 4-1/2" X 3/8" Geka Model Hydracrop 55/A Hydraulic Ironworker



350 Ton Minster Model 40-E Straight Side Single Crank Press



24" X 36" Amada Model H-900HD Mitre Head Horizontal Metal Cutting Band Saw



5" X 5" X 3/8" Piranha Model P3 Hydraulic Ironworker



60 Ton Niagara Model M-60 Open Back Inclinable Press



(15) Late Model Miller Mig Welders



(3) Lincoln Mig Welders



25' Long Wagner Stainless Steel Pass Thru Powder Coat Booth



120' Long Infra Red Technologies Co. Natural Gas Fired Infra Red Pass Thru Bake Oven



36' Long Herr Industrial Three-Stage Stainless Steel Pass Thru Parts Washer



40' Long Natural Gas Fired Pass Thru Dry Off Oven

NO HEAT – DRESS WARM

HORIZONTAL BAND SAWS

24" X 36" Amada Model H-900HD Mitre Head Horizontal Metal Cutting Band Saw; S/N 500402, Hydraulic Clamping, 2" Blade Width, Coolant System, 20' Gravity Feed Roller Infeed Conveyor, 40' Gravity Feed Roller Outfeed Conveyor **SEE PHOTO**

9" X 16" Doall Model C-916A Horizontal Metal Cutting Band Saw; S/N 528-97355, Coolant System

9" X 12" Wells Model H Horizontal Band Saw; S/N 410

WELDING FIXTURES

(2) 14' Long Pneumatic Beam Clamping and Welding Fixtures; Each w/ (13) Pneumatic Clamping Cylinders Used for Beam Tack Welding and Beam Connector / End Cap Welding

72" Wide X 11' Pneumatic Upright Clamping and Welding Fixture Table

72" Wide X 16' Pneumatic Upright Clamping and Welding Fixture Table

(2) Pallet Rack Beam Connector / End Cap Welding Fixtures

WELDERS

(8) 300 Amp Miller Model CP-302 CV-DC Arc Welders w/ Series 60 Wire Feeder

(5) 300 Amp Miller Model CP-300 DC Arc Welders w/ Miller 22A, Series 60, S-52E Wire Feeders

(2) 300 Amp Lincoln Model CV-300 Arc Welders w/ LN-7 Wire Feeders

250 Amp Lincoln Model Idealarc R35-250 DC Arc Welder w/ Hobart 2410, Wire Feeder

200 Amp Hobart Model P-200-S Arc Welder

5' X 5' Acorn style Welding Table

Large Quantity H.D. Welding Tables, Welding Tables, Welding Curtains

POWDER COATING SYSTEM

25' Long Wagner Stainless Steel Pass Thru Powder Coat Booth; 12-Automatic Spray Gun, (1) Hand Spray Gun, 36" Wide X 90" Tall Part Envelope, ITW-Gema Opti-Flex AZ Gun Control System, Color Module, Dust Collection System, (2) Portable Stainless Steel Tubs (New Approx. 2002) **SEE PHOTO**

36' Long Herr Industrial Three-Stage Stainless Steel Pass Thru Parts Washer; 42" Wide X 90" Tall Part Envelope **SEE PHOTO**

40' Long Natural Gas Fired Pass Thru Dry Off Oven; 29" Wide X 96" High, Part Opening, Modular Panel Construction **SEE PHOTO**

120' Long Infra Red Technologies Co. Natural Gas Fired Infra Red Pass Thru Bake Oven; 36" X 90" Part Envelope **SEE PHOTO**

500' Overhead Chain Conveyor

Large Quantity Various Size Hanging Parts Packs Controlled Pyrolysis Model FTR-42 Natural Gas Fired Burn-Off Oven; S/N 1709, 300,000 BTU, 45" Wide X 45" High X 42" Deep

10' Wide X 25' Long X 9' High Drive In Paint Booth w/ Lights and Exhaust Fan

Approx. (250+) Boxes New Powder Coating Material

AIR COMPRESSORS & RELATED

50 HP Gardner Denver Model EDE99M Skid Mounted Rotary Screw Air Compressor; S/N 5213974, 24,319 Load Hours, 24,483 Total Hours **SEE PHOTO**

30 HP Gardner Denver Model EBE99K13 Horizontal Tank Mounted Rotary Screw Air Compressor; S/N 5027960, 48,958 Hours

Zurn General Air Model R-40A Refrigerated Air Dryer; S/N R-19484

LIFT TRUCKS & RELATED

10,000 Lb Hyster Model H100XM Diesel Dual Pneumatic Tire Lift Truck; S/N L005V06733C, 2,863 Hours, Three Stage Mast, Side Shift, 196" Lift Height

8,000 Lb Sellick model S-80JDS-4 Diesel Pneumatic Tire Lift Truck; S/N 724671058J-4, 791 Hours, 180" Max. Lift, Three Stage Mast, 60" Forks **SEE PHOTO**

8,000 Lb Hyster Model H80XL LP Gas Pneumatic Tire Lift Truck; S/N G005D11427U, 3,921 Hours, Two-Stage Mast, Side Shift **SEE PHOTO**

(2) 7,000 Lb Toyota Model 7FGCU35 LP Gas Solid Tire Lift Trucks; S/N 63675, 5,658 Hours, S/N 63684, 6,976 Hours, Two Stage Mast Side Shift, 120" Lift Height

6,000 Lb Hyster Model H60FT LP Gas Pneumatic Tire Lift Truck; S/N L177B20210E, Three Stage Mast, Side Shift, 189" Lift Height

5,000 Hyster Model H50FT LP Gas Pneumatic Tire Lift Trucks; S/N L177B20203E, 3,539 Hours, Three-Stage Mast, Side Shift

**NEW
APPROX.
2002**

LOCATION THREE – THURSDAY, MARCH 31ST STARTING AT 9:00 AM

(3) 5,000 Lb Hyster Model S50FT LP Gas Solid Tire Lift Truck; S/N F187V12473F, 2,616 Hours, S/N F187V12474F, 4,747 Hours, S/N F187V10915E, 5,223 Hours, Three Stage Mast, Side Shift, 189" Lift Height

SEE PHOTO

5,000 Lb Caterpillar Model GC25K LP Gas Solid Tire Lift Truck; S/N AT82C-03062, 13,055 Hours, Three Stage Mast, Side Shift

4,000 Lb Clark Model GCX25 LP Gas Solid Tire Lift Truck; S/N GX230-0229-8385K0F, 5,322 Hours, Two Stage Mast, Side Shift

4,000 Lb Mitsubishi Model 7G25K LP Gas Pneumatic Tire Lift Truck; S/N AF17C00443, 12, 683 Hours, Three Stage Mast, Side Shift, 165" Lift Height

Tennant Model 186 Walk-Behind Electric Floor Sweeper; S/N 186-10982

TRUCKS

2002 Freightliner FL70 Box Van Truck; Vin No. 1FVAB-TAK53HK65359, Diesel Engine, 6-Speed Manual Transmission, 27' Canvas Side Box Van

SEE PHOTO

1999 GMC 3500 One Ton Dually Four Wheel Drive Pick-Up Truck; S/N 1GTHK33J0XF043571, 90,962 Miles, 7.4 Liter Vortec V-8, Extended Cab

ROLL OFF CONTAINERS

(19) 30-Yard Roll Off Dumpsters

(11) 20-Yard Roll Off Dumpsters

CANTILEVER RACK

(32) Sections 52" W X 18" H X 42" Arm Adjustable Arm Cantilever Rack

SEE PHOTO

(10) Runs Various Size Cantilever Racking in Widths to 18', Heights to 20' and Arm Lengths to 4'

WIRE BASKETS

(500+) Galvanized Collapsible Stacking Wire Baskets Sizes Include 42" Wide X 42" Long X 34" Deep, 55" Wide X 36" Long X 28" Deep, 80" Wide X 42" Long X 36" Deep; Most Lightly Used, Very Clean and Good Condition – Final Quantities To Be Determined – See Catalog or Call For Details

TOOLROOM MACHINERY

13" X 40" Jet Model GHB-1340 Geared Head Engine Lathe; S/N 321357, 13" Swing Over Bed, 40" Between Centers, 6" 3-Jaw Chuck, 8" 4-Jaw Chuck, Steady Rest, Face Plate

1 HP Bridgeport Variable Speed Vertical Mill; S/N 105376, 9" X 45" Table, w/ Teledyne Dro, 2720 RPM, R8 Spindle

30" Jones & Lamson Optical Comparator; S/N E-42754, 9" X 32" Slotted Table, 10X Lense

8" X 24" Thompson Hydraulic Surface Grinder; S/N 2F-571437, Electro Magnetic Chuck Controller

6" X 12" Harig Super 612 Hand Feed Surface Grinder; S/N 11324

55 Ton Ramco Model RP55 H-Frame Hydraulic Press; S/N 5793

20" Conquest Model 20ARCH Disc Sander; S/N 119367

8" Quality Tool Double End Grinder

MISC. MACHINERY

Oster Model 792 Pipe Threader; S/N ABY-586

26" DoAll Model 26-3 Vertical Band Saw; S/N 55-54162, 32" X 41" Tilting T-Slotted Table

6,000 Lb Autoquip Model 36SE Portable Hydraulic Lift Table; S/N 80283-189, 24" X 72" Table

6,000" Lb Autoquip Model 36560 Portable Hydraulic Lift Table; S/N 80223T180, 27" X 120" Table

18" Mfg. Unknown Abrasive Cut-Off Saw; w/ 20 HP Motor

12" Kalamazoo Mitre Base Abrasive Cut-Off Saw; S/N N/A, 1- HP Motor

16" Rockwell Floor Drill; S/N 118-4269, w/ 36" X 24" Table

Safety Kleen Model 81 Parts Washing Tank; 27" W X 48" L X 36" H Tank

4' X 8' Hydraulic Scissors Lift Table

(2) 24" X 48" Hydraulic Scissors Lift Tables

1 Ton X 13' Arm Jib Crane w/ 1/2 Eaton Electric Hoist

SHOP EQUIPMENT

Large Quantity Shop Equipment Consisting of; (9) Dump Hoppers, Steel Carts, Warehouse Carts, Shop Fans, Wrenches, Banding Tools, Pipe Wrenches, Hold Downs, Pipe Benders, Manual Chain Hoist, Toe Jack, Grease Guns, T-Squares, Pipe Fittings, Fastenal Pigeon Hole Cabinets, Shop Ladders, Aluminum Dock Plates, Pallet Trucks, Barrel Carts And Many Other Related Items

OFFICE EQUIPMENT

24" HP Designjet Z2100 Photo Plotter; S/N MY8C39C03T

Office Equipment Consisting of; Executive Office Furniture, Flat Screen Dell PC's Monitors, LP Desks, Lateral File Cabinets, File Cabinets, Credenzas, Chairs, Lobby Furniture & Other Related Items



8,000 Lb Sellick model S-80JDS-4 Diesel Pneumatic Tire Lift Truck



2002 Freightliner FL70 Box Van Truck



(19) 30 Yard and (11) 20 Yard Roll-Off Containers



50 HP Gardner Denver Model EDE99M Skid Mounted Rotary Screw Air Compressor



8,000 Lb Hyster Model H80XL LP Gas Pneumatic Tire Lift Truck



(3) 5,000 Lb Hyster Model S50FT LP Gas Solid Tire Lift Truck



Partial View Other Lift Trucks



335 / 500 Ton X 12' Cincinnati Series 19 X 10 Mechanical Press Brake



Iron Bay Model MN25 Coil Splicing Welder



(32) Sections 52" W X 18" H X 42" Arm Adjustable Arm Cantilever Rack

PUBLIC AUCTION PUBLIC

ASSETS FROM BANKRUPTCY

THREE-DAY THREE-LOCATION AUCTION

EXCEL STORAGE PRODUCTS, LP

LOCATION 1 - BROOKINGS

500 Insbrook Lane - Brookings, South Dakota 57006

SALE DATE: TUESDAY, MARCH 22ND

STARTING AT 10:00 AM

Inspection: Monday, March 21st
From 10:00 AM to 4:00 PM

LOCATION 2 - STROUDSBURG

830 Crowe Road & Rt. 447 N
East Stroudsburg, Pennsylvania 18301

SALE DATE: TUESDAY, MARCH 29TH

STARTING AT 9:00 AM

Inspection: Monday, March 28th
From 10:00 AM to 4:00 PM

LOCATION 3 - CADIZ (W.C. CARDINAL)

One Industrial Park Road - Cadiz, Ohio 43907

SALE DATE: THURSDAY, MARCH 31ST

STARTING AT 9:00 AM

Inspection: Wednesday, March 30th
From 10:00 AM to 4:00 PM

Cincinnati Industrial Auctioneers Inc.
2020 DUNLAP STREET
CINCINNATI, OHIO 45214

Myron Bowling Auctioneers Inc.
P.O. BOX 369
ROSS, OHIO 45061

PRE-SORT
FIRST CLASS
U.S. POSTAGE
PAID
CINCINNATI, OHIO
PERMIT NO. 3593

FIRST CLASS MAIL!



Rack Roll Forming Lines



Steel Coil Inventory



Finished Product Inventory



750 Ton WIP Inventory



Fabricating Machinery



Important Mail

TO BE DIRECTED TO THE ATTENTION
OF EXECUTIVE PERSONNEL

PUBLIC

AUCTION

PUBLIC

ASSETS FROM BANKRUPTCY

EXCEL STORAGE PRODUCTS, LP

LOCATION 1 - BROOKINGS

500 Insbrook Lane - Brookings, South Dakota 57006

LOCATION 2 - STROUDSBURG

830 Crowe Road & Rt. 447 N
East Stroudsburg, Pennsylvania 18301

LOCATION 3 - CADIZ (W.C. CARDINAL)

One Industrial Park Road - Cadiz, Ohio 43907

TERMS OF SALE

All equipment described herein will be sold "as is", "where is" to the highest bidder or bidders for cash in accordance with our regular terms and conditions of sale. Unless other satisfactory arrangements are made, a 25% deposit in cash, certified or cashier's check payable to Cincinnati Industrial Auctioneers, Inc., is required on all purchases. Firm and personal checks accepted only if accompanied by a letter from your bank guaranteeing your funds. All sales are subject to state and/or local taxes unless a signed exemption form is presented at the time of purchase. All balances are due at the conclusion of the sale. No merchandise may be removed while the sale is in progress. All bidders must comply with our Standard Terms of Sale, copies of which will be available at the sale site or can be obtained from our website. A 12% buyer's premium for on-site bidders and a 15% buyer's premium for on-line bidders will be in effect for this sale.

DIRECTIONS

Directions to Excel Brookings: Brookings, South Dakota is approximately 60 miles north of Sioux Falls, South Dakota. At the intersection of I-29 and US-14 (Brookings - exit 132) follow US-14 west for 1/2 mile to 22nd Avenue. Turn left on 22nd Avenue for _ miles to Eastbrook Drive. Turn left on Eastbrook Drive to the first right at Insbrook Lane. Turn right to the plant on the right.

Directions to Excel Stroudsburg (Main Plant): From I-80 Exit at No. 305 Rt. 209 Bus. Proceed East on Rt. 209 Business (Main St.) for Approx. 2 Miles into Downtown to PA Rt. 191 / 60 North. Go North on Rt. 191 for Approx. 2 Miles to Stokes Ave. Turn Right onto Stokes and Proceed _ Mile to Crowe Rd. Turn Left on Crowe Rd. and Proceed _ Mile to Sale Site on Right.

Directions to Excel Cadiz: From the I-70 and I-77 Junction Proceed North on I-77. Continue Approx. 4 Miles to Exit 47 US-22, Turn East onto US-22 and Proceed 20 Miles to a Fork in the Road. Keep Left Through the Fork on US-22 and Continue 16 Miles to Industrial Park Dr. Turn Right on Industrial Park Drive and Proceed 1 Mile to Sale Site on Right. Watch for Auction Signs and Auction Parking.

AUCTIONEERS

Ohio License Numbers:

Cincinnati Industrial Auctioneer, Inc. - 63198310439

Jeffrey L. Luggen - 57198333789

Myron C. Bowling - 62197620939

Jerome A. Luggen - 62198333799

Myron Bowling Auctioneers, Inc. - 63198514949

Pennsylvania License Numbers:

Jeffrey L. Luggen - AU003274R

Myron C. Bowling - AU003150R

John F. Rome - AU005357



IMPORTANT NOTICE:

Although information has been obtained from sources deemed reliable, the auctioneer makes no warranty or guarantee, expressed or implied, as to the accuracy of the information herein contained. It is for this reason that buyers should avail themselves of the opportunity to make inspection prior to the sale. This brochure is intended to provide general information of the equipment being offered and is subject to errors, omissions, additions or deletions. Please check with the Auctioneer's Office for a final listing. Items offered may or may not necessarily be sold as described and/or photographed in this brochure.

MAIL BIDS ACCEPTED WITH A 25% DEPOSIT

12% ONSITE BUYERS PREMIUM
15% ONLINE BUYERS PREMIUM



Cincinnati Industrial Auctioneers Inc.

2020 DUNLAP ST., CINCINNATI, OHIO 45214
PH (513) 241-9701 / FAX (513) 241-6760
INTERNET: www.cia-auction.com



Myron Bowling Auctioneers Inc.

P.O. BOX 369 ROSS, OHIO 45061
PH (513) 738-3311 / FAX (513) 738-0221
INTERNET: www.myronbowling.com



PPL Auction

3100 DUNDEE ROAD,
SUITE 915, NORTHBROOK, IL 60062
PH (224) 927-5300 / FAX (224) 927-5311
INTERNET: www.pplauction.com