
SPEED STAMPING DING PRESSES, TOOLROOM, FINISHING SUPPORT EQUIPMENT



Straight Side Double Crank Presses



Ton Niagara Model BP2-200-60-42 Variable Speed Straight Side Double Crank Press

SALE UNDER THE MANAGEMENT OF

Featuring: 200 Ton Niagara PB200-60-42 SSDC Press, (4) 100 Ton Minster P2-100-48 Piecemaker SSDC Presses, 45 Ton Minster P2-45-36 Piecemaker P2-100-48 Piecemaker SSDC Presses, 45 Ion Minster P2-45-36 Piecemaker
 SSDC Press, Minster Presses have Servo Feed, Straighteners & Coil Feed
 Lines, (2) 20 Ton Kenco, 45 Ton L&J, 60 Ton & 70 Ton Federal, 65 Ton Heim
 OBI Presses, (9) Twin Compartment Tumbling Barrel Parts Deburring
 Machines, (2) 60" Torex Vibratory Tub Parts Deburring Machines,
 Blast-It-All Rotary Drum Parts Deburrer, Tumbling Barrel Parts Dryer,
 100 HP Air Compressor, (9) Leblond, Monarch, Victor & Hardinge
 Toolroom Lathes, Bridgeport Vertical Mills, Saws, Drills, Surface Crinders, EDM Machines, Machine Accessories & Shop Equipment

UCTIC

PLANT CLOSED SURPLUS MACHINERY & EOUIPMENT FROM 6265 Wiehe Road – Cincinnati. Ohio 45237

SALE DATE: Thursday, **January 19th** Starting at 10:00 AM

INSPECTION: Wed., January 18th 10:00 AM to 4:00 PM

www.cia-auction.com Features: Upcoming Sale Information Liquidation & Equipment Section Email Auction Notification Recent Auction Results Lot Catalog Listings **Photo Galleries** Downloadable Forms Complete Terms of Sale **Staff Profiles Reference Information**

To Become See Instructions on Page 2 Qualified Bidder on the Internet

Bid Soler-Com



2 Cubic Foot Blast-It-All Model TBS2RPJT-3 Cabinet Type Tumbling Barrel Parts Deburring Machine



15" X 30" Leblond Regal Geared Head Engine Lathe



Compartment Tumbling Barrel Parts Deburring Machines



ncinnati Industrial Auctioneers Inc. 2020 DUNLAP ST., CINCINNATI, OHIO 45214 PHONE (513) 241-9701 / FAX (513) 241-6760 WEBSITE: cia-auction.com for printable brochures, catalog, terms and proxy-bidding



THURSDAY, JARUARY 19TH





(2) 100 Ton Minster Model P2-100-48 Piece-Maker Variable Speed Straight Side Double Crank Presses



(2) 100 Ton Minster P2-100-48 Piece-Maker Straight Side Double Crank Variable Speed Presses



45 Ton Minster Model P2-45-36 Piece-Maker Variable Speed Straight Side Double Crank Press



200 Ton Niagara Model BP2-200-60-42 Variable Speed Straight Side Double Crank Press



(2) 100 Ton Minster P2-100-48 Piece-Maker Straight Side Double Crank Variable Speed Presses



45 Ton L&J Model EM-45 Variable Speed Straight Side Double Crank Press



200 Ton Niagara Model BP2-200-60-42 Variable Speed Straight Side Double Crank Press

SSDC PRESSES

200 Ton Niagara Model BP2-200-60-42 Variable Speed Straight Side Double Crank Press; S/N 46965, 10° Stroke, Variable Speed 30 - 60 SPM, 10° Adjustment, 27° Shut Height (SDAU), 60° LR X 36° FB Bed Size, 60° X 42° X 6° T-Slotted Bolster Plate, Double Roll Reed, Scrap Chopper, Air Clutch, Air Counterbalance, Air Cushion, Toledo Transducer Digital Presswatch Production Monitor w/ Auto Set, Light Curtain SEE PHOTO

1,000 LB X 18" Cooper Weymouth Cradle Straightener; S/N LV18719370CS, 7-Roll

SEE PHOTO

(2) 100 Ton Minster Model P2-100-48 Piece-Maker Variable Speed Straight Side Double Crank Presses; S/N's P2-100-18490 & P2-100-18489, 3" Stroke, Variable Speed 100 - 200 SPM, 4" Adjustment, 12-1/2" Shut Height (SDAU), 48" LR X 31" FB Bed Size, 48" X 31" X 5" T-Slotted Bolster Plate, Air Clutch, Air Counterbalance, 6" Servomatic Servo Feed, 6" Servomatic Exit Feed, 12" Pneumatic Scrap Chopper, Console Controls, Light Curtain **SEE PHOTO**

- 1,600 LB X 18" CWP Model 2R Single End Coil Reel; S/N C18688, 48" O.D. Cap. SEE PHOTO
- 4" PA Industries Model SSP49 Straightener; S/N 200109-04004

(2) 100 Ton Minster P2-100-48 Piece-Maker Straight Side Double Crank Variable Speed Presses;

WEBCAST BIDDER INSTRUCTIONS

- All Internet bidders must register for this auction at www.bidspotter.com at least 48-Hours Prior to the Sale Date, *if you do not* you will not be approved.
- All Internet bidders must Post a Deposit of Approx. 25% of Your Planned Spending Budget or \$5,000 Minimum with Cincinnati Industrial Auctioneers in Order to be approved to Bid. Those who do Not Post the Deposit Will Not be Approved. **Period.**
- Only Major Items Will be Available for Online Bidding. Please refer to the Listing on www.bidspotter.com for Available Online Items.



There is a 15% Buyer's Premium in Effect for All Online Purchases.



FUSITE PRECISION METAL PRODUCTS



am



Flywheel Type OBI Press

S/N 14953 and 15364, 3" Stroke, Variable Speed 70 - 250 & 100 - 200 SPM, 4" Adjustment, 18" Shut Height, 48" X 31" Bed Size, Air Clutch, Air Cushion (No Motors or Controls) SEE рното

- > 300 LB X 6" Littell No. 3 Automatic Centering Reel
- > 2,000 LB X 10" Littell Model C20 Cradle Straightener; S/N 76643-68.7-Roll

45 Ton Minster Model P2-45-36 **Piece-Maker Variable Speed** Straight Side Double Crank Press;

S/N 14259, 2" Stroke, Variable Speed 100 - 300 SPM, 3" Adjustment, 13-1/2' Shut Height, 45" X 36" Bed Size, 45" X 36" X 3-1/2" T-Slotted Bolster Plate, Air Clutch, Air Cushion, 12" Servomatic Exit Feed Roll, 6" Pneumatic Scrap Chopper, Console Control, Light SEE PHOTO Curtain

- > 2,000 LB X 6" Rapid Air Model **R68ACP Single End Coil Reel;** S/N 71352, 48" O.D. Cap.
- > 2.000 LB X 8" Littell Model C20-8 Cradle Straightener; S/N 73856-61

45 Ton L&J Model EM-45 Variable Speed Straight Side Double Crank Press; S/N EM450110, 4" Stroke, Variable Speed 100 - 300 SPM, 13-1/2" Shut Height, 18" X 30" Bed Size, 18" X 30" X 3" T-Slotted Bolster Plate, Air Clutch, Air Cushion, 12" Servomatic Feed, 6" Servomatic Exit Feed Roll, 6" Pneumatic Scrap Chopper, Console SEE PHOTO Control, Light Curtain

≻ 2" PA Industries Model PSS-29D Straightener; S/N X16218-01/75894 SEE PHOTO



OBI PRESSES

80 Ton Federal Model F7 Flywheel Type OBI Press; S/N N/A, 4" Stroke, 3" Adjustment, 36" X 28" Bed Size, Air Clutch, Air Brake, Air Counterbalance SEE PHOTO

60 Ton Federal Model 60 Flywheel Type OBI Press; S/N 60-195, Stroke, 2-1/2" Adjustment, 90 SPM, 13" Shut Height, 32" X 21" Bed Size, Air Clutch, Air Brake **SEE PHOTO**

>> 4" Rapid Air Model C6

Feeder: S/N 116466 55 Ton Heim Model 5A F.W. Flywheel Type OBI Press; S/N 11-3487, 3" Stroke, 120 SPM, 4" Adjustment, 17" Shut Height, 18" X 28"

- Bed Size, Air Clutch SEE PHOTO ≻ 4" Rapid Air Model C6 Feeder; S/N 100522
 - > 300 LB X 6" Littell No. 3 Automatic Centering Reel
- 32 Ton USI Industries Tor-Pac

OBI Press; S/N 32T-620-10, 3" Stroke, 2-1/4" Adjustment, 85 - 170 SPM, 10" Shut Height, 24" X 15" Bed Size, Air Clutch

32 Ton Rouselle Model B1-32 OBI Press; 10-3/4" Shut Height, 2" Stroke, 2-1/2" Adjustment, 180 SPM, 15" F-B X 24" L-R Bed Size, Bijur Lubrication For Ways, Air Clutch, Air Brake, Air Counter Balance, Palm Button Or Electric Foot Pedal Control SEE PHOTO

>> Dickerman 12" X .078" Servo Feed System

25 Ton Rouselle Model 3 OBI Press; 10-3/4" Shut Height, 2" Stroke,

2" Adjustment, 135 SPM, 14" F-B X 19-1/2" L-R Bed Size, Bijur Lubrication For Ways, Palm Button Or Electric Foot Pedal Control

(2) 20 Ton Kenco Model P2A OBI Presses; S/N's 99-111 & 99-110, 2" Stroke, 120 SPM, 18" X 12" Bed. Air Clutch SEE PHOTO

> 3-1/2" X 32" Livonia Moagnetics Model A-6 Magnetic Belt Incline Portable Scrap Conveyor; S/N 72276-1

MISC. PRESS FEED **EOUIPMENT &** ACCESSORIES

1,600 LB X 18" CWP Model 2R Single End Coil Reel; S/N C9884, 48" O D

2,000 LB X 8" Littell Model C-20 Cradle Straightener; S/N 75349-66, 48" O.D.

3,500 LB X 36" Coil Mate / Dickerman Model Prespal Horizontal Coil Reel; S/N CM95 SEE PHOTO

(2) 5,000 LB X 48" Coil Mate Model EZ5048 Horizontal Coil Reels; S/N's 4367 & 4368, 48" O.D SEE PHOTO

(3) Unist Oiler Systems (Lot) Misc. CWP Servomatic Servo Roll Feed Roll Feeders & Control Cabinets w/ Parts (6) 8" X 84" Livonia Magnetics Model B-11 Magnetic Belt Incline Portable Scrap Conveyors; S/N's 74353-2, 74353-4, 58872-1, 74353-1

& 70866-4 (2) 8" X 120" Livonia Magnetics Model B-100 Beltless Magnetic Portable Scrap Conveyors; S/N's 70866-7 & 70866-6

(8) Portable Die Lift Tables





32 Ton Rouselle Model B1-32 OBI Press





6" Pneumatic Scrap Chopper



Model C20-8 Cradle Straightener



3,500 LB X 36" Coil Mate / Dickerman Model Prespal Horizontal Coil Reel



1,600 LB X 18" CWP Model 2R Single End Coil Reel



Mate Model EZ504 **Horizontal Coil Reels**



(2) 20 Ton Kenco Model P2A OBI Presses



29D Straightener



1,000 LB X 18" Cooper Weymouth Cradle







THURSDAY, JANUARY 1914





2 Cubic Foot Blast-It-All Model TBS2RPJT-3 Cabinet Type Tumbling Barrel Parts Deburring Machine



(1 of 2) Torex Model T-6026-F Vibratory Bowl Type **Finishing Machine**

TUMBLING BARREL PARTS DEBURRING MACHINES

2 Cubic Foot Blast-It-All Model TBS2RPJT-3 Cabinet Type **Tumbling Barrel Parts Deburring** Machine; S/N 970729367, 24"W X 24" Dia. Tumbling Barrel, Shot Reclaim System & Dust Collector SEE PHOTO

(2) Torex Model T-6026-F Vibratory Bowl Type Finishing Machines; S/N's 6026-10-5-95 & 662-1096, 60" Neopreen Iwed Bowl, 7.5 HP, Solution Pump, (1) Pneumatic Gate, 20"W X 72"L Vibratory Screener

(5) 30" X 48" Rampart Model HT3048 Twin Compartment Tumbling Barrel Parts Deburring Machines; S/N N/A, Vinyl Lined SEE PHOTO Compartments

(4) 32" X 60" Rampart Model HT3260 Twin Compartment **Tumbling Barrel Parts Deburring** Machines; S/N N/A, Vinyl Lined SEE PHOTO Compartments

American Metal Products Model **Cobmeal Small Parts Tumbling** Thur-Feed Barrel Deburring and Drying Machine; S/N N/A, 60"L X 36" Dia. Tumbling Barrel, Timer Controls, 5 HP SEE PHOTO STRETCH WRAPPER 48" Dia. Vestil Model SWA-48-CH-R Stretch Wrapper; S/N

S475600, 48" Rotary Pallet, 400 LB Capacity (New 2007)

AIR COMPRESSOR

100 HP Gardner Denver Model **EAPOMB Cabinet Type Rotary** Screw Air Cooled Air Compressor; S/N U52852, Auto Sentry ES Digital SEE PHOTO Control Panel

ELECTRIC / MANUAL HOISTS

Electric & Manual Hoists Consisting of; (4) 1 Ton CM Valuestar Electric Chain Hoists w/ Pendants, (2) 1 Ton Budget Electric Chain Hoist, 1 Ton CM Manual Chain Hoist, 1 Ton Dayton Electric Chain Hoist

MISC. MACHINERY

20"W X 20"H X 18"D Dispatch Style 203-2-6-45 Electric Drying Oven; S/N 57230, 4.5 KW Heater (2) 30" Dia. Fortville Vibratory Parts Feeders w/ Loading Hoppers; S/N's 10915-B & 10915-A SEE PHOTO

2,000 LB T&S Portable Adjustable Height A-Frame Gantry Crane SEE PHOTO

UAS Model C-205-D Cyclone Type Dust Collector; S/N 60068401, 5 HP 24" Diacro Hand Shear Bliss Antique Hand Screw Press; 29" Top Hand Wheel


6" Belt Sander

Smokeater Fume Collector

Machine Accessories Consisting

of; Dumore Cat #5-021 Tool Post Grinder, Dumore Cat #44-011 Tool Post Grinder, 4" Dividing Head, Iassie Hand Tapper, Lathe Toolholders, (5) 6" Swivel Machine Vises, Drill Chucks, Misc. Perishable Tooling, Die Springs, (2) Rockwell Hardness Testers, Misc. Inspection Tools, & Other Related Items

Shop Equipment Consisting of; 6' Lyon Steel Workbenches, Portable Tool Carts, 48" X 120" Heavy Duty Die Set-Up Table, Steel Shelving, Two-Door Steel Cabinets, Lyons Cantilever Steel Stock Rack, (2) Barrel Attachments, Pallet Racking, Gravity Feed, Roller Conveyor, Hydraulic Pallet Truck, Pedestal & Wall Mount Fans, Self-Dumping Hoppers, Heavy Duty Steel Horses. 48" X 72" X 10" Granite Surface Plate, Flow Racks, & Other Related Items



(2 of 2) Torex Model T-6026-F Vibratory Bowl Type



(4) 32" X 60" Rampart Model HT3260 Twin Compartment Tumbling Barrel Part<u>s Deburring</u>



(5) 30" X 48" Rampart Model HT3048 Twin Compartment Tumbling Barrel Part<u>s Deburring</u> Machines



Parts Tumbling Thur-Feed Barrel Deburring and Drying Machine



100 HP Gardner Denver Model EAPOMB Cabinet Type Rotary Screw Air Cooled Air Compressor



2,000 LB T&S Portable Adjustable Height A-Frame Gantry Crane





SHOP EQUIPMENT



THURSDAY, JANUARY 19TH





15" X 30" Leblond Regal Geared Head Engine Lathe



15" X 30" Leblond Dual Drive Geared Head Engine Lathe

LATHES

15" X 42" Leblond Regal Geared Head Engine

Lathe; S/N 6C292, 12-Spindle Speeds from 45-1,800 RPM, 8" 3-Jaw Chuck

15" X 30" Leblond Dual Drive Geared Head Engine Lathe; S/N N/A, 12-Spindle Speeds from 28-1,800 RPM, Inch/Metric Threading, Thread Chasing Dial, 9" 3-Jaw Chuck **SEE PHOTO**

15" X 30" Leblond Regal Geared Head Engine Lathe; S/N 7C1675, 12-Spindle Speeds from 60-2,400 RPM, Inch/Metric Threading, Tool Post SEE PHOTO

(2) 15" X 30" Leblond Regal Geared Head Engine Lathes; S/NS 4B1504 & 6C893, 12-Spindle Speeds from 45-1,800 RPM, Servo Shift, Inch/Metric Threading, Tool Post

13" X 40" Victor Model 1340GHE Geared Head Engine Lathe; S/N 17601-035, Spindle Speeds from 70-2,000 RPM SEE PHOTO

9" X 18" Hardinge Dovetail Toolroom Engine Lathe; S/N N/A, 15-Spindle Speeds from 230-3,500 RPM, Hardinge Model L Six-Position Ball Bearing Turret, Tool Post, Vertical Slide, Collets, Chucks, & Misc. Tooling **SEE PHOTO**

Hardinge Model DV-59 Second Operation Toolroom Lathe; S/N N/A, Spindle Speeds from 230 - 3,500 RPM, Chucks, Collets, Cross Slide, Tailstock

VERTICAL MILLING MACHINES

(2) 1 HP Bridgeport Vertical Milling Machines; S/N's 68088 & BR102852, 9" X 32" T-Slotted Table, 8-Spindle Speeds from 80 - 2,720 RPM, Mitutoyo Model ALC-3705W DRO

1-1/2 HP Bridgeport Variable Speed Vertical Milling Machine; S/N 123411, 9" X 32" Power Table, Variable Spindle Speeds from 60 - 4,200 RPM, Anilam Miniwizard DRO **SEE PHOTO**

JIG BORES

Moore Model No. 3 Jig Borer; S/N B1244, Variable Spindle Speeds to 2,500 RPM, 11" X 24" T-Slotted Table, Sony DRO Moore Jig Borer Accessories Consisting of; Moore Mahogany Toolmakers Bench, 10" Moore Rotary Table, 6" X 8" Sine Plate, Weldon Jig Bore Set, Moore Optics Toolholder, T-Slotted Hold Downs SEE PHOTO

EDM MACHINES

(2) Cincinnati Ram Type EDM Machines; S/N's 9C1B5P-5 & 9C1B5S-20, 10" X 18" Table, 24" X 16" X 14" Work Tank, 6" X 8" Ram Platten, Cintrojet T-IV-284 Solid State EDM Power Supply

Misc. EDM Tooling & Accessories

DRILLS

24" X 5-1/2" Dia. Column Johansson Radial Arm Drill; S/N 31910, Spindle Speeds from 80 - 1,200 RPM, 17" X 36" T-Slotted Table, 21" X 24" Base Table SEE PHOTO

17" Avay Single Spindle Drill; S/N MA560, 15" X 18" Table

17" Delta Rockwell Model 17-600 Pedestal Drill Press; S/N 1346356, 20" X 29" Table, Foot Pedal

20" Clausing Variable Speed Single Spindle Drill; S/N 502392, Variable Spindle Speeds from 150 - 2,000 RPM, 16" X 18" Table

SAWS

 16" DoAll Model 1611-U Vertical Band Saw; S/N

 270-68143, 24" X 24" Table
 SEE PHOTO

 10" X 16" W.F. Wells Model L-10 Twin Post

 Horizontal Band Saw; S/N 1091439, Coolant System

 SEE PHOTO

GRINDERS

6" X 18" Thompson Hydraulic Surface Grinder; S/N F632547, Walker Magnetic Chuck, Wheel Dresser, Coolant SEE PHOTO

6" X 18" Reid Model 618HA Hand Feed Surface Grinder; S/N 15104, Walker Magnetic Chuck, Coolant

6" X 18" Reid Model 618G Hand Feed Surface Grinder; S/N 10535, Magnetic Chuck

6" X 12" Boyar Schultz Model Super 612 Hydraulic Surface Grinder; S/N HY-6299, Walker Ceramax Magnetic Chuck



Optical Comparator



6" X 18" Thompson Hydraulic Surface Grinder



0" X 16" W.F. Wells Model L-10 Twin ost Horizontal Band Saw



13" X 40" Victor Model 1340GHE Geared Head Engine Lathe



9" X 18" Hardinge Dovetail Toolroom Engine Lathe





24" X 5-1/2" Dia. Column Johansson Radial Arm Drill





16" DoAll Model 1611-U Vertical Band Saw

Moore Model No. 3 Jig Borer



Bank View (2) Cincinnati Ram Type EDM Machines





PLANT CLOSED SURPLUS MACHINERY & EQUIPMENT FROM



6265 Wiehe Road Cincinnati, Ohio 45237

IMPORTANT NOTICE:

Although information has been obtained from sources Although information has been obtained from sources deemed reliable, the auctioneer makes no warranty or guarantee, expressed or implied, as to the accuracy of the information herein contained. It is for this reason that buyers should avail themselves of the opportuni-ty to make inspection prior to the sale. This brochure is intended to provide general information of the equip-ment being offered and is subject to errors, omissions, additions or deletions. Please check with the Auctioneer's office for a final listing I tems offered may or may not Office for a final listing. Items offered may or may not necessarily be sold as described and/or photographed in this brochure.

MAIL BIDS ACCEPTED WITH A 25% DEPOSIT

DIRECTIONS

From Downtown Cincinnati Proceed North on I-75 to Exit 9 for OH-4/Paddock Rd. Turn Right/East onto Paddock Rd and take an immediate Left onto Seymour Ave. Continue ? Mile on Seymour Ave to Reading Rd and Turn Left. Proceed 3/4 Mile on Reading Rd to Losantiville Ave and Turn Right. Take the Third right onto Wiehe Rd and Proceed 1/4 Mile to Sale Site on Right. Watch for Auction Signs and Auction Parking.

AUCTIONEERS

Cincinnati Industrial Auctioneers, Inc. - License No. 63-1983-10439 Jeffrey L. Luggen – License No. 57-1983-33789 Jerome A. Luggen - License No. 52-1983-33799 Jeffrey M. Luggen - License No. 2010-0000-26 Joseph M. Luggen - License No. 2010-0000-19 John F. Rome - License No. 57-2000-84249



for cash in accordance with our regular terms and conditions of sale. Unless other satisfactory arrangements are made, a 25% deposit in cash,

certified or cashier's check payable to Cincinnati Industrial Auctioneers, Inc., is required on all purchases. Firm and personal checks accepted only if accompanied by a letter from your bank guaranteeing your funds. All sales are subject to state and/or local taxes unless a signed exemption form is presented at the time of purchase. All balances are due at the conclusion of the sale. No merchandise may be removed while the sale is in progress. All bidders must comply with our Standard Terms of Sale, copies of which will be available at the sale site or can be obtained from our website

All equipment described herein will be sold "as

is", "where is" to the highest bidder or bidders

12% ONSITE BUYER'S PREMIUM 15% ONLINE BUYER'S PREMIUM

SALE UNDER THE MANAGEMENT OF ncinnati Industrial Auctioneers Inc. 2020 DUNLAP ST., CINCINNATI, OHIO 45214 PHONE (513) 241-9701 / FAX (513) 241-6760 WEBSITE: cia-auction.com for printable brochures, catalog, terms and proxy-bidding

