

200,000 SQ. FT. FABRICATING AND MACHINING FACILITY INCLUDING  
HEAVY PLATE FABRICATING, LARGE CAPACITY CONVENTIONAL MACHINING  
EQUIPMENT, WELDING, SHOT BLASTING, ELECTRICAL TESTING, SHOP AND SUPPORT  
AND EQUIPMENT - INDUSTRIAL REAL ESTATE

**BidSpotter.com**  
See Instructions on Page 4  
To Become a Qualified Bidder on the Internet

# PUBLIC AUCTION

## HOWDEN NORTH AMERICA, INC.

338 S. Broadway Street – New Philadelphia, Ohio 44663

*Approx. 30 Miles South of Akron/Canton, Ohio off I-77*

**SALE DATE: TUESDAY, OCTOBER 21ST, STARTING AT 9:00 AM**

**INSPECTION: MONDAY, OCTOBER 20TH FROM 10:00 AM TO 4:00 PM**



**Esab Model Avenger 1-14 CNC Plasma Cutting Table**



**1/2" X 10' Bertsch Initial Pinch Mechanical Power Plate Bending Roll**



**Large Quantity of Electrical Including Control Panels, Switchgear, Motors, Transformers and Related**



**144" Dia. Pangborn Model 12LK-1 Rotoblast Rotary Table Abrasive Blast Machine**



**80" Scheiss High Column Vertical Boring Mill / Turret Lathe**



**(7) Lift Trucks Up To 7,000 LB by Yale**



Sale Under The Management Of

**CINCINNATI INDUSTRIAL AUCTIONEERS**

auctioneers | appraisers | since 1961 | [cia-auction.com](http://cia-auction.com) | [info@cia-auction.com](mailto:info@cia-auction.com)  
2020 Dunlap St., Cincinnati, Ohio 45214 Phone 513-241-9701 Fax 513-241-6760





# TUESDAY, OCTOBER 21ST



1/2" X 12' Cincinnati Model 500H Hydraulic Power Squaring Shear



400 Ton X 14' Capacity Pacific Model K400 Hydraulic Press Brake



5/8" X 4" X 4" Thomas No. 4 Horizontal Angle Bending Rolls



Esab Model Avenger 1-14 CNC Plasma Cutting Table



1/2" X 10' Bertsch Initial Pinch Mechanical Power Plate Bending Roll

## CNC PLASMA CUTTING TABLE

**Esab Model Avenger 1-14 CNC Plasma Cutting Table;** S/N 99ViF2-00117, 12' X 24' Esab Factory Fabricated Water Table, Esab Model 600C Plasma Power Supply, Model WC-7C Coolant System, Esab CNC Control **SEE PHOTO**

## PRESS BRAKE

**400 Ton X 14' Capacity Pacific Model K400 Hydraulic Press Brake;** S/N 1863, 14' Overall Length of Bed and Ram, 12'6" Distance Between Housings **SEE PHOTO**  
**(2) 14' X 6" X 6" Four-Way Press Brake Dies**

Large Quantity Various Size Press Brake Dies, Uni-Punches and Uni-Punch Die Tables, Die Holder Racks

## SQUARING SHEARS

**1/2" X 12' Cincinnati Model 500H Hydraulic Power Squaring Shear;** S/N 44527, 160" Left Band Front Squaring Arm, 108" Front Operated Motorized Back Gauge, Cincinnati Shear Control Center **SEE PHOTO**

**12 Ga. X 52" Niagara Mechanical Power Squaring Shear;** S/N 39571, (2) Front Sheet Extension Arms

## PLATE BENDING ROLLS

**1/2" X 10' Bertsch Initial Pinch Mechanical Power Plate Bending Roll;** S/N 8207, 12" Roll Diameter, Air Drop End, Variable Speed Drive, Power Rear Roll Adjustment **SEE PHOTO**

**1/4" X 72" Bertsch Initial Pinch Mechanical Power Plate Bending Roll;** S/N 8708, 5" Diameter Top Roll, 7" Diameter Bottom Rolls, Air Drop End, Power Rear Roll Adjustment, Update Factory Controls **SEE PHOTO**

**14 Ga. X 36" Webb Model 3036 Power Bending Rolls;** S/N 57125, 3" Diameter Rolls, Variable Speed Drive, Foot Pedal Control, 36" X 10 Gauge Capacity **SEE PHOTO**

## ANGLE BENDING ROLLS

**5/8" X 4" X 4" Thomas No. 4 Horizontal Angle Bending Rolls;** S/N 9786, 20 HP Motorized Leg-In Leg-Out Adjustment, Large Quantity Various Size Additional Tooling **SEE PHOTO**

**1/4" X 2" X 2" Buffalo No. 1/2 Vertical Angle Bending Roll;** S/N 607-7902 **SEE PHOTO**

## SAWS

**18" X 20" Marvel No. 8 Tilt Frame Band Saw;** S/N 826404, Coolant System, Gravity Roller Infeed and Outfeed Conveyors, 18" Throat, 1" Blade

**36" DoAll Model 36-W Vertical Band Saw;** S/N 31-561708, 36" X 31" Table, with Master Model FT2-HF48-59 Feed System; S/N 1570

**16" DoAll Vertical Band Saw,** 20" X 20" Table

**18" Grob Model NS18 Vertical Band Saw;** S/N 7814, Blade Welder, 24" X 24" Table

**20" Delta Model 20 Vertical Band Saw;** S/N 87F32356, 20" x 24" Table

## IRONWORKERS

**1/2" X 6" X 6" Buffalo No. 2 1/2 Mechanical Power Ironworker;** S/N 964566000, 6" X 6" X 1/2" Angle, 1/2" X 11" thru 3/4" X 9" Flat Bar, 7/8" Rounds, 1-7/16" Thru 7/8" Punch, Punch Attachment, Coper Attachment, Punches and Dies **(New 1996) SEE PHOTO**

**1/2" X 6" X 4" Peddinghaus Type 210/16 Mechanical Power Ironworker;** S/N 479, 6" X 4" X 1/2" Angle Shear, 6" X 3/4" Flat Stock Shear, 1-1/26" X 3/4" Max Punching Capacity, 4" X 4" x 3/8" 45 Degree Shearing, 5" X 5" X 1/2" T-Shearing

Large Quantity of Punches and Dies for Each Ironworker

## MISCELLANEOUS FABRICATING MACHINERY

**Pullman Model 8-37.5 Plate Beveller;** S/N 21401-01

**No. 2 Diacro Hand Punch with Stand**

**No. 1 Diacro 24" Manual Hand Brake with Tooling and Stand**

**18" Neil Irwin Bench Type Finger Brake**

**30" Niagara Type Powered Slip Rolls**

**30" Pexto Manual Slip Rolls**

## ACORN WELDING TABLES

**(35) 60" X 60" Weldsale Cast Iron Acorn Type Welding Tables SEE PHOTO**

## WELDING EQUIPMENT AND RELATED

**450 Amp Miller Deltaweld 451 Mig Welder w/ Wire Feed**

**(4) 300 Amp Miller CP-300 Mig Welders w/ S-54A Wire Feeds**

**250 Amp Miller CP-250 TS Mig Welder w/ S22A Wire Feed**

**(2) 400 Amp Hobart Model Excel-Arc-6045 CC/CV Tig Welders**

**250 Amp Miller CP-250TS Mig Welder with Cobramatic Push Pull Wire Feeds**

**(2) 400 Amp and (1) 500 Amp Lincoln Box Style Stick Welding Machine**

**(3) 300 Amp Hobart Model M-300 Stick Welder**

**(3) Torpedo Style Stick Welders**

**(4) Phenix Dry Rod Ovens**

**Approx. (50) Full Un-Opened Boxes of Lincoln, ESAB, and PREMIERE Welding Wire \*Most is .045 and .035 Diameter SEE PHOTO**

**Very Large Quantity of Welding Accessories Including:** HD Welding C-Clamps, Bar and Pipe Clamps, Vise Grip Clamps, Acorn Table Clamps, Pneumatic Angle and Straight Shank Grinders, HD Steel

## REAL ESTATE TO BE OFFERED AT PUBLIC AUCTION



## TUESDAY, OCTOBER 21ST AT 11:00 AM

**Inspection:** Monday, October 20th 10:00 AM to 4:00 PM or by Appointment with Broker

**338 Broadway Street (South) – New Philadelphia, Ohio 44663**

**229,975 Sq. Ft. of Industrial Buildings Including Production, Warehouse & Offices on 17.48 Acres of Land;** Separate Buildings for Office, Manufacturing and Warehouse, Separate Bridge Cranes from 3 Ton to 40 Ton, Overhead Doors, Docks, Sprinkler System, Heavy 3-Phase Electric, Gas Service, Municipal Utilities.

**Real Estate Terms of Sale:** 7% Buyers Premium, \$25,000.00 Down in Cash or Certified Funds sale day. A 7% Buyers Premium will be added to the high bid to determine contract price. Owner and high bidder will negotiate a contract to purchase. Owner will have 10 days to accept, or reject high bid. If accepted the balance will be due at closing within 90 days of the auction. If the bid is not accepted, buyer's deposit will be refunded promptly. Seller will present buyer a Limited Warranty Deed at closing. Occupancy shall be given upon closing. Taxes will be prorated until closing. Property will sell on an "as is" basis. There shall be no warranty of any kind given with regards to the premises, other than title; all implied warranties shall be disclaimed. Announcements at the time of sale will take precedent over all information provided in advertisements. Call for Complete terms and information package.

**Subject to Confirmation – Subject to Prior Sale – Subject to Withdraw**

**Putman Properties Inc. – Broker**  
3978 Fulton Dr. NW  
Canton, OH 44718  
Office: 330-498-4400  
Email: [info@putmanproperties.com](mailto:info@putmanproperties.com)

**Steve Marcelli – Agent**  
Office: 330-818-3514 • Cell: 330-327-5834  
Email: [marcelli@putmanproperties.com](mailto:marcelli@putmanproperties.com)

**Jeffrey L. Luggen – Auctioneer**  
2020 Dunlap St., Cincinnati, OH 45214  
513-241-9701 or [jeff@cia-auction.com](mailto:jeff@cia-auction.com)





80" Scheiss High Column Vertical Boring Mill / Turret Lathe



36" Bullard Cutmaster Vertical Boring Mill / Turret Lathe



4" Portage Table Type Horizontal Boring Mill



1/4" X 72" Bertsch Initial Pinch Mechanical Power Plate Bending Roll

Horses, Steel Welding Tables, (6) Acetylene Outfits, Weld Curtains, Welding Safety Items and Many Other Related Items

## VERTICAL BORING MILLS / TURRET LATHES

**80" Scheiss High Column Vertical Boring Mill / Turret Lathe;** S/N 75504, 80" Diameter 4-Jaw Chuck, 90" Max. Swing (Additional 5" Clearance From Chuck to Side Frame), (1) Ram Head, (1) 5-Position Turret Head, 60" Max Distance From Table to Ram Head, 75 HP with Updated Reliance Variable Speed Drive and Control, Table Speeds: 0-200 RPM, (2) DROs, Mimik Tracer, Floor Machine - No Pit Required **SEE PHOTO**

**36" Bullard Cutmaster Vertical Boring Mill / Turret Lathe;** S/N 27121, 36" Diameter 3-Jaw Chuck, 5-Position Turret Rail Head, Side Head, DRO, 20 HP, 6.6 to 240 RPM, 30" From Table Ram Head, Floor Machine - No Pit Required **SEE PHOTO**

## HORIZONTAL BORING MILL

**4" Portage Table Type Horizontal Boring Mill;** S/N 4-25858, Spindle Speeds: 8 - 1,000 RPM, 36" X 96" Work Table, 60" Vertical Travel, 20 HP, Thionics DRO **SEE PHOTO**

## ENGINE LATHES

**24" X 96" Monarch Heavy Duty Geared Head Engine Lathe;** S/N 24123-A, Taper Attachment, 18" 4-Jaw Chuck, Tailstock, Threading - Automatic Sizing Attachment Indicating Longitudinal Feed Rates **SEE PHOTO**

**20" X 78" Monarch Heavy Duty Geared Head Engine Lathe;** S/N 38963, Taper Attachment, 15" 3-Jaw Chuck, Tailstock, Steady Rest, Extra Collet and 18" 4-Jaw Chucks

**12" X 20" Monarch EE Engine Lathe;** S/N 40354, 50-2,500 RPM, Tri-Onics Pro Mox DRO, 5C Collet Chuck

**Large Quantity Lathe Tooling Including Boring Bars and Turning Tools, Tool Posts and Holders, Chucks, Steady Rests, Centers, Chuck Jaws and Related**

## TURRET LATHES

**Warner and Swasey No. 3A Model M-3500 Square Head Turret Lathe;** S/N 2213274, 21" 3-Jaw Chuck, 6-Position Turret, 6" Spindle Hole, Coolant System, 20 HP Arlam Wizard 450 DRO, 24-1/2" Max Bed Swing **SEE PHOTO**

**Warner and Swasey No. 5 Pre-Selector Head Ram Type Turret Lathe;** S/N 1428835, Collet Chuck, 6-Position Turret, Acu-Rite DRO

**Jones and Lamson No. 7B Ram Type Turret Lathe;** S/N 210144, 12" 3-Jaw Chuck, 6-Position Turret

**Large Quantity Turret Lathe Tooling**

## CNC VMC AND PALLET CHANGER

**K&T Model VB-4 Vertical Machining Center;** S/N 558834, 24" X 67" Table, 50 Taper Spindle, 24-Pos. ATC, 8" Pratt 3-Jaw Indexers, 40" X-Axis, 27" Y-Axis, 20" Z-Axis

- **SMW Model 200T Pallet Changer;** (2) 20" X 40" T-Slotted Pallets, with (2) 12" 3-Jaw Chucks on One Pallet and (2) 6" Chuck Vises on Other Pallet

## HORIZONTAL BROACH

**25 Ton Colonial Model HAS2572BVSH Horizontal Hydraulic Broach;** S/N 92622H503, 72" Stroke **SEE PHOTO**

## DRILLS

**24" Cincinnati Bickford Geared Head Drill;** S/N 2L3584, Power Spindle Feed

**20" Clausing Model 2277 Single Spindle Drill;** S/N 513464, 15" X 18" Table

**3' X 9" Column Cincinnati Bickford Radial Arm Drill;** S/N 1R5114, T-Slotted Drill Box Table

**(2) 20" Walker Turner Model 1113-41 Floor Drills**

**14" South Bend Single Spindle Floor Drill**

## MISC. AND TOOLROOM MACHINERY

**(2) Ridgid Model 335 Powered Pipe Threaders;** S/N 314510 and 345205

**Oster Powered Pipe Threader;** S/N 792A-XM-44Y

**1 HP Bridgeport 8-Speed Vertical Milling Machine;** S/N 74631, 9" x 42" Power Feed Work Table, Digital Readouts, DRO

**Enco Model 910-34 Bench Type Vertical Mill;** S/N B9-16-0246, 40-3,000 RPM

**8" X 24" DoAll Model DB-2 Hydraulic Surface Grinder**

**75 Ton Rodgers Hydraulic H-Frame Press**

**Gorton Model 3-48 Vertical Milling Machine;** 50-2,000 RPM, 15" X 77" Table, DRO

**No. 4 Dake Floor Model Manual Arbor Press**

**Atlas No. 6 and No. 4 Compound Mandrel Presses**

**14" Milwaukee Compound Mitre Saw (15) Assorted Size Double End Pedestal Grinders**

**Machine Accessories and Perishable Tooling Including:** (8) Vidmar Cabinets Full of Tooling (HS Drills, Carbide Inserts, Taps, End Mills and Other), Vises, Dividing Heads, Angle Plates, Lathe Tooling, Grinding Accessories and Many Other Related Items



1/4" X 2" X 2" Buffalo No. 1/2 Vertical Angle Bending Roll



1/2" X 6" X 6" Buffalo No. 2-1/2 Mechanical Power Ironworker



25 Ton Colonial Model HAS2572BVSH Horizontal Hydraulic Broach



Vibratory Finishing Machinery Co. Model TU-1000 Vibratory Tub Type Parts Deburring and Finishing Machine

**NEW 2005**





# TUESDAY, OCTOBER 21ST



## UPDATED 2011

- Rotoblast Liners
- Bladers
- Drive Wheels
- Bag House Vibrators



144" Dia. Pangborn Model 12LK-1 Rotoblast Rotary Table Abrasive Blast Machine

## ROTARY TABLE BLAST MACHINE

**144" Dia. Pangborn Model 12LK-1 Rotoblast Rotary Table Abrasive Blast Machine;** S/N 12LK-741, 12' Diameter Work Table with 20,000 Lb. Capacity for Work Up to 72" High, 4.0 RPM Constant Table Rotation, (3) 20 HP 195-4 RI Rotoblast Wheels (P-41 Vanes), Abrasive Recycling System with 4 IF Elevator and Air Wash Separator, Motors: (1) 5 HP Elevator Motor, (1) 3 HP Table Drive, (3) 20 HP For Rotoblast, (1) 3 HP For Abrasive Conveyor with Carborundum, Pangborn Type Model 216CT-2 Intermittent Dust Collector at 15 HP  
**\*\*NOTE: New Rotoblast Liners, Bladers, Drive Wheels and Bag House Vibrators in 2011\*\***  
**(Updated 2011) SEE PHOTO**

**VIBRATORY FINISHING TUB**  
**Vibratory Finishing Machinery Co. Model TU-1000 Vibratory Tub Type Parts Deburring and Finishing Machine;** S/N 4090, 21" X 120" Tub Size, 25 HP, 230 Volt, 9" Diameter End Drain Gate  
**(New 2005) SEE PHOTO**

## LIFT TRUCKS

(3) 7,000 Lb. Yale Model GLC070 LP Gas Cushion Tire Lift Trucks; S/N A910V14968G, A910V14960G, and A910V14963G, 3-Stage Mast, 228" Lift Height, Auxiliary Front Hydraulic Ports, Technitron 100 Transmissions **SEE PHOTO**  
 (2) 5,000 Lb. Yale Model GLC050 LP Gas Cushion Tire Lift Trucks; S/N A910V15026G and A910V15035G, 3-Stage

Mast, 189" Lift Height, Each with Cascade Model 45E-PHB-171 Hydraulic Push-Off Attachment - Carriage will Accept Conventional Forks

**5,000 Lb. Hyster Model H50H LP Gas Pneumatic Tire Lift Truck;** S/N D003D5352V, 2-Stage Mast, 130" Lift Height, No Hour Meter

**6,000 Lb. Allis-Chalmers Model ACC-60-L-PS LP Gas Cushion Tire Lift Truck;** S/N AKB84244, 122" Lift Height, 72" Forks, 977 Hours Showing

## MATERIAL HANDLING

**10 Ton Caldwell Model 60MS-10-96 Motorized Crane Type Steel Sheet Lifter;** S/N 10-21483, 96" Grab Arms, 96" Max Width, 1/2 HP Positioning Motor

**3,780 Lb. Acco Model 5600 Vacuum Steel Sheet Lifter;** S/N A4355, 6 Lifting Pads with Vacuum Pump

**20,000 Lb. Hydraulic Crane Scale**

**40 Ton Bushman Model 420 Crane Type Spreader Bar;** S/N 15605, 150" Long

(3) Cushman Model 8983206 Electric Single Person Personnel Carts

(3) 3,000 Lb. Clark Model S130 Electric Walk-Behind Stackers

**5 Ton Cady Metal Model SL102472 Sheet Lifter**

**Caldwell Model FB-60 Lift Truck Boom Attachment**

**PARTS RETRIEVAL SYSTEMS**  
**Remstar Model XP-500-3050X610UL**

**Vertical Shuttle Lift Parts Storage and Retrieval System;** S/N 08007507/001, Overall Dimensions: 8' Front to Back X 11' Left to Right X 24' High, Tray Size: 24" X 120" X 2" Deep, This Unit Can Hold Approx. 144 Trays, Max Tray Capacity 1,250 Lb. (New 2008)

**Remstar Model XP-500-3050X610 Vertical Shuttle Lift Parts Storage and Retrieval System;** S/N 03001474/001, Overall Dimensions: 8' Front to Back X 11' Right to Left X 16' High, Tray Size: 24" X 120" X 2" Deep, This Unit Can Hold Approx. 96 Trays, Max. Tray Capacity 1,250 Lb. (New 2003)

## TEST SYSTEM

**LARGE FIXTURES AND ELECTRICS TO BE SOLD FOR SCRAP**

**14' Diameter Heavy Steel Frame Fixture with Related Steel Framework**

**General Electric Model 26G365 DC Electric Dynamometer;** No. 7178232, Type TLF-2856M, 300 Volts, 1,900 Amp, Absorbs 800 HP and Delivers 650 HP at 2,000 RPM

**Reliance Electric Type TT-867545 Automax Distributed Control System;** BIM No. 867545-R, 460 Volt AC Input, 360 Volt AC Output

• 750 KVA Federal Pacific Transformer

• Cutler Hammer Type WLI Load Interrupter Switch

Disassembled will be sold in component parts



(35) 60" X 60" Weldsale Cast Iron Acorn Type Welding Tables



Test System - Large Fixtures and Electrics to be Sold for Scrap



Large Capacity Paint Line



Large Test Room to be Sold for Scrap

## WEBCAST BIDDER INSTRUCTIONS

- > All Internet bidders must register for this auction at [www.bidspotter.com](http://www.bidspotter.com) at least 48-Hours Prior to the Sale Date, **if you do not you will not be approved.**
- > All Internet bidders must Post a Deposit of Approx. 25% of Your Planned Spending Budget or \$5,000.00 Minimum with Cincinnati Industrial Auctioneers in Order to be approved to Bid. Those who do Not Post the Deposit Will Not be Approved. **Period.**

**BidSpotter.com**



14 Ga. X 36" Webb Model 3036 Power Bending Rolls



Approx. (50) Full Un-Opened Boxes of Weld Wire



(16) Various Style Welders



Col-Met "EZ Heat and Cure" Air Make Up Unit





# TUESDAY, OCTOBER 21ST



**NEW  
2008**

Remstar Model XP-500-3050X610UL Vertical Shuttle Lift Parts Storage and Retrieval System



(3) 7,000 Lb. Yale Model GLC070 LP Gas Cushion Tire Lift Trucks



Large Quantity of Large Bearings

## TEST SYSTEM - To Be Sold for Scrap

200KW Reliance Electric Model TI Motor Generator Set; S/N 1TH-12514, Frame - 1050 T, 1,175 RPM, 250 Volts

800 Amp Reliance Control Panel with Catley Hammer Type KS Model D400 APM

Circuit Breaker and Eaton Type LS Switch

Disassembled will be sold in component parts

## ELECTRICAL - CONTROL PANELS, SWITCHGEAR, MOTORS AND RELATED

Yaskawa Model CIMR-F7U4090 Pulse Width Modulated Variable Frequency Drive; S/N 79136, 140.0 KVA Output at 125/150 HP, 180.0 Rated Output Current (A), 300.0HZ Max Output Rated Frequency, Stainless Steel Enclosure (New 2010 - Never Used)

100 Max 100 KVA HP Reliance Electric Model 26C1100 AC Variable Speed Control Panel; S/N 1GN2210

4,160 Volt / 200A Motortronics Solid State AC Motor Control Center at 1,250 HP Nominal

4,000 / 4,160 Volt Westinghouse Cat No. V602S4G Amp Guard Medium Voltage Motor Control Center; Order No. HUPR31350-1, Rated at 400 HP

600 Amp Cutler-Hammer Model MLI Metal Enclosed Load Interrupter Switch Gear; S/N SM99A336, Style 7274A63G09

600 Volt / 50 KA ABB Type ACS627-0610-6 Primary Disconnect Switch; Code 64175149, No. 1176X/10, U1-525.690 Volt, F1-49.63 HZ, F2-0 to 300 HZ (New 1999)

500 KVA Rex Mfg. CAT No. DA500/XX/K4 Isolation Transformer; S/N U-23906

550 KVA Rex Mfg. Cat No. DA550UX/K6 Isolation Transformer; S/N U-23905

1,000 KW/HP WEG Unisine Power Strategies LLC Model PSS061TR066 Motor Set; S/N 19-J-96, 1,215 RPM, 4,100 Volts

Louis Allis Static S-A-S Type HS-50 Motor Control Center; S/N 0-889141001, 460 Volts

General Electric Hannon Co. Model CR209 Magnetic Reversing Controller; S/N CR209E100BPA, Rated to 600 Amp Max. (50) Various Electric Motors to 400 HP by GE, Brompton, Leeson and Others, See Catalog for Complete List

## HEAVY ELECTRIC TEST STATIONS

(2) 12' Wide X 14' Deep X 10' High Fan Test Cages with Heavy Electric Hook Ups; Each with 100 HP Over 250 HP Connect Points with Appropriate Switches and Transformers

250 HP Reliance Electric Model GV3000/SE Sensorless Enhanced AC Drive; S/N 250VH160, (2) 37.5 KVA Acme Transformers and 200 HP Transfer Switch

Several Hundred Feet of Heavy Electric Service Wire

## NEW LARGE APPLICATION BEARINGS AND HARDWARE

(7) Renk Size 28-300 Diameter Rearing Assemblies (New)

Large Quantity of New Fan Assembly Hardware: (70) Sections of Shelving Containing Approx. 2,00 Bins of Assorted New Hardware Including: Standard and Metric Bolts and Nuts up to 2", Brass Bushings, Standard and Lock Washers, Hex Nut Hardware, Retaining Rings, Pipe Fitting, Snip Rings, Inserts and Many Other Items --- To Be Sold in Large Lots

## LARGE CAPACITY PAINT LINE

(2) 14' Wide X 14' Long X 10' High Col-Met Pass-Thru Paint Spray Booths; 10' High Double Door on Each End, Side Draft Booths, Bolt Together Construction, Overhead Track System Passes Thru Each Booth

• Col-Met "EZ Heat and Cure" Air Make Up Unit SEE PHOTO

10' Wide X 35' Long X 12' High JBI Model FT-24-DT-5 Gas Fired Pass-Thru Oven; S/N 17129, Bolt Together Construction, Lights, Double Doors on Each End, Overhead Track System Passes Thru Oven

I-Beam Constructed Overhead Track System That Passes Thru Each Paint Booth and Oven; (30) 2 Ton Cuffing Trolleys, Air Actuated Gate Switching

## MISC. MACHINERY

JA Day and Egan No. 504 Rip Saw

2 HP Central Machine Dust Collector

Ideal Model WSTB-1240 Wire Stitcher

(2) Sealed Air Corp. Model 8448-AS-01 Insta-Pak Pumps with Foam Gun

(2) 5HP Vertical Tank Air Compressors

Joy Model E, Size 11 1/4 - 7 X 7 Air Compressor

2,000 Lb. Autoquip Electric Scissor Lift Table

## PICK- UP TRUCK AND SPOTTING TRACTOR

1998 Ottawa Model YT-30 Yard Spotting Tractor; Fifth Wheel, Pneumatic Tire, Diesel Power, 2,812 Hours

1998 International 4700 DT466E Single Axle Straight Truck; VIN # 1HTSCAAMOWH567250, Automatic Transmission, Air Conditioning, Dual Fuel Tanks, 135,200 Miles

2005 Ford 250 6.0 Powerstroke Diesel Pick-Up Truck; 137,000 Miles

## INSPECTION EQUIPMENT

60,000 Lb. Tinius Olsen 4-Post Tinsel Tester; S/N 66076-5, 20" Between Posts, 36" Vertical Clearance

Leco Model GDS-400A (607-000)

Spectrometer; S/N 3029

Inspection Tools Including: (3) 36" X 48" Rahn Granite Surface Plates, King Hardness Testers, 12" Cadillac Gage, Detroit Model UT-3 Tensile Tester, Fischer Model 335B Permeability Tester, Angle Plates, Dial Bore Gages, Magnetic Stand and Other Related Items

## SHOP EQUIPMENT

Shop Equipment that Supports a 100,000 + Square Foot Facility

Including: (15) Self Dumping Hoppers, (8) Vidmar Tooling Cabinets, Hydraulic Pallet Trucks, Assorted Colum Type Jibs with Hoists, Portable Shop Ladders, Heavy Duty Steel Storage Cabinets, Steel Shelving, Dis-Assembled Pallet Rack with 42" Wide Uprights and 108" Long Beams, Steel Banding Sets, Cantilever Racking, Large Variety of Electric And Pneumatic Power Tools, Maintenance Tools, (12) Station Lube System with Rack, 42"/48" X 108" Pallet Rack and Many Other Related Items



1,000 KW/HP WEG Unisine Power Strategies LLC Model PSS061TR066 Motor Set



4,160 Volt / 200A Motortronics Solid State AC Motor Control Center at 1,250 HP Nominal



Band Test System Including 200 HP Joy Axivian Fan, 200 KW Reliance Generator Set, and Related



(15) Self Dumping Hoppers



Large Quantity of Electrical Including Control Panels, Switchgear, Motors, Transformers and Related



Large Quantity of Electrical Motors

# PUBLIC AUCTION

200,000 SQ. FT. FABRICATING AND MACHINING FACILITY INCLUDING HEAVY PLATE FABRICATING, LARGE CAPACITY CONVENTIONAL MACHINING EQUIPMENT, WELDING, SHOT BLASTING, ELECTRICAL TESTING, SHOP AND SUPPORT AND EQUIPMENT - INDUSTRIAL REAL ESTATE

Plant Closed

## HOWDEN NORTH AMERICA, INC.

338 S. Broadway Street - New Philadelphia, Ohio 44663  
Approx. 30 Miles South of Akron/Canton, Ohio off I-77

**SALE DATE:**  
**Tuesday, October 21st**  
**STARTING AT 9:00 AM**

**INSPECTION:**  
**Monday, October 20th**  
**10:00 AM to 4:00 PM**



**CINCINNATI INDUSTRIAL AUCTIONEERS**  
auctioneers | appraisers | since 1961

Contact Information  
2020 Dunlap St.  
Cincinnati, Ohio 45214  
Phone 513-241-9701  
Fax 513-241-6760  
[www.cia-auction.com](http://www.cia-auction.com)



ESAB Plasma Table



(3) Plate Bending Rolls



Electrical Equipment



(7) Lift Trucks

**FIRST CLASS MAIL!**

PRE-SORT  
FIRST CLASS  
U.S. POSTAGE  
**PAID**  
CINCINNATI, OHIO  
PERMIT NO. 3593

### Important Mail

TO BE DIRECTED TO THE ATTENTION  
OF EXECUTIVE PERSONNEL

# TUESDAY, OCTOBER 21ST PUBLIC AUCTION

Plant Closed

## HOWDEN NORTH AMERICA, INC.

338 S. Broadway Street  
New Philadelphia, Ohio 44663

Approx. 30 Miles South of Akron/Canton, Ohio off I-77

### IMPORTANT NOTICE:

Although information has been obtained from sources deemed reliable, the auctioneer makes no warranty or guarantee, expressed or implied, as to the accuracy of the information herein contained. It is for this reason that buyers should avail themselves of the opportunity to make inspection prior to the sale. This brochure is intended to provide general information of the equipment being offered and is subject to errors, omissions, additions or deletions. Please check with the Auctioneer's Office for a final listing. Items offered may or may not necessarily be sold as described and/or photographed in this brochure.

MAIL BIDS ACCEPTED WITH A 25% DEPOSIT

### DIRECTIONS

From I-77 Approx. 70 Miles South of Cleveland Exit at RT. 250/Rt. 39 Exit No. 81. Proceed East on RT. 250 Approx. 2 Miles to RT 800 / RT. 416 Exit. At Ramp Turn Left On North Onto RT. 800 and Proceed Approx 1/4 Mile to Sale Site on Left at the Intersection of S. Broadway and Mill Street. Watch for Auction Signs. Use Cover Parking Lot and Enter at Security Station.

### AUCTIONEERS

Cincinnati Industrial Auctioneers, Inc. - License No. 63-1983-10439

Jeffrey L. Luggen - License No. 57-1983-33789

Jerome A. Luggen - License No. 62-1983-33799

Joseph M. Luggen - License No. 2010-0000-19

Frank Rome - License No. 62-1995-66509

John F. Rome - License No. 57-2000-84249

Ryan L. Luggen - Apprentice Auctioneer



### TERMS OF SALE

All equipment described herein will be sold "as is", "where is" to the highest bidder or bidders for cash in accordance with our regular terms and conditions of sale. Unless other satisfactory arrangements are made, a **25% deposit** in cash, certified or cashier's check payable to Cincinnati Industrial Auctioneers, Inc., is required on all purchases. Firm and personal checks accepted only if accompanied by a letter from your bank guaranteeing your funds. All sales are subject to state and/or local taxes unless a signed exemption form is presented at the time of purchase. **All balances are due at the conclusion of the sale.** No merchandise may be removed while the sale is in progress. **All bidders must comply with our Standard Terms of Sale**, copies of which will be available at the sale site or can be obtained from our website.

**15% ONSITE BUYER'S PREMIUM**  
**18% ONLINE BUYER'S PREMIUM**

Sale Under The Management Of



**CINCINNATI INDUSTRIAL AUCTIONEERS**

auctioneers | appraisers | since 1961 | [cia-auction.com](http://cia-auction.com) | [info@cia-auction.com](mailto:info@cia-auction.com)  
2020 Dunlap St., Cincinnati, Ohio 45214 Phone 513-241-9701 Fax 513-241-6760