

WEBCAST AUCTION OF NUTRITIONAL SUPPLEMENT MANUFACTURING EQUIPMENT
INCLUDING 2017 SCHRADER PERCOLATOR EXTRACTOR SYSTEM, APS 6' X 12' RIBBON BLENDER,
CONICAL VACUUM BLENDERS, HEAT EXCHANGERS, STAINLESS TANKS, 9,000 GALLON STORAGE TANKS
PALLET RACK, FORKLIFTS, FACILITIES, MAINTENANCE AND SUPPORT EQUIPMENT

BidSpotter.com
To Become a Qualified Bidder on the Internet
See Instructions on Page 4

WEBCAST AUCTION

Plant Closed

INNOPHOS NUTRITION

88 Weiss Lane – Green Pond, South Carolina 29446

40 Miles West of Charleston, South Carolina

SALE DATE: WEDNESDAY, MAY 4TH, STARTING AT 10:00 AM

INSPECTION: Day Prior from 10AM to 4PM or by appointment with jeffjr@cia-auction.com



NEW
2017

Never
Installed

Schrader Model 2,0M3 S.S. Percolator Extractor System w/ Tanks, Heat Exchangers, Structure and Related



120" Wide x 120" High J.P. Devine Rotating Conical Blender w/ Jacketed, S.S. Interior



LIKE
NEW

(40) Sections 8' Wide x 8' Deep x 15' High Two-Deep Push Back Pallet Rack



NEW
2000

72" Wide x 144" Long x 72" Deep Eirich American Process Systems Model U100/5188 Stainless Steel Ribbon Blender



(25) Various Tanks, Stainless, Percolator Type, Jacketed and Carbon Steel



Sale Under The Management Of

CINCINNATI INDUSTRIAL AUCTIONEERS

auctioneers | appraisers | since 1961 | cia-auction.com | info@cia-auction.com

2020 Dunlap St., Cincinnati, Ohio 45214 Phone 513-241-9701 Fax 513-241-6760



120" Wide x 120" High J.P. Devine Rotating Conical Blender w/ Jacketed, S.S. Interior



Toledo / Safeline Model SL2000 Conveyor Type Metal Detector



Supersack Bulk Bag Filling and Weigh Station



60" Kason Model K-60-2-SS Three-Deck Stainless Screener



72" Wide x 72" High Single Wall S.S. Conical Blender



72" Wide x 144" Long x 72" Deep Eirich American Process Systems Model U100/5188 Stainless Steel Ribbon Blender



PERCOLATOR SYSTEM

System was purchased new and never installed, we have documentation from the manufacturer. System will be sold piecemeal and then Overall, Highest Bid to Prevail

Schrader Model 2,0M3 S.S. Percolator Extractor; s/n 11209-01, Order No. A16-11209, Bayonet Enclosure, 1,700 KG Empty Weight, 4,000 KG Filled Weight, Hydraulic Pump (New 2017 - Never Installed)

Equipment LLC S.S. Shell Tube Heat Exchanger; Nat Board #19490, s/n 21812, Shell Side SO/FV PSIG at 500 Degree F, Opening Size: 8", (New 2017 - Never Installed)

Equipment LLC S.S. Shell Tube Heat Exchanger; Nat Board #19475, s/n 21811, Shell Side / Tube Side SO/FV PSIG at 500 Degree F, Opening Size: 4"

(2) 2,300-Gallon S.S. Single Wall Tanks; 72" Diameter x 142" High, Vertical Cylindrical, w/ Bottom Outlet, with Dome Top with Manhole

(1) 1,000-Gallon S.S. Single Wall Tank; 72" Diameter, 60" High, Vertical Cylindrical, w/ Bottom Outlet, Dome Top with Manhole

(5) Mason Flame Arrestors (New in Box)

(1) Wildon Model PS420/PS430 Advanced Fit Metal Pump (New in Box)

(5) Wildon P200/PX206 Advanced Series Petal Pumps (New in Boxes)

(2) Red Seal Type S Flowmeters (New in Box)

(1) Red Seal 3R31EG Flowmeters (New in Box)

Puritan Liquid Trap Magnet & Viking Pump Valves

2-Ton Harrington Model TCR 2000 P2 Pneumatic Chain Hoist (New in Crate)

4,000 Lb. 4-Point Lifting Fixture for Bult Bag Filling

STAINLESS RIBBON BLENDER

72" Wide x 144" Long x 72" Deep Eirich American Process Systems Model U100/5188 Stainless Steel Ribbon Blender; w/ Sigma Blade, (2) 8" Bottom Outlet, S.S. Lid, Single Wall, 60-HP Motor / Controls, Painted Steel Framework w/ Steps (New 2000)

CONICAL ROTATING BLENDERS

120" Wide x 120" High J.P. Devine Rotating Conical Blender w/ Jacketed, S.S. Interior; Paint Exterior, w/ Controls & Steel Framework, Outlet Opening 16" w/ Controls

72" Wide x 72" High Single Wall S.S. Conical Blender; S.S.

Framework, Outlet Opening 10", w/ Controls, Stainless Exterior & Interior

STAINLESS SCREENER

60" Kason Model K-60-2-SS Three-Deck Stainless Screener; s/n L-1761

(35) 60" Diameter Stainless Steel & Cloth Mesh Screens by Sweco; Mesh Sizes Range From 18T to 94T

BULK WEIGHT STATION AND SCALES

Supersack Bulk Bag Filling and Weigh Station; 4' x 4' x 6' High Weight Platform, S.S. Entry Hopper, Weight Scale, Structural Steel Frame w/ Controls, Can fill Super Sacks, Drums, Boxes, Gaylords

(5) 5,000 Lb. Digital Platform Scales to 4' x 4' Platform

CONVEYOR TYPE METAL DETECTOR

Toledo / Safeline Model SL2000 Conveyor Type Metal Detector; 18" x 18" Pass Thru Opening, 10" Nylon Conveyor (New 2012)

HAMMER MILLS

150-HP H.D. Platform Mounted Hammer Mill; 20" x 24" Chute Opening, Bottom Discharge, 150-HP G.E. Motor, 52" x 80" x 60" High Platform

10-HP Fitz-Mill Model DASCO 6 Portable Hammer Mill; s/n 10343

S.S. TABLES, HOPPERS AND RELATED

(5) 60" Round S.S. Portable Hoppers w/ Powered Bottom Gate Valves

(10) 6' Stainless Steel Tables

8' Diameter x 10' Long S.S. Auger Incline Conveyor w/ Hopper & Double Speed Reducer

(4) Stainless Steel Knife Valves Busch Model Mink-MM-1252 AV Vacuum Pump

6" x 8' Horizontal S.S. Heat Exchanger; Model CV-2A-78ASS

FLEX ARM DUST COLLECTORS

(8) Stainless Steel Flex Arm Dust Collection Units

(6) Torit Model 84 Cabinet Type Dust Collectors

(Lot) 8" S.S. Duct Pipe

TANKS - ALL TYPES

***Important Notice: All Sizes, Capacities and Dimensions are Approximate**

(6) 9,000-Gallon Steel Vertical Cylindrical Storage Tanks; 10' High x 12' Diameter, 18" Manholes, Bottom & Size Discharge Valves

9,000-Gallon Steel Horizontal Storage Tank; 16' Long x 11' Diameter, Bottom Discharge Valve, 12" Manhole

IMPORTANT NOTICE

**** All Listed Equipment Sizes, Dimensions And Capacities Are Approximate And Were Provided By Sources Deemed Reliable. It Is For This Reason Buyer Should Inspect The Equipment Prior To Bidding To Confirm The Accuracy Of The Information Contained Herein****



(25) Various Tanks, Stainless, Percolator Type, Jacketed and Carbon Steel



**NEW
2017**

**Never
Installed**

Schrader Model 2,0M3 S.S. Percolator Extractor System w/ Tanks, Heat Exchangers, Structure and Related



**Stainless
Steel**

200 Ton Approx. Marley Model NC2211-S.S. Stainless Steel Single Fan Water Tower w/ Pumps



**NEW
2009**

95 Ton Carrier Model 30HXC096R-661 Water Cooled Package Chiller

(2) 4,000-Gallon Steel Vertical Storage Tanks w/ Framework; 14' High x 8' Diameter, Bottom Discharge Valve

(2) 3,500-Gallon S.S. Jacketed Percolator Tanks; 11' High x 8' Diameter, 30" x 20" Manhole, Bottom Discharge

(2) 3,100-Gallon S.S. Percolator Tanks; 10' High x 8' Dia., 36" x 18" Manholes

2,000 Gallon S.S. Vertical Cylindrical Jacketed Tank with Top Mounted Agitator, No Motor, Approx. Dimensions 7' Wide x 8' Tall with Steel Leg, Manhole and Outlet Valves

2,000-Gallon S.S. Jacketed Water Holding Tank, Vertical Cylindrical

1,000-Gallon S.S. Jacketed Holding Tank; 108" x 55", Vertical Cylindrical

1,000-Gallon S.S. Jacketed Transfer Tank; 6' High x 5' Diameter, 20" x 30" Manhole

500-Gallon S.S. Holding Tank; 60" High x 48" Diameter, 24" Top Fill Opening

500-Gallon S.S. Vacuum Recirculation Tank; 76" High x 48" Diameter

(2) 300-Gallon S.S. Recovery Tanks; 48" x 20", Vertical Cylindrical

50-Gallon Tri-Mfg. Still w/ 50-Gallon Receiver Tank

(4) Pack Columns

CHILLER / BOILER
95 Ton Carrier Model

30HXC096R-661 Water Cooled Package Chiller; s/n 3809Q1787U, R-134A Refrigerant (New 2009)

100 HP Cleaver Brooks Model CB-800-100 Boiler; s/n L-83839, Nat. Board #n/a, 150-PSI, 3,400 Lb. of Steam Air, South Carolina Safety Registration Number 02203 (New 1987)

STAINLESS COOLING TOWER

200 Ton Approx. Marley Model NC2211-S.S. Stainless Steel Single Fan Water Tower with Pumps; s/n 114164-001-97, (1) 50 HP and (1) 10 HP Water Pumps, with Piping, 96" Wide x 108" Long Mounted on Structural Steel Platform

PUSH BACK SHELF PALLET RACKS / PALLET RACKS

(40) Sections 8' Wide x 8' Deep x 15' High Two-Deep Push Back Pallet Rack (Like New); (4) Shelves per Section, Capacity is (16) Pallets / Section, (8) Section per Run

(8) Sections 8' Wide x 8' Deep x 13' High Two-Deep Push Back Pallet Rack (Like New); (3) Shelves per Section, Capacity is (12) Pallets / Section, (4) Sections per Run

(6) Sections 42" x 96" x 15' High Pallet Rack; (4) Shelves / Section

(7) Sections 32" x 96" x 94" High Pallet Rack; (3) Shelves / Section

(25) Sections Adjustable Beam Pallet Racks

FORKLIFTS AND MATERIAL HANDLING

(2) 5,000 Lb. Hyster Model H50XM LP Gas Solid Pneumatic Tire Lift Trucks; s/n's

H177B44867A (3,097 Hours) & H177B07866W, 83" 3-Stage Mast, 189" Lift Height, 48" Forks, Side Shift

3,000 Lb. Hyster Model H30FT LP Gas Cushion Tire Lift Truck; s/n F001V033147E, 82" 2-Stage Mast, 127" Lift Height, 42" Forks, Side Shift, 2,167 Hours

3,000 Lb. Hyster Model J30ZT Electric Lift Truck; s/n J160N02397C, 82" 3-Stage Mast, 189" Lift Height, 42" Forks, Side Shift, 36-Volt w/ General 36-Volt Charger

3,000 Lb. Yale Model ESC030 Electric Stand-On Type Lift Truck; s/n A824N07087W, 83 3-Stage Mast, 190" Lift Height, Side Shift, 42" Forks, 24-Volt w/ 24-Volt Chase

48-Volt Workforce Series II Battery Charger

EXPLOSION PROOF PALLET TRUCK

6,000 Lb. Rico Model PWH-EX-60 Electric Explosion Proof Walk-Behind Pallet Truck; s/n E-31219, Only 36 Hours, w/ 24-Volt Enforce Charger (New 2017)

ARTICULATING ELECTRIC LIFT TRUCK

4,000 Lb. Landoll / Bendi Model B-40-1800 Narrow Aisle Articulating Electric Lift Truck; s/n B40-804J-00582 (On Mast), 196" Lifting Height, w/ 48-Volt Battery with Charger, 87" High Three-Stage Mast

FLOOR SCRUBBER

Advanced Model X2805D-C Electric Floor Scrubber; s/n 3000106145, 58 Hours

PICKUP TRUCK

2000 Chevy 2500 Four-Wheel Drive Silverado Conventional Cab Pickup Truck; Vin #1GCCGK24U3YE105471, 8' Bed, Automatic Transmission, V-6 Gas Engine

STRETCH WRAPPERS / BALER

(2) 60" Wulftec Model WLP-200 Stretch Wrappers; s/n 1005-070, 60" Rotary Platform, 120-Volt, Single Phase

30" x 60" American Vertical Hydraulic Cardboard Baler

AIR COMPRESSOR

15-HP Horizontal Tank Two-Stage Air Compressor Hankison Model HIT50 Air Dryer; s/n E1151003038

MAINTENANCE AND SHOP EQUIPMENT

Maintenance Equipment Consisting of; Miller Sycrowave 250 Welder, Power Drive Pipe Threader, 7" x 12" Wilton Horizontal Band Saw, 20" Central Model T-149 Drill Press

Shop Equipment Consisting of; (3) Tape Shooters, (2) Portable Steps, (3) Pedestal Fans, (2) Flame Cabinets, (3) Dump Hoppers, (3) Hydraulic Pallet Trucks, Forklift Lift Gantry Cage, (5) Expandable Conveyor Units, (2) 500 Lb. Scissor Lift Tables, (2) 60" Aluminum Brow Plates



4,000 Lb. Landoll / Bendi Model B-40-1800 Narrow Aisle Articulating Electric Lift Truck



(2) 5,000 Lb. Hyster Model H50XM LP Gas Solid Pneumatic Tire Lift Trucks



6,000 Lb. Rico Model PWH-EX-60 Electric Explosion Proof Walk-Behind Pallet Truck

**NEW
2017**

17 HRS.



Electric Forklifts by Hyster, Yale and Others



150-HP H.D. Platform Mounted Hammer Mill



(8) Stainless Steel Flex Arm Dust Collection Units

WEBCAST AUCTION

Plant Closed

INNOPHOS NUTRITION

88 Weiss Lane
Green Pond, South Carolina 29446
40 Miles West of Charleston, South Carolina

SALE DATE:
Wednesday, May 4th
STARTING: 10:00 AM

INSPECTION:
Day Prior from 10:00 AM to 4:00 PM or by
appointment with jeffjr@cia-auction.com



CINCINNATI INDUSTRIAL AUCTIONEERS

auctioneers | appraisers | since 1961

Contact Information
2020 Dunlap St.
Cincinnati, Ohio 45214
Phone 513-241-9701
Fax 513-241-6760
www.cia-auction.com



Schrader Extractor (2017)



APS Ribbon Blender



Forklifts of All Types



Push-Back & Pallet Rack

FIRST CLASS MAIL!

PRE-SORT
FIRST CLASS
U.S. POSTAGE
PAID
CINCINNATI, OHIO
PERMIT NO. 3593

Important Mail

TO BE DIRECTED TO THE ATTENTION
OF EXECUTIVE PERSONNEL



WEDNESDAY, MAY 4TH

WEBCAST AUCTION

Plant Closed

INNOPHOS NUTRITION

88 Weiss Lane
Green Pond, South Carolina 29446
40 Miles West of Charleston, South Carolina

IMPORTANT NOTICE:

Although information has been obtained from sources deemed reliable, the auctioneer makes no warranty or guarantee, expressed or implied, as to the accuracy of the information herein contained. It is for this reason that buyers should avail themselves of the opportunity to make inspection prior to the sale. This brochure is intended to provide general information of the equipment being offered and is subject to errors, omissions, additions or deletions. Please check with the Auctioneer's Office for a final listing. Items offered may or may not necessarily be sold as described and/or photographed in this brochure.

BIDDER INSTRUCTIONS

> All bidders must register for this auction at www.bidspotter.com. Please register 24-hours in advance to get through approval process.



AUCTIONEERS

Cincinnati Industrial Auctioneers –
SC License No. 2566

Jeffrey L. Luggen - SC License No. 1250

Joseph M. Luggen - SC License No. 4499



TERMS OF SALE

All equipment described herein will be sold "as is", "where is" to the highest bidder or bidders for cash in accordance with our regular terms and conditions of sale. Unless other satisfactory arrangements are made, a **25% deposit** in cash, certified or cashier's check payable to Cincinnati Industrial Auctioneers, Inc., **is required on all purchases.** Firm and personal checks accepted only if accompanied by a letter from your bank guaranteeing your funds. All sales are subject to state and/or local taxes unless a signed exemption form is presented at the time of purchase. **All balances are due at the conclusion of the sale.** No merchandise may be removed while the sale is in progress. **All bidders must comply with our Standard Terms of Sale,** copies of which will be available at the sale site or can be obtained from our website.

18% BUYERS PREMIUM IN EFFECT FOR ALL PURCHASES



Sale Under The Management Of

CINCINNATI INDUSTRIAL AUCTIONEERS

auctioneers | appraisers | since 1961 | cia-auction.com | info@cia-auction.com
2020 Dunlap St., Cincinnati, Ohio 45214 Phone 513-241-9701 Fax 513-241-6760