

**MODERN SLAT GARAGE DOOR MFG. FACILITY
CONSTRUCTED 2007 WITH LATE MODEL
POWDER COATING, FABRICATING AND SUPPORT EQUIPMENT**

PUBLIC AUCTION

Bidspotter.com™
To Become a Qualified Bidder on the Internet
See Instructions on Page 2

**NEW
2008**



**Under
50 Hrs**

Goff Model WM27.8-8-160 8-Head Conveyorized Shot Blast Machine




**NEW AS
2000**

(2) 126" Ras Model 62.30 CNC Folders



Complete Roll Form Line Tooled To Roll 3-3/4" Angle and U-Channel



**NEW
2000's**

(2) Spiral Helix Model 200H Spiral Rolling Machines

Featuring: Goff WM27.8-8-160 Conveyorized Blast Machine (2007), Goff PTM 4-15 Pass Thru Blast Machine (2007), ITW Gema Automatic and Manual Pass Thru Powder Coat Booths, ITW BGK Infrared Curing Oven (2007), 200' GFS Modular Panel Pass-Thru Cooling Chamber / Oven, Approx. 1100' Overhead Conveyor, Dahlstrom Rollform Line for 3-3/4" X 3-3/4" Angle, (8) Other Rollformers By Yoder, Tishken, Dahlstrom and Others, Cut-Off Presses, Uncoilers, Upenders, Spiral Helix 200H Spiral Rolling Machine, 21' Jorns Maxi-Line-150-SO-6-4 CNC Folder, (2) 10' Ras Model 62.30 CNC Folders, (5) Press Brakes, (3) Shears, 100 Ton Ironworker, (10) Saws of All Types, (20) Late Model Miller Welders, Other Welding Equipment, (3) CNC Mills, Toolroom Machinery, Test, Inspection, Shop and Support Equipment

PLANT CLOSED, BY ORDER OF OWNER



135 E. Luke Rd. / Janus International Blvd. – Temple, Georgia 30179
40 Miles West of Atlanta, Georgia off I-20

**SALE DATE:
Tuesday,
August 14th
Starting at 9:00 AM**

**INSPECTION:
Monday., August 13th
10:00 AM to 4:00 PM**

www.cia-auction.com

Features:

Upcoming Sale Information
Liquidation & Equipment Section
Email Auction Notification
Recent Auction Results
Lot Catalog Listings
Photo Galleries
Downloadable Forms
Complete Terms of Sale
Staff Profiles
Reference Information



**NEW
2007**



**NEW
2007**



Complete Powder Coat Line With Goff Blast, ITW Gema Booths, HW Infra-Red Oven and 200' Oven/Cooling Chamber



SALE UNDER THE MANAGEMENT OF

CINCINNATI INDUSTRIAL AUCTIONEERS

auctioneers | appraisers | since 1961 | cia-auction.com | info@cia-auction.com

2020 Dunlap St., Cincinnati, Ohio 45214 Phone 513-241-9701 Fax 513-241-6760



TUESDAY, AUGUST 14TH



**NEW
2007**

Goff Model PTM 4-15 Pass-Thru Shot Blast Machine



**NEW
2007**

ITW BGK Finishing Systems Pass-Thru Infrared Curing Oven



ITW Gema Stainless Steel Automatic Pass-Thru Powder Coat Booth



Global Finishing Solutions Modular Panel Three-Zone Pass-Thru Cooling Chamber / Oven



Approx. 1100' Floor Mounted Overhead Conveyor



**NEW
2008**

**Under
50 Hrs**

Goff Model WM27.8-8-160 8-Head Conveyorized Shot Blast Machine

CONVEYORIZED BLAST MACHINE

Goff Model WM27.8-8-160 8-Head Conveyorized Shot Blast Machine; S/N 07501-50-7260, 19" X 31" Opening Size, (8) Blast Wheels w/ 20 HP Motors, 27" Wide Chain Feed Conveyor, Reclamation System, Disa Goff Model DGC02-8 Dust Collector, Midwest Industries Model MR48C8-8-6 Gyra-Vib Vibratory Separator; S/N 0907-4045 (New 1/4/2008) **SEE PHOTO**

POWDER COAT SYSTEM AND BLAST SYSTEM

Goff Model PTM 4-15 Pass-Thru Shot Blast Machine; S/N 07751-50-7261, Opening Size 24" X 48", 27" Length, (4) 15 HP Blast Wheels w/ Reclamation System, DISA Goff GCO0-8 Dust Collector (New 2007) **SEE PHOTO**

ITW Gema Stainless Steel Automatic Pass-Thru Powder Coat Booth; 15' Long Chamber, 24" X 48" Opening, (2) ACR 1-15 Reciprocators, Control Console w/ (6) PGCI Powder Gun Controllers, RGCS-12 Reclaim Unit, Sweco LS24544 Vibro Energy Separator **SEE PHOTO**

ITW Gema Stainless Steel Manual Pass-Thru Powder Coat Booth; 18' Long Chamber, 24" X 48" Opening, RGCS-12 Reclaim Unit **SEE PHOTO**

52' X 27' X 11' Free Standing Paint Room Enclosure

ITW BGK Finishing Systems Pass-Thru Infrared Curing Oven; 32' Approx. Long Chamber, 24" X 36" Opening Size, (9) Zones, Allen-Bradley PanelView 100 PLC (New 2007) **SEE PHOTO**

Global Finishing Solutions Modular Panel Three-Zone Pass-Thru Cooling Chamber / Oven; Approx. 200' Long Chamber, 24" X 36" Window, PB Controls **SEE PHOTO**

> Trane Voyager Model TCH300B400HB Air Conditioning Condenser; S/N AHTCD-1-745101308D

Approx. 1100' Floor Mounted Overhead Conveyor; 16" Hooks on Centers **SEE PHOTO**

Additional Equipment Not Currently Installed Including; Various Gun Controllers, Reciprocators, Filters, Hoppers and Related

CHANNEL AND ANGLE ROLLFORMING LINE

Line Tooled to Roll 3-3/4" X 3-3/4" Angle and 1" X 2 -1/2" U-Channel

5,000 LB CWP Model Stock Reel Double End Uncoiler; S/N CWP5000-18DP-1616

Dahlstrom Model 475-10-OB 10-Stand Rollformer; S/N 1063, 2-1/2" Shaft, 18" Roll Space, 5" to 8.5" Roll Range, 15" Horiz. Center, 50 - 150 FPM Speed Range, 25 HP Motor, PB Control

Dahlstrom Model 50TP Four Post Cut Off Press **SEE PHOTO**

Custom Built 3-Head C-Frame Punch Line

ROLLFORM LINE

Spiral Helix Type MC-T-Vert Uncoiler; S/N 117330, Coil ID 16" to 21", Max Weight 2,500 Lbs.

20 Ton Dahlstrom Model 20TP Cut Off; S/N P643, 3" Stroke, 6.5" to 8" Die Area, 300 RPM, Right to Left Stroke Travel, 460 3 PH Volt

Dahlstrom Model 475-12-OB 12-Stand Rollformer; S/N 860, 2" Shaft Diameter, 5" to 8.5" Roll Range, 12" Roll Space, 14" Roll Center, 40-120 RPM Speed Range, Right to Left Stroke Travel

15 Ton Roussele No. 2 OBI Press; S/N 25269, 3" Stroke, 7" Shut Height, 1"-1.5" Adjustments, 160 Strokes Per Minute

ROLLFORMERS

Samco 16-Stand X 2" Arbor Precision Rollforming Machine; S/N 4366, 4"-7" Adj. Vertical Adjustment, 9" Horizontal Centers, 10" Roll Space, 30 HP AC Variable Speed Motor w/ ABB Digital Drive, (4) 30:1 Reynold Gear Boxes, Coolant Tank, Samco Control Panel w/ AMS MP-300 Length Control, 12" Wide Samco Adj. Entry Stock Guide (New 2002) - Located In Michigan Warehouse, to be sold via photo **SEE PHOTO**

Metal Form 16-Stand Roll Former; S/N N/A, 3" Shaft Diameter, 24" Between Centers, 36" Maximum Width, 25 - 30 HP Motor **SEE PHOTO**



ITW Gema Stainless Steel Manual Pass-Thru Powder Coat Booth

WEBCAST BIDDER INSTRUCTIONS

- > All Internet bidders must register for this auction at www.bidspotter.com at least 48-Hours Prior to the Sale Date, **if you do not you will not be approved.**
- > All Internet bidders must Post a Deposit of Approx. 25% of Your Planned Spending Budget or \$5,000 Minimum with Cincinnati Industrial Auctioneers in Order to be approved to Bid. Those who do Not Post the Deposit Will Not be Approved. **Period.**
- > **Only Major Items Will be Available for Online Bidding.** Please refer to the Listing on www.bidspotter.com for Available Online Items.

BidSpotter.com™

- > There is a 15% Buyer's Premium in Effect for All Online Purchases.
- > We Highly Recommend that Potential Buyers Attend this Auction & Bid Live Onsite. This will give you the Ability to Inspect the Items & Fully Appreciate Their Condition, Along with Saving You 3% of the Buyer's Premium.

No Last Minute Registrations will be accepted. Make Sure to Register & Post Your Deposit No Later than 48-Hours Prior to the Start of the Auction.



JANUS INTERNATIONAL



Complete Roll Form Line Tooling To Roll 3-3/4" Angle and U-Channel



(2) Spiral Helix Model 200H Spiral Rolling Machines



(2) 126" Ras Model 62.30 CNC Folders

Yoder 8-Stand Roll Former; S/N N/A, 9.5" Max Width, 15" Between Centers, 6.5" Adjustment, Small Curve Slat Approx. 2" (Rebuilt 2000's)

Tishken Model 8 8-Stand Roll Former; S/N 3622-5-50, 1-1/2" Shaft Dia., 5-1/2" Max Width, 8" Between Centers, 2-1/4" Adjustment

Dahlstrom 10-Stand Roll Former; S/N N/A, 1-1/2" Shaft Dia., 6" Max Width, 6-1/2" Between Centers, 2" Adjustment, Small Flat Slat Approx. 1-1/2" or 1-3/4"

Clinton Model 9ST-SHT-CHAN 9-Stand Roll Former; S/N J-911-9-72, .035" Capacity

Clinton Model 9ST-A1/2" HM-AE 9-Stand Roll Former; S/N MH16446-76, 1" Shaft Diameter, .018 - .030" Capacity, Feet Curve Slat Approx. 2-1/4"

SPIRAL HELIX MACHINES

(2) **Spiral Helix Model 200H Spiral Rolling Machines;** S/N 03-060506 and 03080505, 3 1/2" to 80" Capacity w/ Proper Mandrels, No Forming Heads (New 2000's) SEE PHOTO

CNC SHEET METAL FOLDERS

21' Jorns Model Maxi-Line-150-SO-6-4 CNC Folder; S/N 9381-01, System PC 4000 Control (New 1994) SEE PHOTO

(2) **126" Ras Model 62.30 CNC Folders;** S/N 28/2 (2000) and 15/09 (N/A), Catalog Specs: Working Width 125.9", Maximum Sheet Thickness 14 Gauge, Smallest Inside Bend Radius 1.5 X Thickness, Smallest Inside Flange 6 X Thickness, Maximum Upstroke 7.874", Folding Beam Maximum Adjustment 0.2", Flexibend System 5000 CNC Control (New As 2000) SEE PHOTO

PRESS BRAKES, SHEARS AND MISC. FABRICATING

10 Ga. X 14' Hydrapower Model S01014SS Hydraulic Power Squaring Shear; S/N G3084, Power Back Gauge

SEE PHOTO

1/4" X 12' Wysong Model 1225 Mechanical Power Squaring Shear; S/N P2-348, Power Back Gauge

150 Ton X 10' Wysong Model 150-8 Mechanical Power Press Brake; S/N PB22-136

80 Ton X 10' Promecam Model RG-80-30 Upcating Press Brake; S/N 32-80-301064

36/55 Ton X 14' D & K Model 1214-B Mechanical Power Press Brake; S/N L14884 SEE PHOTO

16 Ga. X 16' Pacific Model 70-16 Hydraulic Power Press Brake; S/N 7093, Addresso Manual Back Gauge

52" X 16-Gauge National Model N5216 Foot Shear; S/N 182-707

6" X 6" Tennsmith Model SN Hand Notcher; S/N 06310, 16 Gauge Mild Steel

12" Northhill Counter Thrust Squaring Shear; S/N 555, Cap. .054 Mild Steel

52" Dayton Kick Shear; S/N N/A

48" X 16 Gauge Model 4816 Sheet Metal Pan & Box Hand Brake; S/N 07040804

50" X 16 Gauge Enco Model 130-5501 Slip Roll; S/N 0506031-54, 3" Dia. Roll, 1.5" Radius

ADDITIONS FROM ORLANDO PLANT

Will be at auction site by the time of auction
See auction catalog for complete listing and photos

Bradbury 18-Stand Rollformer; 2-1/2" Arbors, 18" Horizontal Centers, 36" Roll Space, 40 HP Var. Speed

Angle Rollforming Line Consisting of; Mfg. Unk. 4-Stand Chain Drive Var. Speed Rollformer w/ 1-1/2" Arbors, 8" Horizontal Centers, 11" Roll Space and 30-Ton Airam Cut-Off

(4) **Airam Cut-Off Presses;** (1) w/ 73" X 24" Bed and 3" Post, (1) w/ 29-1/2" X 15-1/2" Bed and 1-1/2" Post, (1) w/ 27-1/2" X 21-3/4"

Bed and 2" Post, (1) w/ 47" X 41" Bed and 3" Post, Surge Tank

Other Items Consisting of; 50 HP Palatek Skid Mount Air Compressor, 10,000 Lb American Steel Line Uncoiler, 2,500 Lb Melon Uncoiler, 52" National Air Power Shear, Niagara A-35 Press, Niagara M45 Press, 5-Ton Benchmark Press, 40" Mattison Surface Grinder, 18" Uni-Tek Surface Grinder, MSC Gap Bed Lathe, MSC Milling Machine, (5) Miscellaneous Brand Generators, Round Curtain Window Punch Hydraulic Power, Lons Spot Welder, Aluminum Saw, Bewo Metal Saw, Vent Die Hydraulic Table, 36" X 20' Powered Belted Conveyor, (30) 42" X 42" Fans, Pittsburgh Seam (No Tooling), Clincher Floor Table, (5) Various Electric Hoists



21' Jorns Model Maxi-Line-150-SO-6-4 CNC Folder



Dahlstrom Model 50TP Four Post Cut Off Press



Metal Form 16-Stand Roll Former



**Samco 16-Stand X 2" Arbor Precision Rollforming Machine **Located in Michigan



10 Ga. X 14' Hydrapower Model S01014SS Hydraulic Power Squaring Shear



TUESDAY, AUGUST 14TH



20,000 LB Capacity Dahlstrom Model CT20-60-60 Motorized Coil Flipper



10,000 LB Manufacturer Unknown Hydraulic Coil Flipper w/ 5 HP Hydraulic Unit



(12) 300 Amp Miller Model CP-302 Constant Voltage DC Arc Welders w/ 22A Wire Feeds

IRONWORKER

100 Ton Geka Model Hydracrop-100-S Hydraulic Power Ironworker; S/N 14543, 24" X 5/8" Capacities Flats, 6" X 6" X 1/2" Angles, 2" Bar, 13/16" X 1" Punch SEE PHOTO

SAWS - ALL TYPES

DoAll Model C-3300-NC CNC Horizontal Band Saw; S/N 521-95145, 13" X 13", GE Fanuc Quick Panel Control, Power Feed, Power Clamping (New 1995) SEE PHOTO

(5) Scotchman Model CLM350LT 14" Cold Saws; S/N See Catalog, 3 HP Motor, Head Swivel +/-45°, Power Clamping (New 2008) SEE PHOTO

Scotchman Model CP0275LT 11" Cold Saw; S/N 25190399, 2 HP Motor, Head Swivel +/-45° SEE PHOTO

Kalamazoo Model MS1218-VS 12" X 18" Horizontal Band Saw; S/N 0612227, Size 12" X 18"

36" DoAll Model V-36 Vertical Band Saw; S/N 36525313, 30" X 30" Tilting Table, 1500 FPM

10" Dayton Model 4TJ89B Table Saw; S/N 200105, 41" X 27" Table

WELDERS AND RELATED

(12) 300 Amp Miller Model CP-302 Constant Voltage DC Arc Welders w/ 22A Wire Feeds (New 2007) SEE PHOTO

(2) 450 Amp Miller Model Deltaweld 451 Constant Voltage DC Arc Welders; S/N JK733057, S/N KB154563

450 Amp Miller Deltaweld 452 CV/DC Welding Power Source; S/N KF930058, w/ Miller S-60, 24V, Constant Speed Wire Feeder

250 Amp Miller Synchrowave 250 DX Tig Welder; S/N LH170369L (New 2007)

Other Mig Welders Consisting of: 350 Amp Miller Millermatic 350P, 200 Amp Miller Millermatic 252, 225/150 Amp Miller Thunderbolt, 300 Amp Liech V1-253, 200 Amp Hobart RC200, 300 Amp Hobart Fabstar 4030

(2) Bancroft Model 300P Weldarounds

(2) Custom Pneumatic Actuated Rotary Welding Positioners Western Arctronics Model 50KVA Spot Welder; S/N FC684

Lors Machinery Inc Model 140AP Spot Welder; S/N 985-3481, 40 KVA

Lors Machinery Inc TE3000 Model 3321A Hanging Spot Welder; S/N 02039 (New 2006) SEE PHOTO

Hypertherm Power Max 1250 G3 Series Plasma Cutting System; S/N 1250-021180

Thermal Dynamics Model Cutmaster 81 Plasma Cutting System; S/N 04142997

Miller Model Econo Twin HF Butt Welder; S/N JJ414909

UNCOILERS AND UPENDERS

20,000 LB Capacity Dahlstrom Model CT20-60-60 Motorized Coil Flipper; S/N GA244, Width Capacity 60", Coil OD 60", Work Height 36", 2 HP Motor SEE PHOTO

10,000 LB Manufacturer Unknown Hydraulic Coil Flipper w/ 5 HP Hydraulic Unit SEE PHOTO

7,500 LB Rowe Model 7520-DS/J Single End Motorized Uncoiler; S/N 19787, 20" Width Cap., 60" OD Max

6,000 LB Colt Automation LTD Model CR-50-24 Motorized Single End Uncoiler; S/N 1201676, Max Width 24", Max OD 60"

1,000 LB American Steel Line Model 1000 Motorized Uncoiler; S/N 681, Max Width 20"

CUT-OFF PRESSES

Airam Iac Pneumatic 4-Post Cut-Off Press; S/N 15197-135BB, 41" Between Posts, 100PSI Max

Tishken Co 2-Post Mechanical Cut-Off Press; S/N N/A, 11" Between Posts

GARAGE SPRING ASSEMBLY AND PIPE RACKS

Custom Designed & Fabricated 180' Long Double Sided A-Frame Heavy Duty Spring Assembly Table w/ Spring Storage Bins

(3) Custom Designed & Fabricated Storage & Feed System for 6", 8" and 10" Dia. Pipe w/ PLC Controls; (1) For Each Dia., Hydraulic Indexing System w/ 5 HP Hydraulic Unit, Chain Type Conveyor Transfer System SEE PHOTO

(10) Various Size Heavy Duty Fabricated Structural Pipe Racks to 40' X 46" X 46"

(18) Sections Various Size Cantilever Racks to 16' X 5' X 4' Arm

MISCELLANEOUS MACHINERY

(3) Arboga Wilton Model A3008W 25" Geared-Head Floor-Type Drills; 13" X 16" Table (New 2007/2008) SEE PHOTO

(2) Vectrax Model 00492090 20" Variable Speed Floor-Type Drills; 15-1/2" X 18" Table Size

National Rivet Model 2400B Dual Head Riveter; S/N 586

AKH Model 500-2-03 Touch-O-Matic Single Head Riveter; S/N 96-J-22042, Variable Speed Vibratory Feeder

National Rivet Machine Model 800 Single Head Riveter; S/N 2124, 12" Throat

ABB Robotics Type PS 1-30/6-90-P-PMB-373 Six-Axis Parts Manipulator Robot; S/N 502.80091

5 Ton Bushman Crane Type Coil Hook; 48" Max Width

Arlens Model 932101 Snowking Self Propelled Walk Behind Snow Blower; S/N 030491

5 Ton P&H Electric Cable Hoist

10,000 LB Cas Model STHB Digital Crane Scale; S/N TH03801654 SEE PHOTO

15,000 LB Rival Crane Type Fork Lifting Attachment



Other Late Model Miller Welding Equipment



DoAll Model C-3300-NC CNC Horizontal Band Saw



(3) Custom Designed & Fabricated Storage & Feed System for 6", 8" and 10" Dia. Pipe w/ PLC Controls



100 Ton Geka Model Hydracrop-100-S Hydraulic Power Ironworker



(5) Scotchman Model CLM350LT 14" Cold Saws



Scotchman Model CP0275LT 11" Cold Saw



36/55 Ton X 14' D & K Model 1214-B Mechanical Power Press Brake



TUESDAY, AUGUST 14TH



Cincinnati Milacron Model 10VC-1000 CNC Vertical Machining Center



60 Ton PH Hydraulics Model OGF-60 PLC Controlled C-Frame Hydraulic Press



Hafco Model VS300 3 HP Variable Speed Vertical Milling Machine



Clinton Model 9ST-SHT-CHAN 9-Stand Roll Former

AIR COMPRESSORS

Palatek Model 50DUG Rotary Screw Skid Mounted Air Compressors; S/N 98F088

C-FRAME PRESS

60 Ton PH Hydraulics Model OGF-60 PLC Controlled C-Frame Hydraulic Press; S/N 60043, 33" Ram Travel, 30" X 27" Table, PLC Control, 25 HP Hydraulic Motor

CNC MACHINING CENTERS

Cincinnati Milacron Model 10VC-1000 CNC Vertical Machining Center; S/N 50161, 20" X 44" Table Size, Fagor CNC Control, 30-Position Automatic Tool Changer (Rebuilt & Retrofit 2008)

RBI Model CNC Vertical Milling Machine; S/N N/A, 12-1/2" X 34" Table Size, Spindle Speed Range 60 To 4,500-RPM, General Numeric GNO Series CNC Control, Power Drawbar, 3 HP Motor

Bridgeport CNC Vertical Milling Machine; S/N 509500289B, 15" X 38" Table Size, Spindle Speed Range, 2 HP Motor, Power Drawbar, CNC Control

TOOLROOM MACHINERY

21" X 96" Harrison Model M500 Geared Head Engine Lathe; S/N 0102, 14" Swing Over Cross Slide, 12-1/2" 3-Jaw Chuck, 18-Spindle Speeds: 31-1600 RPM, 12.5 HP Motor, Accurite DRO, Inch & Metric Threading, Taper Attachment, Coolant, Steady Rest

Hafco Model VS300 3 HP Variable Speed Vertical Milling Machine; S/N 700, 12" X 50" Table Size, Spindle Speed Range 80 To 3,800-RPM, Power Feed Table, Power Drawbar, Acu-Rite 4-Axis Digital Readout (New 1992)

K & T Milwaukee Model S-12 205 Vertical Horizontal Milling Machine; S/N 8-1019-2, 12" X 56-1/2" Table Size, Spindle Speed Range 25 To 2,000-RPM, Universal Milling Head

Thompson Model 2F 8" X 24" Hydraulic Feed Surface Grinder; S/N 833291/101349, No Chuck, 3 HP Spindle Motor

Agie Model Agiecut 100 CNC Wire Electrical Discharge Machine; S/N 12, 17" X 22" Table Size, 33-3/4" X 38" X 18" Tank Size, Agiematic-C CNC Control, Agiepuls MM 6.6-kva Power Supply, Dielectric Fluid Reservoir

Cincinnati Model No. 2 Plain Horizontal Milling Machine; S/N 1D3101-1, 12" X 52-1/2" Table Size, Spindle Speed Range 20 To 500-RPM

K & T Milwaukee Model 205CH Vertical/Horizontal Milling Machine; S/N 5-9008, 12" X 50" Table Size, Vertical Spindle Speed Range 100 To 1,600-RPM, Horizontal Spindle Speed Range 25 To 1,500-RPM

4' Arm X 15" Column Archdale Radial Drill; S/N RD13691, 36" X 61" Base Size, Spindle Speed Range 60 To 1,500-RPM w/ Drill Table

3' Arm X 9" Column Cincinnati Gilbert Radial Drill; S/N 79-5813, 30" X 41" Base Size, Spindle Speed Range 50 To 1,800-RPM

Davis Model 15 Keyseater; S/N 15-514, 20" X 31" Table Size

Davis Model 4 Keyseater; S/N 259, 16" X 26" Table Size (Not In Use)

FORKLIFT AND PALLET TRUCK

8,000 LB Yale Model GLP080LCNS-BE088 Solid Pneumatic Tire LP Gas Lift Truck; S/N 484493, 3,207 Hours, Side Shift, 7' Forks, 180" Lift Height

4,000 LB Hyster Model W40XT Electric Pallet Truck; S/N AZ18H03761W

LAB AND TEST EQUIPMENT

Scherr Tumico Model 22-2500 30" Optical Comparator; S/N 760, 8" X 35" Table Size, Metronics Quadra-Chek 2000 2-Axis Digital Read Out

60,000 LB Tinius Olsen Model Super L Split Frame Tensile Tester; S/N 201106, Dell Personal Computer, Control Console, Reconditioned & Retrofitted By Frank Bacon Machinery 2007 (Retrofitted 2007)

Wilson Rockwell Model 5242 Series 500 Digital Hardness Tester; S/N 80219408

WIND TEST CHAMBER

Custom Designed & Fabricated Garage Door Wind Test Chamber; 15' L Size w/ NYB 200-CFM Pressure Blower, 20 HP Motor, Touch Screen PLC Control

SHOP EQUIPMENT

Large Quantity Shop Equipment Consisting of; Large Quantity Angle Grinders, Power Drills, Floor Drills, Dewalt Mitre Saws, Pallet Trucks, 2-Wheel Hand Trucks, Barrel Movers, (30) Sections Adjustable Beam Pallet Racks Up To 144" X 96" X 42", Various Sized Disassembled Adjustable Beam Pallet Rack, Large Quantity Miscellaneous Electrical Wiring, Gear Boxes, Electrical Enclosures, Electric Motors, Miscellaneous Hydraulic Fittings, Bearings, Oxy-Acetylene Torch Carts, (8) Portable Steel Frame Work Benches, Steel Frame Material, Handling Carts and Much More



21" X 96" Harrison Model M500 Geared Head Engine Lathe



Custom Designed & Fabricated Garage Door Wind Test Chamber



Scherr Tumico Model 22-2500 30" Optical Comparator



8,000 LB Yale Model GLP080LCNSBE088 Solid Pneumatic Tire LP Gas Lift Truck



RBI Model CNC Vertical Milling Machine



Thompson Model 2F 8" X 24" Hydraulic Feed Surface Grinder



(3) Arboga Wilton Model A3008W 25" Geared-Head Floor-Type Drills



60,000 LB Tinius Olsen Model Super L Split Frame Tensile Tester



10,000 LB Cas Model STHB Digital Crane Scale



Lors Machinery Inc TE300 Model 3321A Hanging Spot Welder

PUBLIC AUCTION

**MODERN SLAT GARAGE DOOR MFG. FACILITY
CONSTRUCTED 2007 WITH LATE MODEL POWDER
COATING, FABRICATING AND SUPPORT EQUIPMENT**

Plant Closed, By Order of Owner



**135 E. Luke Rd. / Janus International Blvd.
Temple, Georgia 30179
40 Miles West of Atlanta, Georgia off I-20**

**SALE DATE:
Tuesday, August 14th
STARTING AT 9:00 AM**

**INSPECTION:
Monday, August 13th
10:00 AM to 4:00 PM**



**Cincinnati Industrial
Auctioneers Inc.**

2020 DUNLAP ST., CINCINNATI, OHIO 45214
PHONE (513) 241-9701 / FAX (513) 241-6760
WEBSITE: cia-auction.com



(2) Goff Blast Machines (2007)



Complete Powder Coat Line



(2) RAS CNC Folders (To 2000)



(10) Rollformers

FIRST CLASS MAIL!

PRE-SORT
FIRST CLASS
U.S. POSTAGE
PAID
CINCINNATI, OHIO
PERMIT NO. 3593



Important Mail

TO BE DIRECTED TO THE ATTENTION
OF EXECUTIVE PERSONNEL

TUESDAY, AUGUST 14TH

PUBLIC AUCTION

PLANT CLOSED, BY ORDER OF OWNER



**135 E. Luke Rd. / Janus International Blvd.
Temple, Georgia 30179
40 Miles West of Atlanta, Georgia off I-20**

IMPORTANT NOTICE:

Although information has been obtained from sources deemed reliable, the auctioneer makes no warranty or guarantee, expressed or implied, as to the accuracy of the information herein contained. It is for this reason that buyers should avail themselves of the opportunity to make inspection prior to the sale. This brochure is intended to provide general information of the equipment being offered and is subject to errors, omissions, additions or deletions. Please check with the Auctioneer's Office for a final listing. Items offered may or may not necessarily be sold as described and/or photographed in this brochure.

MAIL BIDS ACCEPTED WITH A 25% DEPOSIT

DIRECTIONS

From I-20, 30 Miles West of I-285 Exit at No. 19 Rt. 113 Carrollton Rd., turn left (south) on GA-113 and Proceed 1/2 Mile to E. Luke Rd.. Turn Left and proceed to the first Janus Building which will be on your left. Follow signs to Auction Parking and Sale Entrance through garage door on right side of building.

AUCTIONEERS

**Jeffrey L. Luggen
Georgia License No. AUNR002532**



TERMS OF SALE

All equipment described herein will be sold "as is", "where is" to the highest bidder or bidders for cash in accordance with our regular terms and conditions of sale. Unless other satisfactory arrangements are made, a **25% deposit** in cash, certified or cashier's check payable to Cincinnati Industrial Auctioneers, Inc., is **required on all purchases**. Firm and personal checks accepted only if accompanied by a letter from your bank guaranteeing your funds. All sales are subject to state and/or local taxes unless a signed exemption form is presented at the time of purchase. **All balances are due at the conclusion of the sale.** No merchandise may be removed while the sale is in progress. **All bidders must comply with our Standard Terms of Sale**, copies of which will be available at the sale site or can be obtained from our website.

**12% ONSITE BUYER'S PREMIUM
15% ONLINE BUYER'S PREMIUM**



SALE UNDER THE MANAGEMENT OF

CINCINNATI INDUSTRIAL AUCTIONEERS

auctioneers | appraisers | since 1961 | cia-auction.com | info@cia-auction.com

2020 Dunlap St., Cincinnati, Ohio 45214 Phone 513-241-9701 Fax 513-241-6760