

PUBLIC

AUCTION

FORMER ASSETS OF KINGSBURY CORPORATION

BID IN-PERSON OR ONLINE
WITH BIDSPOTTER.COM
SEE PAGE 10



STUDER S-40 UNIVERSAL CNC CYLINDRICAL GRINDER



FAVRETTO CNC DOUBLE COLUMN GUIDE & SURFACE GRINDER



ROCKFORD DOUBLE COLUMN PLANER MILL


WORLD RENOWNED MACHINE TOOL MFG

KINGSBURY CORPORATION

80 Laurel Street in Keene, New Hampshire 03431

**THURSDAY, APRIL 12TH
STARTING AT 9AM**


Inspection: Wed. 4/11/12 from 9AM to 4PM



ACCURPRESS 725012 250-TON HYDRAULIC PRESS BRAKE



ERCO GAS FIRED ROLLING HEARTH BOX
NORMALIZING FURNACE



NILES 120" VERTICAL BORING MILL



**Cincinnati Industrial
Auctioneers Inc.**

2020 DUNLAP ST., CINCINNATI, OHIO 45214
PH (513) 241-9701 / FAX (513) 241-6760
INTERNET: www.cia-auction.com



**Myron Bowling
Auctioneers Inc.**

P.O. BOX 369 ROSS, OHIO 45061
PH (513) 738-3311 / FAX (513) 738-0221
INTERNET: www.myronbowling.com



PPL Auction

3100 DUNDEE ROAD,
SUITE 915, NORTHBROOK, IL 60062
PH (224) 927-5300 / FAX (224) 927-5311
INTERNET: www.pplauction.com



STUDER S-40 UNIVERSAL CNC CYLINDRICAL GRINDER



FAVRETTO CNC DOUBLE COLUMN GUIDE & SURFACE GRINDER



CINCINNATI HYPRO 102" VERTICAL TURRET LATHE



KINGSBURY CYBER CELL CNC HORIZONTAL MACHINING CENTER

CNC GRINDER

STUDER Universal CNC Cylindrical Grinder, Model S-40, 13.9" Max. Swing, 39.4" Max. Length, Wheel Speed Variable to 12,000-FPM, ID/OD and Face Grinding, Coolant, Chiller, Cymax Hydraulic System, Dust Collection, GE Fanuc 16-GC Control

CNC DC GRINDER

FAVRETTO CNC Double Column Guide & Surface Grinder, Model TU-N-5000, S/N 03157, New 1985, Size 150-150-5000, 53-1/8" x 203" Table, 60" Between Columns, 197" Max. Grinding Length, 207" Max. Longitudinal Stroke, Travels: 60" X-Axis, 197" Y-Axis, 60" Z-Axis, 11.82" Universal Wheelhead / Max. Vertical Travel, 110" +/- Automatic Angular Positioning, 5.91" Peripheral Wheelhead / Max. Vertical Travel, Capable of Machining Tilted Planes, Coolant System, Siemens Sinumeric CNC Control

CNC HORIZONTAL MACHINING CENTERS

KINGSBURY CNC Horizontal Machining Center, Model HM-500, S/N B-13573, New 2006, 19-11/16" x 19-11/16" Twin Pallet, Travels: 21.650" X-Axis, 31.496" Y-Axis, 15.750" Z-Axis, 360,000" B-Axis, 27-Position ATC, Spindle Speeds to 9,000-RPM, Turbo Chip Conveyor, Coolant, Fanuc 16M Control

MACHINING SYSTEMS CNC Horizontal Machining Center, Vertical Travel, Travels: 40" X-Axis, 40" Y-Axis, 28.2" Z-Axis, Delta 20 CNC Control

KINGSBURY CNC EQUIPMENT

KINGSBURY Cyber Cell CNC Horizontal Machining Center, 19-5/8" x 19-5/8" Twin Pallet, Auto Tool Changer, Siemens CNC Control, Koolant Coolers Chiller, Model HVC 10,000 PIC, S/N 8238, R22, Filtration System

(5) KINGSBURY VTC-4 Machining Centers (WIP)

(175) CAT50 Tool Holders

CNC TURNING CENTER

CINCINNATI Universal CNC Turning Center, Model Cinturn 10U-40, Series 1210, S/N 532OU10-86-013, ROHN 10" 3-Jaw Chuck, 6-Position Tool Holder, 21.73" Max. Cutting Diameter, 40.15" Max. Cutting Length, 2.55" Bore Diameter, 3,500-RPM Spindle, Programmable Tailstock, Chip Conveyor, Acramatic 850 CNC Control

PLANER MILL

ROCKFORD Double Column Planer Mill, 48" x 24" T-Slot Table, 48" Under Rail, (3) 25-HP Mill Heads, (3) TriOnics 5000 DRO's, 27-618 RPM, 50-Taper Spindle, Mayfran Chip Conveyor

CNC VERTICAL MILL

HURCO 4-HP CNC Vertical Mill, Model KMB1, S/N KX8007015D, 14" x 38" T-Slot Table, 3,500-RPM, Hurco CNC Control

JIG GRINDERS & JIG MILLS

MOORE No. 3 Jig Grinder, S/N G1393, 11" x 24" T-Slot Table

MITSUMI SEIKI Jig Grinder, Model J6GADP, S/N 127, 37-5/8" x 50-3/8" T-Slot Table, 43" Between Housings, Dust Collection, Heidenhain 2-Axis DRO, Pendant Control

DEVILIEG Spiramatic 4" Horizontal Jig Mill, Model 43K-48, S/N 9815, 35" x 48" T-Slot Table, Travels: 49" X-Axis, 48" Y-Axis, 48" Z-Axis, 50-Taper Spindle, 14-1450 RPM, Bendix Numeric Control

DEVILIEG Spiramatic 4" Horizontal Jig Mill, Model 43H-72, S/N E5017, 35" x 72" T-Slot Table, Travels: 72" X-Axis, 48" Y-Axis, 60" Z-Axis, 50-Taper Spindle, 21-1000 RPM, AutoCon Dynapath Delta CNC Control

DEVILIEG 30" x 30" Air Lift Table, S/N 95130

(200) 50-Taper Tool Holders

JIG BORERS

SOCIETE GENEVOISE 2-Axis Jig Borer, Model SIP-600, S/N 0804, 33" x 43-1/4" T-Slot Table, 43" Between Housings, Travels: 28" Spindle Head, 40" Table, 12" Quill Travel, 8-HP/4MT Spindle, 40-2,000 RPM

SOCIETE GENEVOISE Jig Borer, Model Hydroptic 7A, S/N 4606, 61-3/4" x 40-1/2" Table, 63" Between Housings, Travels: 40" Spindle Head, 55" Table, 12" Quill Travel, 40-2,000 RPM

30-1/2" SIP Rotoptic Electric & 30-1/4" SIP Mechanical Rotary Tables

(60) 4MT Tool Holders

VERTICAL BORING MILL / TURRET LATHES

NILES 120" Vertical Boring Mill, S/N 21335, 10' Table, 85" Under Rail, (2) Vertical Rams, Pendant Control

CINCINNATI Hypro 102" Vertical Turret Lathe, S/N 5695, 90-1/2" 4-Jaw Chuck, 102" Max. Swing, 48" Under Rail, (2) Vertical Rams, (1) Side Ram, 1.1-RPM to 135-RPM, 30-HP, Pendant Control

KING Vertical Turret Lathe, 62" 4-Jaw Chuck, 72" Max. Swing, 48" Under Rail, 1.7-RPM to 55.4-RPM, (2) Vertical Rams


JONES & LAMSON Turret Lathe, Model 7A-3, S/N 222128, 3" Thru Spindle, 36-1500 RPM, Turret Tailstock, 20-HP, Coolant, Bar Feeder

MORE PHOTOS ON PAGE 6


48" X 288"



ROCKFORD DOUBLE COLUMN PLANNER MILL



NILES 120" VERTICAL BORING MILL



KING VERTICAL TURRET LATHE



DEVLIEG 43K-48 SPIRAMATIC 4" HORIZONTAL JIG MILL




DEVLIEG 43H-72 SPIRAMATIC 4" HORIZONTAL JIG MILL




**SOCIETE GENEVOISE SIP-600
2-AXIS JIG BORER**



SOCIETE GENEVOISE HYDROPTIC 7A JIG BORER



MOORE NO. 3 JIG GRINDER



**MITSUBI SEIKI J6GADP
JIG GRINDER**



ERCO GAS FIRED ROLLING HEARTH BOX NORMALIZING FURNACE



LINDBERG 1,750°F ELECTRIC HOMOCARB FURNACE



LINDBERG 1,250°F ELECTRIC DRAW FURNACE



1 OF 2

(2) CI HAYES VSQ VACUUM FURNACES



1 OF 2

(2) IPSEN DLR-3-5-E & DLR-3-400-E DRAW FURNACES



CARBOTTOM 48" X 72" X 44" ID OIL FIRED ANNEALING FURNACE

HEAT TREATING

ERCO Gas Fired Rolling Hearth Box Normalizing Furnace, 1,600°F Max. Temp., 11' x 8' x 5'H Table Size, 4'W x 8'H x 12'D Approx. Chamber Size, w/(6) North American Mfg. Controls
LINDBERG 1,750°F Electric Homocarb Furnace, Model 09785-724 FSX, S/N 25924, 163-Kw, Honeywell Controls
LINDBERG 1,250°F Electric Draw Furnace, Model 1620-E12, S/N 9078, 27 Kw
CI HAYES Vacuum Furnace, Model VSQ, S/N 15926, Stokes Penwalt Vacuum Pump, Honeywell Controls & Chart Recorder, 550-lb. Capacity @ 2,400°F, 1,250-lb. Capacity @ 1,500°F
CI HAYES Vacuum Furnace, Model VSQ, S/N 15914, Stokes Penwalt Vacuum Pump, Honeywell Controls & Chart Recorder, 300-lb. Capacity @ 2,400°F, 500-lb. Capacity @ 1,600°F
IPSEN Draw Furnace, Model DLR-3-5-E, S/N 58479, Honeywell Controls & Chart Recorder, Pneumatic Doors
IPSEN Draw Furnace, Model DLR-3-400-E, S/N 20239, Pneumatic Doors
CARBOTTOM 48" x 72" x 44" ID Oil Fired Annealing Furnace
AMERICAN Electric Lead Pot Furnace, Model P-1024, S/N 9063
MANNOR Washer, Model JSH-24M, S/N 769, Wash/Rinse/Dry, Oil Skimmer, Soap Dispenser
UPTON 600°F Salt Quench Tank, Model UQS, S/N QS1582, 18-Kw Electric
UPTON 1,700°F Salt Bath Tank, Model UB, S/N B1581, 40-Kw Electric
24" x 60" Quench Oil Tank w/Hoist
THERMONIC Induction Hardening Machine, Lepel Controls, Model T-50-3-KC2-TL, S/N 7619J42, 120-KVA
Numerous Heated Chemical Dip Tanks
SO-LOW Ultra Low Freezer, Model PR120-15, S/N 9495483, -40° to -120°F

FABRICATING

ACCURPRESS 250-Ton Hydraulic Press Brake, Model 725012, S/N 5885, New 1999, 12' Overall, 125" Between Housings, 10" Throat, 30-HP, ETS 3000 Control w/Remote & (75) 1" - 10" Press Brake Dies
CINCINNATI 8' x 1/4" Power Squaring Shear, Model 1808, S/N 30688, 80" Squaring Arm, (2) 24" Front Supports, 36" Front Operated Power Back Gauge
MUBEA Mechanical Ironworker, Punch, Coper, Notcher, Shear, Model KBL560, S/N 0505281724486, 61-Short Ton Punch, 1-9/16" Round, 1-7/16" Square, 8" x 7/16" Bar
MUBEA Mechanical Ironworker, Model KBL44-4F, S/N 131/28732/22, Punch 1-1/8" thru 7/16", 4" x 4" Angle Shear, 7" Plate Shear
STRIPPIT 30-Ton Turret Punch, Model Super 30/30 Fabricator, S/N 2287113090, 30" Throat, 48" x 72" Table & Assorted STRIPPIT Punch Tooling
CHICAGO DRIES & KRUMP 4' x 12-Ga.

Finger Brake, Model BPO-412-6, S/N 300253
CHICAGO DRIES & KRUMP 6' x 12-Ga. Finger Brake, Model BPO-612-6, S/N 318576
NIAGARA 4' 12-Ga. Initial Pinch Manual Plate Bending Rolls, Model 351, S/N 61897
BERKROY 12" Bending Rolls • **WHITNEY Hand Shear** • **WHITNEY 10-Ton Hand Punch**, Model 91 • **ENERPAC Electric/Hydraulic Punch**

WELDING RELATED

RANSOME 36" Rotary Welding Positioner, Model P40, S/N 1815662, 4,000-lb. Capacity, 50,000 Tilt/24,000-lb. Rotational Torque
HYPERTHERM Powermax 600 Plasma Cutter, S/N PMX600-013148, 40-AMP
THERMAL DYNAMIC 75XL Pakmaster Plus Plasma Cutter, S/N D92491A19280FF, 60-AMP
THERMAL ARC PAK 5XR Plasma Cutter, S/N D70426A183201B, 55-AMP
(2) MILLER Dialarc 250 AC/DC Stick Welders, S/N's KC308-485 & JE741621, 250-AMP @ 30%
MILLER Thunderbolt XL 225 Stick Welder, S/N LG140056Y, 225-AMP at 20%
THOMPSON 25-KVA Resistance Welder, Type 100, S/N 7737, 24" Throat
MILLER 10-KVA Resistance Welder, Model MPS-10AFT, S/N HJ180104, 18" Throat
(2) MILLER Invision 456MP MIG Welders, 450-AMP, S/N LJ280812A & S/N LJ190061A w/Miller 75 Series Wire Feeder
MILLER MP45E MIG Welder, S/N HF854195, 450-AMP, w/Miller 75 Series Wire Feeder
HOBART T300 MIG Welder, S/N 12TW-7051, 300-AMP @ 60%
LINCOLN Wiremaster 250 MIG Welder, S/N AC-U1921007551
MILLER Millermatic 185 MIG Welder, S/N 228665, 150-AMP @ 60%
LINCOLN SP-125 MIG Welder, S/N 1980501530, 90-AMP @ 20%
(4) MILLER Millermatic 45 MIG Welders, 150-AMP @ 60%
MILLER Syncrowave 350 TIG Welder, S/N JK728019, 350-AMP @ 40%
HOBART TR300 Welding Power Supply, S/N 12RT-71795, 300-AMP @ 60%
HOBART T300 Welding Power Supply, S/N 12TW-3933, 300-AMP @ 60%
MILLER Dialarc 250 AC/DC Welding Power Supply, S/N HK247407, 250-AMP @ 30%
MILLER Millermatic S-54A & COBRAMATIC MK-3A Wire Feeders
PHOENIX 100°F-550°F Dry Rod Oven, Type 300, Model 13
BERNARD Welding Chiller
(4) Oxy-Acetylene Torch Carts w/Regulators • **Welding Hoods** o Rod & Wire • **Welding Curtains** • **Steel Layout Tables**



ACCURPRESS 725012 250-TON HYDRAULIC PRESS BRAKE



CINCINNATI 1808 8' X 1/4" POWER SQUARING SHEAR



MUBEA MECHANICAL IRONWORKER,
PUNCH, COPER, NOTCHER, SHEAR



MUBEA KBL44-4F
MECHANICAL IRONWORKER



STRIPPIT SUPER 30/30 FABRICATOR 30-TON TURRET PUNCH



RANSOME P40 36" ROTARY WELDING POSITIONER




HYPERTHERM POWERMAX 600 PLASMA CUTTER



THERMAL ARC PAK 5XR
PLASMA CUTTER



MILLER THUNDERBOLT
XL 225 STICK WELDER



THOMPSON 25-KVA & MILLAR
10-KVA RESISTANCE WELDERS



1 OF 2

(2) MILLER INVISION
456MP MIG WELDERS



MILLER SYNCROWAVE
350 TIG WELDER



MACHINING SYSTEMS HMC-40 CNC HORIZONTAL MACHINING CENTER



ARMSTRONG-MARVEL V-10A VERTICAL BAND SAW




CINCINNATI CINTURN 10U-40 UNIVERSAL CNC TURNING CENTER



SWING SAW



**KINGSBURY HM-500
CNC HORIZONTAL MACHINING CENTER**



**KR WILSON 37F 75-TON
STRAIGHTENING PRESS**



**VAN NORMAN 2R7.5
ARTICULATED HEAD MILL**

GRINDERS

BLANCHARD 66" Rotary Surface Grinder, Model 36HD66, S/N 15229, Electromagnetic Chuck, Electromatic Chuck Control, 36" Segmented Grinding Wheel, 200-HP, Coolant System w/Filtration

MATTISON 120" x 36" Hydraulic Surface Grinder, S/N 24014, (3) 36" x 40" Electromagnetic Chucks, 30-HP Horizontal Spindle, 36" Under Wheel, 5-HP Vertical Way Grinder, 30" Under Spindle, Coolant

(2) CHEVALIER Hydraulic Surface Grinders, Model FSG-1632AD, 32" x 16" Electromagnetic Chuck, Auto/Hand Feed, Paper Filtration, Sokki 2-Axis DRO, S/N's G382B001, G3282B002

CINCINNATI Centerless Grinder, S/N 350412H5V-1, 12" x 7-1/2" & 20" x 7-1/2" Wheels

BRYANT No. 112 Internal Grinder, S/N R8807, Coolant

HEALD Internal Grinder, S/N 43736, 16" Face Plate, 14,000-RPM, Coolant

SAWS

GROB Vertical Band Saw, Model NS-24, 24" Throat x 12" Max. Thickness, 23-3/4" x 27-3/4" Tilt Table, 50-2030 FPM, Blade Welder, Foot Brake

(2) GROB Vertical Band Saws, Model NS-18, S/N 4773, S/N 7904, 18" Throat x 10" Max. Thickness, 24" x 24" Tilt Table, 50-2030 FPM, Blade Welder, Foot Brake

DOALL Vertical Band Saw, Model ML, S/N 5216981, 24" x 24" Tilt Table, 16" Throat x 9" Max. Thickness, 50-1600 FPM, Blade Welder

ARMSTRONG-MARVEL Vertical Band Saw, Model 81A, Series V-10A, S/N D-126710W, Traveling Head, 14" Throat x 16" Max. Thickness, 22" x 22" Work Table, 18" Shuttle Table, Single Vise, Auto / Manual Feed, 18" x 10" Roller Feed, 18" x 5" Runoff Table

KALAMAZOO 9" x 14" Horizontal Band Saw, Model 9AW, S/N 8519

MONARCH Table Saw, 40" x 36" Table w/Fence

KASTO 12" x 12" Reciprocating Saw, 24" Shuttle Table, Single Vise, S/N 22630

Swing Saw, 10" Rip, 207" Roller Table

DRILLS

BUFFALO 16" Multiple Spindle Drill Press, (4) No. 16 Drill Heads, 400-3,000 RPM, 18" x 58" Cast Table

DELTA 40" Articulated Head Drill Press, Model 15-660, S/N 1382441, 17-3/4" x 21-1/2" Work Table

LELAND GIFFORD 26" Drill Press, 37" x 25" Table, 95-1800 RPM

x 25" Table, 95-1800 RPM

(4) ENCO 17" Bench Top Drill Presses, Model 125-1170, 215-3250 RPM, 12" x 12" Table

ROCKWELL 15" Bench Top Drill Press, Model 15-270, S/N 84E81070, 32" x 22" Table

ROCKWELL 15" Drill Press, Model 15-017, S/N 1547775, 10" x 10" Table

GENERAL MACHINERY 14" Drill Press, 10" x 10" Table

13" Bench Top Drill Press, 9" x 9" Table

MISCELLANEOUS MACHINERY

GIDDINGS & LEWIS Floor Type Horizontal Boring Mill, Model 300, S/N P-1008, 130" Floor Travel, 75" Vertical Travel

KR WILSON 75-Ton Straightening Press, Model 37F, S/N 1940, 42" Between Housings, Adjustable Bench Centers w/10" Swing

VAN NORMAN Articulated Head Mill, Model 2R7.5, S/N 3217-1268, 12" x 56" T-Slot Table

DOALL Band Filer, Model BF120, S/N 50717, 15-1/5" Throat, 13" Max. Thickness, 18" x 18" Tilt Table, 50-250 FPM

FELLOWS #3-60 Rack Shaper, 12" x 58-1/2" T-Slot Table

INSPECTION

ZEISS CMM, Model UMPC850, S/N 78270, New 1987, Travels: 33.46" X-Axis, 27.55" Y-Axis, 23.62" Z-Axis, 38" x 33" Granite Surface Plate, Visualize B2000 Control, Vast Probe, Pendant Control, Rev 8.X UMESUX Software

(14) Granite Surface Plates, Some on Stands

(2) HAMAR 711 Lasers & Tripod

(2) WILSON ROCKWELL Hardness Testers, Model 3JS, S/N 3200 & Model 3JR, S/N 4692


WILSON Mobile Hardness Tester

HOMMEL T500 Tester • SHORE C-3 Scleroscope • ALNOR Velometer • GENERAL RADIO Strobotac • KING TOOL Stroboscope • Valenite Gage • (3) MITU-TOYO Riser Blocks • 12" & 26" Vernier Calipers • (14) Height Masters from 0-6" to 0-18" (BROWN & SHARPE, MITU-TOYO, FOWLER, STARRETT) • MITU-TOYO Twin Beam Height Gages • 24" & 18" Height Gages • STANDARD 1"-14" Bore Gage Setting Master • SHEFFIELD Gages • Gage Block Sets • Pin Gage Sets • Parallels • Dial Gages • OD Micrometers • Bullard Machine Levels • Ring Gages




**UNABLE TO
ATTEND?**


BID ONLINE IN REAL TIME AT WWW.BIDSPOTTER.COM




BLANCHARD 36HD66 66" ROTARY SURFACE GRINDER



MATTISON 120" X 36" HYDRAULIC SURFACE GRINDER




**(2) CHEVALIER FSG-1632AD
HYDRAULIC SURFACE GRINDERS**




CINCINNATI CENTERLESS GRINDER



(2) HAMAR 711 LASERS & TRIPOD



BRYANT NO. 112 INTERNAL GRINDER



HEALD INTERNAL GRINDER




13" BENCH TOP DRILL PRESS



ZEISS UMPC850 CMM



(14) GRANITE SURFACE PLATES, SOME ON STANDS



PANGBORN MANUAL BLAST CLEANING CHAMBER



CYCLO BLAST ABRASIVE PARTS CLEANER




SUPERHONE ABRASIVE CLEANER



PANGBORN ROTARY ABRASIVE PARTS CLEANER



(4) TORIT CEILING-MOUNT DUST COLLECTORS



(2) 8' & 6' ROTARY TABLES

WORK CELLS

Open Side Sound Attenuated Work Cell, Lighted, Dust Collection, 175" x 12' x 9' and 12' x 12' x 9' Work Areas, 8' & 6' Rotary Tables

Open Side Sound Attenuated Work Cell, Lighted, 114" x 10' x 9'

PAINT RELATED

(2) DRI QUIK Portable Infrared Heat Source, Model 24-300

Open-Sided 189" x 176" x 10' Lighted Spray Booth

Open-Sided 90" x 84" x 10' Lighted Spray Booth

Open-Sided 72" x 72" x 86' Lighted Spray Booth w/In-Floor Turn Table

SHOT BLAST MACHINES

PANGBORN Rotary Shot Blast Machine, S/N 6LK-5624, 72" Table, 48" Max. Height, Dust Collection System

PANGBORN Manual Shot Blast Machine, Model 1515 M1, S/N 1AU11-791, Double Door, 7' x 9' Track Mounted Loader, Lighted, 15' x 14' x 10' ID, 152" x 102" Door Area, Dust Collector

SUPERHONE Abrasive Shot Blast Machine, 32" x 28" Cabinet, Side Door

CYCLOBLAST Shot Blast Machine, 48" x 36" Cabinet, Side Door, 28" Rotary Work Table

PNEU BLAST Shot Blast Machine, Model 32X24-SA-2, S/N 85-041022, Lighted, Side Opening

DUST COLLECTORS

(4) TORIT Ceiling-Mount Dust Collectors w/Airflow Systems Fume Hoods

TORIT Dust Collection Bag House

CINCINNATI Dust Master Drum Type Dust Collector

ROLL AWAY Dust Collector

LIFT TRUCKS

HYSTER 15,500-lb. LPG Lift Truck, Model H155XL, S/N F006d02003R, New 1994, 94.5" Lift, Pneumatic Tires, Front Dual Wheels, Side Shift, Enclosed Heated Cab

CATERPILLAR 4,400-lb. Lift Truck, Model GP25, S/N 5AM02219, 190" Lift, LP, Side Shift, Cushion Tires, ROPS

YALE 3,000-lb. Standup Lift Truck, Model M30RG4T071, S/N S-189983, 180" Lift, 24-Volt

RAYMOND 3,000-lb. Standup Electric Lift Truck, Model 20-R3TT, 186" Lift, 24-Volt

CLARK 2,700-lb. Lift Truck, Model GPS-15, S/N GP127-209-6800FA, 188" Lift, LP, Solid Tires, ROPS

CLARK 2,500-lb. Standup Lift Truck, Model NST25, S/N NST1245-237-4415, 154" Lift, 12-Volt

BRIDGE CRANES

(2) DWIGHT FOOTE 15-Ton x 27' Span Double Girder Top Running Bridge Cranes, S/N 256894 & 256-794, Saw Box Cable Hoist, Pendant Controls

(4) DWIGHT FOOTE 10-Ton x 35' Span

Single Girder Top Running Bridge Crane, w/YALE 10-Ton Electric Cable Hoist, Pendant Controls, S/N's 161578, 165379, 161478 & 161678

(2) WRIGHT 10-Ton x 27' Span Single Girder Top Running Bridge Cranes, S/N's A306 & A307, Wright Speedway Cable Hoists, Pendant Controls

DWIGHT FOOTE 10-Ton x 22' Span Single Girder Top Running Bridge Crane, S/N 161378, Pendant Controls

(2) DWIGHT FOOTE 7-1/2 Ton x 27' Span Single Girder Top Running Bridge Cranes, S/N's A301 & A304, P&H Cable Hoist, Pendant Controls

SPANCO 5-Ton x 20' Span Single Leg Floor Type Gantry Crane, Self-Traveling, w/Shaw Box Electric Cable Hoist, Pendant Controls

3-Ton x 35' Span Single Girder Top Running Bridge Crane, w/Coffing Electric Cable Hoist, Pendant Controls

DWIGHT FOOTE 2-Ton x 35' Span Single Girder Top Running Bridge Crane, w/WRIGHT Electric Cable Hoist, Pendant Controls, S/N 169179

WRIGHT 1-Ton x 27' Span Single Girder Top Running Bridge Crane, Pendant Controls

(4) CRANE MFG. 1-Ton x 27' Span Single Girder Top Running Bridge Cranes, S/N's 2401, 2402, 2403 & 2404, Yale Cable Hoists, Pendant Controls

(4) 1-Ton x 25' Span Single Girder Under Hung Bridge Cranes, w/Manual Chain Hoists

(10) Various Capacity Column Mount Jib Cranes w/Hoists from 1/4-Ton to 1-Ton

SPANCO 5-Ton A-Frame Gantry Crane, 22' Between Housings, 13' Under Hook

(2) GAFFNEY 2-Ton Gantry Cranes, Floor/Beam Mount, 16' Wide x 9' Under Hook, 4-Way Pendant Controls, 100' Buss Rail

(10) Various Capacity Column Mount Jib Cranes w/Hoists from 1/4-Ton to 1-Ton

SPANCO 5-Ton A-Frame Gantry Crane, 22' Between Housings, 13' Under Hook

(2) GAFFNEY 2-Ton Gantry Cranes, Floor/Beam Mount, 16' Wide x 9' Under Hook, 4-Way Pendant Controls, 100' Buss Rail

(10) Various Capacity Column Mount Jib Cranes w/Hoists from 1/4-Ton to 1-Ton

SPANCO 5-Ton A-Frame Gantry Crane, 22' Between Housings, 13' Under Hook

(2) GAFFNEY 2-Ton Gantry Cranes, Floor/Beam Mount, 16' Wide x 9' Under Hook, 4-Way Pendant Controls, 100' Buss Rail

(10) Various Capacity Column Mount Jib Cranes w/Hoists from 1/4-Ton to 1-Ton

SPANCO 5-Ton A-Frame Gantry Crane, 22' Between Housings, 13' Under Hook

(2) GAFFNEY 2-Ton Gantry Cranes, Floor/Beam Mount, 16' Wide x 9' Under Hook, 4-Way Pendant Controls, 100' Buss Rail

(10) Various Capacity Column Mount Jib Cranes w/Hoists from 1/4-Ton to 1-Ton

SPANCO 5-Ton A-Frame Gantry Crane, 22' Between Housings, 13' Under Hook

(2) GAFFNEY 2-Ton Gantry Cranes, Floor/Beam Mount, 16' Wide x 9' Under Hook, 4-Way Pendant Controls, 100' Buss Rail

(10) Various Capacity Column Mount Jib Cranes w/Hoists from 1/4-Ton to 1-Ton

SPANCO 5-Ton A-Frame Gantry Crane, 22' Between Housings, 13' Under Hook

(2) GAFFNEY 2-Ton Gantry Cranes, Floor/Beam Mount, 16' Wide x 9' Under Hook, 4-Way Pendant Controls, 100' Buss Rail

(10) Various Capacity Column Mount Jib Cranes w/Hoists from 1/4-Ton to 1-Ton

SPANCO 5-Ton A-Frame Gantry Crane, 22' Between Housings, 13' Under Hook

(2) GAFFNEY 2-Ton Gantry Cranes, Floor/Beam Mount, 16' Wide x 9' Under Hook, 4-Way Pendant Controls, 100' Buss Rail

(10) Various Capacity Column Mount Jib Cranes w/Hoists from 1/4-Ton to 1-Ton

SPANCO 5-Ton A-Frame Gantry Crane, 22' Between Housings, 13' Under Hook

(2) GAFFNEY 2-Ton Gantry Cranes, Floor/Beam Mount, 16' Wide x 9' Under Hook, 4-Way Pendant Controls, 100' Buss Rail



CATERPILLAR GP25 4,400-LB. LIFT TRUCK




CLARK GPS-15 2,700-LB. LIFT TRUCK



HYSTER H155XL 15,500-LB. LIFT TRUCK



NUMEROUS 1- TO 14-TON DOUBLE & SINGLE GIRDER BRIDGE CRANES



(2) GAFFNEY 2-TON GANTRY CRANES



(30) PALLET JACKS



SKYJACK SJ3220 EXTENDING PLATFORM SCISSOR LIFT



(6) ENERPAC SAFE-T-LITE HYDRAULIC LIFTS



NUMEROUS LIFTING CHAINS



3-WHEEL BAGGAGE TUG



KOMATSU/DRESSER 520K-W70-3 ARTICULATED WHEEL LOADER



INTERNATIONAL S1900 FLATBED TRUCK



BUICK LACROSSE 4-DOOR SEDAN



MERCURY MONTEGO PREMIER 4-DOOR SEDAN

WHEEL LOADER

KOMATSU/DRESSER Articulated Wheel Loader, Model 520K-W70-3, S/N 50080, 93" Bucket, Rubber Tire, Komatsu Diesel, 6,289 Hours, w/12' Snow Blade Attachment

TRUCKS & VEHICLES

1986 INTERNATIONAL S1900 Flatbed Truck, 18' x 8' Steel Bed, 28,000 GVWR, Diesel, 6-Speed, A/C, 255,171 Miles, VIN 1HTLDTVNXGHA46914

FORD F700 Water Truck, 24,000 GVWR, DECKER 600-Gallon (Front) / 1,800-Gallon (Rear) Water Tanks, 80,267 Miles, VIN F70EYV48827

2006 MERCURY Montego Premier 4-Door Sedan, Full Power, 88,614 Miles
2005 BUICK Lacrosse 4-Door Sedan, Full Power, V6 Engine, 33,975 Miles
1997 CHEVROLET C1500 Pickup Truck, Auto, 69,303 Miles

1996 FORD F350 4X4 Pickup Truck, Auto, w/8' Fisher Snow Blade & 54" x 8' Salt/Sand Spreader, 34,427 Miles

MISCELLANEOUS

Remaining Tool Steel Inventory Including Round & Hexagonal Bar, Diameters to 10", Square & Rectangular Tube Stock, Flat Bar up to 1-3/4" x 5"

PHILADELPHIA TRAMRAIL 60" x 30" Hydraulic Baler, S/N 8466366L
8" x 48" & 8" x 30" Screw Presses
DAKE 75-Ton Shop Press, Model 6-475, S/N 153274, 44" Between Housings
JOY Twin Cylinder Air Compressor, Model WN112, S/N 80312, Size 111/4-7X7, 600-RPM

PIONEER Refrigerated Air Dryer
RIDGID 535 & 300 Pipe Threaders • (3) RIDGID 450 Pipe Stands • (3) RIDGID 700 Hand Threaders • RIDGID Threading Dies • OSTER No. 54 Threading Head • (6) PARKER POWER 232B Flarers • Several GREENLEE, ENERPAC & PARKER Pipe Benders • RIDGID BC-610 Pipe Clamp • (2) PARKER Parkrimp I Hose Crimpers

(2) **AIRFLOW SYSTEMS 65" x 40" Down Draft Tables**, Model DT3000-AC-BF-S

HIGH SPEED HAMMER COMPANY Electric Riveter, 6" Throat

SIMPLE GREEN Parts Washer, 20-Gallon Drum-Mounted Parts Washer
(12) GREENLEE 1731 & 7646 Knockout Sets & Assorted Hole Punches

(5) Self Contained Hydraulic Pumps, 2-5 HP, Assorted Electric Pump Stations
THERM 590-lb. Shop Hoist
PUFFER HUBBARD Commercial Freezer, Model ICF5007-A-O-A, S/N 49096E

RIDGID 535 & 300 Pipe Threaders •

(3) RIDGID 450 Pipe Stands • (3) RIDGID 700 Hand Threaders • RIDGID

Threading Dies • OSTER No. 54 Threading Head • (6) PARKER POWER

232B Flarers • Several GREENLEE, ENERPAC & PARKER Pipe Benders •

RIDGID BC-610 Pipe Clamp • (2) PARKER Parkrimp I Hose Crimpers

(2) **AIRFLOW SYSTEMS 65" x 40" Down Draft Tables**, Model DT3000-ACBF-S

HIGH SPEED HAMMER COMPANY Electric Riveter, 6" Throat

SIMPLE GREEN Parts Washer, 20-Gallon Drum-Mounted Parts Washer

(12) GREENLEE 1731 & 7646 Knockout Sets & Assorted Hole Punches

(5) Self Contained Hydraulic Pumps, 2-5 HP, Assorted Electric Pump Stations

THERM 590-lb. Shop Hoist
PUFFER HUBBARD Commercial Freezer, Model ICF5007-A-O-A, S/N

(3) **MILWAUKEE Sawzalls** • (5) Heavy Duty Electric Drills • Electric Hand Drills •

(2) 6" Double End Bench Grinders • (10) Pneumatic Angle Grinders • (50)

Pneumatic Drills • Lots of Hand Tools •

Perishable Tooling • Reamers • End Mills •

Twist Drills • Inserts • Slitting Saws •

Adjustable Reamers • Hardware •

Hydraulic Fittings • Electrical Connectors •

Wiring, Contactors • Fuses • Micro Switches • (4) 50-HP Electric Motors • (2)

Hose Cutoff Saws • SRD & DAREX Drill Point Grinders • Double End & Pedestal

Grinders • Vertical Belt Sanders • (100) Machine, Drill & Bench Vises • BERG-

GIBSON, EXIDE and C&D Battery Chargers • (3) 2" Trash Pumps • (9) JUST-

RITE Rag Containers • (8) Magnetic Base Drills • Mill Hold Down Tooling • V-Blocks

(6) LISTA Modular Tool Cabinets • 31" x 88" & 56" x 88", (12) Multi-Drawer

Modular Tool Cabinets • Numerous LISTA Work Benches • Cabinets • Man Lockers •

Steel Work Benches • Steel Shelving •

Pallet Racking • JUSTRITE 30-Gallon Flammable Storage Cabinet • (25) Rolling

& Fixed Hardware Cabinets • (6) Dump Storage Racks • Assorted Rotary Parts

Bins • Print File Cabinet • (20) Shop Vacs • (15) 3'-12' Folding Fiberglass Ladders &

Assorted Extension Ladders • Pedestal Fans • Arbor Presses

WEBCAST BIDDER INSTRUCTIONS

- All Internet bidders must register for this auction at www.bidspotter.com at least 48-Hours Prior to the Sale Date, **if you do not you will not be approved.**
- All Internet bidders must Post a Deposit of Approx. 25% of Your Planned Spending Budget or \$5,000.00 Minimum with Cincinnati Industrial Auctioneers in Order to be approved to Bid. Those who do Not Post the Deposit Will Not be Approved. **Period.**
- **Only Major Items Will be Available for Online Bidding.** Please refer to the Listing on www.bidspotter.com for Available Online Items.
- There is a 15% Buyer's Premium in Effect for All Online Purchases.
- We Highly Recommend that Potential Buyers Attend this Auction & Bid Live Onsite. This will give you the Ability to Inspect the Items & Fully Appreciate Their Condition, Along with Saving You 3% of the Buyer's Premium.

No Last Minute Registrations will be accepted. Make Sure to Register & Post Your Deposit No Later than 48-Hours Prior to the Start of the Auction.






FORD F700 WATER TRUCK



FORD F350 4X4 PICKUP TRUCK



JOY WN112 TWIN CYLINDER AIR COMPRESSOR




REMAINING ROUND & HEXAGONAL BAR TOOL STEEL INVENTORY



(2) PARKER PARKRIMP I HOSE CRIMPERS WITH CUT-OFF SAW



REMAINING WIRING INVENTORY



RIDGID 535 PIPE THREADERS



(8) MAGNETIC BASE DRILLS



(6) LISTA MODULAR TOOL CABINETS

PUBLIC

AUCTION

PUBLIC

FORMER ASSETS OF KINGSBURY CORP.

**WORLD RENOWNED
MACHINE TOOL MFG****KINGSBURY
CORPORATION**

80 Laurel Street in Keene, New Hampshire 03431

**THURSDAY, APRIL 12TH
STARTING AT 9AM**

Inspection: Wed. 4/11/12 from 9AM to 4PM



STUDER UNIVERSAL CNC CYLINDRICAL GRINDER

**Cincinnati Industrial
Auctioneers Inc.**
2020 DUNLAP STREET
CINCINNATI, OHIO 45214

PPL Auction
3100 DUNDEE ROAD
SUITE 915
NORTHBROOK, IL 60062

**Myron Bowling
Auctioneers**
P.O. BOX 369
ROSS, OHIO 45061

PRE-SORT
FIRST CLASS
U.S. POSTAGE
PAID
CINCINNATI, OHIO
PERMIT NO. 5714

**FIRST CLASS
MAIL!**

WORLD RENOWNED MACHINE TOOL MFG

**Important Mail**TO BE DIRECTED TO THE ATTENTION
OF EXECUTIVE PERSONNEL

PUBLIC

AUCTION

PUBLIC

FORMER ASSETS OF KINGSBURY CORPORATION

**KINGSBURY
CORPORATION**

80 Laurel Street in Keene, New Hampshire 03431

**THURSDAY, APRIL 12TH
STARTING AT 9AM**

INSPECTION: WED. 4/11/12 FROM 9AM TO 4PM

IMPORTANT NOTICE:

Although information has been obtained from sources deemed reliable, the auctioneer makes no warranty or guarantee, expressed or implied, as to the accuracy of the information herein contained. It is for this reason that buyers should avail themselves of the opportunity to make inspection prior to the sale. This brochure is intended to provide general information of the equipment being offered and is subject to errors, omissions, additions or deletions. Please check with the Auctioneer's Office for a final listing. Items offered may or may not necessarily be sold as described and/or photographed in this brochure.

MAIL BIDS ACCEPTED WITH A 25% DEPOSIT**TERMS OF SALE**

All of the above is sold "as is", "where is" to the highest bidder or bidders for cash in accordance with our regular terms and conditions of sale. A deposit of 25% on all purchases is required in **cash, certified or cashier's check**, made payable to Myron Bowling Auctioneers, Inc. Firm or personal checks accepted only if accompanied by a letter of credit from your bank guaranteeing your funds. Balance due at conclusion of sale. All sales are subject to state and/or local sales tax, unless a signed exemption form is presented at the time of purchase. No merchandise may be removed while the sale is in progress. **12% Buyer's Premium Onsite**
15% Buyer's Premium Online.

AUCTIONEERS

Myron Bowling Auctioneers Inc.
Cincinnati Industrial Auctioneers Inc.
PPL Auction

**DIRECTIONS**

From Manchester, NH, take SR-101 West approximately 52 miles to Keene, NH. As you enter Keene, turn right on Optical Ave. and go .4 mile to Marlboro St. Turn left and go .3 mile to Kingsbury Machine.

Note: The street address for Kingsbury (80 Laurel Street) probably won't be found in your GPS or Mapquest. Use 227 Marlboro Street, Keene, NH 03431.

LODGING

Best Western
401 Winchester St. 03431

Holiday Inn Express
175 Key Rd. 03431

**Cincinnati Industrial
Auctioneers Inc.**

2020 DUNLAP ST., CINCINNATI, OHIO 45214
PH (513) 241-9701 / FAX (513) 241-6760
INTERNET: www.cia-auction.com

**Myron Bowling
Auctioneers Inc.**

P.O. BOX 369 ROSS, OHIO 45061
PH (513) 738-3311 / FAX (513) 738-0221
INTERNET: www.myronbowling.com

**PPL Auction**

3100 DUNDEE ROAD,
SUITE 915, NORTHBROOK, IL 60062
PH (224) 927-5300 / FAX (224) 927-5311
INTERNET: www.pplauction.com