

60,000 SQ. FT. STAMPING FACILITY, GAP AND OBI PRESSES BY AIDA, STAMTEC, ROUSSELLE AND OTHERS TO 275-TON, FEED EQUIPMENT, FOUR-SLIDES, COMPLETE TOOLROOM, WAREHOUSE AND SUPPORT EQUIPMENT

BidSpotter.com
See Instructions on Page 6
To Become a Qualified Bidder on the Internet

WEBCAST AUCTION

Plant Closed

KREIDER CORPORATION

2000 S. Yellow Springs St. – Springfield, Ohio 45506

30 Miles Northeast of Dayton, Ohio

SALE DATE: WEDNESDAY, DECEMBER 2ND, STARTING AT 10:00 AM


INSPECTION: Day Prior from 10AM to 4PM or by appointment with jeffjr@cia-auction.com



(3) Double Crank Presses by Aida and Stamtec to 275 Ton



(10) Single Crank Presses by Aida, Stamtec and Rousselle



220 Ton Stamtec Model G1-200 Single Crank Gap Frame Press



(7) Nilson Four Slides to 1/4" Models 4F, 3F, S3, S2F, S1



(30+) Pcs. Press Feed Equipment



Approx. 200 Ton Steel Coil Inventory



Heavy-Duty Adjustable Die Storage Rack System



Complete Toolroom, Mills, Lathes, Grinders



(4) Electric Forklifts, Man Lifts, Battery Chargers

Sale Under The Management Of



CINNATI INDUSTRIAL AUCTIONEERS

auctioneers | appraisers | since 1961 | cia-auction.com | info@cia-auction.com
2020 Dunlap St., Cincinnati, Ohio 45214 Phone 513-241-9701 Fax 513-241-6760



220 Ton Aida Model C2-20(2) Double Crank Gap Frame Press



121 Ton Stamtec Model G1-110 Single Crank OBI Press



66 Ton Stamtec Model G1-60 Single Crank Gap Frame Press



10,000 Lb. x 24 Dallas Model 24 x 60 x 10000 Cradle Straightener



24 Perfecto Model 00-24 Servo Feed



176 Ton Stamtec Model G2-160S Double Crank Gap Frame Press



275 Ton Aida Model NC2-25(1) Double Crank Gap Frame Press

STEEL COIL INVENTORY

Approx. 200 Ton Steel Coil Inventory, See website for complete listing prior to auction

DOUBLE CRANK PRESSES

275 Ton Aida Model NC2-25(1) Double Crank Gap Frame Press; s/n 10525-1045, 6.69" Stroke, 25 – 55 SPM, 17.7" SH, 4.7" Adj., 82.6" x 27.5" Ram, 106.2" x 29.9" Bolster

220 Ton Aida Model C2-20(2) Double Crank Gap Frame Press; s/n 10520-0546, 9.8" Stroke, 35 SPM, 95" x 33" Bolster, 19.6" SH, 4.3" Adj.

176 Ton Stamtec Model G2-160S Double Crank Gap Frame

Press; s/n 0249, 7.87" Stroke, 30 – 55 SPM, 17.7" SH, 3.93" Adj. (1994)

Cleveland Model 40G-48-60 Double Crank Gap Frame Press; 20" x 60" Bed, Welded Frame

SINGLE CRANK PRESSES

220 Ton Stamtec Model G1-200 Single Crank Gap Frame Press; s/n S001190, 20 – 50 SPM, 7.87" Stroke, 17.72" SH, 4.3" Adj., 32" x 55" Bolster (2002)

176 Ton Allintech Model MDI-C-160 Single Crank Gap Frame Press; s/n n/a, 40 SPM, 7.87" Stroke, 15.74" SH, 31" x 49" Bed

165 Ton Aida Model NC1-150(2) Single Crank Gap Frame Press;

s/n 10215-8294, 7.87" Stroke, 30 – 55 SPM, 15.74" SH, 3.93" Adj., 27.5" x 22.8" Ram, 46" x 29.9" Bolster (1995)

88 Ton Aida Model C1-8(2) Single Crank Gap Frame Press; s/n 00208-4301, 6.2" Stroke, 60 SPM, 52.3" x 23.6" Bolster, 21.2" x 18.1" Slide, 12.6" SH, 3" Adj.

88 Ton Aida Model NC1-80(2) Single Crank Gap Frame Press; s/n 00208-6439, 6.29" Stroke, 40 – 75 SPM, 12.59" SH, 3.14" Adj., 37.4" x 23.6" Bed Area

88 Ton Stamtec Model G1-80S Single Crank Gap Frame Press; s/n 0311, 5.9" Stroke, 35 – 80 SPM, 12.99" SH, 3.15" Adj. (1994)

ADDITIONS FROM LOCAL STAMPING COMPANY

Inspection by appointment with jeffjr@cia-auction.com



220 Ton Aida Model C1-20(1) Single Crank Gap Frame Press



(2) 300 Ton Bliss Model SE2-300-84-48 SSDC Presses

(2) 300 Ton Bliss Model SE2-300-84-48 SSDC Presses; s/n L50095-2 w/ 32 SPM, s/n N/A Press No. 357 w/ 20 SPM, BOTH PRESSES: 12" Stroke, 11.75" Adj., 32" x 41" Windows, 7" Thick Bolster

220 Ton Aida Model C1-20(1) Single Crank Gap Frame Press; 6.2" Stroke, 35 – 65 SPM, 33" x 69" Bed, 25" x 33" Ram, 16.1" SH, 4.3" Adj

37" Timesavers Model 137-IHPMES Wide Belt Sander; s/n 268027

7,700 Lb. Sono Ruka Model UCW-2040 D.E. Uncoiler; .019" / .023" x 15-3/4" Wide, 70" OD

36" Feedlease Model RFLx37 Combination Feeder/Straightener; 7-Roll Straightener, .020" @ 36", .090" @ 28" Wd



KREIDER CORPORATION



88 Ton Aida Model NC1-80(2) Single Crank Gap Frame Press



55 Ton Rousselle Model G1-55&8 Gap Frame Press



70 Ton Heim Model 7G OBI Press



50 Ton Heim Model 5G OBI Press

66 Ton Stamtec Model G1-60 Single Crank Gap Frame Press; s/n 0362, 4.73" Stroke, 35 – 90 SPM, 11.82" SH, 2.96" Adj. (1996)

66 Ton Stamtec Model G1-60S Single Crank Gap Frame Press; s/n 0158, 4.72" Stroke, 45 – 90 SPM, 11.8" SH, 2.95" Adj. (1988)

66 Ton Aida Model CI-6(2) Single Crank Gap Frame Press; s/n 00206-3266, 5.5" Stroke, 70 SPM, 48.8" x 20.4" Bed, 11.8" SH, 2.7" Adj.

55 Ton Rousselle Model G1-55&8 Gap Frame Press; s/n P32269, 6" Stroke, 4" Adj., 19.5" SH, 60 SPM

OBI PRESSES

121 Ton Stamtec Model G1-110 Single Crank OBI Press; s/n G1-110I-001, 8" Stroke, 45 SPM, 12.83" SH, 3.54" Adj.

110 Ton Bliss Model C110 OBI Press; s/n H62448,

90 Ton Clearing OBI Press; s/n 54-9049, 6" Stroke, 13.75" SH, 4" Adj.

80 Ton South Bend Model 80-FW-AC OBI Press; s/n 79007, 4" Stroke, 15.5" SH, 3.5" Adj., 36" x 24" Bed, 85 SPM

70 Ton Heim Model 7G OBI Press; s/n H-3551, 4" Stroke, 12.5" SH, 55 SPM, 4" Adj.

60 Ton Rousselle Model 6 OBI Press; s/n 6824

60 Ton Verson Model D60 OBI Press; s/n 24997, 4" Stroke, 90 SPM, 14" SH

60 Ton Bliss OBI Press; s/n HP45388, Air Clutch

55 Ton Heim Model 5 OBI Press; s/n H-3552, 3" Stroke, 13" Shut Height, 120 SPM, 4" Slide Adj., Air Clutch, Triad Control

50 Ton Heim Model 5A-OBI-BG OBI Press; s/n 2866

(2) 45 Ton South Bend Model 45-EW-AC OBI Presses; s/n 81007 & 83007, 3" Stroke, 11-1/74" SH, 3" Adj., 28" x 18" Bed, 125 SPM, Air Clutch

(2) 40 Ton Rousselle No. 4 OBI Presses; s/n's EAA-8373 & EASA-7136, Air Clutch, Triad Control

35 Ton Danly No. 35 OBI Press; s/n 35585-10373, 3" Stroke, 10" Shut Height, 120 SPM, Air Clutch

32 Ton Heim No. 3 OBI Press; s/n H3550, 3" Stroke, 10" Shut Height, 2.5" Adj., 140 SPM, Air Clutch

30 Ton Rousselle No. 3 OBI Press; s/n EASA-8557

30 Ton Minster No. 3 OBI Press; s/n 7091, Air Clutch, Triad Control, Light Curtains

15 Ton Rousselle No. 2E OBI Press; s/n 23224, 2" Stroke, 12" Shut Height, 170 SPM, 2.5" Adj., Air Clutch

SERVO FEEDS

30" Dallas Model DRF-430-RH Servo Feed; s/n 20120, .135" x 30" Cap., .194" X 12" Cap.

24" Perfecto Model 00-24 Servo Feed; s/n 850194

12" PA Industries and Littell Servo Feeds

AIR FEEDS

30" Dallas Model D325-30x30-RH Air Feed; s/n 17480, .105" x 30" Cap.

(5) Air Feeds by Dallas and Jaybird from 6" to 18"

COIL CRADLES

10,000 Lb. x 24" Dallas Model 24 x 60 x 10000 Cradle Straightener; s/n 16438

4,000 Lb. x 30" Rowe Model 4020-J6 Cradle; 60" O.D.

18" Dallas Model DCCDC-1860-P3 Cradle

(5) 3,000 Lb. Rowe Model 3020J and 3015J Cradles

UNCOILERS

(2) Accra Wire Control Model F200 Motorized Horizontal Uncoilers

(5) American Steel Line Uncoilers from 3,000 to 6,000 Lb.




(2) 3/16" Nilson Model 3F Flat Strip Four-Slides



5/16" Lewis Model 2CV Wire Straight and Cut w/ 8" Rack



3/16" Nilson Model S3 Wire Four-Slide



(30+) Pcs. Feed Equipment; Servo and Air Feeds, Coil Cradles, Uncoilers and Related



1-1/2 HP Bridgeport V/S Vertical Mill



50-Ton Scotchman Industries Model 5014-TM Ironworker



88 Ton x 10' US Industrial Model US8810 Hydraulic Press Brake



(6) Hand Feed Surface Grinders

FOUR-SLIDE MACHINES

- 1/4" Nilson Model 4F Flat Strip Four-Slide; s/n 84840 (1969), Reeves Drive, Light Curtains, Air Trip Clutch
- (2) 3/16" Nilson Model 3F Flat Strip Four-Slides; s/n 82995 (11/67) Air-Trip Clutch, s/n 88720 (1970) Mechanical Clutch, Light Curtains, V/S Drive, Air Trip Clutch
- 3/16" Nilson Model S3 Wire Four-Slide; s/n 61950, Reeves Drive, Mechanical Clutch
- 1/8" Nilson Model S2F Flat Strip Four-Slide; s/n 82985, Reeves Drive, Mechanical Clutch
- (2) 3/32" Nilson Model S1 Flat Strip Four-Slides; s/n 52992, Reeves Drive, Mechanical Clutch

WIRE STRAIGHT AND CUT

- 5/16" Lewis Model 2CV Wire Straight and Cut w/ 8' Rack; s/n 590-6 (1974)

FABRICATING MACHINERY

- 88 Ton x 10' US Industrial Model US8810 Hydraulic Press Brake; s/n W2007-163, Light Curtains, Touch Screen Control, Back Gage
- 50-Ton Scotchman Industries Model 5014-TM Ironworker; s/n 1514K0906, Punch, Angle, Flat, Coper
- 12-Ton x 2' Bantam Model B-212 Air Brake; 4-Way Die
- 22" Niagara Model 22F Kick Shear

MILLS AND DRILLS

- (4) 1-HP Bridgeport 8-Speed Vertical Mills; Modern DRO's
- 1-1/2 HP Bridgeport V/S Vertical Mill; Anilam DRO
- Drills; 3' Arm and 30" Arm Radial Drills, Single Spindle and Sliding Head Drills

GRINDERS

- 16" x 40" Kent Model KGS410AHD Hydraulic Surface Grinder; s/n 890871, PB Control
- (6) Hand Feed Surface Grinders by Parker Majestic, Reid, Brown and Sharp and Others

MISC. TOOLROOM MACHINERY

- Misc. Toolroom Machinery; 13" x 30" Logan Engine Lathe, 24" and 20" Band Saws, 9" x 16" DoAll Band Saw, Moore No. B18 Jig Bore, Superior Model J2 Hone and Related
- Tooling & Accessories; Heavy Die Repair Table, Toolmakers Benches, Die Carts, Surface Plates, Vises, Grinding Accessories & Related
- Inspection Tools; 14" Optical Comparator w/ Late Model DRO, Granite Plates, Height Gages, Calipers, Mics, Small Machinery, Grinders, Sanders, Arbor Presses



16" x 40" Kent Model KGS410AHD Hydraulic Surface Grinder



Doall C-916 Horizontal Band Saw



(4) 1-HP Bridgeport 8-Speed Vertical Mills; Modern DRO's

WEBCAST BIDDER INSTRUCTIONS

- > **Bidders in the United States** will receive approval forms from our office upon registering for the auction on www.bidspotter.com, pending the Auctioneers review of the information provided you will be approved at the Auctioneers discretion.
- > **Bidders outside of the United States** must post a deposit of approx. 25% of their planned spending budget or \$10,000.00 minimum with Cincinnati industrial auctioneers in order to be approved to bid. Those who do not post the deposit will not be approved. **period.**



Misc. Toolroom Machinery, Drills, Saws, Tooling and Support Equipment



(2) Corrotec 3-Position Rotary Table Automatic Plastisol Dip Coating Machines



(28) Sections 4' x 4' x 188" High Heavy-Duty Adjustable Die Storage Rack System



(200) Various Size & Style Steel Tub to 54" x 44" x 24" Deep



Example Parts From Plastisol Coating Machines



Control Panel for Plastisol Coating Machine

4,000 Lb. Hyster Model N40ER Electric Forklift; s/n C138D02389K

SkyJack Model SJPM12 Man Lift

Crown Model WAV50-118 Man Lift

Forklift Accessories; Battery Chargers, Forklift Safety Cage, Drum Carrier



Approx. 200 Ton Steel Coil Inventory

SHOP EQUIPMENT

(200) Various Size & Style Steel Tub to 54" x 44" x 24" Deep; See Catalog for Exact Styles, Quantities and Sizes

(28) Sections 4' x 4' x 188" High Heavy-Duty Adjustable Die Storage Rack System; 25,000 Lb. Per Section Cap., Removable Pallet Type Shelves (Approx. (7) Per Section)

(50) Sections 42" x 108" x 15' High USP Adjustable Beam Pallet Rack w/ Wire Decking

(66) Sections 18" x 48" x 174" High Adjustable Steel Shelving

(2) 1-Ton x 12' Arm Free-Standing Jib Cranes; 11.5' Under Arm

Shop Equipment; Manual Hydraulic Die Lifts by Regal, Presto & Economy, (3) Vestil & Econolift Pallet Tilters, (2) Spring Loaded Lift Tables, Heavy Duty Benches & Carts, PS&D Rotary Pallet Stretch Wrapper, Box Tapers, Bench Scales, Hand Tools, Building and Machine Maintenance Parts and Related



(2) 5,000 Lb. Hyster Model E50XM2-27 Sit Down Electric Forklifts

PLASTISOL COATING MACHINES

(2) Corrotec 3-Position Rotary Table Automatic Plastisol Dip Coating Machines; For Coating 1-Side of 90 Deg Bracket, (5) 20" Wide Hanging Arms, (1) w/ PLC Control, Dip, (1) w/ Push Button Control, Pre-Heat, Dip and Bake Stations

AIR COMPRESSORS & RELATED

(2) Mattei Air Compressors; (1) Model EMS-500 w/ 36,376 Hours, Model AC-2045 w/ 53,440 Hours
Air Tak Air Dryer; After Cooler

MISC. MACHINERY

Magnus Miji-Lif Model MALH-LV1 Size 4 Dip Tank Washer; s/n 47429

(5) Press Type Spot Welders by **Banner & Lora** to 100-KVA; Throats to 20", Entron Controls

(10) Joraco Model SSDM Toggle-Air Bench Top Presses

(10) Famco Kick Presses
Snow Model DR1S Tapper
ISP Silver Stitcher Model HF16P Box Stitcher

Aerology Portable Fume Collector

Parts Tumblers

30" Dia. Sweco Vibratory Finisher

FORKLIFTS AND RELATED

(2) 5,000 Lb. Hyster Model E50XM2-27 Sit Down Electric Forklifts; s/n F108V1166U, 131" Lift, 5,600 Hours, Fork Positioner, s/n F108V27560A, 189" Lift, Fork Positioner

5,000 Lb. Clark Model ECG25 Sit Down Electric Forklift; s/n ECG358-0008-6754FB, 189" Lift, Fork Positioner



(2) Mattei Rotary Screw Air Compressors



(50) Sections 42" x 108" x 15' High USP Adjustable Beam Pallet Rack



(66) Sections 18" x 48" x 174" High Adjustable Steel Shelving



Electric Forklifts, Man Lifts, Battery Chargers

WEBCAST AUCTION

60,000 SQ. FT. STAMPING FACILITY, GAP AND OBI PRESSES BY AIDA, STAMTEC, ROUSSELLE AND OTHERS TO 275-TON, FEED EQUIPMENT, FOUR-SLIDES, COMPLETE TOOLROOM, WAREHOUSE AND SUPPORT EQUIPMENT

Plant Closed

KREIDER CORPORATION

2000 S. Yellow Springs St.
Springfield, Ohio 45506
30 Miles Northeast of Dayton, Ohio

SALE DATE:

**Wednesday, December 2nd
STARTING AT 10:00 AM**

INSPECTION:

Day Prior from 10AM to 4PM
or by appointment with jeffjr@cia-auction.com



CINCINNATI
INDUSTRIAL
AUCTIONEERS

Contact Information
2020 Dunlap St.
Cincinnati, Ohio 45214
Phone 513-241-9701
Fax 513-241-6760
www.cia-auction.com



Aida and Stamtec Presses



Aida and Stamtec Presses



200 Ton Steel Coil Inventory



Clean Support Equipment

FIRST CLASS MAIL!

PRE-SORT
FIRST CLASS
U.S. POSTAGE
PAID
CINCINNATI, OHIO
PERMIT NO. 3593

Important Mail

TO BE DIRECTED TO THE ATTENTION
OF EXECUTIVE PERSONNEL



WEDNESDAY, DECEMBER 2ND

WEBCAST AUCTION

Plant Closed

KREIDER CORPORATION

2000 S. Yellow Springs St.
Springfield, Ohio 45506

30 Miles Northeast of Dayton, Ohio

IMPORTANT NOTICE:

Although information has been obtained from sources deemed reliable, the auctioneer makes no warranty or guarantee, expressed or implied, as to the accuracy of the information herein contained. It is for this reason that buyers should avail themselves of the opportunity to make inspection prior to the sale. This brochure is intended to provide general information of the equipment being offered and is subject to errors, omissions, additions or deletions. Please check with the Auctioneer's Office for a final listing. Items offered may or may not necessarily be sold as described and/or photographed in this brochure.

ONLINE BIDDER INSTRUCTIONS

> All Internet bidders must register for this auction at www.bidspotter.com. Please register 24-hours in advance to get through approval process.

AUCTIONEERS

Cincinnati Industrial Auctioneers, Inc. –
License No. 63-1983-10439
Jeffrey L. Luggen – License No. 57-1983-33789
Joseph M. Luggen – License No. 2010-0000-19



TERMS OF SALE

All equipment described herein will be sold "as is", "where is" to the highest bidder or bidders for cash in accordance with our regular terms and conditions of sale. Unless other satisfactory arrangements are made, a **25% deposit** in cash, certified or cashier's check payable to Cincinnati Industrial Auctioneers, Inc., **is required on all purchases.** Firm and personal checks accepted only if accompanied by a letter from your bank guaranteeing your funds. All sales are subject to state and/or local taxes unless a signed exemption form is presented at the time of purchase. **All balances are due at the conclusion of the sale.** No merchandise may be removed while the sale is in progress. **All bidders must comply with our Standard Terms of Sale,** copies of which will be available at the sale site or can be obtained from our website.

**18% BUYERS PREMIUM
IN EFFECT FOR ALL PURCHASES**

Sale Under The Management Of



CINCINNATI INDUSTRIAL AUCTIONEERS

auctioneers | appraisers | since 1961 | cia-auction.com | info@cia-auction.com
2020 Dunlap St., Cincinnati, Ohio 45214 Phone 513-241-9701 Fax 513-241-6760