

PUBLIC

AUCTION

BidSpotter.com™
To Become a Qualified Bidder on the Internet
See Instructions on Page 7

PLANT CLOSED

MULTI-MILLION DOLLAR STATE-OF-THE-ART CNC MACHINING & WATER JET CUTTING FACILITY

Plant Closed / Ordered Sold by the U.S. Bankruptcy Court, Southern District of Ohio



LT ENTERPRISES, INC.

6500 Stockton Road - Fairfield, Ohio 45014

20 Miles North of Cincinnati, Ohio off I-275 at St. Rt. 4

WEDNESDAY, NOVEMBER 9TH, STARTING AT 10:00 AM

INSPECTION: MONDAY & TUESDAY, NOVEMBER 7TH & 8TH, FROM 10:00 AM TO 4:00 PM



Cincinnati Industrial Auctioneers, Inc.

2020 DUNLAP ST., CINCINNATI, OHIO 45214
PHONE (513) 241-9701 / FAX (513) 241-6760
WEBSITE: www.cia-auction.com



Myron Bowling Auctioneers, Inc.

P.O. BOX 369 ROSS, OHIO 45061
PHONE (513) 738-3311 / FAX (513) 738-0221
WEBSITE: www.myronbowling.com



21700 Northwestern Hwy Suite 1180
Southfield, Michigan 48075
www.maynards.com



41555 West Fourteen Mile Rd., Suite 207
Farmington Hills, Michigan 48334
www.hilcoind.com



Mazak Model Vortex 1400/160-II Five-Axis CNC Bridge Mill

MAZAK FIVE-AXIS CNC BRIDGE MILL

Mazak Model Vortex 1400/160-II Five-Axis CNC Bridge Mill; S/N 200305, Mazak FX (Fanuc 310) Control, 49.24" X 157.42" T-Slotted Table, 40 Degree A & B Axis

Head Swivel, 165.3" X X-Axis, 55.1" Y-Axis, 24" Z-Axis, 58.26" W X 157.48" L X 28.93" H X 11,000 Lbs. Max Work Piece Dimensions, HSK-100 Spindle, Spindle Speeds to 13,000 RPM, 60-Pos. ATC, Coolant Thru Spindle, Renishaw Probing, Coolant System, Dual Full Length Chip Conveyors **(New 8/2007)** **SEE PHOTO**



Makino Model A81 Two-Pallet CNC Horizontal Machining Center

MAKINO CNC HORIZONTAL MACHINING CENTER

Makino Model A81 Two-Pallet CNC Horizontal Machining Center; S/N 803, Professional 5 Control, 24.8" X 24.8" Drilled & Tapped Pallets, 35.4" X-Axis, 31.5" Y-Axis, 40.2" Z-Axis, Full Fourth Axis .001 Degree Pallet Rotation, No. 50 Taper, High Torque 10,000 RPM

Spindle, 137-Pos. Rack Type ATC, Renishaw Probing, Pallet Clamp Confirmation Function, Daikin Auto Lube System, Air Dryer, Grundfos CTS Pump, Coolant System, Mosnic Chip Conveyor w/ Filter System, Kanto Seiki Oilmatic Oil Cooler **(New 2008)** **SEE PHOTO**

> **(2) 16" X 30"H X 16" Mid States Machine Four-Side Drilled & Tapped Tombstones - To Be Sold Separately**

(3) INDUSTRIAL PROPERTIES TO BE OFFERED AT PUBLIC AUCTION
WEDNESDAY, NOVEMBER 9TH AT 12:00 PM NOON
See Page 11 For Details



Mazak Model Nexus HCN-6800II Two-Pallet CNC Horizontal Machining Center

MAZAK CNC HORIZONTAL MACHINING CENTER

Mazak Model Nexus HCN-6800II Two-Pallet CNC Horizontal Machining Center; S/N 196353, Mazatrol Matrix Nexus Control, 24.8" X 24.8" T-Slotted Pallets, 1 Degree Pallet Rotation, 41.34" X-Axis, 35.43" Y-Axis, 38.58" Z-Axis, No. 50 Taper,

41.34" Max Height Work Piece Dia., 51.18" Max Work Piece Height, 3,300 Lb Max Table Load, Optional High Torque 8,000 RPM Spindle, 80-Pos. ATC, Renishaw Tool Eye, 40/50 HP Spindle Motor, Chip Conveyor, Conveyor, Coolant System **(New 2007) SEE PHOTO**
 > **(2) 24" X 36" Leave Tombstone City Two-Sided T-Slotted Tombstones - To Be Sold Separately**



(2) Bridgeport Model HMC700XP3E Two-Pallet CNC Horizontal Machining Centers

BRIDGEPORT CNC HORIZONTAL MACHINING CENTERS

(2) Bridgeport Model HMC700XP3E Two-Pallet CNC Horizontal Machining Centers; S/N 4600310 & 4600313, Fanuc Series 0i-MC Control, 19-3/4" X 19-3/4" Drilled & Tapped

Pallets, .001 Degree Full Fourth Axis Pallet Rotation, 28" X-Axis, 24" Y-Axis, 24" Z-Axis, No. 40 Taper Spindle, Spindle Speeds to 12,000 RPM, 60-Position ATC, 26KW Spindle Motor, Grundfos CTS Pump, SWARF Management, Thru Tool Coolant, Rigid Tapping, Coolant Tank & Pump, Chip Conveyor **(New 6/2006) SEE PHOTO**

NEW 11/2003



Hwacheon Model Hi-Tech 200AI Two-Axis CNC Turning Center



Hwacheon Model Hi-Tech 200CI Three-Axis CNC Turning / Milling Center



Mori Seiki Model NL-3000Y / 3000 Four-Axis CNC Turning / Milling Center



Inside View Mori Seiki NL-300Y / 3000

MORI SEIKI CNC TURNING CENTERS

Mori Seiki Model NL-3000Y / 3000 Four-Axis CNC Turning / Milling Center; S/N NL301HE1272, Mori Seiki MSX-850III CNC Control, 12" Kitagawa B-212 Chuck, Tool Eye, 39.2" Swing Over Bed, 32.5" Swing Over Cross Slide, 16.5" Max. Turn Dia., 122.9" Max. Turn Length, 3.5" Bar Work Cap., 11.0" X-Axis, 124.8" Z-Axis, 4.7" Y-Axis Travel, 3,000 RPM Main Spindle, 6,000 RPM Live Tool Spindle, 25/30 KW Main Spindle Motor, 3.7/5.5 KW Live Tool Spindle Motor, 12-Pos. Live Tool Turret w/ Y-Axis, Atling 62-90-360 Steady Rest, Tailstock, Coolant, Chip Conveyor **(New 6/2008)**

SEE PHOTO

Mori Seiki Model NL-3000MC / 3000 Three-Axis CNC Turning / Milling Center; S/N NL301HD1252, Mori Seiki MSX-850III Control, 12" Kitagawa B212 Chuck, Tool Eye, 39.2" Swing Over Bed, 32.5" Swing Over Cross Slide, 16.5" Max. Turn Dia., 122.9" Max. Turn Length, 3.5" Bar Work Cap., 11.0" X-Axis, 124.8" Z-Axis Travel, 3,000 RPM Main Spindle, 6,000 Live Tool Spindle RPM, 25/30 KW Main Spindle Motor, 3.7/5.5 KW Live Tool Spindle Motor, 12-Pos. Live Tool Turret, Atling L2-90-360 Steady Rest, Tailstock, Coolant, Chip Conveyor **(New 7/2008)**

SEE PHOTO

Mori Seiki Model NL-3000Y / 1250 Four-Axis CNC Turning / Milling Center; S/N NL301HF1305, Mori Seiki MSX-850III Control, 12" Kitagawa B-212 Chuck, Tool Eye, 39.2" Swing Over Bed, 32.5" Swing Over Cross Slide, 16.5" Max. Turn Dia., 49.6" Max. Turn Length, 3.5" Bar Work Capacity, 11.0" X-Axis, 53.9" Z-Axis, 4.7 Y-Axis, 3,000 RPM Main Spindle, 6,000 RPM Live Tool Spindle, 25/30 KW Main Spindle Motor, 3.7/5.5 KW Live Tool Spindle Motor, 10-Position Live Tool Turret w/ Y-Axis, LNS Model SLU-3.1ZS Steady Rest, Tailstock, Coolant, Chip Conveyor **(New 6/2008)**

SEE PHOTO


Mori Seiki CNC Lathe Tooling Consisting of; (5) WTO Right Angle Live Tool Holders, (7) WTO Straight Shank Live Tool Holders, Numerous Heavy Duty Standard I.D. & O.D. Turret Tool Blocks, Large and Standard Indexable Boring Bars to 3" Dia. & 2' Long, Large Spade Drills to 3" Dia. & 2' Long Chuck Jaws, Coolant Feed Indexable Drills, Various Die Spindle Tubes and Many Other Related Items



Mori Seiki Model NL-3000MC / 3000 Three-Axis CNC Turning / Milling Center



Mori Seiki Model NL-3000Y / 1250 Four-Axis CNC Turning / Milling Center



Inside View Mori Seiki NL-3000Y / 1250

SALE DATE: WEDNESDAY, NOVEMBER 9TH STARTING AT 10:00 AM



(2) Omax Model 80160 CNC Water Jet Cutting Tables



Close Up View Omax Components



(4) Omax Model 55100 CNC Water Jet Cutting Tables

OMAX CNC WATER JET CUTTING MACHINES

(2) Omax Model 80160 CNC Water Jet Cutting Tables; S/N E511715 (New 2007), E511697 (New 2007), Omax CNC Control, 89" X 174" Overall Cutting Table, 80" X 160" Max Cutting Area, 168" X-Axis, 80" Y-Axis, Tilt-A-Jet Cutting Head w/ 9-Degree Tilt & 6" Z-Axis Travel, 400 Lbs. / Sq. Ft. Table Load Area, 55,000 PSI Omax Model P4055V Pump System, Clemco Sand Tank **(New 2007)** **SEE PHOTO**

(4) Omax Model 55100 CNC Water Jet Cutting Tables; B511910 (New 2007), B512005 (New 2006), B512184 (New 2006), B512173 (New 2007), Omax CNC Control, 65" X 126" Overall Table Area, 55" X 100" Max Cutting Area, Tilt-A-Jet Cutting Head w/ 9-Degree Tilt & 6" Z-Axis Travel, 100" X-Axis, 55" Y-Axis, 400 Lb / Sq. Ft. Max material Load, 55,000 PSI Omax Model P4055V Pump System, Clemco Sand Tank **(New 2006 / 2007)** **SEE PHOTO**

(2) Omax Precision Optical Locator Heads

Water Jet Accessories Including;
 (3) Fabricated Steel Sand Tanks, New Bags Barton Sand, Pumps, Filters, Perishable Parts & Related

CALYPSO CNC WATER JET CUTTING MACHINE

Calypso Model Hammer Head 12 X 6 Dual Head CNC Water Jet Cutting Table; S/N 420806126, Calypso Mark IV Control; S/N 742806DP, 6' X 12' Table Area, Calypso Model ARS-3EH, Abrasive Removal System w/ 15 HP Pump, Tanks & Filter, KMT Waterjet Systems Model SLV-100 Pump System; S/N 061163, 60KPSI, 100 HP, AXX10 Sand Filter Pressure Tank **(New 11/2006)** **SEE PHOTO**

Accu-Chiller Model SQZA0504 Portable Chiller System; S/N 13457010609, Digital Control

FLOW WATER JET CUTTING MACHINE

Flow Model 6012 Integrated Flying Bridge CNC Water Jet Cutting Table; S/N 366610, Flow Control, 7' X 13' Overall Table Area, 72" X-Axis, 144" Y-Axis, 8" Z-Axis, Flow Sand Tank Unit, 100 HP Flow Pump & Motor System, 60K PSI **(New 2006)** **SEE PHOTO**



Flow Model 6012 Integrated Flying Bridge CNC Water Jet Cutting Table



(4) Omax Model 55100 CNC Water Jet Cutting Tables



Calypso Model Hammer Head 12 X 6 Dual Head CNC Water Jet Cutting Table



NEW
6/2007

Mazak Model VTC-300C Three-Axis CNC Trailing Column Vertical Machining Center



Kitagawa Tecnara Model MR320RAE06 4th-Axis Rotary Table

MAZAK CNC VERTICAL MACHINING CENTERS

Mazak Model VTC-300C Three-Axis CNC Trailing Column Vertical Machining Center; S/N 1838222, Mazatrol 640 MN Control, 30" X 79" T-Slotted Table, 65" X-Axis, 30" Y-Axis, 26" Z-Axis, No. 40 Taper, Spindle Speeds to 12,000 RPM, 24-Pos. ATC, 3,300 Lb Max Table Load, 25 HP Motor, Renishaw TS27R Tool Checker, Coolant System, Chip Conveyor (**New 6/2007**)

SEE PHOTO

> **Kitagawa Tecnara Model MR320RAE06 4th-Axis Rotary Table;** S/N N/A, Kitagawa VN12T Three-Jaw Chuck

Mazak Model Nexus 510C-II Three-Axis CNC Vertical Machining Center; S/N 197967, Mazatrol Matrix Nexus Control, 21-1/2" X 51" T-Slotted Table, 41.3" X-Axis, 20" Y-Axis, 20" Z-Axis, No. 40 Taper, Spindle Speeds to 12,000 RPM, 30-Pos. ATC, 2,640 Lb Max Table Load, 25 HP Motor, Renishaw TS27R Tool Checker, Coolant System, Chip Conveyor (**New 8/2007**)

SEE PHOTO



NEW
8/2007

Mazak Model Nexus 510C-II Three-Axis CNC Vertical Machining Center

BRIDGEPORT CNC VERTICAL MACHINING CENTERS

Hardinge Bridgeport Model VMC-1500XP3 HP Three-Axis CNC Vertical Machining Center w/ Midaco Pallet Changer; S/N 204LB009, Fanuc 18i-MB Control, 27.5" X 67" T-Slotted Table, 60" X-Axis, 26" Y-Axis, 24" Z-Axis, No. 40 Taper Spindle, Spindle Speeds to 15,000 RPM, 32-Pos. ATC, 30KW Spindle Motor, Chip Blaster Model 4V10 Hi-Pressure CTS System, Swarf Management, Rigid Tapping, Chip Conveyor, Coolant (**New 2/2006**)

SEE PHOTO

> **Midaco Model S60SD Pallet Changer;** S/N 51-10-7-59883, Model E300 Digital Keypad Control, (2) 24" X 60" Pallets

Hardinge Model VMC1500II Three-Axis CNC Vertical Machining Center; S/N NVE-630, Mfg. No. NVRA-K0005, Fanuc Oi-M Control, 26" X 64" T-Slotted Table, 60" X-Axis, 26" Y-Axis, 25" Z-Axis, No. 40 Taper, Spindle Speeds to 8,000 RPM, 20-Pos. ATC, 25 HP Spindle Motor, Coolant, Chip Pan (**New 12/2002**)

SEE PHOTO

(2) **Bridgeport Model XP3-1000 Three-Axis CNC Vertical Machining Centers;** S/N 320A009 (New 9/2004) & 320A008 (New 9/2004), Fanuc 18i-MB Control, 23-1/2" X 47-1/2" T-Slotted Table, 40" X-Axis, 24" Y-Axis, 24" Z-Axis, No. 40 Taper, Spindle Speeds to 12,000 RPM, 30-Pos. ATC, 18.5 KW Spindle Motor, Chip Conveyor, Coolant, Swarf Management, Thru Tool Coolant, Rigid Tapping (**New 9/2004**)

SEE PHOTO

Hardinge Bridgeport Model VMC-1000XP3 Three-Axis CNC Vertical Machining Center; S/N 320C213, Fanuc Series 18i-MB Control, 23-1/2" X 47-1/2" T-Slotted Table, 40" X-Axis, 24" Y-Axis, 24" Z-Axis, No. 40 Taper, Spindle Speeds to 12,000 RPM, 30-Pos. ATC, 18.5KW Spindle Motor, Swarf Management, Thru Tool Coolant, Rigid Tapping, Chip Conveyor, Coolant (**New 7/2006**)

SEE PHOTO

CNC DRILLING AND TAPPING VMC'S

Kitamura Model Mycenter (Zero) OiF Sparkchanger Two-Pallet CNC Vertical Machining Center; S/N 76124, Fanuc Series, 18i-MB Control, (2) 12" X 18" Drilled & Tapped Pallets, 12" X-Axis, 10" Y-Axis, 12" Z-Axis, No. 30 Taper Spindle, Spindle Speeds to 15,000 RPM, 15-Sta. ATC, 1889 IPM X & Y Rapids, 1417 Z Rapids, Daikin Inverter Spindle Cooler, Coolant System (**New 2004**)

SEE PHOTO

(2) **Tongtai Topper Model TMV-510.APC Two-Pallet CNC Vertical Machining Centers;** S/N 12338 (New 5/2003) w/ Fanuc 18M Control, S/N 15402 (New 2/2005) w/ Fanuc Oi-MB Control, (2) 14-1/2" X 23-1/2" T-Slotted Tables, 20" X-Axis, 14.2" Y-Axis, 11.81" Z-Axis, No. 30 Taper Spindle, Spindle Speeds to 12,000 RPM, 14-Sta. Turret Type ATC Head, 40/40/48 M/Min. Rapids, Coolant System (**New 2003 / 2005**)

SEE PHOTO



NEW
2/2006

Hardinge Bridgeport Model VMC-1500XP3 HP Three-Axis CNC Vertical Machining Center w/ Midaco Pallet Changer

SALE DATE: WEDNESDAY, NOVEMBER 9TH STARTING AT 10:00 AM

HWACHEON CNC TURNING CENTERS

Hwacheon Model Hi-Tech 200CI Three-Axis CNC Turning / Milling Center; S/N M017352A1F0, Fanuc Series Oi-TB Control 10" SMI Chuck, Tailstock, 19.68" Max Swing, 13.77" Max Turn Dia., 15.74" Max Turn Dia., 7.67" X-Axis, 16.92" Z-Axis, Spindle Speeds to 3,500 RPM, 3.54" Hole Thru Spindle, 3" Bar Size ,10-Station Live Tool Turret, 11/15KW Spindle Motor, Chip Conveyor, Coolant, Foot Pedal **(New 1/2004)**

SEE PHOTO

➤ **LNS Quick Load Servo S3 Automatic Magazine Type Bar Feed;** S/N 303126, 60" Approx. Max Bar Length, Sliding Base Design Digital Pendant Control **(New 2003)**

Hwacheon Model Hi-Tech 200AI Two-Axis CNC Turning Center; S/N M013351K1F, Fanuc Series Oi-T Control, 8" SMI Chuck, Renishaw HPRA Tool Probe, Pick-Off Arm, Tailstock, 19.68" Max. 13.77" Max Turn Dia., 15.75" Max. Turn Dia. 7.67" X-Axis, 16.92" Z-Axis, Spindle Speeds to 5,000 RPM, 2.9" Hole Thru Spindle, 2" Bar Size, 12-Station Turret, Chip Conveyor, Coolant, Foot Pedal **(New 11/2003) SEE PHOTO**

➤ **LNS Quick Load Servo S3 Automatic Magazine Type Bar Feed;** S/N 302403, 60" Approx. Max Bar Length, Sliding Base Design, Digital Pendant Control **(New 2003)**

Hwacheon CNC Lathe Tooling Consisting of; Standard & Live Turret Tool Holders, Large Quantity Various Chuck Jaws, Lyndex Collets, Bushings, Indexable O.D. & I.D. Tools & Related

GANG TOOL CNC TURNING CENTER

SNK Model Prodigy GT-27 Gang Tool CNC Turning Center; S/N 20-4159-5, Fanuc Series Oi Mate TB Control, Micro-Centric 5C Collet Chuck, 20" Wide Slotted Toolpost, 9.4" Swing Over Bed, 4.33" Recommended Turn Dia., 5.70" Max Turn Length, 1" Max Bar Dia., 12" X-Axis, 6.49" Z-Axis, Spindle Speeds to 6,000 RPM, Coolant **(New 9/2005)**

SEE PHOTO



Hardinge Bridgeport Model VMC-1000XP3 Three-Axis CNC Vertical Machining Center



(2) Bridgeport Model XP3-1000 Three-Axis CNC Vertical Machining Centers

WEBCAST BIDDER INSTRUCTIONS

- All Internet bidders must register for this auction at www.bidspotter.com at least 48-Hours Prior to the Sale Date, **if you do not you will not be approved.**
- All Internet bidders must Post a Deposit of Approx. 25% of Your Planned Spending Budget or \$10,000.00 Minimum with Cincinnati Industrial Auctioneers in Order to be approved to Bid. Those who do Not Post the Deposit Will not be Approved. **Period.**
- **Only Major Items Will be Available for Online Bidding.** Please refer to the Listing on www.bidspotter.com for Available Online Items.



- There is a 18% Buyer's Premium in Effect for All Online Purchases.
- We Highly Recommend that Potential Buyers Attend this Auction & Bid Live Onsite. This will give you the Ability to Inspect the Items & Fully Appreciate Their Condition, Along with Saving You 3% of the Buyer's Premium.

No Last Minute Registrations will be accepted. Make Sure to Register & Post Your Deposit No Later than 48-Hours Prior to the Start of the Auction.



Kitamura Model Mycenter (Zero) OiF Sparkchanger Two-Pallet CNC Vertical Machining Center



(2) Tongtai Topper Model TMV-510.APC Two-Pallet CNC Vertical Machining Centers



**NEW
12/2002**

Hardinge Model VMC1500II Three-Axis CNC Vertical Machining Center



Warner & Swasey No. 4A Universal Saddle Type Square Head Turret Lathe



**NEW
9/2005**

SNK Model Prodigy GT-27 Gang Tool CNC Turning Center



Partial View (2) of (4) Trak Two-Axis Vertical Milling Machines



16" / 26" X 60" Victor Model 1660 Gap Bed Geared Head Engine Lathe

HOLLOW SPINDLE TURRET LATHE

Warner & Swasey No. 4A Universal Saddle Type Square Head Turret Lathe; S/N 2095453, Model M-3580, Lot 15, 28 1/4" Swing, 25" 3-Jaw Chuck, 12-1/2" Spindle Hole, 60 HP Spindle Motor, 6-Pos. Hexagon Turret Carriage Toolpost, 4-Pos. Square Turret Carriage, Coolant
SEE PHOTO

CNC & CONVENTIONAL MILLING MACHINES

SWI Trak Model DMP52 Three-Axis CNC Bed Type Vertical Milling Machine; S/N 052CR13592, Proto-Trak SMX Control, 9" X 49" T-Slotted Table, 32" X-Axis, 16" Y-Axis, 23" Z-Axis, R8 Spindle, Spindle Speeds to 5,000 RPM, 3 HP Spindle Motor, Maxi Torque Power Draw Bar
(New 2005) SEE PHOTO

SWI Trak Model K3S Two-Axis CNC Vertical Milling Machine; S/N 044AK13160, Proto-Trak SM Control, 10" X 50" T-Slotted Table, 32" X-Axis, 16" Y-Axis, 16" Z-Axis, R8 Spindle, 3 HP Spindle Motor, Maxi-Torque Power Draw Bar
(New 2004)

(2) SWI Trak Model K3 Edge Two-Axis CNC Vertical Milling Machines; S/N 042AE12788 & 041AF12535, Proto Trak Edge Control, 10" X 50" T-Slotted Table, 32" X-Axis, 16" Y-Axis, 16" Z-Axis, R8 Spindle, 3 HP Spindle Motor, Maxi-Torque Power Draw Bar
(New 2004) SEE PHOTO

3 HP Chevalier Model FM-3VKH Variable Speed Milling Machine; S/N HM-853379, 10" X 50" Table w/ PTF, R8 Spindle, Sony 2-Axis DRO

3 HP Jet model JTM-10521 Variable Speed Vertical Milling Machine; S/N 408121, 10" X 50" Table w/ PTF, R8 Spindle, Fagor 2-Axis DRO

3 HP Series XL 3VH Vertical Milling Machine; S/N 3039, 10" X 50" Table w/ PTF, Sony 2-Axis DRO

MAGNAFLUX INSPECTION SYSTEM

Magnaflux Model ARQ-545 Magnetic Particle Inspection System; S/N 521652, Model GD-54 Light Source, S/N 8111473, 12" X 48" Max Cap., 72" Overall Wide Table, Headstock & Tailstock Fixture
(New 2007) SEE PHOTO

COORDINATE MEASURING MACHINES

Wenzel Model LH87 CNC Bridge Type Coordinate Measuring Machine; S/N 064725, PC Control, Renishaw Model PH10T Probe Head, 70" X 40" Granite Table, 35" Under Bridge, Pendant Control, Open DMIS Software
(New 2006) SEE PHOTO

Wenzel Model Smart Cantilever Type Coordinate Measuring Machine; S/N64723, PC Type Control, Renishaw Model MH8 Probe Head, 42" X 28" Granite Table, 25" Under Arm, Pendant Control, Open DMIS Software
(New 2006) SEE PHOTO

Fargo Model Platform P12 Articulated Arm Portable Coordinate Measuring Machine; S/N P12-02-07-05912, Rev. 26.4, .061 Certified 2 Sigma Single Point Accuracy, Portable Stand, Dell Lap Top
(New 2010) SEE PHOTO

INSPECTION EQUIPMENT

20" Scherr Tumico Industries Model 20-2450 Optical Comparator; S/N 2450, Quadra-Chek 200 DRO, 5" X 24" Table
SEE PHOTO

Late Model Inspection Equipment Including; (5) Various Granite Surface Plates to 36" X 72" X 8", Mitutoyo Dial Bore Gages, Mitutoyo Micrometers Sets, Mitutoyo Digital Height Gages to 40", Sine Plates, V-Blocks, Starrett 3814 Hardness Tester, Granite Surface Plates, Pin Gage Sets, Thread Mics, Gagemaker Groove Gages, Vernier Calipers & Many Other Related Items

FINISHING EQUIPMENT

3 Cu. Ft. Gibson Model 3BB Rubber Belt Tumble Blast Machine; S/N 05T3000-30-1101, 400 Lb. Cap, 30" W X 24" Dia. Tumble Area, 7.5 HP Blast Motor, Bucket Elevator Shot Reclaim, Gibson Dust Collector
(New 4/2005) SEE PHOTO

(2) Sweco Model FM10 Vibratory Finishing Tubs; S/N N/A, Approx. 48" Dia. X 15" Deep, Media Off Load Chute
Mr. Debur Vibratory Finishing Tub; S/N N/A, 18" X 36" X 16"D Approx. Tub Area

Trinco Model 48/BP Two-Man Abrasive Blast Cabinet; S/N 43193, 48" Wide Chamber, (2) Reach in Stations, Dust Collector

BAND SAWS

12" X 12" Wellsaw Model 1270A Automatic Horizontal Band Saw; S/N 2253, 1-1/4" Blade, 5 HP Drive Motor, Pneumatic Vise, Motorized Conveyor Feed, PB Control, Coolant Adj. Cutting Speed, Durant Counter
SEE PHOTO

9" X 16" DoAll Model C916M Horizontal Band Saw; S/N 501-95895, 1" Blade, 1.49 KW Motor, Pneumatic Head Lift Assist

20" DoAll Model 2013 Vertical Band Saw; S/N 500-95892, Tilting Table, 1" Blade, 154" Band Length

TOOLROOM MACHINERY

16" / 26" X 60" Victor Model 1660 Gap Bed Geared Head Engine Lathe; S/N 581652, 16-Spindle Speeds: 30-1800 RPM, Inch Metric Threading, Chasing Dial, 2" Spindle Bore, 10" 3-Jaw, 12" 4-Jaw, Foot Bar, Push Button, Coolant, Chip Pan, Sony DRO
SEE PHOTO

**NEW
2004**



(2) SWI Trak Model K3 Edge Two-Axis CNC Vertical Milling Machines

**NEW
2005**



SWI Trak Model DMP52 Three-Axis CNC Bed Type Vertical Milling Machine



12" X 12" Wellsaw Model 1270A Automatic Horizontal Band Saw

SALE DATE: WEDNESDAY, NOVEMBER 9TH STARTING AT 10:00 AM



NEW 2010

Fargo Model Platform P12 Articulated Arm Portable Coordinate Measuring Machine



NEW 2006

Wenzel Model LH87 CNC Bridge Type Coordinate Measuring Machine



NEW 2006

Wenzel Model Smart Cantilever Type Coordinate Measuring Machine



20" Scherr Tumico Industries Model 20-2450 Optical Comparator

14" / 24" X 40" Jet Model 1440-3PGH Gap Bed Geared Head Engine Lathe; S/N 6099B12-6, 12-Spindle Speeds: 40-1600 RPM, Inch & Metric Threading, Chasing Dial, 3-1/4" Spindle Bore, 9" 3-Jaw, 12" 4-Jaw, Foot Bar, Push Button, Coolant, Ship Pan, Acu-Rite DRO

6" X 18" Thompson Hydraulic Surface Grinder; S/N F-63255, Magnetic Chuck, Angular Wheel Dresser, Coolant, 2 HP Motor

6" X 12" Boyar Schultz Six-Twelve Deluxe Hand Feed Surface Grinder; S/N N/A, Electric Chuck, Diamond Wheel
Electro-Arc Model 2DBT Tap Disintegrator; S/N 13238, Auto Feed, Model LBH Head, PB Control

Various Bench & Pedestal Double End Grinders & Buffers

AIR COMPRESSOR & RELATED

50 HP Ingersoll Rand Model UP-50PEI-150 Rotary Screw Cabinet Enclosed Air Compressor; S/N PG3843UP7334, 205 Max CFM, 150 PSIG, On 4/25/11 Machine Had 19,000 Hours **(New 2007)**

SEE PHOTO

25 HP Ingersoll Rand Model UP-25-125 Rotary Screw Cabinet Enclosed Air Compressor; S/N PX2475U03317, 102 Max CFM, 125 PSIG, On 4/25/11 Machine Had 13,000 Hours **(New 2003)**

SEE PHOTO

25 HP Ingersoll Rand Model UP6-25-125 Rotary Screw Cabinet Enclosed Heat Treat Air Compressor w/ Integrated Air Dryer; S/N PX6366U06020, 102 CFM, 125 PSIG **(New 2006)**

SEE PHOTO

10 HP Ingersoll Rand Model UP6-10TAS-150W/D Rotary Screw Cabinet Enclosed Heat Treat Air Compressor; S/N UP3588U06158 **(New 2006)**

7.5 HP Ingersoll Rand Model T30 Vertical Tank Air Compressor

5 HP Sears Craftsman 150 PSI Single Cylinder Oil Free Portable Vertical Tank Air Compressor

Ingersoll Rand Model TS100 Refrigerated Compressed Air Dryer; S/N DR10015148-120803 **(New 2003)**
(2) Ingersoll Rand Oil / Water Separators

WELDERS & RELATED

300 Amp Miller Model Shopmaster CV/CC AC/DC Arc Welder; S/N KG173881

350 Amp Miller Model Syncrowave 351 CC AC/DC Arc Welder; S/N KH552388

150 Amp Miller Model Syncrowave 180SD CC AC/CA Squarewave Arc Welder; S/N LF103031

Miller Thunderbolt XL Accu-Set Arc Welder

Hypertherm Powermax 1650 Plasma Cutter; S/N 008104

Thermal Dynamic Pal Master 75XL Plasma Cutter

(2) Heavy Duty Weld Tables w/ Clamps and Misc. Welding Accessories

MISC. MACHINERY

Dynablast Model H4035DGF Gas Powered Pressure Washer; S/N 20050931, 13 HP Honda GX350 Gas Engine

250 Lb Anver Singly Suction Cup Vacuum Lift Type; S/N SD070006727 **(New 2007)**

(5) Flexarm Pneumatic Tapping Arms; Quick Change Bushings, Various Sizes

(6) 1-1/2 HP Burr King Model 760 Pedestal Belt Grinder

(6) 15" Rigid Model DP150 Single Spindle Floor Drills

(2) 20" Craftsman Single Spindle Floor Drills

(5) 16" Central Machine Single Spindle Floor Drills

(4) Bulhoff Type Open Pneumatic Rivet Guns

2 HP Hammond Model DK-6 Dust Collector; S/N 19194

JIB CRANES

(2) 1 Ton X 15' Arm Grobel Free Standing 360 Degree Rotating Jib Cranes; 12' Approx. Under Arm, Harrington Electric Chain Hoist w/ Power Trolley, 4-Way Pendant (Late Model)

TOOLHOLDERS, MACHINE ACCESSORIES & TOOLING

Toolholders, Machine Accessories & Tooling Consisting of; (195) No. 40 Toolholders, (120) No. 50 Toolholders, (25) HSK 100 Tool Holders, (25) No. 30 Toolholders, (4) 6" W X 24" H Chick Machine Tombstones, (14) 4" Kurt Precision Machine Vises, (20) 6" Kurt Precision Machine Vises, (2) 8" Kurt Precision Machine Vises, (8) Chick BL-6 Hydraulic Vises, (4) 6" Kurt Double Lock Precision Machines, (3) 6" Chick Model BL6 4-Vise Hydraulic Precision Machine Fixtures w/ Mounting Plate & Hydraulic Unit, SPX Hytec Model G Hydraulic Power Units, (6) 5" X 8" X 12" Cast Iron D & T Blocks, Tapping Heads, Indexable Face Mills, Drills and Boring Heads, Various Bench Top Toolholders Vises, Various Toolholders Racks & Carts, Drill Vises, Hold Down Hardware, V-Blocks, Angle Plates, Large Quantity Various Vise Jaws, 12-Drawer Vidmar Loaded w/ Carbide Inserts, Drills, Reamers, Carbide & HS End Mills, Taps, Drill Index Cabinets, 5-Drawer Vidmar Cabinet w/ Tooling, 17-Drawer Lyon Tool Cabinet Loaded w/ Inserts, Collets, Small & Large Indexable Boring Bars, Indexable OD Turning Tools, (2) Quick Change Toolposts w/ (10+) Holders Each, Live & Dead Centers, 5C Collets and Many Other Related Items



NEW 2007

50 HP Ingersoll Rand Model UP-50PEI-150 Rotary Screw Cabinet Enclosed Air Compressor



NEW 2007

Magnaflux Model ARQ-545 Magnetic Particle Inspection System



NEW 4/2005

3 Cu. Ft. Gibson Model 3BB Rubber Belt Tumble Blast Machine



NEW 2003

25 HP Ingersoll Rand Model UP-25-125 Rotary Screw Cabinet Enclosed Air Compressor



NEW 2006

25 HP Ingersoll Rand Model UP6-25-125 Rotary Screw Cabinet Enclosed Heat Treat Air Compressor w/ Integrated Air Dryer



Bank View of Vibratory Finishing Tubs By Sweco and Mr. Debur



Partial View of Late Model Vehicle Fleet



**2006 Fleetwood Discovery Model S Motor Home



2003 Ford F-650 Super Duty Single Axle 24' Stake Bed Truck



Partial View of Late Model Ford Vehicles



Partial View Late Model Lift Trucks Up to 9,000 LB

RECREATIONAL MOTOR HOME

****2006 Fleetwood Discovery Model S Motor Home;** FIN #770564497669, MFG. #97669, VIN #4UZACJDC17CY14863, Miles: 2,998, Air Ride Suspension, Air Brakes, 330 HP Caterpillar C7 Diesel Engine, Jake Brake, Luxury Kitchen, Lounge Bed, Bathroom Areas, Allison Transmission, Power Awning, Rear Camera, 7.2 Liter, Six Cylinder (New 2006) – **Subject to Confirmation** **SEE PHOTO**

TRUCKS - VEHICLES

(3) 2007 Grand Cherokee SUV's; VIN #1J8HR58278C127875, V8 Automatic Transmission, Navigation, Leather Seats, Power Locks & Power Windows

2006 Ford F650XLT Super Duty Single Axle Dump Truck; VIN #3FRN65R3535V121122, 6,572 Miles, 7-Speed, Manual Transmission, Muncie PTO, 26,000 Lb GVWR, 8,500 Lb Front & 17,500 Rear, A/C, Cat Model CT Acent Diesel Engine, OX Bodies Model 10' / 6-8 Ya. Dump Body

2003 Ford F-650 Super Duty Single Axle 24' Stake Bed Truck; Automatic Transmission, Caterpillar Diesel Model 3126 Engine **SEE PHOTO**

2003 Ford F650XL Super Duty 26' Single Axle Van Body Truck; VIN #3FRNF65234V609052, 131,000 Miles, Automatic Transmission, 26,000 Lb GVWR, 8,500 Front & 17,500 Rear, A/C, Cat Model 3126 Diesel Engine, Maxon Lift Gate

2003 Ford F450XLT Super Duty 10' Single Axle Flat Bed Truck; VIN #1FDXX46P03EB31681, Automatic Transmission, 15,000 Lb GVWR, 6,000 Front & 11,000 Rear, A/C, Power Stroke V8 Diesel Engine

2003 Ford F-350XLT Super Duty Diesel Extended Cab Dually Dump Truck; VIN #1FDWX37P83FC83177, Miles: 29,835, Power Stroke V8 Turbo Diesel, 9' Air-Flo PCS-9-2-DS Dump Bed, Pendant Control Dump Bed, Plow Mount

2003 Ford F-350 Super Duty Cargo Van; VIN #1FTSE34L84HA16762, Miles: 166,036, Gas V8 Engine

Snow-Way & Snow-Ex Hitch Mount Salt Spreader

8-6" Wide Western Model 60308 Snow Blade w/ Western Ultra Mount Kit

LIFT TRUCKS AND RELATED

9,000 Lb Toyota Model 7FGAU50 LP Gas Solid Pneumatic Tire Lift Truck; S/N 60036, 17,570 Approx. Total Weight, 187.5" / 92" Three-Stage Mast, Forks, Sideshift, Hours N/A

5,000 Lb Daewoo Model GC25E LP Gas Solid Tire Lift Truck; S/N J-Z-00213, 186" Max. Lift, 3,500 Hours

(2) 5,000 Lb Caterpillar Model GC25K LP Gas Solid Tire Lift Trucks; S/N AT82D01605 And AT82D14702, 188" Max Lift, Sideshift Attachment

Skyjack model SUII 3219 Self Throwing Electric Scissor Lift; S/N 254944, 19' Max Lift, 50 Lb Platform Capacity, 2,500 Lb Machine Weight (New 2006)

Tennant Model 5700XP Walk Behind Electric Floor Scrubber; S/N 23867, 110-Volt Charger

Tennant Model 6400 Rider Type Floor Sweeper; S/N 4037, 73 Hours

BOBCAT / SKID STEER / TRAILERS

Bobcat Model T190 Turbo High Trak Skid Steer; S/N 519313411, 72" Wide Bucket, Fork Attachment

18' Unknown Tandem Axle Utility Trailer; VIN #1A9BU21242W605228, w/ Multiquip Cement Mixer, 10' Deck Area, 4' Cabinet Storage

24' Haulmark Model RT85X24WT2 Tandem Axle Box Trailer; VIN #16HGB24204H121321, 90" W X 75" H Door

2000 - 16' Smith Trailers Tandem Axle Drag Trailer; VIN #4RWUF1628YN019111, 80" W X 16' L Deck w/ Ramps

18' Smith Trailers Model BH1822FBE Tandem Axle Drag Trailer; VIN #4MNF81821Y100754, 80" W X 20' L Deck w/ Ramps

18' Smith Trailers Model BH1822FBE Tandem Axle Drag Trailer; VIN #4MNF81821Y100754, 80" W X 20' L Deck w/ Ramps

SHOP EQUIPMENT

Shop Equipment Consisting of: (25) Sections Very Clean Adjustable Pallet Rack w/ Wire Decking, (10) Pallet Trucks, Cantilever Rack w/ Misc. Bar Stock, Wesco Electric Die Lift, (2) 2,200 Lb Mfg., Unknown Lifting Magnets, Milwaukee Cat No. 4292-1 Magnetic Base Drill, (25) 40" X 48" X 34" H Collapsible Plastic Tubs, (8) Wright Approx. 1 Yd. Self Dumping Hoppers, Large Quantity Dissembled Pallet Rack Including Uprights, Beams & Wire Decking, Fiberglass Ladders, Portable Work Tables, Heavy Duty, Steel Tables, Arbor Presses, Two-Door Steel, Storage Cabinets, Bench Top Digital Stages, Circular Shop Fans, Rubber Fatigue Mats, Fireproof Banding Outfits, Pneumatic Die Grinders and Many Other Related Items

OFFICE EQUIPMENT

Office Equipment Consisting of; Late Model Office Furniture By Global Wood Including Executive Desks, Credenzas, Cabinets, File Cabinets, Desktop PC's, Flat Screen Monitors, HP Printers, HP Scanners, 8' Conference Table w/ (6) Chairs, Leather Chairs, Avaya Phone System Consisting of Approx. (20) Phones, Server Racks, Back-Up Batteries and Many Other Related Items

**(3) INDUSTRIAL PROPERTIES TO BE OFFERED AT PUBLIC AUCTION
WEDNESDAY, NOVEMBER 9TH AT 12:00 PM NOON**



**PROPERTY NO. 1: ORDERED SOLD BY OWNER
6500 STOCKTON ROAD, FAIRFIELD, OHIO 45014**

(1) 26,400 Sq. Ft. Industrial Building & (1) 12,000 Sq. Ft. Industrial Building on 10 Acres Consisting of; Parcel Numbers: 70001500046 & 70001500047, Pre Fab Steel Building Construction, Insulated, 600 Amp Buss Duct, HD Industrial 3-Phase Electric, Loading Docks, Drive-In Garage Door, Offices, Paved Parking Lot, Fenced, City Utilities



**PROPERTY NO. 2: ORDERED SOLD BY BANKRUPTCY COURT
8162 REGAL LANE, WEST CHESTER, OHIO 45069**

12,500 Sq. Ft. Industrial Building on .880 Acres Consisting of; Parcel Number: M5620244000003, Pre Fab Steel Building Construction, (3) Drive-In Garage Doors, Offices, Paved Parking Lot, HD Industrial 3-Phase Electric, City Utilities



**PROPERTY NO. 3: ORDERED SOLD BY OWNER
6600 STOCKTON ROAD, FAIRFIELD, OHIO 45014**

9,500 Sq. Ft. Industrial Building on Approx 1.1 Acres Consisting of; Parcel Number: A07000150000048, 7,900 Sq. Ft. Manufacturing Area, 1,700 Sq. Ft. Office Area. Pre-Fab Steel Construction, Loading Dock, Zoned Light Manufacturing, Paved Parking Lot, 3-Phase Electrics, City Utilities

Subject to High Bid Confirmation by Owner, Subject to Prior Sale, Subject To Withdraw by Owner, 7% Buyers Premium In Effect For Real Estate, Offered Live On-Site Only

Real Estate Terms of Sale: To Be Offered Live Onsite only, 7% Buyers Premium on the Real Estate, \$25,000.00 Down in Cash or Certified Funds sale day. A 7% Buyers Premium on the Real Estate will be added to the high bid to determine contract price. High bidder will be required to sign a "Contract to Purchase" for the amount at the sale's conclusion. Owner will have 48 hours to accept, or reject high bid. If accepted the balance will be due at closing within 60 days of auction. If the bid is not accepted buyer's deposit will be refunded promptly. Seller will present buyer a General Warranty Deed

at closing. Occupancy shall be given upon closing. Taxes will be prorated until closing. Property will sell on an "as is" basis. There shall be no warranty of any kind given with regards to the premises, other than title; all implied warranties shall be disclaimed. Announcements at the time of sale will take precedent over all information provided in advertisements. Call for complete terms and information package.

**Bowling & Kugler Realty
Bob Kugler – Broker (513) 844-8405**

Jeffrey L. Luggen – Auctioneer/Broker (513) 241-9701

PUBLIC PUBLIC

AUCTION

PLANT CLOSED

**MULTI-MILLION DOLLAR
STATE-OF-THE-ART CNC MACHINING &
WATER JET CUTTING FACILITY**

*Plant Closed / Ordered Sold by the
U.S. Bankruptcy Court, Southern District of Ohio*



LT ENTERPRISES, INC.

6500 Stockton Road – Fairfield, Ohio 45014
20 Miles North of Cincinnati, Ohio off I-275 at St. Rt. 4

**WEDNESDAY,
NOVEMBER 9TH
STARTING AT 10:00 AM**
INSPECTION: Monday & Tuesday,
November 7th & 8th from 10:00 AM – 4:00 PM

**Cincinnati Industrial
Auctioneers, Inc.**
2020 DUNLAP STREET
CINCINNATI, OHIO 45214

**Myron Bowling
Auctioneers, Inc.**
P.O. BOX 369
ROSS, OHIO 45061

PRE-SORT
FIRST CLASS
U.S. POSTAGE
PAID
CINCINNATI, OHIO
PERMIT NO. 3593

FIRST CLASS MAIL!



Important Mail
TO BE DIRECTED TO THE ATTENTION
OF EXECUTIVE PERSONNEL

PUBLIC PUBLIC

AUCTION

PLANT CLOSED

*Plant Closed / Ordered Sold by the
U.S. Bankruptcy Court, Southern District of Ohio*



LT ENTERPRISES, INC.

6500 Stockton Road
Fairfield, Ohio 45014

20 Miles North of Cincinnati, Ohio off I-275 at St. Rt. 4

IMPORTANT NOTICE:

Although information has been obtained from sources deemed reliable, the auctioneer makes no warranty or guarantee, expressed or implied, as to the accuracy of the information herein contained. It is for this reason that buyers should avail themselves of the opportunity to make inspection prior to the sale. This brochure is intended to provide general information of the equipment being offered and is subject to errors, omissions, additions or deletions. Please check with the Auctioneer's Office for a final listing. Items offered may or may not necessarily be sold as described and/or photographed in this brochure.

MAIL BIDS ACCEPTED WITH A 25% DEPOSIT

TERMS OF SALE

All equipment described herein will be sold "as is", "where is" to the highest bidder or bidders for cash in accordance with our regular terms and conditions of sale. Unless other satisfactory arrangements are made, a **25% deposit** in cash, certified or cashier's check payable to Cincinnati Industrial Auctioneers, Inc., is required on all purchases. Firm and personal checks accepted only if accompanied by a letter from your bank guaranteeing your funds. All sales are subject to state and/or local taxes unless a signed exemption form is presented at the time of purchase. All balances are due at the conclusion of the sale. No merchandise may be removed while the sale is in progress. All bidders must comply with our Standard Terms of Sale, copies of which will be available at the sale site or can be obtained from our website. A 15% buyer's premium for on-site bidders and a 18% buyer's premium for on-line bidders will be in effect for this sale.

DIRECTIONS

From I-275 Just West of the junction of I-75. Exit I-275 at No. 41 Ohio RT. 4. Proceed North on OH-4 Approx. 1-3/4 Miles to Light at Seward Rd. Turn Right onto Seward and Proceed 1/4 Mile to Left onto Stockton Rd. Proceed 1/4 Mile on Stockton Rd. to Sale Site on Right. Watch for Auction Parking and Sale Entrance Signs.

AUCTIONEERS

Cincinnati Industrial Auctioneers – License No. 63-1983-10439
 Jeffrey L. Luggen – License No. 57-1983-33789
 Jerome A. Luggen – License No. 62-1983-33799
 Myron C. Bowling - License No. 62-1976-20939
 Joseph M. Luggen – License No. 2010-0000-19



**15% BUYER'S PREMIUM ONSITE
18% BUYER'S PREMIUM ONLINE**



**Cincinnati Industrial
Auctioneers, Inc.**
2020 DUNLAP ST., CINCINNATI, OHIO 45214
PHONE (513) 241-9701 / FAX (513) 241-6760
WEBSITE: www.cia-auction.com



**Myron Bowling
Auctioneers, Inc.**
P.O. BOX 369 ROSS, OHIO 45061
PHONE (513) 738-3311 / FAX (513) 738-0221
WEBSITE: www.myronbowling.com



21700 Northwestern Hwy Suite 1180
Southfield, Michigan 48075
www.maynards.com

Hilco Industrial, LLC
Auctioneers • Liquidators • Appraisers

41555 West Fourteen Mile Rd., Suite 207
Farmington Hills, Michigan 48334
www.hilcoind.com