

300,000 SQUARE FOOT MAGNETIC COMPONENT MANUFACTURING FACILITY INCLUDING POWDERED METAL PROCESSING EQUIPMENT, HYDRAULIC PRESSES, HEAT TREATING FURNACES, TOOLROOM, PACKAGING, TEST, SHOP AND SUPPORT EQUIPMENT - LARGE SCRAP OPPORTUNITY

BidSpotter.com
See Instructions on Page 4
To Become a Qualified Bidder on the Internet

PUBLIC AUCTION

Surplus to the Needs of



MAGNETICS A DIV. OF SPANG AND COMPANY

796 East Butler Road – East Butler, Pennsylvania 16002
40 Miles North of Pittsburgh, PA – 50 Miles East of Youngstown, OH

SALE DATE: THURSDAY, JUNE 11TH, STARTING AT 9:00 AM

INSPECTION: WEDNESDAY, JUNE 10TH FROM 10:00 AM TO 4:00 PM



Ajax Magnethermic Model 150-A Two-Station Induction Melting Furnace



(2) 100 KW Spang Type K05409-1 5-Zone E-Core Belt Type Annealing Furnaces



13" x 39-3/8" Kellenberger Hardinge Model 1000U Dual Head Universal Cylindrical Grinder



(2) 20" x 62" Rotex Platform Mounted Screeners w/ Ereiz Magnet Systems



(9) St. Lawrence & Denison Hydraulic Presses Up to 600 Ton



(4) Spectrum/Detroit Diesel Natural Gas Generators Up to 81 KW (New as 2002)

Sale Under The Management Of



CINNATI INDUSTRIAL AUCTIONEERS

auctioneers | appraisers | since 1961 | cia-auction.com | info@cia-auction.com
2020 Dunlap St., Cincinnati, Ohio 45214 Phone 513-241-9701 Fax 513-241-6760



Ajax Magnethermic Model 150-A Two-Station Induction Melting Furnace



(2) 20" x 62" Rotex Platform Mounted Screeners w/ Erez Magnet Systems



Control and Metering International Bag Load / Un-Load System



(3) Stevens (Stevco) 25 HP Ball Mills & Powder Care Top Loading Twin Shell Blender



(25) 48" Diameter x 45" Tall Cone Type Bottom Dump Hoppers



50 HP Light Gauge Steel Granulation Pulverizing System



ROTEX SCREENERS

(2) 20" x 62" Rotex Platform Mounted Screeners w/ Erez Magnet Systems; Mild Steel Construction, Control Panel **SEE PHOTO**

BAGGING SYSTEM

Control and Metering International Bag Load / Un-Load System; Elevated Platform For Bag Un-Loading and Lower Section For Bag Loading with 5,000 Lb. Fairbanks Scale, 2 Ton Budget Electric Chain Hoist **SEE PHOTO**

BLENDERS AND BALL MILLS

Powder Care Top Loading Twin Shell Blender

(2) 5 HP Top Loading Blenders with Scales

(3) Stevens (Stevco) 25 HP Ball Mills **SEE PHOTO**

(8) 26" Dia. x 26" Deep Incline Open End Tumbling Mills

MISC. POWDER PROCESSING

50 HP Light Gauge Steel Granulation Pulverizing System Consisting of; 28" Wide x 50 HP Steel Granulator, 2,500 Littell 25-18 Uncoiler, Pulva Tunnel Pulverizer; S/N 1012, 2 Ton Electric Hoist, 9' High Work Platform **SEE PHOTO**

(25) 48" Diameter x 45" Tall Cone Type Bottom Dump Hoppers **SEE PHOTO**

(20) 32" x 48" x 40" Deep Bottom Dump Hoppers **SEE PHOTO**

Torit Model DFT2-8 Cartridge Type Dust Collector; S/N IG345969-002 **SEE PHOTO**

Drum to Hopper Transfer Stations

INDUCTION MELTING FURNACE

Ajax Magnethermic Model 150-A Two-Station Induction Melting Furnace; S/N M-65690-A, Rated at 375 KW, 6,000 KVA, (2) 4,200 KVA Model MFB1000 Melting Furnaces; S/N

SPK86372A and MK-655-90-D, 18" Diameter x 26" Deep Crucibles **SEE PHOTO**

Integrated Process Water 2-Pump Cooling System

Torit Model DFT2-8 Cartridge Type Dust Collector; S/N IG360658-001

HYDRAULIC PRESSES

600 Ton St. Lawrence Model SLP600NI 4-Post Hydraulic Press; S/N 9504/SL600W, 35 Ton Max Knockout Tonnage, 16" Diameter Ram, Bed Size: 35-1/2" FB x 39" LR, 20" Between Post FB x 39" LR, 100 HP Ram and 60 HP Eject Hydraulic Units, Motorized Power Feed System **SEE PHOTO**

400 Ton Oil Gear 4-Post Hydraulic Press; ID # PCPS0111, 16" Diameter Ram, 19" FB x 36" LR Between Posts, 19" x 19" Windows, 100 HP and 20 HP Hydraulic Units, PLC Controls, Motorized Power Feed System, Floor Mount Machine

LARGE SCRAP OPPORTUNITY

A large amount of machinery will be sold for scrap at this auction

WEBCAST BIDDER INSTRUCTIONS

➤ All Internet bidders must register for this auction at www.bidspotter.com at least 48-Hours Prior to the Sale Date, **if you do not you will not be approved.**

➤ All Internet bidders must Post a Deposit of Approx. 25% of Your Planned Spending Budget or \$5,000.00 Minimum with Cincinnati Industrial Auctioneers in Order to be approved to Bid. Those who do Not Post the Deposit Will Not be Approved. **Period.**





600 Ton St. Lawrence Model SLP600NI 4-Post Hydraulic Press



200 Ton Denison Model F3-2 C-Frame Hydraulic Press



Logeman Bros. Co. Horizontal Hydraulic Metal Baler



(2) 100 KW Spang Type KO5409-1 5-Zone E-Core Belt Type Annealing Furnaces

(2) 200 Ton St. Lawrence 4-Post Hydraulic Presses; S/N N/A, 6" Diameter Ram, 49" FB x 56" LR Bed Size, 19" FB x 42" LR Between Posts, 100 HP and 40 HP Hydraulic Units with PLC Controls, Denison Model A-31 6 Position Rotary Table, Floor Mounted Machine Motorized Power Feed System

SEE PHOTO

200 Ton Denison Model F3-2 C-Frame Hydraulic Press; S/N M-04553, 9" Diameter Ram, 29" x 40" Bed, 60 HP Ram and 40 HP Eject Hydraulic Units, 6-Position Denison Rotary Table, Powder Load System

SEE PHOTO

100 Ton Denison Model GS-100 4-Post Hydraulic Press; S/N N/A, 3" Diameter Ram, 31" FB x 41" LR Bed Size, 19" FB x 29" LR Between Posts, 25 HP Hydraulic Unit, PLC Controls, Powder Load System with Avery 2M 303 Weighing System (New 2001)

SEE PHOTO

100 Ton Denison Model DP100K2 C-Frame Hydraulic Press; S/N N/A, 6" Diameter Ram, 39" x 40" Bed, 50 HP Ram and 20 HP Eject Hydraulic Units, 6-Position Rotary Table, Powder Load System

SEE PHOTO

10 Ton Denison C-Frame Hydraulic Press; S/N 455-B, 7-1/2 HP Hydraulic Unit, 18" Stroke, 21" x 26" Bed

8 Ton Denison Model S0872C2 C-Frame Hydraulic Press; S/N 18638, 3-1/4" Diameter Ram, 12" Stroke, 10 HP,

24" x 30" Table, 6-Position Rotary Table, Powder Load System

HEAT TREAT FURNACES - ALL TYPES

(2) 100 KW Spang Type KO5409-1 5-Zone E-Core Belt Type Annealing Furnaces; 17-1/2" Wide x 60' Long Stainless Steel Belt Conveyor, 2-1/2" x 17" Max Part

SEE PHOTO

Spang Type K-5178 3-Zone Electric Belt Type Annealing Furnace; Rated at 600 Ton, 17-1/2" Wide x 40' Long Stainless Steel Belt

SEE PHOTO

(2) Bartlett Snow Pacific Electric Fired Tumbling Drum Furnaces; S/N K4954 and K4289-A

SEE PHOTO

Eclipse Fuel and Engineering Gas Fired Car Bottom Furnace; (3) Burners, Slide-Up Doors on Each End, 60" Wide x 120" Long

SEE PHOTO

Ace Model 330RKG Natural Gas Burn-Off Oven; S/N 24/FM, 36" Wide x 33" High x 60" Deep with Dustvent Model 200-H3 Dust Collector

SEE PHOTO

CI Hayes Model LRF Electric Fired Furnace; S/N 14363, 1,300 Deg Max, 12" x 24" x 40" Deep

CI Hayes Model LR Electric Furnace; S/N 14366

Hevi-Duty Type HDT-5610 Electric Furnace; S/N 81963, 2,350 Deg Max

70 KW American Electric Cat. No

BC16108x4 Tunnel Furnace; S/N 10177

(7) Other Stainless Steel Annealing Furnaces by Lindberg, SM Electric and American Electric

SUPPORT EQUIPMENT

(2) 3,500 Lb. Norwalk Model CR3542 Pay-Off Tables; S/N 422530 and 420620

(6) 1,000 Lb. Rotating Floor Jib Cranes; 11' Arms, 10' Under Hook with Manual and Electric Hoist

Graymills Model PL422-A Parts Washing Tank

Ridgid Model 500 Powered Pipe Threader

Ampak Model C3036A Blister Pack Machine; S/N 82H-355

(2) 1,600 Lb. Capacity Jhrden-Tubar Electric Drum Dumpers

42" Diameter Sweco Vibratory Finishing Mill

(3) 30" Sweco Model FM3-H Vibratory Finishing Mills

(5) 5,000 Lb. Fairbank Floor Scale with DRO's

600 Amp Lincoln R35-600 Wire Feed Welder

BAC Type FXT Cooling Tower; S/N 934-77, with Pre Chemical Tank System, Control Panel (2) 20 HP Circulation Pumps



Spang Type K-5178 3-Zone Electric Belt Type Annealing Furnace



(2) Bartlett Snow Pacific Electric Fired Tumbling Drum Furnaces



(2) 200 Ton St. Lawrence 4-Post Hydraulic Presses



100 Ton Denison Model GS-100 4-Post Hydraulic Press



100 Ton Denison Model DP100K2 C-Frame Hydraulic Press



Ace Model 330RKG Natural Gas Burn-Off Oven

NEW 2001



Imprex Model S-20 S-25RM Vacuum Impregnator



(2) Integrated Marking Systems



Paratronix Model 1092 Horizontal Parylene Coating Machine

INSPECTION EQUIPMENT

30" Scheer Tumico Model 22-600 Optical Compactor; S/N T934801
30" Ex-Cell-O Model XL0827 Optical Comparator; S/N N/A, 20x and 50x Lens, Quad-Check 2000 DRO
12" Nikon Model 6C Shadowgraph Optical Comparator; S/N 5518
Rockwell Model 4JR Hardness Tester; S/N 4JR-469
Chatillon Model TCM500 Bench Type Tensile Tester; S/N 11-200-11, Model 3505D Voltage Tester and Dell Computer **SEE PHOTO**
Mitutoyo Model TM176-811A Toolmakers Microscope; S/N 740276, with Mitutoyo Illuminator-150
Large Quantity of Inspection Items Including Micrometers, Pin Gage Set, Height Gages, Gap Blocks, Calipers, Thread Gages, and Many Other Related Items

MARKING SYSTEMS AND PARTS SORTING

Control Laser Corp. Instamark Laser Marking System; System Consists of Control Unit, Laser Head, Laser Power Supply, Video Display, Cooling System, 12" and 6" Marking Fields with 13.39" and 7.88" Working Distance, Marking Speed Up to 197 Inch/Second, IBM Compatible Pentium Type, General Purpose Industrial Marking System **SEE PHOTO**

- Fumex High Volume Self Cleaning Air Cleaner
- AEC Model PSA2 Chiller

Integrated Parts Marking System Consisting of; Domino Model A200 Opaque Ink Jet Printer, 32" Diameter Syntrom Model LD-12 Vibratory Magnetic Feeder, 18-Station Parts Sorting Table

(2) Integrated Marking Systems Consisting of; (2) Image Type MC100058 Ink Jet Printers, 34" and 12" Syntrom Vibratory Bowl Feeders **SEE PHOTO**

30" Diameter Russell Model VBF-30D Vibratory Bowl Feeder; S/N 301033
(2) 22" Diameter Vibratory Bowl Feeder with Solar Model 281024 Constant Voltage Power Supplies
(2) 12" Diameter Syntrom Bowl Feeders with Hewlett Packard 4254A Precision LCR Meters
(5) Various Size Syntrom and Sigma Vibratory Bowl Feeders

VACUUM IMPREGNATOR AND RELATED

Imprex Model S-20 S-25RM Vacuum Impregnator; S/N 9085, Busch Type RA0016B Vacuum Pump **SEE PHOTO**
Despatch Type Spec. Electric Burn-Off Oven; S/N 55619, 500F Max Temp.
R&D Automatic Agitating Solvent Based Parts Cleaner

COATER

Paratronix Model 1092 Horizontal Parylene Coating Machine; S/N 092697, (8) Omron E5CS Digital Controls, Hastings Vacuum Gauge, 18" ATS Series K8218SO Furnace / Oven, Paratronix Chiller, 12" Diameter x 18" Coater, 1.5 HP **SEE PHOTO**

VACUUM OVEN

Cole Palmer Model 207380 Vacuum Oven; S/N 78284, 15" High x 15" Wide x 18" Deep Chamber, Temp Range 40-280 Degrees Celsius

METAL BALER

Logeman Bros. Co. Horizontal Hydraulic Metal Baler; S/N 14903, 30 HP, 30" W x 50" x 20" Deep, 12" W x 24" L Bale Size **SEE PHOTO**

THERMAL OXIDIZER

Tellkamp Model Roxidizer Paint Fume Thermal Oxidizer Burn-Off System; Allen Bradley Panel View 600 Control with Honeywell Readout, Natural

Gas Fired, Dual Bed System, Honeywell Chart Reader, 25 HP Fan System, Outdoor System with 23' x 22' Overall Foot Print **SEE PHOTO**

AIR COMPRESSORS

100 HP Sullair Model 25-100L Rotary Screw Air Compressor; S/N 34630-EGH, 100/110 PSIG
125 HP Ingersoll Rand Type XLE Piston Type Air Compressor; S/N JH875

MISC. MACHINERY

12" Diameter New Holland Model K24 Centrifugal Dryer; S/N 960174
Abplanalp Type GES 1/150/45 Thur-Feed Thin Metal Grinder; S/N 84-318-2521, 6" Wide Belt, 22 KW, Eriez Magnet System, 30' Overall Length **SEE PHOTO**
8" wide 2-High N. Ferrara Rolling Mill

MISC. TOOLROOM MACHINERY

3' Arm x 9" Col. Carlton Radial Arm Drill; S/N 0A-623
24" Fosdick and Avey Single Spindle Floor Drills
Cincinnati No. 2 Tool and Cutter Grinder
Adrian Oliver Model 510 Drill Pointer
24" Rockford Shaper; S/N 98-HC-20
27" Powermatic Vertical Band Saw
Sunnen Model MBB-1600-MS Hone Schauer Type LA2B Bench Type Speed Lathe
12" x 20" Jet Horizontal Band Saw
Marvel Power Hack Saw
Machine Accessories and Perishable Tooling Including; Adjustable Boring Heads, Machine Vises, Aloris Tool Posts, Tapping Heads, Wheel Dressers, Tool Post Grinders, (10) Extra Lathe Chucks up to 20" Diameter, Collets, Radius Dressers, HS Drills, End Mills, Carbide Inserts, Reamers, Taps and Other Related Items



Tellkamp Model Roxidizer Paint Fume Thermal Oxidizer Burn-Off System



Abplanalp Type GES 1/150/45 Thur-Feed Thin Metal Grinder



(20) 32" x 48" x 40" Deep Bottom Dump Hoppers



Control Laser Corp. Instamark Laser Marking System



(2) Integrated Marking Systems



Integrated Parts Marking System



Eclipse Fuel and Engineering Gas Fired Car Bottom Furnace



(4) 41" & 30" Diameter Vibratory Bowl Finishers



**NEW
2002**

81 KW/101 KVA Spectrum / Detroit Diesel Model 80GSG Natural Gas Generator



**NEW
2002**

60 KW/75 KVA Spectrum / Detroit Diesel Model 60GSG Natural Gas Generator



(2) 9,000 Lb. Toyota Model 7FGCU45 LP Gas Cushion Tire Lift Trucks

SHOP EQUIPMENT

Large Quantity of Shop Equipment to Support a 300,000+ Square Foot Facility Including: (20) Sections 42" x 108" x 10' Pallet Rack, Self Dumping Hopper, Pallet Trucks, Maple Top Benches, Safety Cabinets, Pedestal Fans, Shop Ladder, Benders, Steel Banding Sets, Steel Shelving, Shop Cranes, 2-Door Cabinets, Steel Carts and Many Other Related Items

Large Quantity of Maintenance Items Including: Bearings, Electrical and Plumbing Items, Electric Motors to 350 HP, Hardware, Machine Repair Parts, Hydraulic Fittings and Many Other Related Items

CYLINDRICAL GRINDERS

13" x 39-3/8" Kellenberger Hardinge Model 1000U Dual Head Universal Cylindrical Grinder; S/N 613885, 12" and 16" Diameter Wheels, Spindle and Workhead Speeds Infinitely Variable, 51-3/8" Max Travel, MTS Holding Cones **SEE PHOTO**

10" x 24" Parker Majestic Model B Universal Internal Grinder; S/N 1556-B56, 6" 3-Jaw Chuck

12" x 36" Cincinnati Universal OD Grinder; S/N 2U3D5T-1, 14" Diameter Wheel, Coolant System

SURFACE GRINDERS

14" x 40" Thompson Hydraulic Surface Grinder; S/N C-535119, 19" Dia. Wheel, 14" x 54" T-Slotted Table, Electro-Matic Model 2T1 Neutrol Remote Chuck Control, Penta-Power Multi-Drive DC Motor Speed Control, 15 HP, Coolant **SEE PHOTO**

12" x 24" Gallmeyer and Livingston Grand Rapids Model 370 Hydraulic Surface Grinder; S/N 370228, Electro-Matic Model 3RC10 Neutrofier Chuck Control, Coolant

10" x 24" ELB Schliff Type SW6HA Hydraulic Surface Grinder; S/N 5220756, Coolant

8" x 24" Thompson Hydraulic Surface Grinder

6" x 18" Parker Majestic No. 2 Hand Feed Surface Grinder

(2) 6" x 12" Parker Majestic Hand Feed Surface Grinders

6" x 12" Parker Majestic Hand Feed Surface Grinder; S/N 5508YM88

6" x 12" Brown and Sharpe Model 612 Micromaster Hand Feed Surface Grinder; S/N 523-3180-1433

MILLING MACHINES

Cincinnati Milacron Model 207MK Horizontal Milling Machine; S/N 13J29P1AEE-99, 14" x 60" Table, Anilam DRO, Spindle Speeds to 1,400 RPM, 4 KW **SEE PHOTO**

5 HP Gorton Model 2-30 Auto Trace Master Vertical Mill; S/N 50414, 12" x 54" Power Table, Power Down Feed, Anilam DRO

(2) 2 HP Gorton Model 1-22 Vertical Mills; S/N 42037 and N/A, 10" x 42" Tables, 65-4,600 RPM, Anilam DRO

LATHES - ALL TYPES

11" x 24" Hardinge Model HLV-H Precision Toolroom Lathe, 125-3,000 RPM **SEE PHOTO**

19" x 84" Sidney Engine Lathe; S/N 9135, 13-1,000 RPM, Taper Attachment, 12" 3-Jaw Chuck, 1-3/4" Spindle Hole

19" x 72" Sidney Engine Lathe; S/N 9851, 15-1,000 RPM, Taper Attachment, 15" 4-Jaw Chuck, 2-1/4" Spindle Hole

16" x 48" DoAll Engine Lathe; S/N 4020502200, 2-1/2" Spindle Hole, 40-2,000 RPM, 12" 3-Jaw Chuck, Steady Rest, Taper Attachment **SEE PHOTO**

LIFT TRUCKS AND GOLF CARTS

(2) 9,000 Lb. Toyota Model 7FGCU45 LP Gas Cushion Tire Lift Trucks; S/N 71676 and 71676, 3-Stage, 187" Lift, 91" Masts, 15,650 Lb. Truck Weight, 72" Forks **SEE PHOTO**

(2) 6,000 Lb. Hyster Model S60FT LP Gas Cushion Tire Lift Trucks; S/N F187V15846H and F187V15848H, 3-Stage, 187" Lift, 88" Mast, Finger Tip Controls, Side Shift, Fork Positioning, Monotrol Foot Pedals, Hydra-Smooth Hydraulic Assist Feature

6,000 Lb. Yale Model GL83C-060 LP Gas Lift Truck; S/N P176803, 3-Stage, 180" Lift Height, 72" Mast, Standard Transmission

6,000 Lb. Allis-Chalmers Model AOP60 LP Gas Pneumatic Tire Lift Truck; S/N N/A, 3-Stage Mast, 85" Mast Height

(5) 2011 - Club Car Model BC55700 48-Volt Electric Golf Carts w/ Built In Chargers

GENERATOR SETS

81 KW/101 KVA Spectrum / Detroit Diesel Model 80GSG Natural Gas Generator; S/N 07344240, GM 8.1 Liter v-8 Engine; S/N 6262, 399 Hours (New 2002) **SEE PHOTO**

60 KW/75 KVA Spectrum / Detroit Diesel Model 60GSG Natural Gas Generator; S/N 0734239, GM 5.7 Liter V-8 Engine; S/N 6693, 534 Hours (New 2002) **SEE PHOTO**

Subject to Withdraw From Sale

55 KW /69 KVA Spectrum / Detroit Diesel Model 50GSG Natural Gas Generator; S/N 0717540, GM 5.7 Liter V-8 Engine; S/N 6352, 113 Hours (New 2001)

34 KW/43 KVA Spectrum / Detroit Diesel Model 30GSG Natural Gas Generator; S/N 0734221, GM 4.3 Liter V-6 Engine; S/N 14977, 450 Hours (New 2002)

11 KVA Kohler Model 12RZ82 Natural Gas Generator; S/N 292424, 4-Cylinder Ford Engine, 295 Hours

12.5 KVA Onan Natural Gas Generator; S/N D800496286

VIDMAR STORAGE RACK SYSTEMS

(2) Stanley Vidmar Stak-System Adjustable Shelf Storage Systems w/ 2,000 Lb. Capacity Electric Lift; 13 Lifting Height Capability, Each System Has (15) Sections Per Side, Each Section 54" Wide x 13' High with 4 to 5 Shelves Per Unit



Cincinnati Milacron Model 207MK Horizontal Milling Machine



Chatillon Model TCM500 Bench Type Tensile Tester



14" x 40" Thompson Hydraulic Surface Grinder



16" x 48" DoAll Engine Lathe



13" x 39-3/8" Kellenberger Hardinge Model 1000U Dual Head Universal Cylindrical Grinder



(2) Stanley Vidmar Stak-System Adjustable Shelf Storage Systems w/ 2,000 Lb. Capacity Electric Lift



11" x 24" Hardinge Model HLV-H Precision Toolroom Lathe

PUBLIC AUCTION

Surplus to the Needs of
MAGNETICS
 A DIV. OF SPANG
 AND COMPANY

796 East Butler Road
 East Butler, Pennsylvania 16002
 40 Miles North of Pittsburgh, PA – 50 Miles East of
 Youngstown, OH

SALE DATE:
Thursday, June 11th
STARTING AT 9:00 AM

INSPECTION:
Wednesday, June 10th
10:00 AM to 4:00 PM

 **CINCINNATI
 INDUSTRIAL
 AUCTIONEERS**
 auctioneers | appraisers | since 1961

Contact Information
 2020 Dunlap St.
 Cincinnati, Ohio 45214
 Phone 513-241-9701
 Fax 513-241-6760
 www.cia-auction.com



Ajax Induction Furnace



Toolroom Machinery



(4) Spectrum
 Natural Gas Generators



(6) Lift Trucks

FIRST CLASS MAIL!

PRE-SORT
 FIRST CLASS
 U.S. POSTAGE
PAID
 CINCINNATI, OHIO
 PERMIT NO. 3593



Important Mail

TO BE DIRECTED TO THE ATTENTION
 OF EXECUTIVE PERSONNEL

THURSDAY, JUNE 11TH

PUBLIC AUCTION

Surplus to the Needs of
MAGNETICS
 A DIV. OF SPANG
 AND COMPANY

796 East Butler Road
 East Butler, Pennsylvania 16002
 40 Miles North of Pittsburgh, PA – 50 Miles East of
 Youngstown, OH

IMPORTANT NOTICE:

Although information has been obtained from sources deemed reliable, the auctioneer makes no warranty or guarantee, expressed or implied, as to the accuracy of the information herein contained. It is for this reason that buyers should avail themselves of the opportunity to make inspection prior to the sale. This brochure is intended to provide general information of the equipment being offered and is subject to errors, omissions, additions or deletions. Please check with the Auctioneer's Office for a final listing. Items offered may or may not necessarily be sold as described and/or photographed in this brochure.

MAIL BIDS ACCEPTED WITH A 25% DEPOSIT

DIRECTIONS

From I-79 Approx. 30 Miles North of Pittsburgh. Exit at no. 99 US-422 toward Butler. Proceed approx. 18.5 miles to Bonniebrook Rd. Turn left and proceed less than 1/4 mile, just over railroad tracks and turn left onto Grant Rd. Proceed 1 mile to Tenth St. Turn left and proceed less than 1/4 mile to auction site on the left. Look for auction signs and parking. Watch for Auction Parking and Sale Entrance Signs.

AUCTIONEERS

Jeffrey L. Luggen – PA License No. AU003274R

John F. Rome – PA License No. AU005357

Ryan L. Luggen – Apprentice Auctioneer



TERMS OF SALE

All equipment described herein will be sold "as is", "where is" to the highest bidder or bidders for cash in accordance with our regular terms and conditions of sale. Unless other satisfactory arrangements are made, a **25% deposit** in cash, certified or cashier's check payable to Cincinnati Industrial Auctioneers, Inc., **is required on all purchases.** Firm and personal checks accepted only if accompanied by a letter from your bank guaranteeing your funds. All sales are subject to state and/or local taxes unless a signed exemption form is presented at the time of purchase. **All balances are due at the conclusion of the sale.** No merchandise may be removed while the sale is in progress. **All bidders must comply with our Standard Terms of Sale,** copies of which will be available at the sale site or can be obtained from our website.

15% ONSITE BUYER'S PREMIUM
18% ONLINE BUYER'S PREMIUM

Sale Under The Management Of



CINCINNATI INDUSTRIAL AUCTIONEERS

auctioneers | appraisers | since 1961 | cia-auction.com | info@cia-auction.com
 2020 Dunlap St., Cincinnati, Ohio 45214 Phone 513-241-9701 Fax 513-241-6760