Bid Soler Com Select teems of Major Machiner to Become enter Bioding thiners of Office on the Internet on the Internet



Rotary Table Type CNC Horizontal Boring Mill



Boko Model WF-4/12 Six-Axis CNC Rotary Table Universal Boring & Milling Machine



Jung Model C740-D Multi-Axis CNC Slot, Surface, Profile &



Turning Center

Featuring: Boko WF-4/12 Six-Axis CNC Universal Boring & Milling Machine (1994), 4.33" Toshiba BTD-11E.R16 Five-Axis CNC Boring Mill (1994), Jung C-740D CNC Profile & Surface Grinder (2003), Makino A-77/MC-98/MC-86 CNC HMC's, Makino GN107 Die Mold VMC, (3) Makino Die Sinker & Wire CNC EDM's, Okuma Crown L1060 CNC Lathe (2000), Karstens CNC & Manual Cylindrical Grinders, Mahr MX-4 CNC Measuring System (2004), Maho MH400C CNC HMC, 30" Blanchand Mills **Shop & Support Equipment**

SURPLUS EQUIPMENT OF



11135 Deerfield Road - Cincinnati, Ohio 45242 15 Miles North of Downtown Cincinnati off I-71

SALE DATE: Wednesday, September 1st

Starting at 10:00 AM

INSPECTION: Tuesday, Aug. 31st 10:00 AM to 4:00 PM

www.cia-auction.com

Upcoming Sale Information Liquidation & Equipment Section **Email Auction Notification** Recent Auction Results Lot Catalog Listings Photo Galleries Downloadable Forms Complete Terms of Sale Staff Profiles Reference Information



Makino Model A77 Two-Pallet CNC Horizontal Machining Center

SALE UNDER THE MANAGEMENT OF



ncinnati Industrial Auctioneers Inc.

2020 DUNLAP ST., CINCINNATI, OHIO 45214 PHONE (513) 241-9701 / FAX (513) 241-6760 INTERNET: cia-auction.com for printable brochures, catalog, terms and proxy-bidding



WEDNESDAY, SEPTEMBER 1ST





4.33" Toshiba Shibaura Model BTD-11E.R16 Five-Axis Rotary Table Type CNC Horizontal Boring Mill



Boko Model WF-4/12 Six-Axis CNC Rotary Table Universal Boring & Milling Machine



Jung Model C740-D Multi-Axis CNC Slot, Surface, Profile & Creep Feed Grinder



Mahr Model Primar 4XR Four-Axis CNC Measuring Machine

CNC HORIZONTAL BORING MILL

4.33" Toshiba Shibaura Model BTD-11E.R16 Five-Axis Rotary Table Type CNC Horizontal Boring Mill; S/N 143497, Tosnuc 7-3 CNC Control w/ Pendant, 4.33" Spindle Dia., 8.86" Milling Spindle Dia., 63" X 55" T-Slotted Rotary Table, 13,890 LB Max Table Load, 24.8" W-Axis, 59" Y-Axis, 78" X-Axis, 57" Z-Axis, No. 50 Taper Spindle, Spindle Speeds from 5 - 1,000 RPM, 60-Position ATC, Renishaw M112 Machine Interface, Daikin AKS205K Oilcon Automatic Oil Temperature Regulator, Chip Conveyor, Coolant (New 1994) **SEE PHOTO**

CNC UNIVERSAL BORING & MILLING MACHINE

Boko Model WF-4/12 Six-Axis CNC Rotary Table Universal Boring & Milling Machine; S/N 818, GE Fanuc Series 15M CNC Control w/Pendant, 72" X 48" T-Slotted Rotary Table, 65" X 42" Drilled & Tapped Sub Table, 7.5 Metric Ton Max Table Workload, 94.5" X-Axis, 47.2" Y-Axis, 34" Z-Axis, 11.8" W- Axis, 360 Degree C-Axis, 90 Degree B-Axis, 48.4" Throat, 114-Position ATC, No. 50 Taper Spindle, Spindle Speeds from 22 - 3,150 RPM, 44 HP Drive Motor, Renishaw M114 Control, Renishaw M15 Machine Interface, Renishaw PSU3 Power Supply Unit, Rittal Power Supply, Coolant Pump, Coolant w/ Sludge Screen, Rittal Electrical Panel, 60 KVA Transformer (New 1995) SEE PHOTO

CNC SURFACE & PROFILE GRINDER

Jung Model C740-D Multi-Axis CNC Slot, Surface, Profile & Creep Feed Grinder; S/N 8171, Siemens Sinumerik 840D CNC Control w/ Pendant, Not Equipped with Magnetic Chuck Instead Equipped with Model EA420 CNC Indexing Head w/ Tailstock - 400MM Centers & 50MM Spindle Bore, Automatic Pivoted CNC Dressing Tool, 430MM X 800MM Table Working Surface, 510MM X 880MM Grindable Surface, 1100MM X-Axis, 585MM Y-Axis, 460MM Z-Axis, 735MM Spindle Center, 400MM Dia. X 50MM Wide X 127MM Bore Grinding Wheel, 15 KW Grinding Spindle Motor, Coolant Tank w/ Sludge Filter, Transformer, Complete Spec Sheet Available (New 2003) SEE PHOTO

CNC MEASURING MACHINE

Mahr Model Primar 4XR Four-Axis CNC Measuring Machine; S/N 902-9699, The Primar Machine is Novel Form Measuring, Gear Testing and Coordinate Measuring Machine, 12"X-Axis, 12" Y-Axis, 28" Z-Axis, C-Axis Rotary Table, 200 MM / Sec. Positioning Speed, 50 MM / Sec. Measuring Speed, PC System, Control (New 2005) SEE PHOTO

WEBCAST BIDDER INSTRUCTIONS

- > All Internet bidders must register for this auction at www.bidspotter.com at least 48-Hours Prior to the Sale Date, if you do not you will not be approved.
- > All Internet bidders must Post a Deposit of Approx. 25% of Your Planned Spending Budget or \$5,000 Minimum with Cincinnati Industrial Auctioneers in Order to be approved to Bid. Those who do Not Post the Deposit Will Not be Approved. Period.
- > Only Major Items Will be Available for Online Bidding. Please refer to www.bidspotter.com for Available Online Items.
 - ter.com
- There is a 15% Buyer's Premium in Effect for All Online Purchases.
- ➤ We Highly Recommend that Potential Buyers Attend this Auction & Bid Live Onsite. This will give you the Ability to Inspect the Items & Fully Appreciate Their Condition, Along with Saving You 3% of the Buyer's Premium.

No Last Minute Registrations will be accepted. Make Sure to Register & Post Your Deposit No Later than 48-Hours Prior to the Start of the Auction.



MIETALEX MANUFACTURING, INC.





CNC HORIZONTAL MACHINING CENTERS

Makino Model A77 Two-Pallet CNC Horizontal Machining Center; S/N 375, Makino Professional 3 CNC Control, (2) 24-3/4 3/4" T-Slotted Pallets, .001 Degree Full 4th-Axis Indexing, 31.5" X-Axis, 29.5" Y-Axis, 30.3" Z-Axis, HSK-100A Spindle Taper, Spindle Speeds to 10,000 RPM, 90-Position Rack Type Tool Changer, Makino CTS System, Coolant Tanks w/ Sludge Filter, Kanto Seiki Oilmatic Automatic Temperature Regulator (New 1997)

> 12-1/2" Tsudakoma Model RNOBK-302R1 CNC Indexing **Table;** S/N 970781

Makino Model MC98-5XR-A99 Two-Pallet CNC Horizontal Machining Center; S/N 98-511-7, Makino Professional 3 CNC Control. (2) 24-3/4" X 24-3/4" T-Slotted Pallets, 001 Degree Full 4th-Axis Indexing, 36" X-Axis,32" Y-Axis,29" Z-Axis, 2,860 Lbs. Max Table Load, No. 50 Taper Spindle, 15,000 RPM Spindle, 99-Station ATC, Oilmatic Oil Cooler, "Flush Fine" Machining System, 40HP Spindle Motor, Glass Scales on all Axes, Data Server, Cylindrical Interpolation, SGI Super Geometric Intelligence, Helical Interpolation, Loads of Other Options, Makino CTS System, Coolant Tanks w/ Sludge Filter, Chip Conveyor, Renishaw Touch Probe, Call for complete spec sheet (New 1998) **SEE PHOTO**

> 12-1/2" Tsudakoma Model RNCBK-302RI CNC Indexing Table; S/N 770777

Leblond Makino Model MC86-A60 Two-Pallet CNC Horizontal Machining Center; S/N A62-71, Fanuc 11M Control, (2) 24-3/4" X 24-3/4" T-Slotted Pallets, 32" X-Axis, 25" Y-Axis, 25" Z-Axis, 60-Position ATC, No. 50 Taper, 100 Kg Max Load on Pallet, Spindle Speeds to 4000 RPM, Renishaw MP3 Probe Head, Coolant Tank w/ Sludge Separator, Norton Hydraulic Pump, Tokyo Keiki Hydraulic Pump, Transformer, Chip Conveyor (New 1986)

Maho Model MH-700C CNC Horizontal Machining Center; S/N 76192, Maho CNC 432 Control, 24-3/4" Dia. T-Slotted Rotary Table, 27-1/2" X-Axis, 17-1/2" Y-Axis, 19-1/2" Z-Axis, Vertical Head Attachment, Spindle Speeds to 3150 RPM, Chip Conveyor, Coolant SEE PHOT

CNC VERTICAL MACHINING CENTER

Makino Model GN107-A50 Heavy Duty High Speed Die Mold Type CNC Vertical Machining Center; S/N A94-15-7, Makino Professional 3 CNC Control, 31.5" X 53" T-Slotted Table, 41" X-Axis, 27 Y-Axis, 24" Z-Axis, 6,600 Lbs. Table Load Capacity, No. 50 Taper Spindle, Spindle Speeds to 8,000 RPM, 50-Position ATC, Glass Scales on All Axes, Super Gl Control, "Flush Fine" Cutting Package, Loads of other Control Options, Oilmatic Chiller, Coolant System w/ Sludge Filter, Burning Chip Conveyor w/ Separator, Renishaw Probe Control Module, Call for complete spec sheet (New 1994) SEE PHÔTO

- > 15" Tsudakoma Model RNCBK-402-RI 4th-Axis CNC Indexing Table w/ 5.9" Spindle Bore
- > Precise Model PVSF Jig Grinding Spindle System; w/ Control

MAKINO MCF HEAD

Makino Full A-Axis Head Attachment For Makino MCF Model CNC HMC; S/N N/A, Tilting A-Axis Head Used On a Makino MCF Model Horizontal Machining Center **SEE PHOTO**

IMPORTANT AUCTION NOTICES

All of This Equipment has been moved for the convenience of sale to Metalex Manufacturing's Broach Division Warehouse. Prior to being moved most all of this machinery was located in service at Metalex's World Class Manufacturing Facility just around the Corner. Upon Inspection you will see that this Equipment is extremely clean and appears to have been meticulously maintained. For further information on Metalex Manufacturing, Inc. please visit their website at www.metalexmfg.com.

THE RIGGING WORK AT THIS AUCTION WILL BE LIMITED TO A SELECT COMPANY. LOAD OUT PRICING WILL BE AVAILABLE IN THE AUCTION CATALOG ON THE AUCTION DAY.

This is a lsiting of the major items, there is a possibility of some additions to this offering. Please see the auction catalog at www.cia-auction.com 1-Week Prior to the auction for a

SHORT SALE - BE PROMPT



Makino Model A77 Two-Pallet CNC Horizontal Machining Center



Makino Model MC98-5XR-A99 Two-Pallet CNC Horizontal Machining Center





WEDNESDAY, SEPTEMBER 1ST





Okuma Crown L1060 Type 762S Two-Axis Slant Bed CNC Turning Center

CNC TURNING CENTER Okuma Crown L1060 Type 762S Two-

Axis Slant Bed CNC Turning Center; S/N 1914, Okuma OSP-U100L Control, 8" 4-Jaw Chuck, 7.28" X-Axis, 20.47" Z-Axis, 21.65" Swing Over Bed, 15.75" Swing Over Cross Slide, 19.68" Max Turning Length, 10.63" Max Turning Diameter, 2.2" Spindle Bore, 18 HP Spindle, Spindle Speeds from 75 - 4200 RPM, 12-Position Turret, Tailstock, Chip Conveyor (New 2000) SEE PHOTO

CNC WIRE & DIE SINKER EDM'S **Makino Model U53 CNC Wire Cut

EDM; SN A96-148-10, Makino MGW-JI CNC Control & Power Supply, 24" X 36" Tank Area, Dielectric System, Auto Loader w/ Big Spool Capability, Fire Suppressant System (New 1996) *SUBJECT TO WITHDRAWAL FROM AUCTION – CALL FOR DETAILS.

SEE PHOTO

Makino Model EDNC65-MA Four-Axis CNC Die Sinker EDM; S/N MB4-1243, Makino MGC3 CNC Control, Power Supply, 24" X 36" Tank Area, 4th Axis Rotary Head, Fire Suppressant System, Dielectric Fluid Tank (New 1995) SEE PHOTO

> MMK CNC Indexing Table

Makino Model EL3040N CNC Wire Cut EDM; S/N 345-HF1, Makino MGN-10W CNC Control & Power Supply, 20° X 26° Granite Table, 26° X 36° X 14° Inner Tank Area, 12° X-Axis, 15° Y-Axis, 6° Z-Axis, Nikuni Machinery Pump Unit (New 1984)

CYLINDRICAL GRINDERS

19" X 60" Karstens Model K-26 Plain CNC Cylindrical Grinder w/ Angular Head Attachment; S/N 85-038-16-260, Facit Control, Dlog NC-Systeme Dnet 1PC, 20" OD Grinder, 1290MM Max Grinding Length, 251MM Height of Centers, 500MM Dia. X 100MM Width X 127MM Bore Grinding Wheel, 250 Kg Max Workpiece Weight, Complete Angluar Wheel Head Attachment, Refrigerated Coolant Pump, Coolant System w/ Sludge Filter, Karsten Electrical Panel, Allen Bradley 1335 Control (New 1985) SEE PHOTO

14" X 42" Karstens Model K-11 OD/ID Manual Cylindrical Grinder; S/N 8305310111, Sony LH51 DRO, Karsten Gmbh PB Control, Swing Around ID Attachment, 42"

Between Centers, 16" Grinding Wheel Dia., Grinding Wheel Speeds to 7000 SFPM, Arbors & Tooling, Coolant, (New 1984) SEE PHOTO

ROTARY SURFACE GRINDER

Blanchard Model 20CD Rotary Surface Grinder; S/N 12254, 36" Dia. Magnetic Chuck, Electro-Matic Neutrofier II Magnetic Chuck Control, 20" Dia. Grinding Wheel or (4) 11-1/4" X 2-1/4" X 6" Model CD-20L Segments, 30 HP Drive, Chuck Speeds from 6 - 33 RPM, Wheel Speeds to 720 RPM, 38" Dia. X 12" High Over 36" Chuck with New Wheel (New 1967) SEE PHOTO

(Lot) New Segmented Grinding Wheels; On (1) Pallet



19" X 60" Karstens Model K-26 Plain CNC Cylindrical Grinder w/ Angular Head Attachment



14" X 42" Karstens Model K-11 OD/ID Manual Cylindrical Grinder



Blanchard Model 20CD Rotary Surface Grinder

ADVANCE AUCTION NOTICE

Plant Closed
CONWAY CLUTCH COMPANY
2745 Colerain Ave. - Cincinnati, Ohio 45225

WEDNESDAY, SEPTEMBER 1ST STARTING: 2:00 PM

A Large Offering of Conventional and Automatic Machine Tools From A Historic Cincinnati Clutch Manufacturer Featuring; Gear Shapers, W&S 2AC Chucker, Gisholt & W&S Turret Lathes, Broaches, Lathes, Mills, Drills, Grinders, Saws, Large Quantity Antique Machine Tools, Tooling & Support Equipment, Huge Scrap Opportunity

Additional Information Available on Website www.cla-auction.com; Inspection Dates & Times, Equipment Listing, Photos, Auction Information, Terms & Conditions





Makino Model EDNC65-MA Four-Axis CNC Die Sinker EDM



WEDNESDAY, SEPTEMBER 1ST





2 HP Bridgeport Two-Axis Proto-Trak CNC Vertical Milling



1-1/2 HP Bridgeport Two-Axis Proto-Trak CNC Vertical Milling





14" X 20" HEM Model V100-LA2 Automatic Tilt Frame



Partial View (2 of 5) Marposs Gaging





15" X 50" Clausing Colchester 15 Geared Head Engine Lathe

TILT FRAME BAND SAW

14" X 20" HEM Model V100-LA2 Automatic Tilt Frame Vertical Band Saw; S/N 492296, HEM PB Control, 14" X 20" Capacity @ 90 Deg., 14" X 14" Capacity @ 45 Deg., Blade Speeds to 300 FPM, 24" Hydraulic Bar Feed, 48" Roller Feed Table, 1-1/2" Blade (New 1996) **SEE PHOTO**

VERTICAL MILLING MACHINES

2 HP Bridgeport Two-Axis Proto-Trak CNC Vertical Milling Machine; S/N 174053, Proto Trak Plus CNC Control, 9" X 48" T-Slotted Table, Rapid 8 Power Drawbar SEE PHOTO

1-1/2 HP Bridgeport Two-Axis Proto-Trak CNC Vertical Milling Machine; S/N 194726, 9" X 48" T-Slotted Table, Proto Trak Control, Rapid 8 Power Drawbar SEE PHOTO

ENGINE LATHE

15" X 50" Clausing Colchester 15 Geared Head Engine Lathe; S/N 6/0015/19904, Trak DRO, Spindle Speeds to 2000 RPM, 9-3/8" Swing Over Carriage, 10" 3-Jaw Chuck, 2-1/8" Spindle Bore, 7-1/2 HP Drive SEE PHOTO

GRINDERS - ALL TYPES

6" X 18" Norton Hand Feed Surface Grinder; S/N N/A, 6" X 18" O.S. Walker Magnetic Chuck w/ Control

Mitek Model CM-2 Monoset Universal Tool Grinder; S/N 1125, Univesal End Mill Grinding Head, Tailstock, PB Control

(7) Red Head Grinding Spindles Consisting of; (3) Spindles Mounts, (1) Riser, Spindles Fit Cinturnal Universal Multi-Surface Grinder Model 3

6" Willeys Double End Pedestal Grinder 1/3 HP Darex Drill Sharpener; S/N 66036

THE RIGGING WORK AT THIS AUCTION WILL BE LIMITED TO A SELECT COMPANY. LOAD OUT PRICING WILL BE AVAILABLE IN THE AUCTION CATALOG ON THE AUCTION DAY.

MARPOSS TEST SYSTEMS

(2) Marposs Model 0242326000 & 0242329000 Primary & Secondary Shaft Testers; S/N's 01ZR0311 & 01ZR0314, Primary Shaft Run Out Check, Secondary Run Out Check, (2) Marposs E4N LVDT Gauges, (2) Marposs M1 Star Unit

Marposs Model 0242328000 Primary Shaft Tester; S/N 01ZR0313, Siemens Simatic PC Touch Panel, Marposs Gauge Box w/ (2) 16-Plug Ports (New 2001)

Marposs Model Unknown Primary / Secondary Shaft Tester; S/N N/A, Siemens Simatic PC Touch Panel, Marposs Gauge Box w/ (4) 16-Plug Ports (New 2001)

Marposs Model 024232500 Primary Shaft Tester; S/N 01ZR0310, Siemens Simatic PC Touch Panel, Marposs Gauge Box w/ (4) 16-Plug Ports (New 2001)

AIR COMPRESSOR & DRYER

50 HP Gardner Denver Model ECFQJBD Electra Screw Cabinet Enclosed Air Compressor; S/N 750890, Hours: 20,703

Hankinson Model E-500A Refrigerated Air Dryer; S/N 0311A-0380-015, 3 HP

MISC. MACHINERY & EQUIPMENT

Tooling Innovation Model DD 10/10 Heat Shrink Tool Setter; S/N 079407 SEE PHOTO

Parlec Parsetter 2 Tool Setter; S/N N/A, 12" X 24" X 4" Granite Table, Brown & Sharpe Height Gauge, Baush & Lomb Acu-Rite III DRO

30 KVA Lors Model 130AP Spot Welder; $\mbox{S/N}$ 189-

(2) 3/4 HP Torit Model 60 Cabinet Type Dust **Collectors**; S/N's IG557156-001-1 & IG557156-001-2

3/4 HP Torit Model 64 Cabinet Type Dust Collector; S/N C-7314



Mitek Model CM-2 Monoset Universal Tool



Tooling Innovation Model DD 10/10 Heat **Shrink Tool Setter**



Bank View (3) Torit Cabinet Type Dust Collectors





EXCEPTIONALLY WELL MAINTAINED LARGE CAPACITY
MACHINE TOOLS FROM A
WORLD CLASS MANUFACTURING FACILITY

SURPLUS EQUIPMENT OF



11135 Deerfield Road – Cincinnati, Ohio 45242 15 Miles North of Downtown Cincinnati off I-71

SALE DATE: Wednesday, Sept. 1st STARTING: 10:00 AM

INSPECTION: Tuesday, August 31st 10:00 AM to 4:00 PM



Cincinnati Industrial Auctioneers Inc.

2020 DUNLAP ST., CINCINNATI, OHIO 45214 PHONE (513) 241-9701 / FAX (513) 241-6760 INTERNET: cia-auction.com





FIRST CLASS MAIL!





PRE-SORT FIRST CLASS U.S. POSTAGE PAID

CINCINNATI, OHIO PERMIT NO. 3593



Important Mail

TO BE DIRECTED TO THE ATTENTION OF EXECUTIVE PERSONNEL

WEDNESDAY, SERTEMBER 1ST PUBLIC AUCTION

SURPLUS EQUIPMENT OF



11135 Deerfield Road Cincinnati, Ohio 45242

15 Miles North of Downtown Cincinnati off I-71

IMPORTANT NOTICE:

Although information has been obtained from sources deemed reliable, the auctioneer makes no warranty or guarantee, expressed or implied, as to the accuracy of the information herein contained. It is for this reason that buyers should avail themselves of the opportunity to make inspection prior to the sale. This brochure is intended to provide general information of the equipment being offered and is subject to errors, omissions, additions or deletions. Please check with the Auctioneer's Office for a final listing. Items offered may or may not necessarily be sold as described and/or photographed in this brochure.

MAIL BIDS ACCEPTED WITH A 25% DEPOSIT

DIRECTIONS

From I-71 Just South of the I-275 Junction Exit I-71 at No. 15, Pfeiffer Road. Proceed 1/4 Mile West on Pfeiffer Road light at Kenwood Road turn right (north) and Proceed 1 1/4 Miles to Cornell Road. Turn Right (east) and proceed 1/2 Mile to Deerfield Court. Turn Right onto Deerfield Court & Proceed 0.1 Mile to Sale Site on Right. Watch for auction arrows, sale entrance and parking signs.

AUCTIONEERS

Cincinnati Industrial Auctioneers, Inc. License No. 63-1983-10439

Jeffrey L. Luggen - License No. 57-1983-33789 Jerome A. Luggen - License No. 52-1983-33799 Jeffrey M. Luggen - License No. 2010-0000-26 Joseph M. Luggen - License No. 2010-0000-19 John F. Rome - License No. 57-2000-84249









TERMS OF SALE

All equipment described herein will be sold "as is", "where is" to the highest bidder or bidders for cash in accordance with our regular terms and conditions of sale. Unless other satisfactory arrangements are made, a 25% deposit in cash, certified or cashier's check payable to Cincinnati Industrial Auctioneers, Inc., is required on all purchases. Firm and personal checks accepted only if accompanied by a letter from your bank guaranteeing your funds. All sales are subject to state and/or local taxes unless a signed exemption form is presented at the time of purchase. All balances are due at the conclusion of the sale. No merchandise may be removed while the sale is in progress. All bidders must comply with our Standard Terms of Sale, copies of which will be available at the sale site or can be obtained from our website.

12% ONSITE BUYER'S PREMIUM 15% ONLINE BUYER'S PREMIUM

SALE UNDER THE MANAGEMENT OF

Cincinnati Industrial Auctioneers Inc.

2020 DUNLAP ST., CINCINNATI, OHIO 45214 PHONE (513) 241-9701 / FAX (513) 241-6760 INTERNET: cia-auction.com for printable brochures, catalog, terms and proxy-bidding

SALE DATE Nednesday, Sept. 1st