

WORLD-CLASS RAIL-CAR MANUFACTURING FACILITY, STATE-OF-THE-ART FABRICATING AND WELDING MACHINERY, FINISHING, ASSEMBLY, MATERIAL HANDLING, 2,000+ LOTS SHOP AND SUPPORT EQUIPMENT – MOST PURCHASED 2010 - 2016

BidSpotter.com
 See Instructions on Page 6
 To Become a Qualified Bidder on the Internet

PUBLIC AUCTION



Plant Closed

NIPPON SHARYO

1600 Ritchie Ct. – Rochelle, Illinois 61068 80 Miles West of Chicago

SALE DATES: WEDNESDAY, JUNE 19TH & THURSDAY, JUNE 20TH, STARTING AT 9:00AM CDT

INSPECTION: JUNE 17TH AND 18TH FROM 10:00 AM TO 4:00 PM

State-of-the-Art Equipment (Majority Purchased New from 2010 to 2016)



4,500 Watt Mitsubishi Model ML6030XL-45CFR CNC CO2 Flying Optic Laser



BeaverMatic Model GCBF Stress Relieving Car Bottom Annealing Furnace



(200+) Like New Miller Axxess, Dynasty, Invision and Maxstar Mig and Tig Welders



(5) Dener Mitsubishi DE Series CNC Press Brakes to 660 Ton x 238"



(2) Trackmobile Viking and 9TM Rail Car Movers

**IMPORTANT NOTICE
 PLEASE READ CAREFULLY**

EVERY BIDDER AT THE AUCTION ADVERTISED HEREBY, BY ATTENDING SUCH AUCTION, WARRANTS AND ACKNOWLEDGES TO NIPPON SHARYO MANUFACTURING, LLC, ("SELLER"), AND CINCINNATI INDUSTRIAL AUCTIONEERS, INC. ("AUCTIONEER"), AND TOGETHER WITH SELLER, EACH A "DISCLAIMING PARTY", AND COLLECTIVELY "DISCLAIMING PARTIES") THAT SUCH BIDDER WILL PURCHASE ANY ITEM ("LOT") AND SUCH LOT WILL BE SOLD, TRANSFERRED, ASSIGNED, CONVEYED, BARGAINED AND DELIVERED, ON AN "AS IS, WHERE IS", "WITH ALL FAULTS, DEFECTS AND DEPRECIATION", "FINAL" AND "WITHOUT RECOURSE" BASIS IN ACCORDANCE HERewith AND THE TERMS OF SALE ACCEPTED BY BIDDER, AND SPECIFICALLY AND EXPRESSLY WITHOUT WARRANTIES, REPRESENTATIONS, COVENANTS OR GUARANTEES, EXPRESS OR IMPLIED, OF ANY KIND OR NATURE, AS TO CONDITION, FITNESS FOR ANY PARTICULAR PURPOSE, MERCHANTABILITY, OR ANY OTHER WARRANTY, REPRESENTATION, COVENANT OR GUARANTY OF ANY KIND OR NATURE WHATSOEVER FROM OR ON BEHALF OF DISCLAIMING PARTIES. WITHOUT LIMITING THE GENERALITY THEREOF, DISCLAIMING PARTIES SPECIFICALLY DISCLAIM ANY, AND MAKE NO WARRANTY, GUARANTY, COVENANT OR REPRESENTATION, ORAL OR WRITTEN, EXPRESS OR IMPLIED, CONCERNING: (A) THE VALUE, NATURE, FUNCTIONALITY, QUALITY, QUANTITY, USABILITY, SALABILITY, WEIGHT, MEASUREMENT, AGE, MODEL, MECHANICS, PERFORMANCE OR OTHER CONDITION OF THE LOT, INCLUDING, WITHOUT LIMITATION, THE MECHANICAL INTEGRITY THEREOF; (B) THE INCOME TO BE DERIVED FROM THE LOT; (C) THE SUITABILITY OF THE LOT FOR ANY ACTIVITIES OR USES THAT THE SUCCESSFUL BIDDER MAY CONDUCT THEREWITH; (D) THE COMPLIANCE OF OR BY THE LOT OR THE OPERATION THEREOF WITH LAWS, RULES, ORDINANCES OR REGULATIONS OF ANY APPLICABLE GOVERNMENTAL AUTHORITY; (E) THE MERCHANTABILITY, MARKETABILITY, PROFITABILITY OR FITNESS FOR A PARTICULAR PURPOSE OF THE LOT; (F) THE MANNER OR QUALITY OF THE CONSTRUCTION OR MATERIALS INCORPORATED INTO THE LOT; (G) THE MANNER, QUALITY OR STATE OF REPAIR OF THE LOT; (H) THE PRESENCE OR ABSENCE OF HAZARDOUS MATERIALS IN, ON OR UPON THE LOT OR ANY OTHER ENVIRONMENTAL MATTER OR CONDITION OF THE LOT; (I) NON-INFRINGEMENT OF INTELLECTUAL PROPERTY RIGHTS OF A THIRD PARTY; OR (J) ANY OTHER MATTER WITH RESPECT TO THE LOT. FURTHERMORE, NO BIDDER SHALL HAVE ANY RIGHT OR LICENSE TO USE ANY SOFTWARE OR OTHER PROGRAMMING CONTAINED WITHIN ANY LOT, AND NO SUCH LICENSE TO USE ANY SUCH SOFTWARE OR OTHER PROGRAMMING SHALL BE DEEMED TO BE IMPLIED, ASSIGNED, OR TRANSFERRED TO ANY SUCCESSFUL BIDDER. DISCLAIMING PARTIES ARE NOT LIABLE OR BOUND IN ANY MANNER BY ANY ORAL OR WRITTEN STATEMENT, REPRESENTATION OR INFORMATION PERTAINING TO THE LOT, OR THE OPERATION THEREOF, FURNISHED BY ANY PERSON, WITHOUT IN ANY WAY LIMITING THE GENERALITY HEREOF, EACH BIDDER, BY ATTENDING THE AUCTION ADVERTISED HEREBY, WAIVES, RELEASES, DISCHARGES AND COVENANTS NOT TO SUE UPON ANY CLAIM SUCH BIDDER HAS, HAD, OR MAY IN THE FUTURE HAVE AGAINST ANY PARTY, ANY SUBSIDIARY THEREOF, ANY PERSON UNDER COMMON OWNERSHIP THEREWITH, AND THE MEMBERS, MANAGERS, OFFICERS, DIRECTORS, EMPLOYEES AND AGENTS OF ANY OF THE FOREGOING, RELATING TO OR ARISING OUT OF: THE LOT, INCLUDING THE CONDITION THEREOF OR ANY PATENT OR LATENT DEFECT THEREIN; THE ABILITY OR INABILITY OF SUCH BIDDER TO OBTAIN OR MAINTAIN LICENSES FOR THE USE OR OPERATION OF THE LOT OR ANY PART THEREOF; THE ACTUAL OR POTENTIAL INCOME TO BE DERIVED FROM THE LOT; PERSONAL PROPERTY OR OTHER TAXES OR ASSESSMENTS, NOW OR HERE-AFTER PAYABLE WITH RESPECT TO THE LOT; THE ENVIRONMENTAL CONDITION OF THE LOT; OR ANY OTHER MATTER RELATING TO THE LOT. THE AUCTIONEER SHALL NOT BE RESPONSIBLE FOR THE DESCRIPTION, GENUINENESS, OR AUTHENTICITY OF, ANY LOT, AND MAKES NO WARRANTY IN CONNECTION THEREWITH. NO SALE OF ANY LOT WILL BE SET ASIDE NOR ALLOWANCE MADE ON ACCOUNT OF ANY INCORRECTNESS, ERROR IN COMMENTARY, CATALOGING, OR ANY IMPERFECTION NOT NOTED. NO DEDUCTION, CREDIT OR AVOIDANCE SHALL BE ALLOWED ON ANY DAMAGED LOT.

Sale Under The Management Of



CINCINNATI INDUSTRIAL AUCTIONEERS

auctioneers | appraisers | since 1961 | cia-auction.com | info@cia-auction.com
 2020 Dunlap St., Cincinnati, Ohio 45214 Phone 513-241-9701 Fax 513-241-6760



(2) Genesis / Fanuc Track-Travelling Single-Robot Spot Welding Systems



Genesis / Fanuc Track-Travelling Two-Robot Spot Welding System



**** (4) Genesis / Fanuc Track-Mounted Single-Robot Spot Welding Cells**



300-KVA Banner Model 2CPS-300-A36 Circular Resistance Seam Welder

GENESIS SPOT WELDING SYSTEMS

Genesis / Fanuc Track-Travelling Two-Robot Spot Welding System; (2) Fanuc Model M900 Six-Axis Robots, Fanuc R-J3ib Control w/ Teach Pendant, 19' Track Gage, 51" Height Under Carriage, 195" Approx. Length of Track, Carriage Mounted Spot Welding Heads w/ Throats to 70", 260-KVA Roman Model TDC-6650 Welding Power Supplies, Nadex PH5-1094 Weld Controller, Koolant Coolers JH-1000 Chillers, Tool Balancers, Pendant Controls

(2) Genesis / Fanuc Track-Travelling Single-Robot Spot Welding Systems; Fanuc Model M900-ia-350 Six-Axis Robots, Fanuc R-J3ib Control w/ Teach Pendant, 74" Height From Floor to Top of Carriage, 92" Approx. Length of Track, 170-KVA Roman Model TDC-1078 Welding Power Supplies, Nadex PH5-1094 Weld Controller, C-Frame Welding Guns, Koolant Coolers JH-1000 Chillers, Tool Balancers, Pendant Controls

**** (4) Genesis / Fanuc Track-Mounted Single-Robot Spot Welding Cells;** Fanuc Model M900-ia Six-Axis Robots, Fanuc R-J3ib Control w/ Teach Pendant, 17"

Height From Floor to Top of Carriage, 282" Approx. Length of Track, 225-KVA Roman Model TDC-7000 Welding Power Supplies, Nadex PH5-1094 Weld Controller, C-Frame Welding Guns to 36", Koolant Coolers JH-1000 Chillers, Tool Balancers, Pendant Controls, (1) Not on Track

****These robots will be sold on Day-Two of the auction****

(9) Genesis Single and Dual Head Gantry Style Spot Welding Machines; Designed to Weld Underframe, Side Structure and Roof Structure of Rail Car, 18' Track Gage, 133" From Rail Top to Head Beam, 165" Width Between Columns, 225 - 265-KVA Roman Model TDC-7106 and G455265K Welding Power Supplies, Nadex PH5-1094 and ICW5-B10 Weld Controllers, C-Frame Welding Guns to 36" Throat, Koolant Coolers JH-1000 Chillers, Tool Balancers, Pendant Controls

(9) Genesis Single and Dual Head Gantry Style Spot Welding Machines; Designed to Weld Underframe, Side Structure and Roof Structure of Rail Car, 18' Track Gage, 86" From Rail Top to Head Beam, 165" Width Between Columns, 225 - 265-KVA Roman Model TDC-7106 and G455265K Welding Power Supplies, Nadex PH5-1094 and ICW5-B10 Weld

Controllers, C-Frame Welding Guns to 36" Throat, Koolant Coolers JH-1000 Chillers, Tool Balancers, Pendant Controls

SEAM WELDER
300-KVA Banner Model 2CPS-300-A36 Circular Resistance Seam Welder; s/n 7963 (New 2012) 36" Throat, Guide Rollers and Flooding Cooling System, Schreiber Chiller, Entron Control and Contactor

CATWALK PLATFORMS
5' x 100' x 11' High Storage Systems Two-Sided Motorized Movable Modular Catwalk Platform; Movable Deck Section on One Side w/ 22" Travel

5' x 294' x 7' High Cogan Wire & Metal Two-Sided Modular Catwalk Platform; 73" Deck Height, 5'11" Clear Height, 125 PSF

(2) 5' x 94' x 7' High Cogan Wire & Metal Two-Sided Modular Catwalk Platforms; 73" Deck Height, 5'11" Clear Height, 125 PSF

(2) 4' x 83' x 7'9" High Cogan Wire & Metal Two-Sided Modular Catwalk Platforms; 79" Deck Height, 6'9" Clear Height, 125 PSF

4' x 83' x 17' High Cogan



(9) Genesis Single and Dual Head Gantry Style Spot Welding Machines



(2) Sets Airfloat Model D36-0041 Platform Transporters

Wire & Metal Two-Sided Modular Catwalk Platform; 17' Deck Height, 16' Clear Height

(2) 4' x 350' x 17' High Cogan Wire & Metal Two-Sided Modular Catwalk Platforms; 17' Deck Height, 15'10" Clear Height

4' x 100' x 16' High Cogan Wire & Metal Two-Sided Modular Catwalk Platform; 16' Deck Height, 14'8" Clear

Height

SPREADER BARS & RELATED LIFTING EQUIPMENT

(20+) Sophisticated Power and Manual Lifting Fixtures Including Posi-Turners, Hooks and Related

(10+) Spreader Bars up to 50' x 33 Ton Capacity by Caldwell, Bushman and Others

Large Quantity of Lifting Equipment Magnets, Chains, Slings, Eyes and Related

TEST TRACK POWER SUPPLY

1,500 DC Volt SMC Model SWG-0711-001-A Electric Railcar Test Track with 1,000' Overhead Cable, No Rail Spur

RAILCAR LIFTING JACKS

(3) Sets of SEFAC Model M150BF2800

Mobile Lifting Jacks; 33,000 LB Max Capacity/Stand, 110" Max Height

PLATFORM TRANSPORTERS

(2) Sets Airfloat Model D36-0041 Platform Transporters; s/n 1250280-02 & 1250280-03 (New 2012) 30,000 LB Capacity per Platform, 67" W x 12.875" x 182" L, Self-Guided Line Operation

(32) 80" x 98" Manual Rail Car Dollys, 30" Platform Height from



(10) Modular Catwalk Platforms To 350' Long

DAY ONE:
Genesis Spot Welding Systems, 2,000+ Lots Tools and Shop Equipment

DAY TWO:
Lasers, Press Brakes, Welders, Hydraulic Presses, Paint and Blast Booths, Trucks, Trailer, Rail Car Movers, Fabricating and Toolroom Machinery

SEE OUR WEBSITE FOR A VIRTUAL TOUR!



Large Quantity Lifting Equipment, Posi-Turners, Spreader Bars, Magnets, Chains, and Related



EQUIPMENT SOLD BOTH DAYS



DAY ONE

(3) Sets of SEFAC Model M150BF2800 Mobile Lifting Jacks



DAY ONE

(32) 80" x 98" Manual Rail Car Dollies, 30" Platform Height from Ground



DAY ONE

1,500 DC Volt SMC Model SWG-0711-001-A Electric Railcar Test Track



(100+) Pcs. Late Model Misc. Machinery Grinders, Drills, Sanders, Saws, Presses



(200+) Lots Like New Office Equipment Including Herman-Miller Cubicles, File Cabinets, Cafeteria Equipment, Cybex Fitness Machines



MODERN INDUSTRIAL REAL ESTATE FOR SALE

810,555 Sq. Ft. Two-Building Industrial Complex on Approx. 57 Acres

- **East Building:** 480,845 sf on 34.92 acres with 34,000 sf of office space
- **West Building:** 329,710 sf on 22.16 acres with 28,995 sf of office space
- **Heavy Electric, Overheads Cranes, Air Compressors, Rail Access**

FOR MORE INFO CONTACT:
 AVISON YOUNG | Michael C. Fonda, Principal
 Email: michael.fonda@avisonyoung.com
 Cell: 847-420-3228



MISC. MACHINERY (SOLD BOTH DAYS)

(2) 8' Arm SMTCL Model Z3080X25 Radial Arm Drills; s/n ZT1300211NU & ZT1300212NU (New 2013) 80mm Drilling Dia., 16-1250 Spindle Speed Range, 1000mm X 800mm X 560mm Worktable ****These will be sold Day 2****
 Tri-Star M-100 J Wire Maker; s/n 042315

(100+) Pcs. Late Model Misc. Machinery Grinders, Drills, Sanders, Saws, Presses

(10,000+) PCS. TOOLS AND SHOP EQUIPMENT (MAJORITY DAY 1)

(5,000+) Pcs. Power, Pneumatic, Cordless and Electric Hand Tools, *to be sold in lots*

(5,000+) Pcs. Very Clean Shop and Support Equipment, *to be sold in lots*

OFFICE EQUIPMENT (SOLD BOTH DAYS)

(200+) Lots Like New Office Equipment Including Herman-Miller Cubicles, File Cabinets, Cafeteria Equipment, Cybex Fitness Machines



VISIT OUR WEBSITE FOR A VIRTUAL TOUR



4,500 Watt Mitsubishi Model ML6030XL-45CFR CNC C02 Flying Optic Laser

CNC LARGE BED LASER

4,500 Watt Mitsubishi Model ML6030XL-45CFR CNC C02 Flying Optic Laser; s/n 63XL021 (New 2013) Model ML45CF-R CO2 Resonator, 1,478 Beam-on Hours, Mitsubishi M-700 CNC Control, 120" x 240" Table Travel, 5.9" Z-Axis Travel, Two-Table Pallet Changer, Thermal Care Accu-chiller, Donaldson-Torit MCO 4-16 Dust Collector

CNC LASERS W/ LOADING TOWER

(2) 4,500 Watt Mitsubishi Model ML3015eX CNC C02 Flying Optic Lasers; s/n 6330eXS312 & 6330eX314 (New 2013), Model ML45CF-R CO2 Resonators, 1,805 & 2,106 Beam-on Hours, Mitsubishi M700 CNC Control, 60" x 120" Table Travel, 5.9" Z-Axis Travel, Thermal Care Accu-chiller, (2) Donaldson-Torit MC02-8 Dust Collectors

- Mitsubishi Model 20-Shelf FMSCI-II3015 Material Handling System; 6,000LB/Shelf Capacity (2012)

WEBCAST BIDDER INSTRUCTIONS

- All Internet bidders must register for this auction at www.bidspotter.com at least 48-Hours Prior to the Sale Date, *if you do not you will not be approved.*
- All Internet bidders must Post a Deposit of Approx. 25% of Your Planned Spending Budget or \$5,000.00 Minimum with Cincinnati Industrial Auctioneers in Order to be approved to Bid. Those who do Not Post the Deposit Will Not be Approved. **Period.**



**15% ONSITE BUYERS PREMIUM
18% ONLINE BUYERS PREMIUM**



(2) 4,500 Watt Mitsubishi Model ML3015eX CNC C02 Flying Optic Lasers



(2) 88 Ton X 102" Dener Model DE80-26-AC-ZL-2M Multi-Axis CNC Press Brakes



660 Ton X 238" Dener Model DE600-60-AC-ZL-2M Multi-Axis CNC Press Brake

CNC PRESS BRAKES

660 Ton X 238" Dener Model DE600-60-AC-ZL-2M Multi-Axis CNC Press Brake; s/n 36060-13110, **(New 2014)** ESA 550 CNC Control, CNC Auto-Crowning, 200" Between Frames, 24.4" Open Height, 16.5" Stroke, Safety Curtains, 4-Axis CNC Backgauge

440 Ton X 159" Dener Model DE400-40-AC-ZL-2M Multi-Axis CNC Press Brake; s/n 34040-13109 **(New 2014)** ESA 550 CNC Control, CNC Auto-Crowning, 139" Between Frames, 24.4" Open Height, 15.7" Stroke, Safety Curtains, 4-Axis CNC Backgauge

220 Ton X 119" Dener Model DE200-30-AC-ZL-2M Multi-Axis CNC Press Brake; s/n

32030-13113 **(New 2014)** ESA 550 CNC Control, CNC Auto-Crowning, 100" Between Frames, 24.4" Open Height, 13.8" Stroke, Safety Curtains, 4-Axis CNC Backgauge

(2) 88 Ton X 102" Dener Model DE80-26-AC-ZL-2M Multi-Axis CNC Press Brakes; s/n 32826-13112 & 30826-13111 **(New 2014)** ESA 550 CNC Control, CNC Auto-Crowning, 84" Between Frames, 16.7" Open Height, 8.7" Stroke, Safety Curtains, 4-Axis CNC Backgauge

Large Quantity of New Wilson Press Brake Tooling; Including Various Size Gooseneck, Punch, Top and Bottom Dies, Radius, Punch Tip Holders and more



440 Ton X 159" Dener Model DE400-40-AC-ZL-2M Multi-Axis CNC Press Brake


VISIT OUR WEBSITE FOR A VIRTUAL TOUR



Large Quantity of New Wilson Press Brake Tooling



220 Ton X 119" Dener Model DE200-30-AC-ZL-2M Multi-Axis CNC Press Brake



NEW 2014

BeaverMatic Model GCBF Stress Relieving Car Bottom Annealing Furnace



NEW 2014

Kasto Unitower Model C3.0-5076-103-005 15-Shelf Sheet Metal Storage Tower



NEW 2014

ABS Blast Systems Drive-Thru Blast Booth

ANNEALING FURNACE

BeaverMatic Model GCBF Stress Relieving Car Bottom Annealing Furnace; s/n 513-106/8 (2014) 14' W x 11' H x 27' L Inside Dimensions, 18,000 LB Car Capacity, 1,400 Degree F Max, (40) Heat Sessions at 12 hours/session

BTUH (in 1000's)/ 90 Degree F Temp. Rise

INSPECTION EQUIPMENT

(2) 300-KN Instron Model 300DX-C3A-G7E Dual Tension and Compression Testers; s/n 300DXU2824 & 300DXU2825 (New 2014) 76mm/min Max Test Speed, 152mm Actuator Stroke

Romer Model RA-7535SEI-3 Absolute Arm 3D Measuring Set; s/n 7535SEI-3478-UC (New 2014)

(50+) Lots Inspection Tools, height Gages, Calipers, Surface Plates and Related

BLAST BOOTH

ABS Blast Systems Drive-Thru Blast Booth; s/n 1328 (2014) 20' W x 14' H x 30' L Inside Dimensions, 315 Hours, HD Grate Floor with 5,000 lb per sqft Rating, Reclaim Unit, 17,300 CFM Dust Collector, 100 cuft. Storage Hopper, Pneumatic Bi-Fold Doors

PAINT BOOTH

Spray Systems TB-60-14-20 Drive Thru Downdraft Paint and Cure Booth; s/n 10656 (New 2014) 14' H x 20'6" W x 60' L Inside Dimensions, 160 CFM Compressed Air, (2) 45,000 SCFM Air Make-up Units, 4,374

NON-DESTRUCTIVE TEST ENCLOSURE

Chamtech Systems Retractable Non-Destructive Testing Enclosure; s/n QC-01699R1 (New 2014) 30' W x 25' L x 13'4" H Inside Dimensions



NEW 2014

Spray Systems TB-60-14-20 Drive Through Downdraft Paint and Cure Booth



NEW 2014

200 Ton Standard Industrial Model AP200-48-48 Four-Post Vertical Hydraulic Press



ARKU Model FlatMaster 55165/19 CNC Precision Parts Leveler



1,500 KN Osaka Jack Model OJ-T-51-4271B CNC Vertical and Horizontal Multi-Ram Hydraulic Press



1/2" x 14" AccurShear Model 650014 CNC Hydraulic Shear



1/2" x 8" AccurShear Model 650008 CNC Hydraulic Shear

State of the Art Equipment
(Majority Purchased New from 2010 to 2016)

PARTS LEVELER

ARKU Model FlatMaster 55165/19 CNC Precision Parts Leveler; s/n 634147 (New 2014) 1650mm Max Width, 100mm Min. Length, 0.02" to 1/2" Sheet Thickness, (19) 2.2" Dia. Leveling Rollers

HYDRAULIC SHEARS

1/2" x 14" AccurShear Model 650014 CNC Hydraulic Shear; s/n 6468 (New 2014) 40 HP Motor, 14 Full Strokes per Min., CNC Power Backgauge, Light Curtains, Rear Sheet Support

1/2" x 8" AccurShear Model 650008 CNC Hydraulic Shear; s/n 6467 (New 2014) 40 HP Motor, 20 Full Strokes per Min., CNC Power Backgauge, Light Curtains, Rear Sheet Support

HYDRAULIC PRESSES

200 Ton Standard Industrial Model AP200-48-48 Four-Post Vertical Hydraulic Press; s/n F214-2099 (New 2014) 48" x 48" Table, 34" Bed Height, 20" Ram Stroke, 36" Open Height, 16" Closed Height

1,500 KN Osaka Jack Model OJ-T-51-4271B CNC Vertical and Horizontal Multi-Ram Hydraulic Press; s/n 02547 (New 2014), 1000 x 500 mm Table, 300mm Stroke, 875mm Daylight

MISC. FABRICATING MACHINERY AND HAAS VMC

Kasto Unitower Model C3.0-5076-103-005 15-Shelf Sheet Metal Storage Tower; s/n 6172555 (New 2014), 5' x 10' Max Sheet, 6,600LB per Shelf

(2) 88 Ton Geka Model 80AD Hydraulic Ironworkers; s/n 17441 (2012) & 17666 (2013)

Eckold Model KF665 Kraftformer Metal Forming Machine; s/n 90013715 (New 2014) 26.6" Horizontal Throat; 17.7" Vertical Throat; 3.15" Ram Adjustment; 0.315" Max Stroke

Costa Model MD5-CV 1350 Wide Belt Sander; s/n MB436001A (New 2014) 1350mm Max Width, 0.02" to 5.91" Thickness, Donaldson DFO2-4 Dust Collector

Haas VF-4 CNC Vertical Machining Center; s/n 18082 (1999) 52" x 18" T-Slotted Table, 50" X-Axis Travel, 20" Y-Axis Travel, 25" Z-Axis Travel, 20 HP Motor, 7,500 RPM, 20 Position Tool Changer, 40 Taper



(2) 300-KN Instron Model 300DX-C3A-G7E Dual Tension and Compression Testers



Romer Model RA-7535SEI-3 Absolute Arm 3D Measuring Set



(2) 88 Ton Geka Model 80AD Hydraulic Ironworkers



(55) Miller Invision 352 Mig Welders with S-74 MPa Wire Feeders



(45) Miller Dynasty 350 Tig Welders



(5) Taylor-Winfield Spot Welders to 160-KVA



(8) Weldsale Acorn Tables up to 5' x 10'



Haas VF-4 CNC Vertical Machining Center



Large Bed Straightening Presses



(200+) Like New Miller Access, Dynasty, Invision and Maxstar Mig and Tig Welders

WELDERS - ALL TYPES AND RELATED

- (46) Miller Access 300 Mig Welders with Wire Feeders
- (45) Miller Dynasty 350 Tig Welders
- (55) Miller Invision 352 Mig Welders with S-74 MPa Wire Feeders
- (31) Miller Invision 450 Mig Welders with Wire Feeders
- (12) Miller Maxstar 200 Tig Welders with Wire Feeders and Coolmate
- (15) Welding Stations Including Miller Invision 352 with 16' Boom Arm and S-74 MPa Plus Wire Feeders
- (6) Miller Invision 450 with S-74 MPa Plus Wire Feeders
- (15) Welding Stations Including Miller Invision 450 with 16' Boom Arm and S-74 MPa Plus Wire Feeders
- (4) Hypertherm Powermax 65 Plasma Cutters
- (5) 60-Amp Tecna 3650e 9k Evolution Stud Welders (2012)

- (5) 80-Amp Elektron Multispot MI-100 Control Resistance Welders
- Fronius TransPuls Synergic 2700 CMT Welding Machine
- Webb Tank Turning Rolls
- (8) Weldsale Acorn Tables up to 5' x 10'
- Welding Accessories, Heavy Duty Tables, Clamps, Curtains, Grinders, Safety Equipment and Related

WELDING POSITIONERS

- (2) 18,730 LB Sideros Engineering Model RL8500 EL/MR 3-Axis Welding Positioners; s/n 755/15 & 756/15 (New 2015) 59" x 59" Table, 95/140 Degree Max Table Tilt, 109.44" Max Table Height, 48.42" Min Table Height
- 14,330 LB Sideros Engineering Model RL6500 EL/MR 3-Axis Welding Positioners; s/n 518/14 (New 2014) 59" x 59" Table, 95/140 Degree Max Table Tilt, 94.48" Max Table Height, 37.79" Min Table Height
- (2) 9,920 LB Sideros Engineering Model RL4500 EL/MR 3-Axis

- Welding Positioners; s/n 696/15 & 517/14 (New 2014/15) 59" x 59" Table, 95/140 Degree Max Table Tilt, 82" Max Table Height, 35.43" Min Table Height
- (2) 6,610 LB Sideros Engineering Model RL3000 EL/MR 3-Axis Welding Positioners; s/n 516/14 & 638/13 (New 2013/14) 43.3" x 43.3" Table, 95/140 Degree Max Table Tilt, 63.77" Max Table Height, 28.34" Min Table Height

SPOT WELDERS

- (3) 160-KVA Taylor Winfield Model ERE-40-160 Spot Welders; s/n 130099A, 130099B, 130099C (New 2014) 40" Throat
- (2) 100-KVA Taylor Winfield Model ERE-40-100 Spot Welders; s/n 130098A & 130098B (New 2014) 24" Throat

RAIL CAR MOVERS & RELATED

- Trackmobile Model Viking Railcar Mover; s/n LGN-998120415, Engine No. 73811483, Engine Spec No. TM-1084842
- Trackmobile Model 9TM Rail Car Mover; s/n NSAI3



(6) Sideros RL Series 3-Axis Welding Positioners to 18,730 Lb. Cap.



Trackmobile Model Viking Railcar Mover



Trackmobile Model 9TM Rail Car Mover



Kalmar Model 30 Spotting Truck

TRAILERS

(6) 45' and 48' Aluminum and Steel Flat Bed Trailers by Great Dan, FAST and Others

(5) 53' Wabash Van Body Trailers; VIN 1JJV532W6YL615583

40' x 20,000 LB Bluff Model 20STS8436L Free Standing Loading Ramp; s/n 22749

(2) 20' & 45' Mobile Office Trailers

LIFT TRUCKS AND RELATED

(2) 8,000 LB Hyster Model S80FTBCS Solid Tire LP Gas Lift Trucks; s/n G004V06308K and H004V02486L, 2 Stage Mast, 83" Mast Height, 121" Lift Height, Side Shift, Monotrol, 9686 Hours

6,000 LB Yale Model MPE060 Electric Walk Behind Pallet Truck; s/n A896N04392A, 24 Volt, With Charger

4,100 LB Hyster Model S70ft Solid Tire LP Gas Lift Truck; s/n

F187V24897L, 3 Stage Mast, 88" Mast Height, 187" Lift Height, 9335 Hours

4,000 LB Yale Model ESC040 Electric Stand-Up 3-Wheel Lift Truck; s/n C88N01541N, 36V

Electric Pallet Trucks, Power Dollies, Personnel Carts and Related

SCISSOR LIFTS

(10) Genie Electric Scissor Lifts Model GS-2046, Model GS-2032 and Model GS-1930

FLOOR SWEEPERS

Power Boss Model Commander T82 LG Gas Floor Sweeper; s/n 19348212

Power Boss Model SW9-XXL LP Gas Floor Sweeper; s/n 19899043

TRUCKS - ALL TYPES

Kenworth Model T800 Tractor Trailer; s/n 5J112843, VIN # 1XKDA08X85J112843, 357,579 Miles (New 2005)

Kalmar Model 30 Spotting Truck; s/n 311530 (New 2005) 3,920 Miles, 1,951 Hours

(2) Ford F-150 Pick Up Trucks; VIN 1FTMF7DKF83792 (New 2013), 27,596 Miles; VIN 1FTMF1EM7BKD71987 (2012) 70,122 Miles

PALLET AND CANTILEVER RACK

(78) Sections of 9' W x 42"

Deep x 26' H Tear-Drop Adjustable Beam Pallet Rack

(26) Sections of 9' W x 66" Deep x 26' H Bolt-On Adjustable Beam Pallet Rack

(56) Sections of 6' Arm x 24' H x 4' W Adjustable Arm Cantilever Rack

Various Size Disassembled Pallet Rack



(10) Various Style Late Model Forklifts



Power Boss Sweeper and Scrubber

**State of the Art Equipment
(Majority Purchased New from 2010 to 2016)**

**15% ONSITE BUYERS PREMIUM
18% ONLINE BUYERS PREMIUM**



(10) Genie Electric Scissor Lifts Model GS-2046, Model GS-2032 and Model GS-1930



(78) Sections of 9' W x 42" Deep x 26' H Tear-Drop Adjustable Beam Pallet Rack



(56) Sections of 6' Arm x 24' H x 4' W Adjustable Arm Cantilever Rack



(2) Ford F-150 Pick Up Trucks

PUBLIC AUCTION

Plant Closed

NIPPON SHARYO MANUFACTURING, LLC

1600 Ritchie Ct. – Rochelle, Illinois 61068
80 Miles West of Chicago

SALE DATE:
Wednesday, June 19th & Thursday, June 20th
Starting at 9:00 AM CDT

INSPECTION:
June 17th and 18th from
10:00 AM to 4:00 PM



CINCINNATI
INDUSTRIAL AUCTIONEERS

auctioneers | appraisers | since 1961

Contact Information
2020 Dunlap St.
Cincinnati, Ohio 45214
Phone 513-241-9701
Fax 513-241-6760
www.cia-auction.com



State-of-the-Art Manufacturing Equipment of 800,000 Sq. Ft. Rail Car Manufacturing Facility



FIRST CLASS MAIL!

PRE-SORT
FIRST CLASS
U.S. POSTAGE
PAID
CINCINNATI, OHIO
PERMIT NO. 3593



Important Mail

TO BE DIRECTED TO THE ATTENTION
OF EXECUTIVE PERSONNEL

WEDNESDAY, JUNE 19TH & THURSDAY, JUNE 20TH

PUBLIC AUCTION

PLANT CLOSED

NIPPON SHARYO MANUFACTURING, LLC

1600 Ritchie Ct.
Rochelle, Illinois 61068
80 Miles West of Chicago

IMPORTANT NOTICE:

Although information has been obtained from sources deemed reliable, the auctioneer makes no warranty or guarantee, expressed or implied, as to the accuracy of the information herein contained. It is for this reason that buyers should avail themselves of the opportunity to make inspection prior to the sale. This brochure is intended to provide general information of the equipment being offered and is subject to errors, omissions, additions or deletions. Please check with the Auctioneer's Office for a final listing. Items offered may or may not necessarily be sold as described and/or photographed in this brochure.

MAIL BIDS ACCEPTED WITH A 25% DEPOSIT

DIRECTIONS

From Chicago, Take I-88 West One Exit Past I-39 to Exit 76. Turn Left On to IL-251 S then Turn Left Again onto E. Steward Road. Continue on Steward Road for 2 Miles Then Make a Left onto E Ritchie Road and Then Another Left onto Ritchie Court. All Visitors Must Sign In at the Guard Shack.

AUCTIONEERS

Jeffrey L. Luggen – IL License No. 441.000380
Joseph M. Luggen – IL License No. 441.002228



TERMS OF SALE

All equipment described herein will be sold "as is", "where is" to the highest bidder or bidders for cash in accordance with our regular terms and conditions of sale. Unless other satisfactory arrangements are made, a **25% deposit** in cash, certified or cashier's check payable to Cincinnati Industrial Auctioneers, Inc., is required on all purchases. Firm and personal checks accepted only if accompanied by a letter from your bank guaranteeing your funds. All sales are subject to state and/or local taxes unless a signed exemption form is presented at the time of purchase. **All balances are due at the conclusion of the sale.** No merchandise may be removed while the sale is in progress. **All bidders must comply with our Standard Terms of Sale**, copies of which will be available at the sale site or can be obtained from our website.

15% ON-SITE BUYER'S PREMIUM
18% ON-LINE BUYER'S PREMIUM

Sale Under The Management Of



CINCINNATI INDUSTRIAL AUCTIONEERS

auctioneers | appraisers | since 1961 | cia-auction.com | info@cia-auction.com
2020 Dunlap St., Cincinnati, Ohio 45214 Phone 513-241-9701 Fax 513-241-6760