

BidSpotter.com
See Instructions on Page 3
To Become a Qualified Bidder on the Internet

**HEAVY STAMPING AND FABRICATING FACILITY INCLUDING
(14) METAL STAMPING PRESSES FROM 60 TO 700 TON INCLUDING STRAIGHT SIDE, GAP AND OBI,
FEED EQUIPMENT, PRESS BRAKES, SHEARS, TOOLROOM MACHINERY, FORKLIFTS AND SUPPORT EQUIPMENT**

PUBLIC AUCTION

Facility Closed

OHI-TEC MANUFACTURING, INC.

5800 Lower Valley Pike – Springfield, Ohio 45502
20 Miles Northeast of Dayton, Ohio

SALE DATE: THURSDAY, JULY 27TH, STARTING AT 10:00 AM
INSPECTION: WEDNESDAY, JULY 26TH, FROM 10:00 AM TO 4:00 PM



(2) 500 Ton Danly Model S2-500-72-54 Straight Side Double Crank Presses



250 Ton Aida Model C2-2512 Double Crank Gap Press



Feed Equipment Including Uncoilers, Air Feeds, & Cradles



LP Lift Trucks to 12,000 Lb.



REAL ESTATE FOR SALE BY OWNER
35,183 Sq. Ft. Manufacturing Building on Approx. 15 Acres
Contact: Ryan Luggen at ryan@cia-auction.com or
513-241-9701 for details



Sale Under The Management Of

CINCINNATI INDUSTRIAL AUCTIONEERS
auctioneers | appraisers | since 1961 | cia-auction.com | info@cia-auction.com
2020 Dunlap St., Cincinnati, Ohio 45214 Phone 513-241-9701 Fax 513-241-6760



THURSDAY, JULY 27TH - 10:00 AM



250 Ton Verson Model Co. C2-250-108-60T Straight Side Double Crank Press



260 Ton Niagara Model S2-260-120-60 Straight Side Double Crank Press



700 Ton Minster Model 50-11-84 Straight Side Double Crank Press



150 Ton Federal Model 150-GA OBI Press



135 Ton Clearing Straight Side Double Crank Press

SSDC PRESSES

700 Ton Minster Model 50-11-84 Straight Side Double Crank Press; s/n 61465, 12" Stroke, 14 SPM, 84" x 88" Bed, 23-1/2" TO 35-1/2" Shut Height, Air Cushion, 24" Window, Air Clutch, Air Counter Balance **SEE PHOTO**

(2) 500 Ton Danly Model S2-500-72-54 Straight Side Double Crank Presses; s/n 56110201 and 54-5586, 12" Stroke, 30 SPM, 72" x 54" Bed, 50" Shut Height, 10" Adjustment, T-Slotted Ram and Bolster Plate, Palm controls, One Equipped with Merlin Light Sensors, and Press Pilot 100 Series Control, Air Clutch, Air Counter Balance, Air Cushion **SEE PHOTO**

265 Ton Bliss Model 2E-265-102 Straight Side Double Crank Press; s/n 122885-1945-11241, 40" x 102" Bed, 16" Stroke, 20 SPM, 20" Shut Height, Merlin Light Sensors, Palm Control, Air Clutch, Air Counter Balance

260 Ton Niagara Model S2-260-120-60 Straight Side Double Crank Press; s/n 612-1-7, 12" Stroke, 18 SPM, 120" x 30" Bed, 22-1/2" Shut Height, 10-1/2" Adjustment, 15-1/2" Window, ISB Light Sensors, Palm Controls, Drilled & Tapped Bolster Table, Air Clutch, Air Counter Balance **SEE PHOTO**

250 Ton Verson Model Co. C2-250-108-60T Straight Side Double Crank Press; s/n 11407, 12" Stroke, 10 SPM, 108" x 60" Bed, 30" Shut Height, 10" Adjustment, 23" Window, Drilled & Tapped Bolster Table, ISB Light Sensors, Palm Control, Air Clutch, Air Counter Balance **SEE PHOTO**

200 Ton USI Model S2-200-72-48 Straight Side Double Crank Press; s/n 51-1148, 10" Stroke, 36 SPM, 48" x 72" Bed, 24" Shut Height, 5" Adjustment, T-Slotted Ram and Bolster Plate, ISB Light Sensors, Palm Controls, Floor Standing, Air Clutch, Air Counter Balance, Air Cushion

135 Ton Clearing Straight Side Double Crank Press; 10" Stroke, 23 SPM, 40" x 60" T-slotted Ram and Bolster Plates, Air Clutch, Air Counter Balance, Air Cushion **SEE PHOTO**

113 Ton Minster Model 50-5 1/2-42 Straight Side Double Crank Press; s/n 50-5-1/2-3005, 4" Stroke, 42" x 39" Bed, 3-1/2" Adjustable, Light Sensors, 18-1/2" Window, Palm Controls, Floor Standing, Air Clutch, Air Counter Balance

GAP PRESSES

300 Ton Niagara Model S2G-300-72-48 Double Crank Gap Press; s/n 50086, 14" Stroke, 40 SPM, 72" x 46" Bed, 50" Shut Height, 10" Adjustment, Air Clutch, Air Counter Balance, Floor Standing, Palm Controls, Merlin Light Sensors, T-Slotted Ram and Bolster Plate

250 Ton Aida Model C2-2512 Double Crank Gap Press; s/n 10525-0080, 11" Stroke, 30 SPM, 120" x 36" Bed, 82-1/2" x 28" Top Die, 4.7" Slide Adjustment, Air Clutch, T-Slotted Table, Merlin Light Sensors, Floor Standing, Air Counter Balance **SEE PHOTO**

OBI PRESSES

150 Ton Federal Model 150-GA OBI Press; s/n 51-17257-P 6" Stroke, 35 SPM, 50" x 30" Bed, 25" Shut Height, 10" Adjustment, Air Clutch and Cushion, ISB Light Sensors, Palm Control, Floor Standing **SEE PHOTO**

93 Ton Bliss No. 5-G Straight Side Double Crank Press; 4" Stroke, 100 to 200 SPM, 32" x 21", ISB Light Sensors, Air Clutch, Air Cushion

60 Ton Bliss No. 1 1/2 OBI Press; 4" Stroke, 100 to 200 SPM, 32" x 21", Merlin Light Sensors



(3) 6,000 Lb. American Steel Model 1000 Uncoilers



Press Accessories Including Bolster Plates



(3) Pneumatic Straightener and Feeders by Dallas and Others to 24"



10,000 Lb. x 52" American Steel Model 1000 Uncoiler



(2) 6,000 LB Single End Uncoilers



20" Cradle Straightener



Sterling Acterra Diesel Powered Tandem Axle Box Truck



150 Ton x 8' Steel Weld Press Brake



150 HP Ingersoll Rand Model SSR-EP150 Air Compressor

PRESS FEED EQUIPMENT

10,000 Lb. x 52" American Steel Model 1000 Uncoiler; s/n 4103

SEE PHOTO

(3) 6,000 Lb. American Steel Model 1000 Uncoilers; s/n 5379, s/n 3019, s/n 6330

SEE PHOTO

24" Wide Automatic Feed Co. Model 10-4-2460 Single End Uncoiler; s/n 1433, with Straightener

(3) Pneumatic Straightener and Feeders by Dallas and Others to 24"

SEE PHOTO

20" Cradle Straightener

SEE PHOTO

30" Rowe Model PIS30 Hydraulic Flip Table; s/n 3719

Roth Corp Coil Up-Ender

Large Quantity of Spare Feeder / Straightener Parts and Components

SHEARS

3/16" x 96" Semco Model 2020 Shear; s/n N/A

10 Ga. x 120" Wysong Model 1010RD Shear; s/n HP32-1000

SEE PHOTO

PRESS BRAKES

150 Ton x 8' Steel Weld Press Brake; s/n N/A, 8' Stroke, 12" Shut Height

SEE PHOTO

Large Quantity of Press Brake Dies

WELDING AND FABRICATING MACHINERY

100 KVA Taylor-Winfield Type ENC-18-100 Air-Oper Rocker Arm Spot Welder; s/n 70572

36" x 10 Ga. Wysong Model B-36 Three Roll Plate Bending Machine; s/n P115-13

Miller CP-300 and Delatweld 302 Mig Welders

55 AMP Thermal ARC Pak 5xR Plasma Cutting System

Miscellaneous Welding Supplies, Oxy Torch Set, Leads and Related

BAND SAWS

14" x 16" Hem-Saw Model 1200A Automatic Horizontal Band Saw; s/n 141681, Hydraulic Clamping and Feed, Exit Roller Conveyor

12" x 12" Hem-Saw Model H90A-4 Automatic Horizontal Band Saw; s/n 1176413, Hydraulic Clamping and Feed, Exit Roller Conveyor

SEE PHOTO

(2) 12" x 16" Do All Model C80 Automatic Horizontal Band Saws; s/n 190-77944 and 190-76857, Hydraulic Clamping and Feed, Exit Roller Conveyor

9" x 16" Do All Model C-916 Automatic Horizontal Band Saw; s/n 438-85812, Hydraulic Clamping and Feed, Exit Roller Conveyor

TOOLROOM MACHINERY

Mitsubishi Model DWC-905B 4-Axis CNC Wire EDM; s/n 0395B374 (1993), Chiller, Coolant System

20" Startrite 20 RWS Vertical Band Saw; s/n 81217, with Welding Unit

4' x 11" American Hole Wizard Radial Arm Drill

12" x 36" Mattison Hydraulic Surface Grinder

12" x 24" Thompson Hydraulic Surface Grinder; s/n B0966M

(2) 6" x 12" Boyar Schultz H612 Hand Feed Surface Grinders

(2) 2 HP Bridgeport Vertical Milling Machine; s/n J215274 and J198543, Quality 800 DRO

16" x 36" LeBlond Dual Drive Lathe; Tool Post, Tail Stock

Darex Drill Sharpener

(2) 12" Powermatic Model 1200 Single Spindle Table Drill

Edelund Model 2115 Single Spindle Drill

Machine Accessories and Tooling Including Vises, Rotary Tables, End Mills, Drills and Related

Inspection Equipment Including Round and Block Gauge Sets, Micrometers, Angle Surface Plates, Pal-Cheek Gauges, Sine Plates, Height Gauges, Digital Calipers and Related

BOX TRUCK

Sterling Acterra Diesel Powered Tandem Axle Box Truck; VIN # 2FZHCDC56AW09579, 7-Speed Manual, 102" Wide x 26' Long x 12'6" High Overall Box Dimensions

SEE PHOTO

FORKLIFTS AND RELATED

12,000 Lb. Hyster S120XCS Solid Tire LP Gas Lift Truck; s/n D004D02405T, 9,930 Hours, 209" Max Lift Height

8,000 Lb. Hyster Model S50FTBCS Solid Tire LP Gas Lift Truck; s/n G004V03591F, Side Shift, 11,900 Hours

4,000 Lb. Nissan Model KCPH02A20PV Solid Tire LP Gas Lift Truck; s/n KCPH02P909504, 8,854 Hours

Tennant Power Sweeper 266 Gas Powered Sit Down Sweeper; s/n 2655014

AIR COMPRESSORS, DRYERS AND RELATED

150 HP Ingersoll Rand Model SSR-EP150 Air Compressor; s/n F37983U01067

SEE PHOTO

(2) 30 HP Quincy Model QST30ACA325Q Air Compressors; s/n 98821H and 98820H

SEE PHOTO

25 HP Le Roi Tank Mounted Horizontal Air Compressor

Sullair SR-800 Air Dryer; s/n 3206530001

(2) Pneumatech Model AD-125 Air Dryers

SHOP AND SUPPORT EQUIPMENT

84" Infra-Pak Rotary Stretch Wrapper; s/n V023198G, Roller Conveyor Table

SEE PHOTO

6' x 7' Digital Platform Scale

Toledo Platform Scale

Large Quantity of Office and Cafeteria Equipment Including;

Desks, Chairs, File Cabinets

Large Quantity of Scrap Steel Shop and Support Equipment

Consisting of; Mag-Base Drills, Double End Grinders, Hold Downs, Carts, Toolboxes, Work Benches, Saw Horses, C-Clamps, Sine-Blocks, Hand Tools, Power Tools, Toolholders, Boxes, Tort Fume Collectors, Parts Washers, Belt Sanders, Material Clamps, Steady Rests, Rotary Tables, Angle Plates, Shelving, Plastic Totes, Pallet Trucks, Pallet Racks, Wire Baskets, Banding Carts, Welders, Arbor Presses, Die Carts, Outback Brush Cutter, Pipe Threader, Craftsman Pressure Washer, Abbott Bale Co. Metal Chipper; s/n 2074, Setup Tables, Spare Motors, Smog Hog Fume Collectors, Chip Conveyors Ladders, Whitney Jensen Punch and Other Related Items



12" x 12" Hem-Saw Model H90A-4 Automatic Horizontal Band Saw



10 Ga. x 120" Wysong Model 1010RD Shear



84" Infra-Pak Rotary Stretch Wrapper

WEBCAST BIDDER INSTRUCTIONS

> All Internet bidders must register for this auction at www.bidspotter.com at least 48-Hours Prior to the Sale Date, **if you do not you will not be approved.**

> All Internet bidders must Post a Deposit of Approx. 25% of Your Planned Spending Budget or \$5,000.00 Minimum with Cincinnati Industrial Auctioneers in Order to be approved to Bid. Those who do Not Post the Deposit Will Not be Approved. **Period.**



Complete Toolroom With Mills, EDM, Drills, Saws, Grinders, and Related



(2) 30 HP Quincy Model QST30ACA325Q Air Compressors

PUBLIC AUCTION

Facility Closed

OHI-TEC MANUFACTURING, INC.

5800 Lower Valley Pike
Springfield, Ohio 45502

20 Miles Northeast of Dayton, Ohio

SALE DATE:
Thursday, July 27th
STARTING: 10:00 AM


INSPECTION:
Wednesday, July 26th
10:00 AM to 4:00 PM



CINCINNATI
INDUSTRIAL AUCTIONEERS

auctioneers | appraisers | since 1961

Contact Information
2020 Dunlap St.
Cincinnati, Ohio 45214
Phone 513-241-9701
Fax 513-241-6760
www.cia-auction.com



Presses to 700 Ton



250 Ton Aida Gap



Feed Equipment



Fork Lifts to 12,000 Lb.

FIRST CLASS MAIL!

PRE-SORT
FIRST CLASS
U.S. POSTAGE
PAID
CINCINNATI, OHIO
PERMIT NO. 3593

Important Mail

TO BE DIRECTED TO THE ATTENTION
OF EXECUTIVE PERSONNEL

THURSDAY, JULY 27TH

PUBLIC AUCTION

Facility Closed

OHI-TEC MANUFACTURING, INC.

5800 Lower Valley Pike
Springfield, Ohio 45502

20 Miles Northeast of Dayton, Ohio

IMPORTANT NOTICE:

Although information has been obtained from sources deemed reliable, the auctioneer makes no warranty or guarantee, expressed or implied, as to the accuracy of the information herein contained. It is for this reason that buyers should avail themselves of the opportunity to make inspection prior to the sale. This brochure is intended to provide general information of the equipment being offered and is subject to errors, omissions, additions or deletions. Please check with the Auctioneer's Office for a final listing. Items offered may or may not necessarily be sold as described and/or photographed in this brochure.

MAIL BIDS ACCEPTED WITH A 25% DEPOSIT

DIRECTIONS

From I-70, just east of the Junction of I-75, exit at OH-4, proceed North on OH-4 to exit at Enon Rd. Follow Enon Rd. North for approx. 1/2 mile to Lower Valley Pike. Turn right or east onto Lower Valley Pike and proceed 3/4 mile to auction site on left.

AUCTIONEERS

Cincinnati Industrial Auctioneers, Inc. –
License No. 2566

Jeffrey L. Luggen – License No. 1250

Joseph M. Luggen – License No. 4499



TERMS OF SALE

All equipment described herein will be sold "as is", "where is" to the highest bidder or bidders for cash in accordance with our regular terms and conditions of sale. Unless other satisfactory arrangements are made, a **25% deposit** in cash, certified or cashier's check payable to Cincinnati Industrial Auctioneers, Inc., is **required on all purchases**. Firm and personal checks accepted only if accompanied by a letter from your bank guaranteeing your funds. All sales are subject to state and/or local taxes unless a signed exemption form is presented at the time of purchase. **All balances are due at the conclusion of the sale.** No merchandise may be removed while the sale is in progress. **All bidders must comply with our Standard Terms of Sale**, copies of which will be available at the sale site or can be obtained from our website.

15% ONSITE BUYER'S PREMIUM
18% ONLINE BUYER'S PREMIUM



Sale Under The Management Of

CINCINNATI INDUSTRIAL AUCTIONEERS

auctioneers | appraisers | since 1961 | cia-auction.com | info@cia-auction.com

2020 Dunlap St., Cincinnati, Ohio 45214 Phone 513-241-9701 Fax 513-241-6760