350,000 SQ. FT. WORLD RENOWNED SAFE MANUFACTURER INCLUDING AMADA TURRET PUNCHES AND PRESS BRAKES, NORDSON POWDER COAT LINES, BLOVV MOLDER, TOOLKOOM, SHOP AND SUPPORT EQUIPMENT

To Become see Instructions on Page 4 the Internet BidSporter.com

Plant Closed ASentrySafe

900 Linden Avenue - Rochester, New York 14625 10 Miles Southeast of Downtown Rochester

SALE DATE: WEDNESDAY, SEPTEMBER 28TH, STARTING AT 9:00 AM

INSPECTION: TUESDAY, SEPTEMBER 27TH FROM 10:00 AM TO 4:00 PM



22 Ton Amada Model EM-2510NT Electric Power Twin Servo Driven Heavy Duty **High Speed CNC Turret Punch**











Sale Under The Management Of

INDUSTRIAL AUCTIONEERS

auctioneers | appraisers | since 1961 | cia-auction.com | info@cia-auction.com 2020 Dunlap St., Cincinnati, Ohio 45214 Phone 513-241-9701 Fax 513-241-6760



WEDNESDAY, SEPTEMBER 281H





88 Ton x 101" Amada Model HD8025NT CNC Press Brake



55 Ton x 78" Amada Model RGM25020 CNC Electric Press



(10) Miller and Lincoln Mig and Tig Welders



100 KVA Standard Rocker Arm Type HR3-60-100 Spot Welder



75 KVA TJ Snow / Federal Type RA-30-3 Rocker Arm Spo



22 Ton Amada Model EM-2510NT Electric Power Twin Servo Driven Heavy Duty High Speed CNC Turret Punci

TURRET PUNCH

22 Ton Amada Model EM-2510NT
Electric Power Twin Servo Driven Heavy
Duty High Speed CNC Turret Punch; s/n
25101790, 200 KN, 500 HPM (0.197" Stroke & 1" Pitch), 780 SPM (0.197" Stroke & 0.040"
Pitch), 1800 SPM (0.197" Pitch Marking), Slide
Type Die Holder Standard, 984" Feed Clearance,
50" x 100" Sheet Size (Without Reposition),
3950"Min X-Axis Speed, 3150"Min X-Axis
Speed, Brush Table, 45-Station Turret, (4) Auto
Index, Air Blow-Off (2011) SEE PHOTO

Amada TOGU III Punch Grinder; s/n 3023-1086 (4/2011) SEE PHOTO

Amada Brand Punch Tooling, 30" Wide 7-Door Cabinet Loaded

PRESS BRAKE

88 Ton x 101" Amada Model HD8025NT CNC Press Brake; 5/n 80254250, Amada AMNC PC Control (2011), 101" Overall Bed Length, 83" Between Housings, 16" Throat, 7.9" Stroke, 18.5" Open Height, Fiessler AKAS-3M Might Curtian, Fiessler AKAS-III-190 Alignment, (13) Manual Top Clamps, Power Bottom Clamping, 3-Axis Backgauge (2011) SEE PHOTO

55 Ton x 78" Amada Model RGM25020 CNC Electric Press Brake; s/n 50202023 (8/2010), 87" Overall Length, 60" Between Housings, 15.5" Throat, 3.94" Stroke, 14.5" Open Height, Amada Touch Screen Control, Foot Pedal, Light Curtains, Single Axis Back Gage (2010) SEE PHOTO

Amada Brand European Style Press Brake Dies, 7-Door 40" Wide Cabinet Loaded

WELDING EQUIPMENTPem Serter Series 4 Hardware Insertion

Pem Serter Series 4 Hardware Insertion Press; s/n L4-5164 (2011) SEE PHOTO

100 KVA Standard Rocker Arm Type HR3-60-100 Spot Welder; s/n 3355, 60" Throat, Foot Pedal SEE PHOTO 75 KVA TJ Snow / Federal Type RA-30-3 Rocker Arm Spot Welder; s/n 39517-1002, 24" Throat, Foot Pedal, EN1000 Controls, Rebuilt by TJ Snow; s/n 11UM-1893 SEE PHOTO

50 KVA Standard Rocker Arm Type HR3-36-50 Spot Welder; s/n 3354, 36" Throat, Foot Pedal

(4) 30 KVA Peer Model AR4/30 Rocker Arm Spot Welders; s/n 910007-1, 1272, 940030, and N/A, 24" Throats, Foot Pedals, WTC and Simplicity Controls

50 KVA Peer Model P-25 Ram Type Spot Welder; s/n 3091, Unitrol Programmable Controls

20 KVA Peer Model R-420 Rocker Arm Spot Welder; s/n 12885, 24° Throat, Bernard Rediator

(10) Miller and Lincoln Mig and Tig Welders; Miller Syncrowava SJOLX Tig, Lincoln Square Wave Tig-355 Tig, (3) Miller CP-302 Migs w/ 22A Wire Feeds, Miller Bobcat 225G LPG Arc Welder with Onan Preformer 16XS Motor, Miller Millermatic 251 Mig, Thermal Arc PAK3xr Plasma Cutter

SEE PHOTO

Welding Accessories Including; 36" x 36" Acorn Welding Table, Clamps, Vises, Leads, Wire and Other Related Items

POWDER COAT SYSTEM – LINE 1

Nordson Model XL-2001 Twelve-Gun Automatic Pass-Thru Powder Coat Booth; s/n E-00065633, i-Control Touch Screen Gun Control System; s/n PD7628, 36" x 72" Windows, Poly / Stainless Upper, 15' Chamber Length, (2) 12-Filter Color Units with 1025D45A Seive Hoppers, Track Mounted Gun Stands, 15 HP Reclaim (New 2005)

SEE PHOTO

35' Long Col-Met / Diversified Finishing Systems Stainless Upper Pass-Thru Parts Washer; 5/n 17826, 35' Tunnel Length, 36" x 72" Windows, (2) 7.5 HP Pumps with Filter Tank, 20 HP Hot Air Blow-Off (2005) SEE PHOTO

25' x 30' Col-Met / Diversified Finishing Systems Combination Modular Galvanized Panel Dry-Off and Cure

Oven; Job No. 17826, 36" x 72" Windows, Natural Gas Fired, 30 HP Blower, 25' x 30" Main Chamber Area, 40' Overall Footprint, 9' x 20' Dual Pass Dry-Off, 20' x 20' Multi-Pass Oven (2005) SEE PHOTO

500' (Approx.) Rapid Industries Chainin-Channel Overhead Conveyor; Hooks 4' on Centers, Hangers 2' On Centers **(2005)**

POWDER COAT SYSTEM - LINE 2

(3) Nordson Model XL-2001 Eight-Gun Automatic Poly Upper Pass-Thru Powder Coat Booths; s'n E-000593928 and (2) P97-1826C-05C, 48" x 54" Windows, 20' Chamber Length, 8' Hopper with Sieve Filter, Versa-Spray 2 Gun Controls SEE PHOTO

Nordson Model Versa Coat Three-Gun Automatic Poly Upper Pass-Thru Powder Coat Booth; Part No. 1035898; S/N 21168, 5' x 5' x 8' Poly Chamber Area, 24" X 48" Window, Nordson i-Control System with Danfoss Model VLT4000 Control Panel (2005)

STI / Nordson Valuscan Free-Standing Pass-Thru Scanner; 52" x 52" Window, Allen Bradley, PLC Control

125' Approx. SBS Stainless Steel 6-Stage Pass-Thru Parts Washer; GLI Model 63 Digital Controls SEE PHOTO

Rite Model 600W Natural Gas Fired Boiler; s/n 26461, Boiler Assembly, No. AS632229



Amada TOGU III Punch Grinder



Pem Serter Series 4 Hardware Insertion Press



Controlled Pyrolysis Model PTR-300 Natural Gas Fired Rum-Off Oven



SENTRYSAFE









POWDER COAT LINE ACCESSORIES

Controlled Pyrolysis Model PTR-300
Natural Gas Fired Burn-Off Oven; s/n
4427, 52" x 120" Roll in Cart, 72" Overall
Height, 64" From Cart Base
SEE PHOTO

Gruenberg Model C65V120 Single Door Electric Oven; s/n 17128, 24" x 24" x 36" Chamber

(5) 24" x 30" Stainless Steel Powder Drums

(2) 36" x 92" Nordson Side Mont Hoppers

Infinitex Ultra 1500 Filtration System;

Various Pumps, Motors, Piping and Filters For Paint System

BLOW MOLDER AND RELATED 8 ½ LB Cincinnati Model 90-D-4000C

Single Head Blow Molder; s/n 4472A01-91-7, Camac Bel Control, 30" x 40" Tie Bar Spacing, 40 HP Hydraulic System SEE PHOTO

(2) BAC Model F1743-LR Cooling Towers; s/n 93100588 and F1-036-31L and 003-756-9001

(5) 7.5 HP Conair Vacuum Pumps with Cyclones

Conair SLC Basic Model B10 Central Loader Control

PACKAGING EQUIPMENT 5' Highlight Predator Platinum Rotary Pallet Stretch Wrapper; s/n P909L534, 60" Rotary Table, 9' Approx. Max Height, Touch SEE PHOTO Screen PLC

60" Highlight Synergy 3 Rotary Pallets Stretch Wrapper, Approx. 8' Wrap Height

Dorell Model TE101 Automatic Tray **Erector;** s/n 50605335

(2) Polychem Model PC-650-RPS 1S72YD Automatic Strappers (2005) SEE PHOTO

ROBOTS

(4) Motoman Model SK-150 Six-Axis Robots; s/n 1501-0010 and 1501-0011, Yasnac Controls (1999) SEE PHOTO

(5) Motoman Model SK-16 Six-Axis Robots; Motoman MRC Robot Controls with Pendants (1998)

(4) Motoman Model SK-6 Six-Axis Robots; Motoman MRC Robot Controls with Pendants (1998)

PALLET RACK AND RELATED

(100) Sections 42" x 8' x 14' High Ridg-U-Rak Adjustable Beam Pallet Rack with Wire Decking

(150) 42" Deep x 12' - 15' Ridg-U-Rak Pallet rack Uprights, Most 15'

(500) 8' x 4.5" Ridg-U-Rak Pallet Rack Beams

(700) Sections 43" x 45" Wire Decking

CONVEYOR

(2) 40' Northeast Conveyors Seven-Level 2-Section 36" Wide Conveyor Flow Rack Systems

(200) Pieces 22" Wide x 10' Rapistan Live Roller Conveyor

500' Various 24" - 36" Roller Conveyor, 10' Sections, Disassembled and Stacked







Nordson Model Versa Coat Three-Gun Automatic Poly



35' Long Col-Met / Diversified Finishing Systems Stainless Upper Pass-Thru Parts Washer



125' Approx. SBS Stainless Steel 6-Stage Pass-Thru Parts









25' X 30' COL-MET DRY-OFF AND CURE OVEN NEW 2005



www.cia-auction.com





8 ½ LB Cincinnati Model 90-D-4000C Single Head Blow Molder

BRIDGE CRANES AND

RELATED
(3) Gorbel Free Standing Overhead
Bridge Crane Systems; 250 Lb. x 20' x 30', 250 Lb. x 20' x 25', 250 Lb. x 18' x 24' Spanco SEE PHOTO Approx. Sizes

250 Lb. Anver VPS-57-AC Vacuum Lift Gorbel BXI Force 150 Lb. Capacity Air Power Box Lift

(10) Various Electric Hoist From 250 Lb. to 2 Ton Capacity

SHOP OFFICE

22' x 36' and 22' x 12' Starco Free Standing Modular Shop Office; s/n 26763

SILOS FOR CONCRETE AND PLASTIC (2) 12' x 36' Peabody Tectank Welded

Steel Poly Storage Silos; s/n 6-81441 and 681440, 3,085 Cubic Feet (1988)

(2) 12' x 25' Mfg. Unknown Welded Steel Concrete Storage Silos, Air Valve and Auger SEE PHOTO

(2) 12' x 30' Welded Steel Concrete Storage Silos, Cone Bottoms, Auger

Hurco Model VM1 CNC VMC; s/n H-V12053, 20-Pos. ATC, 40 Taper, Hurco Max CNC Control, 14" x 28" Table, 15,000 Max SEE PHOTO RPM (2007)

Tree Model VMC500 CNC VMC; s/n 985331311, 24-Position ATC, 40 Taper, TPC-2100 CNC Controls, 19-1/2" x 39" Table **(1998)**

MILLING MACHINES 5 HP Dah-Lih Model DL-1500 CNC Vertical Mill; s'n 150043, Compumill 2500 Control, 5 HP, 80-3,800 RPM, Dynapath Delta 20 Control, 10" x 42" Table

3 HP Alliant Variable Speed Vertical Mill; s/n 81113867, PTF, Newall C70 DRO, 60-4,500 RPM, 9" x 48" Table

2 HP Bridgeport Variable Speed Vertical Mill; s/n 274057, PTF, Newall DP700 DRO, 9"

2 HP Alliant Variable Speed Vertical Mill; s/n 73033591, PTF, Alliant DRO, 19" x 48" Table

SURFACE GRINDERS

12" x 24" Chevalier Model FSG-**3A1224H Hydraulic Surface Grinder;** s/n P3829006, 2" Wide x 12" Diameter Wheel, Automatic Downfeed, Coolant System, 12" x 24" Chuck

6" x 12" Harig Surface Grinder

MISC. TOOLROOM MACHINERY

14" x 40" Victor Model 1440GS Engine **Lathe;** s/n 420601, 1-1/2" Spindle Hole, 45-1,800 RPM, 6" 3-Jaw And 8" 4-Jaw Chucks, Tailstock

Other Toolroom Machinery; Sunnen Model MBB-1660 Precision Hone, 3' Arm x 9" Col. Caser Radial Arm Drill, 32" Edlund Model 2F.12 Single Spindle Drill, 9" x 12" WF Wells Horizontal Band Saw, 20" Powermatic Vertical Band Saw, 20" Delta Model 20 Wood Cutting Vertical Band Saw, 12" Disc / 6" Belt Powermatic Model 30B Combo Sander

Hand Fabricating Equipment; 12 Ton Bantam Model B1412 Pneumatic Press Brake, 36" Tennsmith Model T30 Kick Shear, 36" Pexto Finger Brake, 5 Ton Roper Whitney Model 29 Hand Punch, 6" Kidder Pneumatic Notcher, 6" Diarco Hand Notcher

Late Model Very Clean Tool Shop **Support Equipment;** (6) Lista and Kennedy Multi-Drawer Tooling Cabinets with Perishable Tooling, Machine Parts and Hardware, (5) Die Lifts, Grinders, Drills, Saws, Tooling and Machine Accessories, Steel and Maple top Benches, Inspection Equipment, Granite Surface Plates and Other Related Items

(2) JLG Model 2032E2 Electric Scissor Lifts



(3) Gorbel Free Standing Overhead Bridge Crane



(100) Skids Building and Machine Maintenance Parts



(4) Motoman Model SK-150 Six-Axis Robots

WEBCAST BIDDER INSTRUCTIONS

- > All Internet bidders must register for this auction at www.bidspotter.com at least 48-Hours Prior to the Sale Date, if you do not you will not be approved.
- All Internet bidders must Post a Deposit of Approx. 25% of Your Planned Spending Budget or \$5,000.00 Minimum with Cincinnati Industrial Auctioneers in Order to be approved to Bid. Those who do Not Post the Deposit Will Not be Approved. Period.





(2) 12' x 36' Peabody Tectank



(2) 12' x 25' Mfg. Unknown Welded



Platinum Rotary Pallet Stretch Wrapper



(2) Polychem Model PC-650-RPS 1S72YD Automatic



WEDNESDAY, SEPTEMBER 281H







Complete Machine Shop





Late Model Shop Equipment





Large Quantity Pallet Rack





Conveyor of All Types





Large Quantity Office Furniture





Complete Modern Gym



ROUTER TABLE

Cam Tech Model 275155 Router Master Programmable Router; S/N 212479, 60" x Table, 7" Under Bridge (New 2004)

SCISSOR LIFTS, SCRUBBERS AND RELATED

(2) JLG Model 2032E2 Electric Scissor **Lifts;** s/n 0200106413 and 0200034579, 27" x 84" Work Platforms with 36" Extensions, 750 SEE PHOTO Lb. Max Load

JLG Model 1932ES Electric Scissor Lift; s/n 0200066396, 26" x 60" Work Platform with 48" Extension, 250 Lb. Max Load

(2) Karcher Model BR90-140 Sit-Down **Electric Scrubbers**

Advance Afinity 175T Walk Behind Scrubber

Taylor Dunn Model SC-100-24 Stand-Up 3-Wheel Maintenance Cart (2008)

SHOP EQUIPMENT

(100) Skids Building and Machine Maintenance Parts; Motors, Hardware, Hydraulic, Pneumatic and Electric Components SEE PHOTO

Large Quantity Shop Equipment to Support a 300,000 Sq. Ft. Facility; 500' Modular Yellow Guard Rail, Graco Model 222791 Pneumatic Pump, Presto Model D862-1500 Portable Electric Lift, (10) Various Size Electric / Hydraulic Scissor Lift Tables, (30) Various Size and Style Fireproof Chemical Cabinets, (20) Strong Hold Heavy Duty 2-Door Steel Storage Cabinets, (20) 30" x 72" Little Giant Steel Warehouse Carts, (10) 60" Little Giant 6-Shelf Cantilever Carts, Pallet Trucks, Banding Outfits, Metro Carts, Step Ladders, Roll Around Ladders, Spill Skids, Drum Dollies, Carts, Benches, Racks, Hand Tools and Related

INSPECTION EQUIPMENT

Chattilon Model TCD-1000 Tensile Tester: s/n 01-28-98-01

Stratasys Model Dimension SST Rapid **Prototype Machine**

Dimension Elite Rapid Prototype Machine; s/n 180-G0105

Inspection Tools Including Height Gages, Granite Plates, Blocks, Plug Gages and

FITNESS EQUIPMENT
Complete Gym Filled with Cardio,
Weight Training and Fitness Equipment
Featuring; (5) Ellipticals, (3) Treadmills,
Rowing Machines, (8) Stationary Spinning Bikes,
Dumbbells, Kettleballs, Yoga Balls and Mats, TRX
Suspension Kits, Full Weight Room with Free
Workers, Barkell Paradic Court Machines, Loc Weights, Barbell Benches, Squat Machines, Leg Extension an Curl Machines and Much More

OFFICE FURNITURE

(100) Sentry Safe Two-Drawer Fireproof File Cabinets

Large Quantity Office Furniture Including; (50) Modular Offices in Two-Person to 10-Person Configurations, (30) Office Sets w/ Desks, Credenzas and Other Furniture, (5) Meeting and Conference Room Table and Chair Sets, Side Tables, (50) File Cabinets Including Fireproof, Legal, Letter and Related, Tables, Chairs, Reception Area Furniture

15% ONSITE BUYERS PREMIUM **18% ONLINE BUYERS PREMIUM**





(100) Fireproof File Cabinets



350,000 SQ, FT, WORLD RENOWNED SAFE MANUFACTURER **INCLUDING AMADA TURRET PUNCHES AND PRESS BRAKES,** NORDSON POWDER COAT LINES, BLOW MOLDER, TOOLROOM, SHOP AND SUPPORT EQUIPMENT

Plant Closed

MSentrySafe

900 Linden Avenue

Rochester, New York 14625 10 Miles Southeast of Downtown Rochester

SALE DATE: Wed., September 28th **STARTING AT 9:00 AM**

> INSPECTION: Tuesday, September 27th 10:00 AM to 4:00 PM



auctioneers | appraisers | since 1961 | www.cia-auction.com

Contact Information 2020 Dunlap St. Cincinnati, Ohio 45214 Fax 513-241-6760

Phone 513-241-9701











PRF-SORT FIRST CLASS U.S. POSTAGE **PAID**

CINCINNATI, OHIO PERMIT NO. 3593



Important Mail

TO BE DIRECTED TO THE ATTENTION OF EXECUTIVE PERSONNEL

WEDNESDAY SEPTEMBER 281H

Plant Closed

SentrySafe

900 Linden Avenue Rochester, New York 14625

10 Miles Southeast of Downtown Rochester

IMPORTANT NOTICE:

Although information has been obtained from sources Although information has been obtained from sources deemed reliable, the auctioneer makes no warranty or guarantee, expressed or implied, as to the accuracy of the information herein contained. It is for this reason that buyers should avail themselves of the opportunity to make inspection prior to the sale. This brochure is intended to provide general information of the equipment being offered and is subject to errors, omissions, additions or deletions. Please check with the Auctioneer's Office for a final listing. Items offered may or may not necessarily be sold as described and/or photographed in this brochure

MAIL BIDS ACCEPTED WITH A 25% DEPOSIT

DIRECTIONS

From I-490, take exit 23 onto NY-441. Head East for approx. 0.2 miles then turn right onto Linden Ave. Continue on Linden Ave for 1 mile and auction site will be on the left. Watch for Auction Parking and Auction Signs.

AUCTIONEERS

Cincinnati Industrial Auctioneers Jeffrey L. Luggen Joseph M. Luggen John F. Rome









TERMS OF SALE

All equipment described herein will be sold "as is", "where is" to the highest bidder or bidders for cash in accordance with our regular terms and conditions of sale. Unless other satisfactory arrangements are made, a 25% deposit in cash, certified or cashier's check payable to Cincinnati Industrial Auctioneers, Inc., is required on all purchases. Firm and personal checks accepted only if accompanied by a letter from your bank guaranteeing your funds. All sales are subject to state and/or local taxes unless a signed exemption form is presented at the time of purchase. All balances are due at the conclusion of the sale. No merchandise may be removed while the sale is in progress. All bidders must comply with our Standard Terms of Sale, copies of which will be available at the sale site or can be obtained from our website

15% ONSITE BUYER'S PREMIUM 18% ONLINE BUYER'S PREMIUM

Sale Under The Management Of

INDUSTRIAL AUCTIONEERS

auctioneers | appraisers | since 1961 | cia-auction.com | info@cia-auction.com 2020 Dunlap St., Cincinnati, Ohio 45214 Phone 513-241-9701 Fax 513-241-6760

