

PUBLIC

AUCTION

BidSpotter.com
To Become a Qualified Bidder on the Internet
See Instructions on Page 2

PLANT CLOSED



SOUTHEASTERN METAL PRODUCTS

1420 Metals Drive – Charlotte, NC 28206

Just North of Downtown Charlotte, NC

LOCATION:
1420 Metals Drive
Charlotte, NC 28206

DAY ONE:
Live Webcast
August 12th at 10AM

DAY TWO:
Live Webcast
August 13th at 10AM

NO ONSITE BIDDING | DAY 1 – STAMPING AND SUPPORT | DAY 2 – FABRICATION & INSPECTION

INSPECTION: Tuesday, August 11th from 10:00 AM to 4:00 PM or by appointment with joe@cia-auction.com



NEW 2012

3,300 Watt Komatsu NTC Model TLM-610DIWST Five-Axis CNC Laser



NEW 1998

300 Ton Clearing Niagara Model SE2-300-84-48UH SSDC Press



NEW 2012

5,000 Watt Trumpf Model TruLaser 5030 CNC Fiber Optic Laser



NEW 2008

175 Ton x 12' Cincinnati 175MX x 10FT Maxform Six-Axis Press Brake w/ Crowning



cia-auction.com • Phone 513-241-9701



myronbowling.com • Phone 513-738-3311



pplauction.com • Phone 224-927-5320



230 Ton x 12' Cincinnati 230AF x 10FT Autoform Three-Axis Press Brake w/ Crowning



135 Ton x 8' Cincinnati 135AF x 6FT Autoform Six-Axis Press Brake w/ Crowning



88 Ton x 78" Amada FBIII-8020 CNC Press Brake



77 Ton x 40" Trumpf Trubend 7036 CNC Press Brake



175 Ton x 12' Accurpress 717512 Press Brake



125 Ton x 118" Toyokoki HYB-125 CNC Press Brake



4,000 Watt Trumpf Model Trulaser 3040 CNC CO2 Laser

FIVE-AXIS CNC LASER

3,300 Watt Komatsu NTC Model TLM-610DIWST Five-Axis CNC Laser; s/n L501036, PRC Model STS3300 Resonator, TDLC-04R Control, Laser On Hours: 19,043, Beam on Hours: 18,391, Koolant Coolers Chiller, 75" x 120" Table (2012)

LASERS

5,000 Watt Trumpf Model Trulaser 5030 CNC Fiber Optic Laser; s/n 85206-1654, Trumpf Model TruDisk 5001 Resonator, (2) 63" x 124" Shuttle Tables, Beam On Hours: 28,443, Trumpf Liftmaster Compact Sheet Loading System, Riedel Model L05-TR41-PC401.2L6-D33L.T Chiller (2012)

4,000 Watt Trumpf Model Trulaser 3040 CNC CO2 Laser; s/n A1240A0134, Trumpf Model TLF4000 Resonator, (2) 7' x 12' Shuttle Tables, Beam on Hours: 23,861, Riedel Model L16/29TR4-P/04-04 Chiller (2011)

4,000 Watt Cincinnati Model CL7A CNC Laser; s/n 53611, (2) 6' x 12' Shuttle Tables, Fanuc 4000 Watt Resonator (2006)

PRESS BRAKES

230 Ton x 12' Cincinnati 230AF x 10FT Autoform Three-Axis Press Brake w/ Crowning; s/n 49647, 16" Stroke, Back Gage (1996)

175 Ton x 12' Cincinnati 175MX x 10FT Maxform Six-Axis Press Brake w/ Crowning; s/n 54085, 16" Stroke, Back Gage (2008)

175 Ton x 12' Cincinnati 175AF x 10FT Autoform Six-Axis Press Brake w/ Crowning; s/n 50955, 22" Stroke, Back Gage (1998)

175 Ton x 12' Accurpress 717512 Press Brake; s/n 10305, Back Gage (2009)

176 Ton x 12' Ermak CNCHAP12X176 CNC Hydraulic Press Brake; s/n SN20050490, Back Gage

135 Ton x 8' Cincinnati 135AF x 6FT Autoform Six-Axis Press Brake w/ Crowning; s/n 47003, 14" Stroke, Back Gage

135 Ton x 10' Cincinnati 135AF x 8FT Autoform Press Brake w/ Crowning; s/n 45193, Two-Axis Back Gauge, 8" Stroke, Back Gage (Updated Controls)

125 Ton x 118" Toyokoki HYB-125 CNC Press Brake; s/n 7003657, Back Gage (2004)

90 Ton x 10' Cincinnati 90CBX8 Press Brake; s/n 46186, Hurco Autobend 7 Back Gauge, 8" Stroke

88 Ton x 78" Amada FBIII-8020 CNC Press Brake; s/n 80203133, Back Gage (2007)

77 Ton x 40" Trumpf Trubend 7036 CNC Press Brake; s/n B0702A1003, Back Gage (2013)

Large Quantity of Various Size & Style Press Brake Dies, Top, Bottom, V-Dies & Gooseneck

MISC. FABRICATION EQUIPMENT

1/4" x 12' Cincinnati 2CC12 Squaring Shear; s/n 47125, Back Gage, 154" Squaring Arm

1/4" x 6' Wysong Model E-72 Plate Rolls; s/n PR26-115, 7" Diameter Rolls

48" Niagara Model 342 Plate Rolls; s/n 59905, Capacity 16-18, 3" Rolls

Wiedemann Model 3000Q CNC Turret Punch; s/n 741, Fanuc LP Controls, (2) Auto Index

(5) Tooling Cabinets w/ Punch Tooling

Hunton Model BG-790 Punch Grinder; s/n BLX-1290M (2008)

8 Ton Haeger Model 824 Plus Hardware Insertion Press; s/n 624, 24" Throat

ROLLFORMER

Yoder 3-Stand Rollformer w/ (2) Airarm 18" x 20" Pneumatic Cut-Offs; s/n Y8564-995, MP300 Series Length Control Systems PLC, AMS Universal Shear Controller

SSDC PRESSES

300 Ton Clearing Niagara Model SE2-300-84-48UH SSDC Press; s/n 545588, Omnalink II LCD Press Control, 84" x 48" Bed, 21" X 31" " Windows, 35-70 SPM, 8" Stroke, 32" Shut Height (1998)

30" CWP Model MPJ054486 Servo Feeder; s/n C34117

30" CWP Model 30D7 Seven-Roll Straightener; s/n 054486, 240-1,200 IMP

10,000 Lb. CWP Model 4.5R-30 Single End Uncoiler; s/n 0544865R

10,000 Lb. CWP Model 1036CLC Coil Car

300 Ton Verson Model 300-82-96 SSDC Press; s/n 24643, Wintriss Press Control, 48" x 107" Bed Size, 17" x 36" Windows, 30 SPM, 10" Stroke

32" PRE Servo Feed

20,000 Lb. Iowa Precision Model UCR20M36 Single End Uncoiler; s/n UC84002

1,500 Ton Clearing SSDC Press, Disassembled and Located Outside - The Crown Inside Was Running When Taken Out of Service, Bull Gear Issue; s/n 40-4721

400 Ton Clearing SSDC Press, Disassembled and Located Outside - Was Running when Taken Out of Service

GAP FRAME PRESSES

250 Ton Cincinnati Model 250QDC Gap Frame Press; s/n 46322, 36" x 60" Bed Size, 12" Stroke (Retrofitted Controls)

200 Ton Seyi Model SN2-220 Gap Frame Press; s/n EW-D-200-198, Omnalink II LCD Control, 33" x 95" Bed Size, 9.1" Stroke, 25-45 SPM, 19.7" Shut Height, 4.3" Adj., 25" x 72" Slide (2000)

18" CWP Model SMX18 Servo Feeder; s/n 061776B

18" CWP Model 18B Straightener; 061776

8,000 Lb. CWP Model 4R-18 Single End Uncoiler; s/n 061776D

18" x 79" Stock Flip Up Table

175 Ton Bliss Model SG2-175 84X30 Gap Frame Press; s/n K-70939, Omnalink II LCD Control, 30" x 84" Bed, 10" Stroke, 20" Shut Height, 6" Adj., 30-60 SPM

24" CWP Model SMX24SE Servo Feeder; s/n C25298

24" CWP Model 24-C Straightener; s/n M30052

3,500 Lb. CWP Model 3R-24 Single End Uncoiler; s/n M30053

(2) 88 Ton Clearing Niagara Model BN-80-I Gap Frame Presses; s/n's P54231 & P54230, 6" Stroke, 19" Shut Height, 4.5" Adj., 24" x 36" Bed, 18" X 24" Slide, 40-75 SPM, Omnalink LCD Press Control, (1) w/Feedline (1995)

12" Wide XSE-12 Model ServoMaxSE Servo Feeder; s/n 25663

16" x 4,000 Lb. N/A Roll Cradle Straightener

80 Ton Roussele Model 10B80 Gap Frame Press; s/n HBSA7411, Omnalink II LCD Control, 23" x 80" Bed



Large Quantity of Various Size & Style Press Brake Dies, Top, Bottom, V-Dies & Gooseneck



Yoder 3-Stand Rollformer w/ (2) 18" x 20" Pneumatic Cut-Offs

TWO DAY WEBCAST ONLY SALE – AUGUST 12TH & 13TH STARTING AT 10:00 AM



300 Ton Clearing Niagara Model SE2-300-84-48UH SSDC Press



200 Ton Seyi Model SN2-220 Gap Frame Press



175 Ton Bliss Model SG2-175 84X30 Gap Frame Press



300 Ton Verson Model 300-B2-96 SSDC Press

OBI PRESSES

- 200 Ton USI Model 200P701 OBI Press;** s/n 54-2288, 10" Stroke, 26" Shut Height, 5" Adj., 32 SPM
- 110 Ton Bliss Model C-110 OBI Press;** s/n H-71184, 8" Stroke, 17" Shut Height, 4" Adj., 40 SPM, 27" X 42" Bed
- 110 Ton Danly OBI Press;** s/n 11052810165, 6" Stroke, 18.5" Shut Height, 3.5" Adj., 90 SPM
- (2) 60 Ton Bliss Model C-60 OBI Presses;** s/n's 71195 & 70742, 4" Stroke, 3" Adj., 14" Shut Height, (1) w/ 6" Wide Model SMV6 Servo Feeder; s/n 113103, Light Curtain
- 60 Ton Johnson South Bend OBI Press;** s/n 33100, 4" Stroke
- 50 Ton Warco OBI Press;** 6" Stroke, 2.5" Adj., 50 SPM
- 45 Ton Bliss Model C-45 OBI Press;** s/n 65205, 3" Stroke, 3" Adj., 12" Shut Height
- 45 Ton South Bend OBI Press;** s/n 72155, 3" Stroke, 11" Shut Height, 3" Adj., 125 SPM
- (2) 35 Ton Bliss Model C-35 OBI Presses;** s/n's 71631 & 71415, 3" Stroke, 2.5" Adj., 10" Shut Height

FOUR-POINT PRESSES

- 1,600 Ton Danly DE4-1000-600-120X84QDC Four-Point Sliding Bolster Straight Side Double Action Press;** s/n 78370301, 120" x 84" Bed, Blank Holder; 60 Ton, 36" Stroke, 84" Shut Height, 10" Adj., Inner

- Slide; 1,000 Ton, 42" Stroke, 94" Shut Height, 10" Adj., 3-14 Continuous SPM, 2.5-11 Single Stroke SPM
- (2) 630 Ton Rovetta S4-630-3350-2100 Four-Point Sliding Bolster Straight Side Presses;** 7' x 11" Sliding Bolsters, Wintriss Smart PAC2 Press Controls
- 600 Ton Clearing S4-600-144-84 Four-Point Straight Side Press;** s/n 10-4618, 144" x 84" Bed, 24" Stroke, 60" Shut Height, 24" Adj., 16 SPM
- (2) Thern Model 4H11MC-SFPneumatic Die Winches;** 9,000 Capacity, 60" x 84" Table

FEED EQUIPMENT

- (2) 20,000 Lb. Iowa Precision Model 4CR-20M36 Uncoiling;** s/n UC84003 and UC84002
- 12" Cooper Weymouth Model SE12B Stock Straightener;** s/n 056000-STR
- 2,500 Lb. American Steel Line Model 60 Spindle End Motorized Uncoiler;** s/n 7740, 22' Mounted
- 4,000 Lb. Littell Model 40-18 Single End Motorized Uncoiler;** s/n S-1809-67
- 10" and 16" Jayco Roll Cradle Straighteners**
- 15" Manufacturer Unknown 3-Roll Straightener**

Large Quantity of Hold Down Hardware on (10) Steel Carts

ROBOTIC WELDING CELL

Preform Arc Robotic Welding

- Cell w/ Panasonic Model YA-1 Six-Axis Robotic Welder;** Panasonic Model YA-1UAR Controller w/ Pendant, (2) 36" x 59" Trunion Tables, 450 Amp Miller Auto-Access 450 Welder, Max Payload 8KG; s/n E0031-M (2013)

WELDERS

- (10) Late Model Miller and Lincoln Tig Welders;** (3) Lincoln Squarewave 355, Lincoln Precision Tig 275, (2) Miller Syncrowave 250DX, (4) Miller Dynasty Tig, All w/ Coolers and Leads
- (11) Late Model Miller Mig Welders w/ Wire Feeds;** (5) Millermatic 350P, Deltaweld 451, Deltaweld 302, CP250, (3) Invision 354MP
- (3) Avari Model SPC-2000 Portable Fume Collectors**
- (6) HD Precision Welding Tables;** (1) 72" X 144", (2) 60" X 120" and (2) 48" X 96"
- Very Large Quantity of Welding Accessories;** 100's of Vise and C-Clamps, Other Small Welding Tables, Approx. (50) Spools of Welding Wire, Electric Grinders and Sanders and Many Other Related Items

SPOT WELDERS

- 150 KVA Sciacy Model PMC.3STM2 50-36 Spot Welder;** s/n 11019, 42" Throat, Three-Phase Solid State Controls, Foot Pedal
- 250 KVA Martin Spot Welder;** s/n 22700
- 100 KVA Amerian Industrial**

- Spot Welder;** s/n 3093, 31" Throat, Foot Pedal
- 150 KVA Banner Model 2AP150A12 Spot Welder;** s/n 487-3
- 120 KVA H & H Spot Welder Press Type;** s/n H6058
- 75 KVA Federal Model PA-1-30 Spot Welder;** s/n 1932X, 35" Throat, Foot Pedal
- Medra Gantry Spot Welding System**
- (3) Misc. Spot Welders**

CNC EQUIPMENT

- Haas Model SL-30T CNC Turning Center;** s/n 73289, 10" Three-Jaw Chuck, 12- Station Tool Turret, 30 HP Vector Dual Drive, Tailstock, Tool Presetter, Chip Conveyor, 270 Power on Hours (2006)
- Haas Model Servo Bar 300 Bar Feed; s/n 91817 (2006)
- Haas Model VF6 CNC Vertical Machining Center;** s/n 12587, 50Taper, 24" x 68" Table, 20-Position ATC, 30 HP High Torque, 3,723 Power on Hours (1997)
- Approx. (100) 50 Taper Toolholders

BORING MILL

- 6" G&L Type 650F Horizontal Boring Mill;** s/n 8846
- (2) 6' x 12' T-Slotted Tables;** (2) 30" X 52" Set Up Blocks

TOOLROOM

- 12" x 24" Okamoto ACC-12.245T Surface Grinder;** s/n 83497



250 Ton Cincinnati Model 25QDC Gap Frame Press



(2) 88 Ton Clearing Niagara Model BN-80-I Gap Frame Presses



(2) 60 Ton Bliss Model C-60 OBI Presses



600 Ton Clearing S4-600-144-84 Four-Point Straight Side Press



1,600 Ton Danly DE4-1000-600-120X84QDC Four-Point Sliding Bolster Straight Side Double Action Press



(2) 35 Ton Bliss Model C-35 OBI Presses



20,000 Lb. Iowa Precision Model UCR20M36 Single End Uncoiler



30" CWP Model 30D7 Seven-Roll Straightener



Preform Arc Robotic Welding Cell w/ Panasonic Model YA-1 Six-Axis Robotic Welder



(20) Miller and Lincoln Tig and Mig Welders



(6) HD Precision Welding Tables

- 6" x 18" Chevalier FSG-2A618 Surface Grinder
- 6" x 8" K.O. Lee Surface Grinder
- 14" x 36" Grand Rapids Surface Grinder
- 6" X 18" Acer Surface Grinder; s/n 9422-309
- 15" X 18" Wells Horizontal Saw
- 16" x 40" Clausing Lathe; s/n F4-60630, 37-1,500 RPM, 9" Chuck
- 15" x 50" Willis Engine Lathe w/ DRO
- 1 HP Chevalier Vertical Mill w/ DRO
- 5 HP Willis Vertical Mill w/ DRO; s/n 10271, 12" X 50" Table, Power Table and Knee
- (3) 2 HP Bridgeport Vertical Mills w/ DRO; s/n 202981, 116109 and 196928, PTF
- 84" Arm x 14" Column American Radial Arm Drill
- 40" Arm x 9" Column UCIMU Radial Arm Drill; s/n B21815, 26" X 35", Drill Table

- 12" x 20" Hyd-Mech S-20 Horizontal Band Saw; s/n 10196973, Power Feed and Clamping
- 18" DoAll Vertical Band Saw; s/n 1651834, Blade Welder
- 12" Thomas Cold Saw Model 315; s/n 04206
- Rotex Punch
- (5) Lista Tooling Cabinets Loaded w/ Perishable Tooling, Reamers, Large Morse taper Drills, End Mills

EDM

- Sodick Model A530 Wire EDM; s/n T-2165, 30" X 39" X 18" Chamber, EX21 Controls

ROBOTS

- Motoman Model YR-UP-165-A05 Robotic Spot Welder; s/n S1M486-1-3, Yasnac XRC2001 Control, Pendant Control
- ABB Model IRB6400RM2000 Robot w/ Rotary Table

- (4) Press Booster Model Smart NH1-100-3.2P Material Handling Robots w/ Coman Robotics Controls (2005)

FURNACES

- Sentry Size C Model AY-480 Furnace; s/n B25091, Size 6, 2500 Degree Fahrenheit, 39 KW
- 52" x 57" x 64" High Steelman Burnoff Oven; Roll-Out Cart, Honeywell Control
- Knight Model KMTG18 Heat Treat Furnace

RACKING

- (34) Sections 36"D x 120"W x 144' High Slot & Lock Adjustable Beam Pallet Rack w/ Wire Decking
- (10) Sections 5' Arm x 12' High Single Sided Cantilever Rack
- (40) Sections of Assorted Sized Pallet Rack

FINISHING EQUIPMENT

- 37" Buffering Model Profi SPW306RRRT Pass-Thru Sander; s/n 0418260030 (2006)
- 120" Wide X 20" Deep Ultramatic Vibratory Finisher Model OHD24120; s/n 3796
- 56" Dia. Rosemont RF1412 Vibratory Bowl Finisher; s/n RE-258, 5 HP
- 20" Dia. Rampe Model V6 Parts Tumbler
- 36" Diameter C 48" Wide Parts Tumbler
- (2) 48" Wide X 120" Long X 48" Steel Pipe Tanks
- Avani Environmental Model GR-6088 Grinding Booth; s/n 161807, 91" Left to Right X 87" Front to Back X 98" High with Double Doors (New 4/2016) Never Used



(2) 6' Faro Edge Portable CMM Arms



Avani Model Six-Cartridge Dust Collector

WEBCAST BIDDER INSTRUCTIONS

- > **Bidders in the United States** will receive approval forms from our office upon registering for the auction on bidspotter.com, pending the Auctioneers review of the information provided you will be approved at the Auctioneers discretion.
- > **Bidders outside of the United States** must post a deposit of approx. 25% of their planned spending budget or \$5,000.00 minimum with Cincinnati industrial auctioneers in order to be approved to bid. Those who do not post the deposit will not be approved. **period.**



1/4" x 12' Cincinnati 2CC12 Squaring Shear



12" x 20" Hyd-Mech S-20 Horizontal Band Saw



(5) Vertical Mills w/DRO's by Chevalier, Bridgeport and Willis



12" x 24" Okamoto ACC-12.24ST Surface Grinder



1/4" x 6' Wysong Model E-72 Plate Rolls

TWO DAY WEBCAST ONLY SALE – AUGUST 12TH & 13TH STARTING AT 10:00 AM



(8) Lift Trucks Up To 12,000 LB by Yale, Toyota, Hyundai



Haas Model SL-30T CNC Turning Center

SHOP EQUIPMENT

Very Large Quantity of Items to Support 160,000 SF Facility Including: Tennant 7400 LP Gas Sweeper, JLG Model 1932E2 Scissor Lift, Highlight and Lerrand Pallet Stretch Wrappers, (4) 5,000 Lb. Floor Platform Scales with DRO's, Parker Hose Crimper, No. 3 Diacro Hand Rolls, 10' X 10' Shop Office, Ridgid Pipe Threaders, Ridgid Chop Saws, 975) Pedestal Fans, (16) Dump Hoppers, (16) Pallet Trucks, (15) Steel Banding Carts, 100's of Shop Carts and Steel Cabinets and Many Other Items

DUST COLLECTORS

Airex Model WDDT-3-1 Wet Dust Collector- Down Draft Machine; s/n 2016-A116-204 (New 2016 But Never Put in Service – Like New Condition)

Avani Model SDC-AT-3-12 Six-Cartridge Dust Collector; s/n 15906, 7-1/2 HP (2016)

Torit Four-Cartridge Dust Collector Model 2FD4, 5 HP

Pneumafil-Mikropul Horizontal Dust / Fume Extractor

Avani Model TMC-10-2 Dust Collector; s/n 161807, 10 HP

BRIDGE CRANES AND OTHER

50 Ton X 65' Span (Approx.) Double Girder Top Running Bridge Crane; 15 Ton Aux. Hook

10 Ton x 32' Span (Approx.) Shaw Box Top Running Double Girder Bridge Crane

1 Ton x 32' Span (Approx.) Single Girder Bottom Running Bridge Crane

15' Wide x 20' x 12' High Gorbel Free-Standing Crane System

16' Wide x 32' x 12' High Gorbel Free-Standing Crane System

4,000 Lb. Capacity Portable A-Frame Gantry Crane

500 Lb. x 12' Arm Gorbel Floor Type Jib Crane

(5) Vacuum Sheet Lifters

AIR COMPRESSORS

100 HP Atlas Copco Model GA75 Air Compressor; s/n API628111 132 PSI (New 2018) Never Put in Service

Atlas Copco Model FX15 Air Dryer; s/n ITJ176351 (New 2018) Never Put in Service

(2) 30 HP Sullair Model 3709A Air Compressors

Ingersoll Rand Refrigerated Air Dryer

Atlas Copco Model ACD185-112 Portable Air Compressor

Zeks Model 400NGCA400 Air Dryer

200 HP LeROI Model MM200SII Air Compressor

75 HP Sullair Model 16B-75H Skid Type Air Compressor; s/n 03-62912

Air-Cell Model VF300 Air Dryer

LIFT TRUCKS

48,000 Lb. Clark Model CY500-D Pneumatic Tire Diesel Lift Truck; s/n 12-2012, 96" Forks, Hydraulic Fork Positioning

12,000 Lb. Hyster Model S120F Cushion Tire LP Gas Lift Truck; s/n G004V061471, 175" Lift Height, 3-Stage, Side Shift, Finger Controls, Monotrol

(5) 5,000 Lb. Hyundai Model 25LC-7A Solid Tire LP Gas Lift Trucks

(2) 3,000 Lb. Toyota Model 7FGU15 Solid Tire LP Gas Lift Trucks

(2) 3,000 Lb. Toyota Model 7FGU15 Solid Tire LP Gas Lift Trucks

(2) 3,000 Lb. Toyota Model 7FGU15 Solid Tire LP Gas Lift Trucks

INSPECTION

(2) 6' Faro Edge Portable CMM Arms; s/n's E12-05-16-14678 & E12-05-16-14352,

Each w/Faro Laser Scanning Probe (2016) Mitutoyo Model BH706 CMM

Large Quantity of Inspection Items Including: Hardness Testers, (7) Granite Surface Plates to 4' x 8', Micro-Hite 350 Height Gage, (5) 24" Mitutoyo Digimatic Height Gages, (20) Mitutoyo Digital OD Mics, (30) Fowler 18" Digital OD Mics, (50) Various Size Dial Type Mics, 100's of Small Micrometers, (20) Pin Gage Sets, Uline Counting Scales, Torque Wrenches, Depth Gages, Parallels, Refractometers, Squares, Indicator Stand and Many Other Related Items

VEHICLES

2007 GMC Model C7500 Box Truck; VIN # 1GDJ7C1367F404627, 26' Box, Roll Up Door, Lift Gate, Rear Landing Gear, Automatic Transmission, 354,464 Miles

2007 GMC Model C6500 Box Truck; VIN # 1GDJ7C1367F41305, 26' Box, Roll Up Door, Rear Landing Gear, Automatic Transmission, 315,467 Miles

2010 Honda Mini Van; VIN # 5FNRL3H23AB090530, Automatic Transmission, Air Compressor, 100,671 Miles

OFFICE EQUIPMENT AND FURNITURE

Large Quantity of Items Including: Sharp MX-4070 and MX-M365 Photo Copiers, Sharpe KIP170 Blueprint Copier, Paper Shredder, Blueprint Files, 2 and 4-Draer Letter / Legal Files, Steel Case Cubicles, Executive Office Sets, Bookcase, Desks, Chairs, Fireproof Files, Microwaves, Refrigerators, Tables – Also Large Quantity of Dell, HP and Other Electronics, Towers, Monitors, Keyboards and Other Related Electric Equipment



2007 GMC C6500 26' Box Truck



(2) Gorbel Free-Standing Bridge Crane Systems



120"W x 20"D Ultramatic Vibratory Finisher



Ingersoll Rand Refrigerated Air Dryer



100 HP Atlas Copco Model GA75 Air Compressor



(10) Sections 5' Arm x 12' High Single Sided Cantilever Rack

PUBLIC PUBLIC

AUCTION

PLANT CLOSED

SOUTHEASTERN METAL PRODUCTS

1420 Metals Drive – Charlotte, NC 28206
Just North of Downtown Charlotte, NC

DAY ONE: Live Webcast
August 12th at 10AM

DAY TWO: Live Webcast
August 13th at 10AM

INSPECTION:
August 11th from 10:00 AM to 4:00 PM or
by appointment with joe@cia-auction.com



(3) Lasers by Trumpf and Komatsu

Cincinnati Industrial Auctioneers Inc.
2020 DUNLAP STREET
CINCINNATI, OHIO 45214

Myron Bowling Auctioneers Inc.
P.O. BOX 369
ROSS, OHIO 45061

PRE-SORT
FIRST CLASS
U.S. POSTAGE
PAID
CINCINNATI, OHIO
PERMIT NO. 3593

FIRST CLASS MAIL!



Gap, SSDC, & OBI Presses



(11) Press Brakes



Important Mail
TO BE DIRECTED TO THE ATTENTION
OF EXECUTIVE PERSONNEL

PUBLIC PUBLIC

AUCTION

PLANT CLOSED

SOUTHEASTERN METAL PRODUCTS

1420 Metals Drive
Charlotte, NC 28206
Just North of Downtown Charlotte, NC

IMPORTANT NOTICE:

Although information has been obtained from sources deemed reliable, the auctioneer makes no warranty or guarantee, expressed or implied, as to the accuracy of the information herein contained. It is for this reason that buyers should avail themselves of the opportunity to make inspection prior to the sale. This brochure is intended to provide general information of the equipment being offered and is subject to errors, omissions, additions or deletions. Please check with the Auctioneer's Office for a final listing. Items offered may or may not necessarily be sold as described and/or photographed in this brochure.

TERMS OF SALE

All equipment described herein will be sold "as is", "where is" to the highest bidder or bidders for cash in accordance with our regular terms and conditions of sale. Unless other satisfactory arrangements are made, a **25% deposit** in cash, certified or cashier's check payable to Cincinnati Industrial Auctioneers, Inc., is required on all purchases. Firm and personal checks accepted only if accompanied by a letter from your bank guaranteeing your funds. All sales are subject to state and/or local taxes unless a signed exemption form is presented at the time of purchase. **All balances are due at the conclusion of the sale.** No merchandise may be removed while the sale is in progress. **All bidders must comply with our Standard Terms of Sale**, copies of which will be available at the sale site or can be obtained from our website. **15% Onsite and 18% Buyers Premium In Effect For All Purchases**

DIRECTIONS

From the I-85 and I-77 Junction North of Charlotte Proceed Northeast on I-85 for 2 Miles to Exit 40 for Graham Street. Turn South onto Graham Street and Proceed 0.2 Mile to Left Turn onto Reagan Drive. Immediately Turn Right onto Pebble St Then Immediate Left onto Metals Drive. Proceed 500 Feet to Sale Site on Left. Watch for Auction Parking and Auction Signs.

AUCTIONEERS

Cincinnati Industrial Auctioneers –
NC License No. 5610

Jeffrey L. Luggen - NC License No. 5611
Joseph M. Luggen - NC License No. 9333



18% BUYERS PREMIUM IN EFFECT FOR ALL PURCHASES