



Assets from IRS Foreclosure Sale

TANA CORPORATION 3843 Seiss Ave. – Toledo, Ohio 43537

SALE DATE: TUESDAY, DECEMBER 11TH, STARTING AT 9:00 AM INSPECTION: MONDAY, DECEMBER 10TH, FROM 10:00 AM TO 4:00 PM





Sale Under The Management Of CINCINNATI INDUSTRIAL AUCTIONEERS auctioneers | appraisers | since 1961 | cia-auction.com | info@cia-auction.com 2020 Dunlap St., Cincinnati, Ohio 45214 Phone 513-241-9701 Fax 513-241-6760



TUESDAY, DECEMBER 11TH



400 Ton Minster Model E2-400-96-48 Straight Side Double Crank Press



COE Combination Straightener, Cradle and Uncoiler





24" Wide COE Model CPRF-5424 Servo Feed

18" X 18" X .125" COE Model CF325 Air Feed



(3) 6,000 Lb. COE Model CPCC6018 Coil Cradles

WEBCAST BIDDER INSTRUCTIONS

- All Internet bidders must register for this auction at www.bidspotter.com at least 48-Hours Prior to the Sale Date, if you do not you will not be approved.
- All Internet bidders must Post a Deposit of Approx. 25% of Your Planned Spending Budget or \$5,000 Minimum with Cincinnati Industrial Auctioneers in Order to be approved to Bid. Those who do Not Post the Deposit Will Not be Approved. Period.
- Only Major Items Will be Available for Online Bidding. Please refer to the Listing on www.bidspotter.com for Available Online Items.



- There is a 18% Buyer's Premium in Effect for All Online Purchases.
- ➢ We Highly Recommend that Potential Buyers Attend this Auction & Bid Live Onsite. This will give you the Ability to Inspect the Items & Fully Appreciate Their Condition, Along with Saving You 3% of the Buyer's Premium.

No Last Minute Registrations will be accepted. Make Sure to Register & Post Your Deposit No Later than 48-Hours Prior to the Start of the Auction.



200 Ton Minster Model E2-200-72-42 Straight Side Double Crank Press

STRAIGHT SIDE DOUBLE CRANK PRESSES

400 Ton Minster Model E2-400-96-48 Straight Side Double Crank Press; S/N E2-400-26764, 48" X 96" Bed & Slide, 12" Stroke, 0-70 SPM, 32" Shut Height to bed, 6" Motorized Adjustment, T-Slotted Slide, 31" Window, Air Clutch & Brake, Floor Standing (New 1988) SEE PHOTO

250 Ton Rousselle Model S2-250-72-36 Straight Side Double Crank Press; S/N 24983, 36" X 72" Bed & Slide, 6" Stroke, 30-60 SPM, 16-1/2" Shut Height, 4" Motorized Adjustment, 18" Window, Air Clutch & Brake, Imco Tonnage Monitor, Floor Standing SEE PHOTO

200 Ton Minster Model E2-200-72-42 Straight Side Double Crank Press; S/N E2-200-25595, 42" X 72" Bed & Slide, 8" Stroke, 0-90 SPM, 26" Shut Height to bed, 6" Motorized Adjustment, T-Slotted Slide, 25" Window, Air Clutch & Brake, Floor Standing (New 1984) SEE PHOTO

150 Ton L&J Model EM2-150-30-48 Straight Side Double Crank Press; S/N 150111A, 30" X 54" Bed & Slide, 6" Stroke, 35-90 SPM, 22-1/2" Shut Height, 4" Motorized Adjustment, 19" Window, Air Clutch & Brake **SEE PHOTO**

150 Ton L&J Model EM2-150-30-48 Straight Side Double Crank Press; *S/N* E1500105A, 30" X 54" Bed & Slide, 6" Stroke, 40-80 SPM, 22-1/2" Shut Height, 4" Motorized Adjustment, 19" Window, Air Clutch & Brake **SEE PHOTO**

125 Ton Bliss Model S2-125-60-36 Straight Side Double Crank Press; S/N T-35438, 36" X 60" Bed & Slide T-Slotted, 12" Stroke, 30 SPM, 24-1/2" Shut Height to bed, 6" Motorized Adjustment, 19" Window, Air Clutch & Brake, Red Lion Controls, Trabon Lube Monitor **SEE PHOTO**

OBI PRESSES

(2) 90 Ton L&J Model 90 OBI Presses; S/N 90194A & S/N N/A, 28" X 38" Bed, 8" Stroke, 40 SPM, 18-1/2" Shut Height, 4" Adjustment, Air Clutch & Brake, Air Cushion SEE PHOTO

75 Ton Minster Model 7 OBI Press; S/N 7-18089, 24" X 36" Bed, 16" X 24" Flanged Ram, 8" Stroke, 40 SPM, 18-1/2" Shut Height to Bed, 4" Adjustment, Air Clutch & Brake, Air Cushion **SEE PHOTO**

60 Ton L&J Model 60 OBI Press; S/N 56281A, 18" X 30" Bed, 6" Stroke, 50 SPM, 14" Shut Height, 3" Adjustment, Air Clutch & Brake **SEE PHOTO**

COE SERVO FEED LINE

6,000 Lb. X 24" X .210" COE Servo Feed Line Consisting of;

24" Wide COE Model CPRF-5424 Servo Feed; S/N 10334290, Servo Master 3 Control, 4" Feed Rolls, S/N 39105-1, Threading Table

SEE PHOTO

- 6,000 Lb. X 24" Wide COE Model CPCC-60-24 Combination Cradle Straightener; S/N 1033429C, Hold Down Arm
- 6,000 Lb. X 24" Wide COE Model CPRP-06024 Reel; S/N N/A, Backing Plate, 6 Keepers, Air Brake

SERVO FEED / STRAIGHTENER

12" X. 156" Air Feeds Inc. Model DRFS3 Combination Servo Feed and Straightener; S/N 000906TNA, 3" Feed Rolls, 7-Roll Straightener, Power Pinch Rolls with Air Lift SEE PHOTO



TANA CORPORATION





250 Ton Rousselle Model S2-250-72-36 Straight Side **Double Crank Press**

AIR FEEDS

18" X 18" X .125" COE Model CF325 Air Feed; S/N F02553, 5-Roll Straightener, Motorized Entry Pinch Rolls w/ Air Lift SEE PHOTO

(2) 12" X 12" X .156" COE Model CF325 Air Feeds; S/N X114 & S/N X116, 5-Roll Straightener, Motorized Entry Pinch Rolls w/ Air Lift SEE PHOTO Pinch Rolls w/ Air Lift

6" X 12" X .125" Air Feeds Inc. Model AF1 Air Feed; S/N 7920, 5-Roll Straightener Rapid Air Model 5X12E Slide Feed Air Feed; S/N 66219

12" Five-Roll Pull thru Straightener

REELS

 REELS

 6,000 Lb. Air Feeds Inc. Model R60 Reel;

 S/N 000908TNA, 12" Wide, Motorized, Vari-Speed, Backing

 No. 6 Vacuum

 SEE PHOTO

2,500 Lb. Air Feeds Inc. Model R25 Reel; S/N 3050, 18" Wide, 54" O.D., Motorized, 3 Keepers

(2) 2,500 Lb. ASL Model 60 Reels; S/N 2666 & S/N 7977, 18" Wide, Backing Plates, Keepers 300 Lb. Littell Model 300 Reel; S/N 23532-45-1,

6" Wide

COIL CRADLES

(3) 6,000 Lb. COE Model CPCC6018 Coil Cradles; S/N CC7-X115-19, S/N B10341 & S/N N/A, 12" Wide, 60" SEE PHOTO O.D., Motorized, Air Lift Pinch Rolls

(2) 4,000 Lb. Bench Master Model 615 Coil Cradles; S/N 56391 & S/N N/A, 15" Wide, Motorized (2) 2,000 Lb. Bench Master Model 515 Coil Cradles; S/N 46313 & 34561, 15" Wide, Motorized



(2) 12" X 12" X .156" COE Model CF325 Air Feeds



12" X .156" Air Feeds Inc. Model DRFS3 Combination Servo Feed and Straightener



150 Ton L&J Model EM2-150-30-48 Straight Side **Double Crank Press**



75 Ton Minster Model 7 OBI Press



(2) 12" X 12" X .156" COE Model CF325 Air Feeds



60 Ton L&J Model 60 OBI Press



150 Ton L&J Model EM2-150-30-48 Straight Side **Double Crank Press**



125 Ton Bliss Model S2-125-60-36 Straight Side **Double Crank Press**



(2) 90 Ton L&J Model 90 OBI Presses



TUESDAY, DECEMBER 11TH





Haas Model Mini-Mill CNC Vertical **Machining Center**

NEW 2004

Brown & Sharpe Model Micro Excel PFX 4-5-4 Coordinate **Measuring Machine**

CNC VERTICAL MACHINING CENTER Haas Model Mini-Mill CNC Vertical Machining

Center; S/N 33478, 12" X 29" Table, 40-Taper Spindle, 10-Pos. ATC, Renishaw OMP40 Probe, 6,000 RPM, Travels: X=16", Y=12", Z=10", 500 LB Weight on Table, 600 in/min Feed Rate (New 12/2003) SEE PHOTO

CNC WIRE EDM

JapaX Bridgeport Model LV3B Wire Cut EDM; S/N 115-03-855, X-Axis 200mm, Y-Axis 350mm, Z-Axis 150mm, 32" X 22" X 18" Tank, 24" X 17" Table, 400mm X 500mm X 150mm Max Work Piece, 150 KGF Max Weight SEE PHOTO

SURFACE GRINDERS 12" X 24" Gallmeyer and Livingston Model 373 Hydraulic Surface Grinder; S/N 373464, Automatic Grinding, Neutrofier II Magnetic Chuck Control, Coolant SEE PHOTO System

12" X 24" Gallmeyer and Livingston Model 370 Hydraulic Surface Grinder; S/N 370191, Neutofien Magnetic Chuck Control, Coolant System SEE PHOTO

(2) 10" X 15" Gardner Model 1015 Hand Feed Surface Grinders; S/N 591-4 and 861-3, O.S. Walker Magnetic Chuck, Coolant System

6" X 18" Chevalier Model FSG-618M Hand Feed Surface Grinder; S/N A3023013 SEE PHOTO

MILLS AND DRILLS

2 HP Bridgeport Series I Variable Speed Vertical Mill; S/N 218420, 9" X 42" Table, Accurate III DRO SEE PHOTO

3 HP DoAll Model 80-2342 Variable Speed Vertical Mill; S/N 339, 12" X 48" Table, 545-4350 RPM SEE PHOTO

(2) 20" Clausing Model 2286 Single Spindle Production Table Drills; S/N 529774, S/N 529668 **SEE PHOTO** 24" X 40" Tables, 150-2000 RPM

20" Powermatic Model 1200 Floor Drill; S/N 66-1719, 18" X 16" T-Slotted Table

4' Arm X 9" Col. Drees Radial Arm Drill; S/N 14-4321, 22" X 48" Table, Spindle Speeds 50-1800 RPM SEE PHOTO

24" Giddings and Lewis Bickford Sliding Head Drill; S/N 972-04093-74, 18" X 24" Table



Optical Caging Products Model Opticum Qualifier 14B Di-Metric Plus Vision Computer Optical Comparator



4' Arm X 9" Col. Drees Radial Arm Drill



6" X 18" Chevalier Model FSG-618M Hand Feed Surface Grinder

Beckett Harcum Model 060ED11 Air Powered Drill Press Feed

TOOLROOM & MISC. MACHINERY

10" X 36" Clausing Geared Head Engine Lathe; S/N M251098-968, 5-C Collet Chuck w/ Closer, 52-2000 RPM, Tailstock SEE PHOTO

12" X 30" Pratt & Whitney Model C Engine Lathe; S/N 572, Spindle Speeds 14-1000 RPM, 9" 3-Jaw Chuck, Taper Attachment

10' Chicago Size 10 Hand Bending Brake; SEE PHOTO S/N 66-1719

20" DoAll Model 2013-V Vertical Band Saw; S/N 500-94625, 26" X 26" Tilting Table, Blade Welder SEE PHOTO

6" X 18" Wellsaw Model 618 Horizontal Band Saw; S/N 1352

36" Wide Mac-Blast Abrasive Blast Cabinet Aget Model 20NH31-01 Dust Collector; S/N 10361, Top Mounted Filter

Radco Spot Welder; S/N 90068

(2) Procunier Size 3 Style AL Lead Screw Tapping Machine; S/N 7468, S/N 8236

6" Belt/12" Disc Powermatic Model 308 Combination Sander; S/N 87307226

CMM, COMPARATORS AND INSPEC-TION EQUIPMENT

Brown & Sharpe Model Micro Excel PFX 4-5-4 Coordinate Measuring Machine; S/N 05519, 22" X 30" Granite Table, Pendant Control (New 2004)

Starrett Model HD400 Optical Comparator; S/N N/A, Quadra-Chek 2000 Control

Optical Gaging Products Model Opticum Qualifier 14B Di-Metric Plus Vision Computer Optical Comparator; S/N 0QB14225

Precision Devices Model PDA-325R Surfometer; S/N 6277-P

Precision Devices Model PRP-2 Rotary Pilotor; S/N 501

Other Inspection Tools and Equipment Consisting of; Height Gauges, Dial Gauges, Micrometers, Pin Gauges Granite Surface Plates and Other Related Tools



JapaX Bridgeport Model LV3B Wire Cut EDM



20" DOAII Model 2013-V Vertical Band Saw



(2) 20" Clausing Model 2286 Single Spindle Production **Table Drills**



10" X 36" Clausing Geared Head Engine Lathe



10' Chicago Size 10 Hand Bending Brake



3 HP DOAII Model 80-2342 Variable Speed Vertical Mill



12" X 24" Gallmeyer and Livingston Model 370 Hydraulic Surface Grinder



2 HP Bridgeport Series I Variable Speed Vertical Mill



12" X 24" Gallmeyer and Livingston Model 373 Hydraulic Surface Grinder









TUESDAY, DECEMBER 11TH





(2) 100 HP Quincy Model QSI-490 Cabinet Enclosed Rotary Screw Air Compressors

AIR COMPRESSORS AND RELATED

(2) 100 HP Quincy Model QSI-490 Cabinet Enclosed Rotary Screw Air Compressors; S/N 36476-SI04ACA3MD, S/N 36475-SI04ACA3MD

SEE PHOTO Demand-A-Matic Lead Compressor Timed Auto Rotation Interval Timer

Zander Model ZVSD1000A-4 Variable Speedrive Refrigerated Air Dryer; S/N 1134-06-04-2002-1010 SEE PHOTO

PARTS WASHER

Final Stage Model 5-36 Electric Fired Mesh Belt Parts Washer; S/N 1032, 36" wide X 16" high Opening, 500 Gal. Tank Capacity, 7 1/2 HP, Graduation Pump @ 150 GPM SEE PHOTO

RAW MATERIAL AND SCRAP DIES AND PARTS

(135) Heavy Stamping Dies from 1' X 1' to 3' X 6' in Size SEE PHOTO Approx. 20 Ton Assorted Gauge and Width Steel

Coils SEE PHOTO

Various Steel Tubs and Boxes with Stamped Steel Parts

RACK, HOPPERS, BASKETS AND RELATED

(15) Sections 48" X 108" X 12' H Bolt Together Pallet Rack w/ 5" Wide Beams

(15) 32" D X 144" W H.D. Steel 4-Shelf Die Storage Racks

(50) 31" X 36" X 18" Deep Corrugated Steel Stackable Tubs w/ End Slide-Up Dis-Charge Doors (150) 20" X 32" X 14" Deep Collapsible/Stackable Wire Baskets SEE PHOTO

(30) 32" X 40" X 28" Deep Collapsible/Stackable Wire Baskets



Late Model Crown Electric and Baker LP Lift Trucks

(30) 45" X 48" X 30" Deep Collapsible Plastic Containers

(20) Various Size Self Dumping Hoppers SEE PHOTO

LIFT TRUCKS

5,000 LB Crown Model FC-4020-50-TT188 Sit Down Electric Lift Truck; S/N 9A145522, 3-Stage Mast, 36 Volt System w/ Charger

4,000 LB Linde Model H20-CT-600-3 LP Gas Cushion Tire Lift Truck; S/N H2X350M0282320, 2-Stage Mast (5,811 Hours)

BOX TRUCK

1998 International Model 4900DT466E Single Axle Van Body Truck; VIN 1HTSDAAL9WH525390, 6-Speed Eaton Fuller Transmission, 20 Ft. Van Box w/ Roll-Up Door, Rear Stabilizer Jacks, Air Brake (174,563 Miles) **SEE PHOTO**

MISC. MACHINERY, SHOP AND SUPPORT EQUIPMENT

Misc. Machinery, Shop and Support Equipment Consisting of; Thermolyne Model FA1730-1 Syron Furnace, Thermolyne Model 1500 Furnace, L-W Demagnetizer, Enerpac P-392 Hydraulic Hand Pump, 10 Ton Enerpac Model C1010 Hydraulic Ram Cylinder Press, (5) Parts Washers, (4) 1 Ton CM Electric Chain Hoists, (10) 24" Pedestal Fans, (5) Portable Tool Boxes, (20) Self Dumping Hoppers, (4) Pallet Trucks, (8) Cable Type Die Lifts, (10) 2-Wheel Dollies, (30) Asst. Shop Carts, (20) Steel Tables, (10) Hand Pumps, (3) 3' Shop Ladders, (3) Banding Carts, Large Quantity of Fuses, Switches, Replacement Parts, Valves, Solenoids, Lighting, Electrical Couplings, Connectors, Clamps, Nuts, Bolts, Screws, Hoses, Filters and Many Other Related Items

15% Onsite Buyers Premium 18% Online Buyers Premium



6,000 Lb. Air Feeds Inc. Model R60 Reel

NO HEAT - PLEASE DRESS WARMLY



Approx. 20 Ton Assorted Gauge and Width Steel Coils



1998 International Model 4900DT466E Single Axle Van Body Truck



Final Stage Model 5-36 Electric Fired Mesh Belt Parts Washer



(135) Heavy Stamping Dies from 1' X 1' to 3' X 6' in Size



(20) Various Size Self Dumping Hoppers



(150) 20" X 32" X 14" Deep Collapsible/Stackable Wire Baskets





FIRST CLASS MAIL!



PRE-SORT FIRST CLASS U.S. POSTAGE **PAID** CINCINNATI, OHIO PERMIT NO. 3593



Important Mail TO BE DIRECTED TO THE ATTENTION OF EXECUTIVE PERSONNEL

TUESDAY, DECEMBER 11TH **PUBLIC AUCTION**

Assets from IRS Foreclosure Sale



IMPORTANT NOTICE:

Although information has been obtained from sources deemed reliable, the auctioneer makes no warranty or guarantee, expressed or implied, as to the accuracy of the information herein contained. It is for this reason that buyers should avail themselves of the opportunity to make inspection prior to the sale. This brochure is intended to provide general information of the equipment being offered and is subject to errors, omissions, additions or deletions. Please check with the Auctioneer's Office for a final listing. Items offered may or may not necessarily be sold as described and/or photographed in this brochure.

MAIL BIDS ACCEPTED WITH A 25% DEPOSIT

DIRECTIONS

Proceed from I-75 to Exit 206 (Phillips Rd), in Toledo, OH. Exit onto Phillips Road and Proceed West 1/4 Mile to Seiss Rd., Just Over The Railroad Tracks, Turn Right. Proceed 1 Block to Auction Site on The Left. Look for Auction Signs and Parking.

AUCTIONEERS

Cincinnati Industrial Auctioneers, Inc. – License No. 633-1983-10439 Jeffrey L. Luggen – License No. 57-1983-33789 Jerome A. Luggen – License No. 62-1983-33799 Jeffrey M. Luggen – License No. 2010-000026 Joseph M. Luggen – License No. 2010-000019 Frank Rome – License No. 62-1995-66509 John Rome – License No. 57-2000-84249



TERMS OF SALE

All equipment described herein will be sold "as is", "where is" to the highest bidder or bidders for cash in accordance with our regular terms and conditions of sale. Unless other satisfactory arrangements are made, a 25% deposit in cash, certified or cashier's check payable to Cincinnati Industrial Auctioneers, Inc., is required on all purchases. Firm and personal checks accepted only if accompanied by a letter from your bank guaranteeing your funds. All sales are subject to state and/or local taxes unless a signed exemption form is presented at the time of purchase. All balances are due at the conclusion of the sale. No merchandise may be removed while the sale is in progress. All bidders must comply with our Standard Terms of Sale, copies of which will be available at the sale site or can be obtained from our website.

15% ONSITE BUYER'S PREMIUM 18% ONLINE BUYER'S PREMIUM



Sale Under The Management Of CINCINNATI INDUSTRIAL AUCTIONEERS auctioneers | appraisers | since 1961 | cia-auction.com | info@cia-auction.com 2020 Dunlap St., Cincinnati, Ohio 45214 Phone 513-241-9701 Fax 513-241-6760