

# HUGE 2-DAY AUCTION

**Commercial Laundry Equipment Manufacturer Including Product Line, Inventory, Large Quantity Metal Fabricating, Machining & Support Equipment**

After  
75 Years  
In Business

Assets From Bankruptcy

**WASHEX, INC.**

**5000 Central Freeway**

**Wichita Falls, Texas 76306**

**(100 Miles Northwest of Ft. Worth, TX)**

**SALE DATES:**

**WEDNESDAY & THURSDAY,  
DECEMBER 15 & 16, STARTING AT  
9:00 A.M. BOTH DAYS**

**DAY ONE FEATURING:** Washex Product Line for Commercial Laundry Washing Machines, New Washex & Lavatek Machine Inventory, Huge Purchased Parts Inventory, Work-In Progress, Warehouse Rack & Equipment, Full Cafeteria, Office & Computer Equipment

**DAY TWO FEATURING:** Large Quantity Special Machines & Fixtures for Manufacturing Washer Drums & Components, Huge Raw Material Inventory Including Structural Steel & Stainless Materials, Arboga CNC Plate Drilling & Tapping Machine, 50 Ton Amada Coma 567 CNC Turret Punch, (4) CNC Hydraulic Press Brakes to 400 Ton x 14', (3) Squaring Shears to 12' x 1/2", 10' x 1/2" Backtemans Hydraulic Plate Roll, Whitney & Strippit S.E. Punches, HEM Auto Horiz. & Tilt Frame Band Saws, Piranha Ironworker, Esab & CG Plasma Cutting Tables, (40) Miller & Hobart Welders, Mazak Powermaster CNC Lathe, Traub CNC TC, Mitsui CNC VMC, (4) Engine Lathes, (4) Radial Arm Drills, Vertical & Horizontal Mills, Air Compressors, Lift Trucks, (20) Bridge Cranes, Cantilever Steel Storage Racks, Huge Quantity Shop & Support Equipment & Supplies



**Inspection:**

**Tuesday, December 14**

**From 10:00 A.M.—4:00 P.M.**

**12% BUYER'S PREMIUM ONSITE  
15% BUYER'S PREMIUM ONLINE**

**LIVE ON-SITE WITH  
INTERNET BIDDING (DAY 2 ONLY)**

UNABLE TO ATTEND? Bid online in real time at **BidSpotter.com**



**INVESTMENT RECOVERY  
SERVICES**

FOR THE MAXIMUM RETURN  
3421 NORTH SYLVANIA AVENUE  
FORT WORTH, TX 76111

1 800 583 1111 or 1 817 222 9848 ext. 25 or 26  
Fax 817 834 4075

E-mail: [gt@irsauction.com](mailto:gt@irsauction.com) or [jh@irsauction.com](mailto:jh@irsauction.com),  
Gregg Trenor, TX Lic. No. 11245

**WWW.IRSAUCTION.COM**

*In Conjunction With*

**CINCINNATI INDUSTRIAL  
AUCTIONEERS**



2020 DUNLAP STREET  
CINCINNATI, OHIO 45214

**[www.cia-auction.com](http://www.cia-auction.com)**

**513 241 9701**

Jeffrey L. Luggen – TX Lic. No. 00011379

# WASHEX W WASHER / EXTRACTOR PRODUCT LINE

Washex, Inc. is one of the world's leading manufacturers of washer/extractors, microcontaminator, and denim processing machines. An international company, Washex produces a broad spectrum of machine models and options, and is supported by a worldwide sales, distribution, and service network.

# DAY 1

## PRODUCT LINE & INTELLECTUAL PROPERTY TO BE OFFERED AT 12:00 NOON

### END-LOADING NON-TILTING

**CAPACITY RANGE: 60 - 30 lbs. (45 - 41 kg)**

- WV 230 - 60 lb. (27 kg)**
  - High speed
  - Single motor drive
  - Single motor shaft
  - Programmable variable speed motor
  - Dry Time Bearing (DTB)<sup>SM</sup>
- WV 300 - 90 lb. (41 kg)**
  - High speed
  - Single motor drive
  - Single motor shaft
  - Programmable variable speed motor
  - Dry Time Bearing (DTB)<sup>SM</sup>
- WV 312 - 120 lb. (55 kg)**
  - High speed
  - Single motor drive
  - Single motor shaft
  - Programmable variable speed motor
  - Dry Time Bearing (DTB)<sup>SM</sup>

**CAPACITY RANGE: 125 lbs. (55 kg)**

- WV 300 - 125 lb. (57 kg)**
  - High speed
  - Single motor drive
  - Single motor shaft
  - Programmable variable speed motor
  - Dry Time Bearing (DTB)<sup>SM</sup>

### PASS-THROUGH

**PASS-THROUGH WASHER / EXTRACTORS - CAPACITY RANGE: 80 - 700 lbs. (33 kg - 320 kg)**

**WX 300 SERIES AND ANTI-CROSS-CONTAMINATION (ACC) SERIES**

- WV 300 Series
- WV 312 Series
- WV 320 Series

**ACC 1100** 240 lb. (110 kg)    **ACC 1600** 330 lb. (150 kg)    **ACC 2100** 480 lb. (220 kg)    **ACC 3000** 700 lb. (320 kg)

- Automatic High Speed Dispenser with Automatic Filter
- Air/Laundry & Gas From Absorbent Suspension Fan
- Microcontaminator Control with 90 Forward Cleanability
- Single Motor with Variable Speed Inverter Drive

### END-LOADING TILTING

**CAPACITY RANGE: 275 lbs. (125 kg)**

- FLP 1200 - 275 lb. (125 kg)**
  - Full motor
  - Full motor shaft
  - High speed
  - Single motor drive
  - Programmable variable speed motor
  - Dry Time Bearing (DTB)<sup>SM</sup>
  - Quick Load Replacement (QLR)<sup>SM</sup>

**CAPACITY RANGE: 450 lbs. (200 kg)**

- FLP 2200 - 450 lb. (200 kg)**
  - Full motor
  - Full motor shaft
  - High speed
  - Single motor drive
  - Programmable variable speed motor
  - Dry Time Bearing (DTB)<sup>SM</sup>
  - Quick Load Replacement (QLR)<sup>SM</sup>

**CAPACITY RANGE: 500 lbs. (225 kg)**

- FLP 3000 - 500 lb. (225 kg)**
  - Full motor
  - Full motor shaft
  - High speed
  - Single motor drive
  - Programmable variable speed motor
  - Dry Time Bearing (DTB)<sup>SM</sup>
  - Quick Load Replacement (QLR)<sup>SM</sup>

### NON-PASS-THROUGH

**PASS-THROUGH SIDE-LOADING WASHER / EXTRACTORS - CAPACITY RANGE: 240 - 700 lbs. (110 - 320 kg)**

- FLA 1500** 240 lb. (110 kg)    **FLA 1900** 300 lb. (135 kg)    **FLA 2100** 480 lb. (220 kg)    **FLA 3000** 700 lb. (320 kg)

**DUMPING SIDE-LOADING**

**TILTING SIDE-LOADING WASHER / EXTRACTORS - CAPACITY RANGE: 300 lbs. (135 kg)**

- DSL 4500** 900 lb. (410 kg)

Stables for any type of laundry operation. Washex side-loaders are quality engineered and built tough as a tank, outlasting other washer/extractors while providing predictable, durable performance. For greater productivity, these models are especially suited for inter-lining overhead chutes or ring loading systems.

- Rights to Name of Washex
- www.Washex.com Domain Name
- Machine Files; (50) Six-Shelf Book Cases by Serial Number
- Customer End User Information; (20) Five-Drawer File Cabinets Alphabetical by Customer Name

- Engineering Prints and Machine Drawings; (6) Tub Files, (3) Three-Drawer File Cabinets, (1) Blueprint File Cabinet, (2) Blueprint Hanging File Cabinets, (2) Four-Drawer File Cabinets
- Some Available Electronic Files as Found

*All items to be included with the product line will be clearly identified and available for inspection before the auction*

**SOLD "AS-IS" "WHERE-IS" "AS-FOUND"**

**SEPARATE LOTS AVAILABLE FOR PURCHASE AT AUCTION**

- New Washex and Lavatec Machines
- Partially Completed Washex and Lavatec Machines
- Washex Purchased Parts Inventory
- Washex Machine Parts Work-In-Progress
- Washex Specialty Manufacturing Machines

# WASHEX W CONTINUOUS BATCH LAUNDRY SYSTEMS

Laundry systems designed so that the same system can be installed in commercial, hospital, hotel and industrial laundries. WASHEX Continuous Batch Laundry Systems are adaptable to circumstances where different types of washing techniques are required. Offering a variety of fully integrated, automated equipment for loading, washing, water extraction, linen transport and drying.

## WASHTAC TOP TRANSFER TUNNEL SYSTEMS

- WASHTAC WT35-FT** 75 LB (35 kg)
  - 4.5 to 18 Cubic Feet
  - Top Transfer Drive with Perforated Scoop
- WASHTAC WT50-FT** 110 LB (50 kg)
  - Large Drum Diameter (110 to 70" x 75 to 80")
  - Large Drum Volume (110 to 60 cu. ft. / 75 to 84 cu. ft.)
  - Double Drum Design to allow Flexible Bath Flows
  - Exterior Filter Doors
  - Computer Control with Relay Base or Low Maintenance Multi-motor Vector Wind Drive

## WATER EXTRACTION PRESSES

### WASHPRESS SINGLE STAGE PRESS

- A complete model range of single-stage presses from 110 lb. to 132 lb. batch sizes
- 28 bar pressure with 3 atmosphere pressure
- 45 bar pressure (130 lb. batch) with proportional control
- Water level monitoring
- Cable discharge by belt conveyor
- Microprocessor control with orientation display and manual control
- 30, 45, 60, 75, 90, 105, 120, 132 lb. batch sizes
- Stainless steel exterior finish
- Large water collection tank with pump and drain connection

- WASHPRESS WP 571-02** 110 LB (50 kg)
- WASHPRESS WP 571-00** 132 LB (60 kg)
- WASHPRESS WP 571-00** 132 LB (60 kg)

### BATCH CENTRIFUGAL EXTRACTOR

- 110 and 132 lb. capacities
- High G-force extraction, 300g/600g
- Frequency converted speeds

- WZ 294** 110 LB (50 kg)
- WZ 285** 132 LB (60 kg)

### WASHEX 2-TIER SHUTTLE CONVEYOR

- Stainless steel conveyor deck and side panels
- Fully automatic operation (manual override)
- Infrared protected
- Self-serve system
- Space-saving collapsible design

## AUTOMATED CONTINUOUS BATCH DRYERS

- Full range to match laundry flow requirements - simple to multi-batch shuttles to remote bed configurations to meet specialized needs
- Gas, electric or thermal heated systems available

- CPG-02 BATCH DRYER**
- CPG-02 BATCH DRYER**

## TUNNEL SYSTEMS

**WASHEX PROVIDES FULLY INTEGRATED, AUTOMATED LAUNDRY EQUIPMENT FOR LOADING; WASHING; WATER EXTRACTION; LINEN TRANSPORT; AND DRYING**

**SOILED LINEN** → **LOADING** → **WASHING** → **WATER EXTRACTION** → **LINEN TRANSPORT** → **DRYING** → **CLEAN DRY LINEN**

- Loading:**
  - Jockeyed conveyor with weight scales or
  - Combined bag systems.
- Washing:**
  - A wide range of tunnel washers available in various batch sizes and styles to process all the different types of laundry.
- Water Extraction:**
  - Single stage membrane presses in capacities to match the respective tunnel washers and designed to meet the capacity, flexibility, and high performance of the complete system.
  - Membrane extractions are available for specialty applications.
- Linen Transport:**
  - A full range of automated shuttle conveyor systems, each designed to match the specific requirements for transport of single or multiple garments or
  - Linen bins to be system dryers.
- Drying:**
  - Highly efficient energy saving energy saving multiple garments in proper sizes to avoid single or multiple batches if seen for automatic drying to precisely formulated heat treated in the final thermalization.




# WEDNESDAY, DECEMBER 15 STARTING AT 9:00 A.M.



## WASHEX<sup>W</sup> FLATWORK FINISHING SYSTEMS

Washes, Inc. offers a full line of finishing equipment. The Washex line includes high performance feeders, ironers, folders, and efficient stacking & counting systems. With our finishing line and other high volume machines, Washex, Inc. provides a complete range of industrial grade equipment to meet the needs of any laundry customer.

### SPREADER / FEEDERS



#### MASTERFEED Spreader Feeder

- Spreads and feeds sheets, table linens, and other large pieces
- Three (3) feeding stations
- Variable feeding speed of 20 to 147 fpm
- Can feed up to 300 pieces per feeding station
- Microprocessor control with LCD display and built-in diagnostic system
- High quality feeding with lot control of sheets during feed sequence
- Optional Lifting Head for feeding of small pieces

### HIGH PERFORMANCE IRONERS



#### WASHROLL 1500 (34" diameter rolls)

- Both models available in Insulated Chest versions
- All models available in widths ranging from 70" (170 cm) to 160" (400 cm)
- Variable Speed 3-phase drive controlled by Frequency Inverter
- Speed range 20 - 151 fpm (0 - 40 m/min)
- Available in Steam (max. 12 bar) or Thermal Oil (200° C)

### STACKERS



#### MASTERSTACK Large Piece Stacker

- Dropping Stackers w/ adjustable stacking height, suitable for stacking bed sheets, large table linens, and blankets
- Has its own drive and control system
- Capable of handling any Forker speed
- Microprocessor with LCD display and diagnostic system
- Adjustable item counters from 2 to 25 items per bundle
- Automatic Wash-Aid Adhesive and Counter Reset
- Can be used for automatic sorting by pulling bar or rope (machines in series)

### STACKERS



#### ECLIPSE - SF-DF Small Piece Stacker

- Accurately stacks & counts small pieces
- Stack 1/4 to 2000 pieces per hour per lane
- Optional Quality Control Classifier without Discharge
- Optional 1 or 2 Primary Folds - can make half or quarter folds, or Primary Fold can be Inverted
- Microprocessor control with LCD display & built-in diagnostic system

### STACKERS / FOLDERS



#### MAYER ECLIPSE Primary Folder and Stacker

- Two Machines in One!
- Cross Fold Section for cross folding large pieces in 1 or 2 lanes
- Depending on the model
- Primary Fold Section is a 1, 2, 3 and 4-lane Primary Folder for table counts, performing half or Quarter Folds
- Stacks up to 2000 pieces per hour per lane at 120 fpm
- Cross Stacking unrolled small pieces up to 24" L x 20" W

### STACKERS / COUNTERS



#### STACK-N-STORE STACKER

- 5-lane small piece stacker
- 1000 L x 120" W
- Takes pieces directly from the ironer
- Accurately stacks and counts each item
- Stores up to 250 pieces per lane

#### OPTIONAL

- Express conveyor - allows 2, 3, or all 5 lanes to be bypassed to process larger pieces

### FOLDERS



#### MASTERFOLD Large Piece Folder

- Primary and Cross Folding for bed sheets, table linens, and small pieces
- 1, 2, 3 and 4-Lane versions available
- 2 and 3 Primary Fold reverse available
- Maximum folding dimension: 140" L x 120" W
- Maximum Cross Fold width: 34"
- Up to 1200 bed sheets per hour
- Can be configured for either LH or RH discharge
- Operates with or without stackers
- Can be equipped with multiple stackers

### FOLDERS



#### TOWELMASTER Towel Folder

- Folds & stacks small pieces up to 36" W x 72"
- Three Configurations
- Stack up to 1000 pieces per hour
- Stack or User selectable pre-determined numbers
- 1/3 Fold Lengthwise
- 1/2, 1/3 or 1/4 Cross Folds
- Built-in Repeat System
- Triple Sort model sorts & stacks 3 different sizes

### FOLDERS



#### Blanket Folder

- Designed for Primary and Cross Folding blankets
- Maximum blanket size 160" L x 120" W
- 250 fpm max. speed
- Up to 1200 blankets per hr with 12" gap between
- Equipped with 3 Cross Fold and Automatic By-pass of 3rd Cross Fold
- Can be configured for LH or RH discharge



## WASHEX COMPLETE MACHINES

**2009 WASHEX Mdl. FVS1200.07.001E Industrial Washer/Extractor Machine**, S/N 19523, Elite II programmable control, 42 cu. ft. max. cylinder volume, 275-lb. max. cap., 668 max. cap., 100-80 PSIG air pressure range, 100-80 PSI steam pressure range, 80-40 PSI water pressure range.

**2009 WASHEX Mdl. FVS600.07.062F Industrial Washer/Extractor Machine**, S/N 19641, Elite II programmable control, 20.8 cu. ft. max. cylinder volume, 135-lbs. max. cap., 716 max. RPM, 100-80 PSIG air pressure range, 100-80 PSI steam pressure range, 80-40 PSI water pressure range.

**WASHEX Mdl. E22-501L 4-Lane Folder**, S/N N.A., Lanatec PLC control, Lavatec PLC lane controller in each lane, 30" w/lanes, 120" wide infeed area.

## WASHEX INCOMPLETE MACHINES

**2005 (2) WASHEX/LAVATEC Mdl. FL633G Industrial Drying Machine**, S/N 6330862, S/N 6331072, natural gas dryer, 154-lbs. max. cap., 356° Fahrenheit max. temp, Washex panelware control.

**WASHEX/LAVATEC Mdl. Master Eclipse E22-501 5-Lane Folder**, S/N E222501LV0803082, B&R PP41 PLC control, 120" wide infeed area, 5-lane off-load area, each lane 24" wide, Lavatec panelware PLC control in each lane, small piece stacker, integrated Lavatec large piece stacker.

**WASHEX Mdl. DSL 4500 Tilting Side Loading Washer/Extractor**, S/N N.A., about 80% complete, 900-lb. cap., 54" dia. x 120" long cylinder.

# DAY 1 WEDNESDAY, DECEMBER 15 STARTING AT 9:00 A.M.

**Inspection: Tuesday, December 14 From 10:00 A.M.—4:00 P.M.**



## PURCHASED PARTS INVENTORY

**Huge Inventory Consisting of:** (300) 1 hp. to 50 hp. electric motors, air cylinders, manual motor starter, protection switches, pressure switches, coils, relays, block bearings, flange bearings, air bags, shocks, terminal switches, sprocket roller chain, conveyor belt, circuit breakers, housing bearings, valves, air motors, rollers, power actuator switches, gas valves, electric service boxes, protector relays, cable pull switches, disconnect enclosures, transformers, braided hose, (7) 5 hp. hydraulic units, door unions, auto lubricators and many other related items.



## WAREHOUSE RACK & SHELVING

(132) Sections 42" x 96" x 18'H Adjustable Beam Pallet Rack.

(95) 12" x 36" x 84"H LYON Adjustable Clip-Type Steel Shelving.

## PRINT SHOP

**Consisting of:** 20" Multi Mdl. PC 2020 guillotine paper cutter, S/N PC204148; Multi Mdl. 13-6-195120 3-spindle paper drill, S/N 37092164; 24" General Binding Corp. Mdl. 568LM-1 laminator, S/N BK00878; 29" x 39" NuArc light table; 24" mfg. unknown laminator.



## OFFICE EQUIPMENT

**Consisting of:** (3) 10' conference tables, w/(8) chairs; executive office furniture, LP Desks, Fire King file cabinets, file cabinets, lateral file cabinets, chairs, printers, monitors, lobby furniture, office supplies, and many other related items.

## CAFETERIA

**Consisting of:** tables, (2) refrigerators, refrigerated display cabinet, meat slicer, coffee machines, stainless steam serving trays, napkin dispenser, pots, pans, and many other related items.



## MATERIAL INVENTORY

**Huge Quantity Raw Material and Cut-Off Inventory**  
**Consisting of:** stainless steel tube stock, stainless steel flat bar stock, stainless steel round bar stock, stainless steel angle and square tubing, perforated stainless steel plate, mild steel plate, mild steel angle iron, bar stock, flat stock, square tubing, plate steel, aluminum round bar, tubing and bar stock aluminum, and many other related items.



## WORK-IN-PROCESS

**Large Inventory Consisting of:** numerous fabricated stainless steel washer and dryer drums, various styles and sizes, fabricated sheet metal parts, fabricated structural frames, various rings, large quantity of other various fabricated parts.



## SPECIALTY WASHER MANUFACTURING MACHINERY & FIXTURES

**70" Dia. x 104" Custom-Built Large Drum Lathe**, PB controls, 70" swing, 104" between centers, (2) 54" dia. inside clamping 3-jaw chucks, (2) 12" x 12" T-slotted tool mounting tables.

**80" Dia. x 9" Custom Large Radius Ring Lathe**, PB controls, 15" x 15" T-slotted tool mounting table, w/power in and out motor, (8) clamping jaws, 80" swing, 9" between centers.

**84" Custom-Built Vertical Taper Universal Grinding Machines**, 1-1/2 hp. grinding head motor, PB controls foot pedal, 12" between centers, (4) clamp jaws, manual Z-axis travel.

**55" Custom-Built Vertical Taper Universal Grinding Machine**, 1/2 hp. grinding head motor, PB controls w/foot pedal, 10" between centers, (4) clamp jaws, manual Z-axis travel.

**NEW HAVEN 70" x 150" Manual Centering Machine.**

**60" Dia. Custom-Built Horizontal Tilting 2-Ring Welding Positioner Clamp**, pneumatic tilt, place for either a second 70" or 80" ring for welding to the first, second fixture has place for a 60" ring and 64" ring.

**Large Quantity Welding and Assembly Fixtures**  
**Consisting of:** 68" Dia. x 72"H and 58" Dia. x 56"H custom-built drum welding fixtures, 70" Dia. custom fixture H.D. welding table, (2) 60" Dia. and (2) 55" Dia. cut out H.D. welding tables, 60" Dia. x 72"H custom-built vertical drum clamping fixture, 90", 80" and 72" custom-built ring clamping fixtures, (10) 50" Dia. custom ring fixtures, 30" Dia.-80" Dia. custom-built ring clamps, 45" x 112" custom-built drum arbor, large quantity of custom arbor fixtures, large quantity of other related custom manufacturing fixtures.



## PRESS BRAKES

**400-Ton x 18' CHICAGO Mdl. 400-F-14 CNC Hydraulic Press Brake**, S/N H-1322, Automec Autogauge CNC 99 ram control, 24" CNC Automec Autogauge back gage, 18' overall, 14' between housings, 12" throat, (2) support arms.

**400-Ton x 8' PACIFIC Mdl. K400-8 CNC Hydraulic Press Brake**, S/N 9185, Summit Dana CNC control, 11' Summit Dana CNC front gage, 8' overall, 66" between housings, 1' x 6'6" max. cap., 266-ton punch cap., 2-ton max. ram die weight.

**200-Ton x 12' HTC CNC Hydraulic Press Brake**, S/N C-822009, Automec Autogauge CNC 1000 control w/foot pedal, 30" CNC Automec Autogauge back gage, 10' between housings, ram level control, 8" throat.

**175-Ton x 12' NIAGARA Mdl. HBM-175-10-12 CNC Hydraulic Press Brake**, S/N P53898, Hurco Autobend 7 CNC control w/palm buttons, 30" Hurco Autobend gage, 122" between housings, 10" stroke, 7" closed height, 17" open height.

**Large Quantity of Press Brake Dies of All Types.**



## SQUARING SHEARS

**1/2" x 12' PACIFIC Mdl. 500R12 Hydraulic Power Squaring Shear**, S/N S10505, PB controls w/foot pedal, 36" back gage, 1/8"-5/8" rake angle adjustment, 3/16"-3/4" max. plate thickness, 12'L x 1/2" thick cap., 10' squaring arm, (4) 32" support arms.

**1/2" x 10' AMADA Mdl. H-3013 Hydraulic Power Squaring Shear**, S/N 30130213, PB controls w/foot pedal, 40" back gage, 120"L x 0.51" thick cap., 12 SPM, 8' squaring arm, (2) 24" support arms, (14) clamps.

**.236" x 10' AMADA Mdl. M-3060 Mechanical Power Squaring Shear**, S/N 3060169, PB controls w/foot pedal, 36" back gage, 118"L x 0.236" thick cap., 60 SPM, 9' squaring arm, (2) 30" support arms, (13) clamps.

## PLATE ROLLS

**1/2" x 10' BACKTEMANS Mdl. PV7H Off-Set 3-Roll Hydraulic Plate Pinch Rolls**, S/N 1238, (3) 12" dia. rolls, dial and lever controls.

**1/4" x 5' PEXTO Initial Pinch 3-Roll Hydraulic Plate Pinch Rolls**, S/N 3962-3, (3) 6" dia. rolls, manual dial controls.

## CNC TURRET PUNCH

**1980 AMADA Mdl. Coma 506072 50-Ton CNC Turret Punch**, S/N C67160, Amadan 04PC CNC control, 50-ton cap., 52-station tool turret, thick tooling, 70" x 138" table, 70" plate shuttle, 1/2"-4-1/2" tool positions.

**Large Quantity Thick Turret Punch Tooling**, from 1/2"-6" dia.



# LIVE ON-SITE WITH INTERNET BIDDING (DAY 2 ONLY)

**Inspection: Tuesday,  
December 14 From  
10:00 A.M.—4:00 P.M.**

## CNC S.E. PLASMA PUNCH

**WHITNEY Mdl. M647C 40-Ton CNC Plasma Punch**, S/N 648-200-33777, Allen Bradley 9/Series CNC Control, 40-ton cap., 30" x 128" table, Hypertherm Max. 200 plasma power supply, 60" throat, 30 hp. hydraulic unit.

**Huge Quantity of Punch Tooling**, all types.



## PLASMA CUTTING TABLES

**1995 ESAB Mdl. Avenger Plus Plasma Cutting Table**, S/N 95-VI52-3529, Vision 2000 CNC control, 10'W x 50'L downdraft table, 57' floor-mounted trak, 17' overall bridge length, PT24 hi-def plasma cutting head, w/100 amp ESAB Precision Plasmarc plasma cutting power supply, S/N POR1546532, PT15 plasma cutting head, w/600 Amp ESAB ESP-600C plasma cutting power supply, S/N POR1540004, oxy-acetylene torch head, Prest-O-Weld WC-7C coolant circulator.

**CG Systems Plasma Cutting Table**, S/N N.A., Cleveland machine controls Burny 5 CNC control, 76"W x 132"L downdraft table, thermal dynamics Merlin 3000 plasma cutting power supply, A61955A184518, oxy-acetylene torch head.

**UNITED AIR SPECIALIST Mdl. FJL8-10-2H55 8-Cartridge Dust Collector**, S/N 60020999.



## BAND SAWS

**18" x 20" HEM Mdl. H130A-DC Automatic Horizontal Band Saw**, S/N 362191, Hem-Saw control, 1-1/2" x 19" x 0.050" thick blades, (3) pneumatic clamps, 0-24" shuttle stroke, coolant system.

**16" x 16" AMADA Mdl. HA-400 Automatic Horizontal Band Saw**, S/N 40300080, PB controls, 1-1/4" x 180" .042 thick blade, pneumatic clamp, 0-19" shuttle stroke, 19" x 36" infeed roller conveyor, 18" x 45" outfeed table, coolant system.

**16" HEM Mdl. V100M Tilt-Frame Vertical Band Saw**, S/N 361791, PB controls, dual pneumatic clamps, coolant system, blade tension, 10' infeed roller conveyor, 54" outfeed table.

**16" DOALL Mdl. ML Vertical Band Saw**, S/N 12452281C, 26" x 30" table, blade welder.

**7" x 10" EMERSON Horizontal Band Saw**.



**UNABLE TO ATTEND?**

*Bid online in real time at*

**BidSpotter.com**

## MISCELLANEOUS FABRICATING MACHINERY

**STRIPPIT Mdl. Super 30/30 Single End Punch**, S/N 2269032290, PB controls, 1/2" mild steel cap., 33" throat, 72" x 48" table.

**1981 AMADA Mdl. CSW-220 Hydraulic Notching Machine**, S/N 562845, PB controls w/foot pedal, 8-5/8" x 8-5/8" corner notch, 2" x 4" edge notch, 32" x 26" corner notch table, 17" x 38" edge notch table.

**PIRANHA Mdl. P3 Ironworker**, S/N 3307, single head punch, 8" punch throat, 12" shear, 4" x 4" angle iron shear, 2.75" x 4" edge notcher.

**48" SMT - PULLMAX Mdl. P9SL Sheet Metal Nibbler**, S/N P970610-04, PB controls, w/foot pedal.

**48" CHICAGO Finger Brake**.



**IF YOU ARE UNABLE TO  
ATTEND THIS AUCTION,**

**WE WILL BID  
AS YOUR PROXY.**

**PLEASE FAX YOUR  
ABSENTEE BID TO  
817 834 4075**

**Inspection: Tuesday, December 14  
From 10:00 A.M.–4:00 P.M.**

UNABLE TO ATTEND? Bid online in real time at

**BidSpotter.com**



## WELDING POSITIONERS & RELATED

**ARONSON Mdl. HD20A/PTVR3-BC 2,000-Lb. Tilting Welding Positioner**, S/N 831157, custom fabricated stand, 36" face plate.

**1998 PRESTON EASTIN Mdl. PA15HD-4 1,500-Lb. Tilting Welding Positioner**, S/N PA15HD-78, 36" face plate, pendant control.

**(3) Mfg. Unknown Rotating Welding Positioners**, custom fabricated and roller supports, 24" face plate, bolt on 12" 3-jaw chuck.

**84" Custom-Built Tilting Rotary Welding Fixture**, motor control, w/hydraulic unit.

**Mfg. Unknown 79" Dia. Rotary Welding Fixture**, (12) hold-downs, DC motor control.

**(2) Sets Mfg. Unknown Tank Turning Rolls**, approx. 30" on centers, neoprene rollers.

## WELDERS & RELATED

**(21) 400 Amp Mdl. HOBART Fabstar 2620 Welding Power Sources**, w/Hobart Mdl. 2000 dual spool wire feeder, Hobart 2210, 2410 2200 wire feeders.

**(5) Other HOBART Mig Welders Consisting of:** (1) Excel Arc 8065, (1) Arc-Master 500, (2) HOBART Mdl. Excel Arc 6045's, (1) Fabstar 2620, most w/wire feeds and mig guns.

**(5) MILLER Mig Welders Consisting of:** (1) Phoenix 456, (1) MP-45E, (2) Dimension 400's, (1) XMT 304, most w/wire feeds and mig guns.

**(4) Tig and Arc Welders Consisting of:** Miller 250 Amp Syncrowave, Miller 250 Amp Mdl. Dial Arc HF, Hobart 200 Amp Mdl. Tigwave 250, most w/leads.

**HYPER THERM Mdl. Powermax 350 Amp 350 Plasma Cutting System**, S/N 350-016907.

**FEDERAL 75 KVA Mdl. PA-1-30 Spot Welder**, S/N 34012-01-1, 30" throat.

**AGM Mdl. 600AA Stud Welding System**, S/N 82219.

**BURCO/KOCO Mdl. KST 6 Welding Power Source**.

**TORIT Mdl. PT-1000 Portable Fume Collector**, S/N IG-17519.

**Large Quantity Welding Accessories Including:** Keef Mdl. K-450 and K-300 welding rod ovens, clamps, tables, welding curtains, chairs, tools, abrasive, safety equipment and supplies mobile oxy-acetylene carts, w/hoses and gages, large amount extra gages and hose, and many other related items.



## CNC COORDINATE DRILLING MACHINE

**ARBOGA SWEDEN Mdl. 5008 CNC Coordinate Drilling Machine**, S/N 84010, Heidenhain TNC 145 CNC control, 78" x 78" T-slotted table, 78" x 78" drilled and tapped, sub-table, 40 taper spindle, approx. 15' table travel, approx. 10' spindle travel, 40" clearance under cross member, approx. 28" under spindle.

**(31) CAT 40 Taper Tool Holders.**

## CNC VERTICAL MILL

**MITSUI SEIKI Mdl. ENCM C365 CNC Vertical Milling Machine**, S/N 1982-7 Yasnac MX1 CNC control, 24" x 60" table, 50 taper, 20-position ATC, Daikin oil cooler, coolant system.

**(30) CAT 50 Taper Tool Holders.**



## CNC LATHES

**1991 MAZAK Mdl. Power Master N1500U Flatbed CNC Lathe**, S/N 10280, Mazatrol T32-2 CNC control, 32" swing over bed, 22" swing over cross slide, 63" between centers, 25" X-axis, 63" Z-axis, 4-position boring bar tool turret, 8-position front tool turret, 21" 3-jaw hydraulic clamp chuck, Jorgensen chip conveyor, coolant system.

**TRAUB Mdl. TNS42 CNC Turning Center**, S/N 789, Traub TX-8-D CNC control, 8" 3-jaw chuck, 12-position tool turret, 10" swing, 23" between centers, tail stock.

**LIVE ON-SITE WITH INTERNET BIDDING (DAY 2 ONLY)**





## ENGINE LATHES

**SUMMIT 28" x 90" Geared Head Engine Lathe**, S/N 771102, 4" spindle bore, 18" swing over cross slide, 15" 3-jaw chuck, 14-1,010 RPM.

**LODGE & SHIPLEY 26" x 48" Mdl. Power Turn 2516 Geared Head Engine Lathe**, S/N 46938, 2.5" spindle bore, 20" swing over cross slide, 12" 3-jaw chuck, 18-1,000 RPM, chasing dial, 30 hp. motor.

**MONARCH 18" x 30" Mdl. C Geared Head Engine Lathe**, S/N 10019, 10" swing over cross slide, 15" 3-jaw chuck, 12-487 RPM, chasing dial.

**MONARCH 12" x 30" Mdl. C Geared Head Engine Lathe**, S/N 912109, 12" swing over bed, 37" between centers, 70-1,220 RPM, 6" 3-jaw chuck, chasing dial.

**Large Quantity of Lathe Tooling Including:** quick change tool posts, tool holder, 20" 4-jaw chuck, 16" 4-jaw chuck, indexable lathe tooling, boring bars, live centers, Morse taper chucks, 24" 3-jaw chuck, 20" 4-jaw chuck.



## H-FRAME PRESSES

**ENERPAC 50-Ton Hydraulic H-Frame Press**, w/Enerpac PER3042A hydraulic unit, pendant control.

**POWER TEAM 25-Ton Hydraulic H-Frame Press**, S/N SPE2514DS, Power Team hydraulic unit, pendant control.

**Mfg. Unknown Hydraulic H-Frame Press**, w/Enerpac PER-3045 hydraulic unit, pendant control.

**IF YOU ARE UNABLE TO ATTEND THIS AUCTION, WE WILL BID AS YOUR PROXY. PLEASE FAX YOUR ABSENTEE BID TO 817 834 4075**



## VERTICAL MILLS

**1997 ACER Mdl. Ultima 5 Hp. - 4VK Variable-Spd. Vertical Mill**, S/N 07079639A, 10" x 50" table, Newall Sapphire DRO, 3,600 RPM, 40 NMTB taper spindle, X-axis PTF.

**ENCO 2 Hp. Variable-Spd. Vertical Mill**, S/N 802525, 9" x 42" table, Anilam Wizard DRO, 5,440 RPM spindle, X-axis PTF.

**EXACTO Mdl. 942B Variable-Spd. Vertical Mill**, S/N 011815, 9" x 42" table, 2,720 RPM spindle.

**SAJO Mdl. VF-54P Variable-Spd. Vertical Mill**, S/N 68619, 11" x 52" table, 50 taper, 1,500 RPM spindle, coolant system.



## MISCELLANEOUS MACHINERY

**BLUE M Mdl. P0M7-166A-F Electric Oven**, S/N U7-2809, 24" W x 24" L x 48" H chamber, 600° Fahrenheit max. temp, has a floor, DRO.

**RECCO INDUSTRIES Mdl. C2121 Dual Chamber Furnace**, S/N 8012, 2,250° Fahrenheit max., 200/+200° deviation, 13" x 8" 20" deep top and bottom chambers.

**BOYAR SHULTZ 6" x 18" Mdl. H618 Hand Feed Surface Grinder**, S/N C-3322-HR.

**RIDGID Mdl. 1224 Pipe Threader**, S/N 9D95, w/dies.

**COATS Mdl. 9505 Wheel Balancer**, S/N 0709305623.

**RODGERS Mdl. CRV-7X 10' Wide x 6' Vertical Cut Panel Saw**.

**Other Misc. Machinery Consisting of:** (10) various floor type drills to 20", 20" Walker Turner wood vertical band saw, (4) 12" disc Rockwell horizontal bench sanders, 14" Black & Decker Mdl. 3935 chop saw, Black Diamond mode 2B single-end drill grinder, Diacro Mdl. No. 2 rod parter, 2" belt Burr King Mdl. 960 sander.

## MACHINE ACCESSORIES & TOOLING

**Consisting of:** 8' Vertex super spacer, 12" rotary table, (15) mill vises by Kurt and others, large quantity of Morse taper drills.

## RADIAL ARM DRILLS

**CARLTON 4' Arm x 9" Col. Radial Arm Drilling Machine**, S/N 0A1128, 75-1,500 RPM spindle spds., 40" dia. drill table, 1/8"-2-1/2" drill size.

**CARLTON 5' Arm x 17" Col. Radial Arm Drilling Machine**, S/N 1A2839, 53" dia. drill table, 80-2,000 RPM spindle spds., automatic drill and tapping control.

**FOSDICK 4' Arm x 12 Col. Sensitive Radial Arm Drill**, S/N N.A., 60-200 RPM spindle spds., 24" x 42" T-slotted drill table.

## PAINT BOOTHS & RELATED

**Mfg. Unknown 14'W x 25'L x 13'H Drive-In Spray Booth, S/N 1090027-04, 10'W x 12'H doorway w/doors, (13) fluorescent light fixtures, 18'W x 30' L x 15'H outside dimensions, (1) man door, unit control panel.**

**DEVILBISS Mdl. DLFA 14'W x 28'L x 12'H Drive-In Spray Booth, S/N 502, 10'W x 12'H doorway w/no doors, (18) fluorescent light fixtures, 17'W x 30'L x 14'H outside dimensions, (1) man door, exhaust unit control panel.**

**Paint Booth Accessories Including:** 3-gal. pressure pot, w/spray gun, 10-gal. pressure pot, w/spray gun, Red Devil paint can shake, paint spray guns and other related items



## BLAST BOOTHS

**(2) PAULI & GRIFFIN 15'W x 20'L x 12'H Drive-In Abrasive Blast Booths, 19,229 hours, 13,814 hours, each w/PB control panel, (1) Paulie & Griffin PRAM11 blast pot and gun, 25 hp. dust collect, w/ back draft reclaim system, 15'W x 12'H doorway, (1) man door, (12) fluorescent light fixtures.**



**OVER 24 AVAILABLE**

## OVERHEAD BRIDGE CRANES & RELATED

**(2) 12-Ton x 38' Approx. Span Top-Running Single-Girder Overhead Bridge Crane, w/12-ton Shaw-Box cable hoist, pendant control.**

**10-Ton x 38' Approx. Span Top-Running Single-Girder Overhead Bridge Crane, w/10-ton Robbins & Myers cable hoist, pendant control.**

**(12) GAFFEY 6-Ton x 38' Approx. Span Top-Running Single-Girder Overhead Bridge Crane, w/each 3-ton and 2-ton Robbins & Myers cable hoist, pendant control.**

**GAFFEY 5-Ton x 38' Approx. Span Top-Running Single-Girder Overhead Bridge Crane, w/5-ton Robbins & Myers cable hoist, pendant control.**

**(3) 3-Ton x Approx. 38' Span Top-Running Single-Girder Overhead Bridge Crane, each w/3-ton Robbins & Myers cable hoist, pendant control.**

**(5) 2-Ton x Approx. 38' Span Top-Running Single-Girder Overhead Bridge Crane, each w/2-ton Robbins & Myers cable hoist pendant control.**

**(11) Bays 180' Long Runs I-Beam Crane Rail and Raceway.**

**Numerous Column- and Floor-Type Jib Cranes.**

**CADY LIFTERS Mdl. SL102472 10,000-Lb. Manual Expand Plate Lifter.**

**CHATILLON/INTERCOMP Mdl. CS 4000-30K 600-Lb. Crane Scale, w/Crosby swivel hook, S/N 72112.**

**Cap. and Mfg. Unknown Steel Coil Hook, w/48" throat.**

**Large Quantity Lifting Equipment Including:** (50+) plate lifting clamps, lifting eyes, chains, slings, and many other related items.



## OUTDOOR BRIDGE CRANE SYSTEM

**(2) GAFFEY 7-1/2-Ton x 34' Approx. Span Single-Girder Top-Running Bridge Cranes, (1) Gaffey and (1) mfg. unknown, both w/7-1/2-ton R & M self-traveling pendant control cable hoists.**

**Mfg. Unknown 3-Ton x 34' Approx. Span Single-Girder Top-Running Bridge Crane, w/3-ton R & M self-traveling pendant control cable hoist.**

**Approx. 300' Crane Rail and Raceway, with free-standing uprights.**



## AIR COMPRESSORS & RELATED

**(2) INGERSOLL-RAND Mdl. SSR-EP75 75 Hp. Cabinet Enclosed Rotary Screw Air Compressors, S/N F1348U90, 4,560 loaded hours, 7,211 total hours, S/N F1348U90, 32,696 loaded hours, 12,510 total hours.**

**GARDNER DENVER Mdl. Electra-Saver II 50 Hp. Cabinet Enclosed Rotary Screw Air Compressor, S/N M69216, 23,522 total hours.**

**PERMA Mdl. 800HSCA400 Refrigerated Air Dryer, S/N S47463E.**

**(2) Horizontal Air Receiving Tanks, 500-gal.**

**Inspection: Tuesday, December 14 From 10:00 A.M.—4:00 P.M.**



## BOILER

**1994 HOLMAN BOILER WORKS INC. Natural Gas-Fired Boiler**, S/N 12553, Job No. 3266, 506 sq. ft., cycle timer, manual firing rate control.

## ELECTRIC BUSSWAY & RELATED

Approx. 2,000' Aluminum and Approx. 1,000' Copper Busway.

**KATO ENGINEERING Mdl. A227180000 Brushless AC Generator**, S/N 91857, (1) 100kW motor, (1) 150 hp. motor.



## SUV

**1999 FORD Explorer XLT Sport Utility Vehicle**, VIN 1FMZU32P6X2B59551, 225,831 miles, electric windows, locks, mirrors, seats, cruise control, V8 engine, sun roof.



## LIFT TRUCKS & RELATED

**CALAVAR Mdl. 4046N Dual Fuel Rubber Tire Boom Man Lift**, S/N N322-000216, 3,618 hours, Wisconsin air-cooled engine.

**CATERPILLAR Mdl. M100B 10,000-Lb. Sit-Down Electric Lift Truck**, S/N 7TB434, 48 volts, 2-stage mast, 60" forks.

(2) **HYSTER Mdl. 555XM 5,000-Lb. LP Gas Solid Tire Lift Trucks**, S/N D187V25767Z, 10,159 hours, S/N D187V257652, 6,633.7 hours, 3-stage mast, side shift.

(2) **TOYOTA Mdl. 7FGCU25 4,000-Lb. LP Gas Solid Tire Lift Trucks**, S/N's 94328, 83533, 2-stage mast, side shift.

**CLARK Mdl. EC500-50 4,000-Lb. Sit Down Electric Lift Truck**, S/N E3550207-5780, 3-stage mast, side shift, 36 volt.

**YALE Mdl. ERP030 3,000-Lb. Sit Down Electric Lift Truck**, S/N N537502, 36 volt, 3-stage mast, side shift.

(2) **YALE Mdl. ERC030 3,000-Lb. Electric Solid Tire Lift Trucks**, S/N's K533885, K533885, 36 volt, 3-stage mast, side shift.

**CATERPILLAR Mdl. EC15 2,700-Lb. Sit Down Electric Lift Truck**, S/N 3FM-00315, 3-stage mast, side shift.

(2) **CLARK 3,000-Lb. Approx. Electric Order Pickers**, (1) Mdl. OP-15, S/N OP-15-1309-PM5495; (1) Mdl. NST30, S/N NST-245-0440-PM-6240; both 24 volt, 3-stage mast.

**CLARK Mdl. P40E 4,000-Lb. Electric Walk-Behind Pallet Truck**.

**GREGORY Mdl. WPL25 2,500-Lb. Walk-Behind Electric Material Lift**, S/N 92535, 24 volt, 11-1/2" elevation, 42" x 12'6" deck, out of service, no battery.

**PRIME MOVERS Mdl. HX-65 Walk-Behind Electric Material Lift**, S/N N/A, 28"W X 7'L flat deck front, 24 volt, out of service.

**RAYMOND Mdl. W2ST Electric Walk-Behind Pallet Truck**, S/N W2ST-C-3463, 12 volt, 2-stage mast.

**ROL-LIFT Mdl. PSF15T 1,500-Lb. Walk-Behind Electric Stacker**.

Various Battery Chargers and Batteries.



## SHOP & SUPPORT EQUIPMENT

**Large Quantity Consisting of:** Lincoln hydraulic manual forklift jack, body shop lights, Hillman machine skates, Chicago electric parts washer, Hykon Mdl. 6512 cable meter machine, Mettler-Toledo Mdl. 4182-A portable shipping scale, 1,000-lb. cap.; (7) self-dumping hoppers, (8) tripod pipe stands, (8) pallet trucks, banding carts, 2-wheel hand trucks, (60) 4'-12" fiberglass step ladders, 36' extension ladder, (8) 5'-16" shop ladders, grease guns, arbor press, (15) D.E. grinders, (30) shop fans, Winner 4-ton hydraulic hand pump, Dayton 10-ton hydraulic body kit, Aladdin electric portable pressure washer, manual tube bender, and many other related items.

## HUGE QUANTITY POWER AND HAND TOOLS

**Pneumatic Power Tools Consisting of:** (50) 5" disc aro high-speed sanders, (40) 7/9" disc angle grinders, (12) 3/4" drive impact guns, (50) 1/2" drive impact guns, (50) 3/8" drive impact guns, (60) 1/2" pistol grip drills, (50) 3/8" pistol grip drills, (100) straight and right angle die grinders, (5) 12" Sioux grinders, (25) pop rivet guns, (40) Central Pneumatic heavy duty needle descaler, (3) Duo-Fast strip nailers, (10) Dynabrade Mdl. 11000 dyna files, (25) random orbital sanders.

**Electric Hand Tools Consisting of:** 3/4" Milwaukee magnetic base drill, 7/9" angle grinders, 7/9" Milwaukee polisher, 1/2" Milwaukee D-handle drill, 1/2" DeWalt DW 130 reversing drill, 8-1/4" Black & Decker builder's circular saw, Craftsman auto scroll saw, DeWalt DW 28474 7" angle grinder, DeWalt Mdl. DW 567 heavy duty SDS 1" rotary hammer, Chicago Power Tools chainsaw sharpener.

**Hand Tools Consisting of:** (7) 90-600-ft.-lbs. 3/4" drive torque wrenches, pliers, vise grips, Ridgid pipe wrenches, hammers, combination wrenches, levels, files, Allen wrenches, wire strippers, 3/8"-1/2" ratchets, sockets, tap and die sets, Greenlee knock out punches, long handle, wire crimpers, pop rivet guns, letter/number stamps, Hilti DX400 piston drive tool, huge quantity of C-clamps, (10) come-a-longs, and many other related items.

## Large Quantity Building and Machine

**Maintenance Parts Consisting of:** nuts, bolts, washers, both stainless steel, male and female brass fittings, plugs, tee's galv. iron unions, elbows, tee's plugs nipples, threaded pipe, boss connectors, hex head bolts, welding repair parts, fan belts, 3-phase electrical plugs, relays light ballast, light bulbs, machine repair parts, out-of-service welders, electrical wire, hydraulic hose, water hose, pneumatic hose, plastic elbows unions, electrical connector, and many other related items.

## INSPECTION & TEST EQUIPMENT

**Inspection and Electric Test Equipment Consisting of:** micrometers, vernier calipers, block gages, ring gages, machine levels, snap gages, Fluke 99 Series II scope meter Fluke 77 multimeter, Extech photo/contact tachometer, Magnaflux Type 24870 stress coat analyzer, gas detection instrument, Quest Electronics Mdl. 32 permissible, sound calibration instrument, Extech microprocessor tachometer, Extech Mdl. 407026 heavy-duty light meter, Pocket Probe Mdl. LP single and dual range pyrometer, Honeywell Mdl. 136A combination volt/micrometer test meter, Spec Scientific digital sound level meter, and many other related items.

**LIVE ON-SITE WITH INTERNET BIDDING (DAY 2 ONLY)**



# HUGE 2-DAY AUCTION

## INVESTMENT RECOVERY SERVICES

3421 NORTH SYLVANIA AVENUE  
FORT WORTH, TX 76111



Presorted  
First Class Mail  
U.S. Postage  
PAID  
Eugene, Oregon  
Permit No. 17

### SALE DATES: WEDNESDAY & THURSDAY, DECEMBER 15 & 16, STARTING AT 9:00 A.M. BOTH DAYS

## Assets From Bankruptcy **WASHEX, INC.** Wichita Falls, Texas

### Commercial Laundry Equipment Manufacturer Including Product Line, Inventory, Large Quantity Metal Fabricating, Machining & Support Equipment

#### Terms of Sale

**1. NO WARRANTIES** - Everything in this auction is sold as is, where is, with no warranties, representation or guarantees expressed, implied or otherwise.

**2. PAYMENT** - Balance of full payment in cash or certified funds due immediately upon completion of auction. All checks to be made to the order of "Investment Recovery Services." Advance wire transfers are possible. Contact Investment Recovery Services at 800-583-1111 for details. Non-certified checks accepted only when accompanied by a valid bank guarantee letter.

**SAMPLE LETTER: THIS BANK HEREBY GUARANTEES PAYMENT OF CHECKS PAYABLE TO INVESTMENT RECOVERY SERVICES, FROM (NAME OF CUSTOMER) ON ACCOUNT # \_\_\_\_\_ UP TO AMOUNT OF \_\_\_\_\_ THIS LETTER IS VALID FOR PURCHASES MADE AT THE AUCTION OF \_\_\_\_\_ ON (DATE). (PLEASE HAVE YOUR BANK USE THIS FORMAT OF THE GUARANTEE LETTER) Fax all letters to (817) 834-4075. ALL CHECKS MUST BE ACCOMPANIED WITH A BANK LETTER OF GUARANTEE.**

**3. SALES TAX** - Sales tax will be charged and collected on all purchases as required by appropriate state/local laws. Sales tax exemption number, where applicable, must be presented at the time of bidder registration. To qualify for any available exemption, Buyer must sign any required form.

**4. ADDITION TO OR WITHDRAWAL FROM SALE** - The Auctioneer reserves the right to withdraw from sale any of the items, to sell at this auction items not listed, to group one or more lots into one or more selling lots, or to subdivide into two or more selling lots. The Auctioneer also reserves the right to sell all of the items listed in bulk.

**5. DISPUTE BETWEEN BIDDERS** - If there is any dispute between two or more bidders, the Auctioneer may decide the sale or may resell by immediately putting the lots up for sale again. The decision of the Auctioneer shall be final and absolute.

**6. CONDITIONS OF ITEMS SOLD** - All information is believed to be accurate, but the Auctioneer shall not be responsible for the correct description, authenticity, genuineness or of defect in any lot, and makes no warranty in connection therewith. No allowances will be made or sale set aside on account of any incorrectness, error in cataloging or any imperfection not noted. No deduction will be allowed on damaged articles as all goods being exposed for public exhibition are sold "as is" and without recourse.

**7. BIDS** - Absentee bids may be presented to the Auctioneer in writing and must be accompanied by 25% of your bid in certified funds with full payment due one day after notification of your successful bid. Said bids are subject to all terms and conditions of sale as listed herein or announced at the auction sale. All absentee bids will be held in confidence. Auctioneer may have a principal interest in this sale. Seller reserves the right to bid at this auction.

QS-0006955

**8. COMPLIANCE WITH THE TERMS OF SALE** - In default of payment of bills in full within the time announced for this auction the Auctioneer, in addition to all other remedies allowed by law, may retain all monies received as deposit or otherwise as liquidated damages. Lots not paid for within the time specified herein may be resold at public or private sale without further notice. Any resulting deficiency together with all expenses and costs of re-sale will be the responsibility of the defaulting purchaser. Each Buyer in making a bid does herewith agree to comply with the terms and conditions as herein stated and as otherwise set forth. The failure or default by a successful Buyer to fully comply with the terms and conditions herein will be treated as an immediate breach and the deposit as made retained and applied toward any deficit in additional costs or charges as incurred to effect the resale of that property at private or public sale. There shall be no further notice required to the Buyer once a default has occurred. The obligation of the Buyer shall be for costs as incurred, plus any deficit included arising from the Buyer's default.

**9. AUCTIONEER** - The Auctioneer when acting as Agent is not responsible for actions of its Principals.

**10. OWNERSHIP** - All items become the sole responsibility of the purchaser immediately at knockdown. Although the Auctioneer will exhibit reasonable care to safeguard purchases, until removed by purchaser, no refunds or adjustments will be allowed for any shortages. If you believe you are entitled to an adjustment to your invoice due to missing or damaged item(s), you or your rigger must report the problem to our on-site supervisor prior to the equipment leaving the building. Once the equipment has left the building, there will be no adjustments. When you hire a rigger, the rigger is acting as your agent. We will not accept that the rigger did not notify you of a missing or damaged item(s) or that it was discovered that an item(s) was missing or damaged when your purchases were delivered to your facility. All bidders and riggers must be aware of this policy! If for any reason whatsoever a property as bid cannot be delivered within that period of time of delivery provided for at the sale, the Buyer expressly waives liability on the part of the Auctioneer and further agrees that any obligation with respect thereto shall be limited to the bid and paid for price for said property (assets).

**11. REMOVAL** - Removal shall be at the expense, liability, and risk of the purchaser. Purchases can be removed only on presentation of original bill of sale and only after entire sale is completed. Photostats of bills of sale will not be accepted for removal. Upon failure of purchaser to remove goods within time specified as posted or announced, Auctioneer shall have the option of removing and storing the goods at expense and risk of the purchaser or deeming money deposit forfeited in which case Auctioneer may resell without notice at public sale or otherwise dispose of goods at risk and expense of purchaser. Purchaser shall remain liable for loss, expense and damages arising from the purchaser's default.

**12. ABANDONMENT** - Purchasers will not be allowed to abandon any purchases or portion of those purchases.

**13. NON-DELIVERY RESPONSIBILITY** - Auctioneer shall not, in any event, be liable for non-removal or for any other matter, to any purchaser of any lot.

**14. PERSONAL AND PROPERTY RISK** - Persons attending during exhibition, sale or removal of goods assume all risks of damage or of loss to person and property and specifically release and indemnify the Auctioneer from liability therefore. Neither the Auctioneer nor his Principal or Seller shall be liable by reason of any defect in or condition of the premises in which the sale is held.


**15. BUYER'S PREMIUM** - Buyer's premium applies to all purchases in the amount of twelve percent (12%) for onsite purchases, fifteen percent (15%) for purchases online.

**16. RECORDS** - The record of sale kept by the Auctioneer and Bookkeeper will be taken as final in the event of any dispute.

**17. NOMINAL BIDS** - Any bid which is merely a nominal or fractional advance may be rejected by the Auctioneer if in his judgment it may affect the sale negatively.

**18. THE BUYER** does hereby assume and does agree to indemnify and hold the Auctioneer and Seller harmless from any future claim, which shall pertain to the fitness or use of that asset as being purchased.

**19. ADDITIONAL TERMS AND CONDITIONS** - Additional terms or conditions of sale may be added by Auctioneer by announcement or posted on the premises prior to the auction.



#### Directions

**From the US-287 & I-44E Junction:**  
Continue north on I-44E to Exit No. 5A/ Farm to Market Rd. 3492/Missile Rd. Merge onto Central Fwy. for 1/4 mile and proceed to Missile Rd. Turn west onto Missile Rd. and continue 0.1 mile to Central Fwy. Turn left onto Central Fwy. and go 1/2 mile to sale site on right. Watch for auction signs and auction parking.