

Catalog for Auction: Allied Erecting

This catalog is meant merely as a guide. The Auctioneers do not warrant the accuracy, genuineness, authenticity, description, weight, count or measure of any of the lots specified herein.

Lot Num	Qty.	Description	Lot Num	Qty.	Description
1	1	GIDDINGS & LEWIS MODEL HMC-170 FOUR-AXIS TWO-PALLET CNC HORIZONTAL MACHINING CENTERS; S/N 491-0047, MACHINE MANUFACTURED IN 2007, INSTALLED IN 2008 AND NEVER USED, 24.8" X 19.7" PALLET SIZE, 39.4" X-AXIS TRAVEL, 31.5" Y-AXIS TRAVEL, 31.5" Z-AXIS TRAVEL, MOLD MAKING PACKAGE, MIST COLLECTOR, SPINDLE SPEED RANGES: 10 - 6,000 RPM, NO. 50 TAPER SPINDLE, 2,205 LB. PALLET LOAD CAPACITY, 360 DEGREE NC ROTARY TABLES W/ .001 DEGREE INCREMENTS, 200-TOOL CAPACITY ATC, FANUC 160I CONTROL W/ MANUAL GUIDE I CONVERSATIONAL PROGRAMMING SYSTEM, AUTOMATIC CORNER OVERRIDE, PROCESS MONITORING & PROBING, RENISHAW MP 10 W/ INFRARED SIGNAL TRANSMISSION, RENISHAW TS27R TOOL PROBE, TOOL LIFE MANAGEMENT, ROTARY TABLE FIXTURE COMPENSATION, TOOL HOLDER TAPER CLEANING DEVICE	3	1	- 6.1" GIDDINGS & LEWIS MODEL MC-1250 FIVE-AXIS TWO-PALLET ROTARY TABLE CNC HORIZONTAL BORING MILLS; S/N 480-0077, MACHINE MANUFACTURED IN 2007, INSTALLED IN 2008 AND NEVER USED, 49.2" X 49.2" PALLET SIZE, 141.7" X-AXIS TRAVEL, 122" Y-AXIS TRAVEL, 49.2" Z-AXIS TRAVEL, 59" W-AXIS TRAVEL, SMALL RIGHT-ANGLE HEAD ATTACHMENT W/ 14" GAUGE LINE OF SPINDLE (HAVE TO LOCATE), MOLD MAKING PACKAGE, TOOL MANAGEMENT FUNCTION, SPINDLE SPEED RANGES (FOUR-SPEED): 1 - 3,500 RPM, NO. 50 TAPER SPINDLE, 33,100 LB. PALLET LOAD CAPACITY, 360-DEG. NC ROTARY TABLES W/ .001 DEGREE INCREMENTS, 120-POS. TOOL ATC, FANUC 310I CONTROL W/ MANUAL GUIDE I CONVERSATIONAL PROGRAMMING SYSTEM, AUTOMATIC CORNER OVERRIDE, PROCESS MONITORING & PROBING, RENISHAW MP10 W/ INFRARED SIGNAL TRANSMISSION, RENISHAW TS27R TOOL PROBE, ROTARY TABLE FIXTURE COMPENSATION
2	1	GIDDINGS & LEWIS MODEL HMC-170 FOUR-AXIS TWO-PALLET CNC HORIZONTAL MACHINING CENTERS; S/N 49-0046, MACHINE MANUFACTURED IN 2007, INSTALLED IN 2008 AND NEVER USED, 24.8" X 19.7" PALLET SIZE, 39.4" X-AXIS TRAVEL, 31.5" Y-AXIS TRAVEL, 31.5" Z-AXIS TRAVEL, MOLD MAKING PACKAGE, MIST COLLECTOR, SPINDLE SPEED RANGES: 10 - 6,000 RPM, NO. 50 TAPER SPINDLE, 2,205 LB. PALLET LOAD CAPACITY, 360 DEGREE NC ROTARY TABLES W/ .001 DEGREE INCREMENTS, 200-TOOL CAPACITY ATC, FANUC 160I CONTROL W/ MANUAL GUIDE I CONVERSATIONAL PROGRAMMING SYSTEM, AUTOMATIC CORNER OVERRIDE, PROCESS MONITORING & PROBING, RENISHAW MP 10 W/ INFRARED SIGNAL TRANSMISSION, RENISHAW TS27R TOOL PROBE, TOOL LIFE MANAGEMENT, ROTARY TABLE FIXTURE COMPENSATION, TOOL HOLDER TAPER CLEANING DEVICE			

Catalog for Auction: Allied Erecting

Lot Num	Qty.	Description	Lot Num	Qty.	Description
4	1	6.1" GIDDINGS & LEWIS MODEL MC-1250 FIVE-AXIS TWO-PALLET ROTARY TABLE CNC HORIZONTAL BORING MILLS; S/N 480-0078, MACHINE MANUFACTURED IN 2007, INSTALLED IN 2008 AND NEVER USED, 49.2" X 49.2" PALLET SIZE, 141.7" X-AXIS TRAVEL, 122" Y-AXIS TRAVEL, 49.2" Z-AXIS TRAVEL, 59" W-AXIS TRAVEL, SMALL RIGHT-ANGLE HEAD ATTACHMENT W/ 14" GAUGE LINE OF SPINDLE (HAVE TO LOCATE), MOLD MAKING PACKAGE, TOOL MANAGEMENT FUNCTION, SPINDLE SPEED RANGES (FOUR-SPEED): 1 - 3,500 RPM, NO. 50 TAPER SPINDLE, 33,100 LB. PALLET LOAD CAPACITY, 360-DEG. NC ROTARY TABLES W/ .001 DEGREE INCREMENTS, 120-POS. TOOL ATC, FANUC 310I CONTROL W/ MANUAL GUIDE I CONVERSATIONAL PROGRAMMING SYSTEM, AUTOMATIC CORNER OVERRIDE, PROCESS MONITORING & PROBING, RENISHAW MP10 W/ INFRARED SIGNAL TRANSMISSION, RENISHAW TS27R TOOL PROBE, ROTARY TABLE FIXTURE COMPENSATION	6	1	ZEISS MODEL KMZ-G COORDINATE MEASURING MACHINE, CALYPSO CMM INSPECTION SOFTWARE, 236.2" X-AXIS MEASURING RANGE, 118.1" Y-AXIS MEASURING RANGE, 98.4" Z-AXIS MEASURING RANGE, 90 TON TABLE WEIGHT CAPACITY
			7	1	OPEN
			8	1	OPEN
			9	1	OPEN
			10	1	50/20 TON X 75' APPROX. SPAN WHITING CLASS E DUAL HOOK OVERHEAD BRIDGE CRANE; S/N 12606, ASSET NO. 65088, CLASS E, 75'-11" SPAN, 10' TROLLEY SPAN, 8'4" CRANE HEIGHT, 50 TON MAIN / 20 TON AUX. HOISTS, 32'6" LIFT (NEW 1998)
			11	1	60/30 TON X 76' APPROX. SPAN WHITING CLASS E DUAL HOOK OVERHEAD BRIDGE CRANES; S/N 12865, ASSET NO. 65087, 75'-11" SPAN, 12' TROLLEY SPAN, 9'1" CRANE HEIGHT, 60 TON MAIN / 30 TON AUX. HOISTS, 33' MAX LIFT (NEW 2007)
			12	1	60/30 TON X 76' APPROX. SPAN WHITING CLASS E DUAL HOOK OVERHEAD BRIDGE CRANES; S/N 12854, ASSET NO. 65094, 75'-11" SPAN, 12' TROLLEY SPAN, 9'1" CRANE HEIGHT, 60 TON MAIN / 30 TON AUX. HOISTS, 33' MAX LIFT (NEW 2006)
5	1	7.1" GIDDINGS & LEWIS MODEL FTR-5000 FIVE-AXIS COMBINATION ROTARY TABLE & FLOOR TYPE TRAVELING COLUMN CNC HORIZONTAL BORING MILL; S/N 486-0002, MANUFACTURED IN 2007, INSTALLED IN 2008 AND NEVER PUT IN TO PRODUCTION, (2) 118" X 157" X 88,000 LB. CAP. ROTARY TABLES W/ 98" SLIDE, (2) 96" X 96" T-SLOTTED FLOOR PLATES, (2) 48" X 96" T-SLOTTED FLOOR PLATE, 360 DEGREE INDEXING HEAD ATTACHMENT, MOLD MAKING PACKAGE, TOOL MANAGEMENT FUNCTION, 629.9" X-AXIS TRAVEL, 196.85" Y-AXIS TRAVEL, 49.2" Z-AXIS TRAVEL, 59" W-AXIS TRAVEL, SPINDLE SPEED RANGES: 0 TO 2,200 RPM, NO. 50 TAPER SPINDLE, 360 DEGREE NC ROTARY TABLES W/ .001 DEGREE INCREMENTS, 120-POS. ATC, FANUC 310I CONTROL W/ MANUAL GUIDE I CONVERSATIONAL PROGRAMMING SYSTEM, PROCESS MONITORING & PROBING, RENISHAW MP10 W/ INFRARED SIGNAL TRANSMISSION, RENISHAW TS27R TOOL PROBE, ROTARY TABLE FIXTURE COMPENSATION	13	1	40 TON X 116' APPROX. SPAN WHITING CLASS E SINGLE HOOK OVERHEAD BRIDGE CRANE; S/N 12609, ASSET NO. 65100, 116'-4" SPAN, 12' TROLLEY SPAN, 9' CRANE HEIGHT, 40 TON MAIN HOIST, 38' LIFT (NEW 1998)
			14	1	75/30 TON X 116' APPROX. SPAN WHITING CLASS E DUAL HOOK OVERHEAD BRIDGE CRANE; S/N 12608, ASSET NO. 65099, 116'-4" SPAN, 12' TROLLEY SPAN, 9'9" CRANE HEIGHT, 75 TON MAIN / 30 TON AUX. HOISTS, 33' LIFT (NEW 1998)
			15	1	75/20 TON X 76' APPROX. SPAN P&H CLASS D DUAL HOOK OVERHEAD BRIDGE CRANE; S/N CI-29105, ASSET NO. 65090, 75'-11" SPAN, 11' TROLLEY SPAN, 9' CRANE HEIGHT, 75 TON MAIN / 20 TON AUX. HOISTS, 31' LIFT (NEW 1984)

Catalog for Auction: Allied Erecting

Lot Num	Qty.	Description	Lot Num	Qty.	Description
16	1	60/30 TON X 86' APPROX. SPAN KONE CLASS D DUAL HOOK OVERHEAD BRIDGE CRANE; S/N KCL06107, ASSET NO. 65070, 86'-6" SPAN, 13'3" TROLLEY SPAN, 9'6" CRANE HEIGHT, 60 TON MAIN / 30 TON AUX. HOISTS, 13'3" TROLLEY SPAN, 40' LIFT (NEW 2000)			
17	1	120/45 TON X 130' APPROX. SPAN VIRGINIA CRANE CLASS C DUAL HOOK OVERHEAD BRIDGE CRANE; S/N VC98-937, ASSET NO. 65076, 130' SPAN, 13' TROLLEY SPAN, 11' CRANE HEIGHT, 120 TON MAIN / 45 TON AUX. HOISTS, 46' LIFT, BRIDGES LOCATED IN ALLIED STORAGE YARD (NEW 1998)			
18	1	40 TON X 130' APPROX. SPAN ZENAR/VIRGINIA CLASS D SINGLE HOOK OVERHEAD BRIDGE CRANE; S/N 1997, ASSET NO. 65078, 130' SPAN, 10'4" TROLLEY SPAN, 8' CRANE HEIGHT, 40 TON MAIN HOIST, 51'6" LIFT (NEW 1990)			
19	1	45/15 TON X 130' APPROX. SPAN VIRGINIA CRANE CLASS C DUAL HOOK OVERHEAD BRIDGE CRANE; S/N VC98-938, ASSET NO. 65077, 130' SPAN, 13' TROLLEY SPAN, 8'5" CRANE HEIGHT, 45 TON MAIN / 15 TON AUX. HOISTS, 47' LIFT (NEW 1998)			