# Catalog for Auction: Associated Spring Bristol Plant

This catalog is meant merely as a guide. The Auctioneers do not warrant the accuracy, genuineness, authenticity, description, weight, count or measure of any of the lots specified herein.

Lot Num	Qty.	Description	L	ot Num	Qty. [	Description
		****START OF DAY 2 - LOTS		612	1	ECONOMY MODEL ESPL-68-2424 DIE LIFT;
		600-1150****				S/N 011941, 1,000 LB. LIFT CAPACITY, 24" X
600	1	MULTITON MIC MODEL SM20-62 ELECTF				24" PLATFORM AREA, FOOT TREADLE
		PALLET LIFT; S/N 0893A21036151103 (NE	EW -	613	1	PRESTO MODEL M178 DIE LIFT; S/N 34569,
		2003), 900 KG/ 1,984 LB. LIFT CAPACITY,				1,000 LB. LIFT CAPACITY, 24" X 24"
		1,575 MM / 62" LIFT HEIGHT, 42" FORK				PLATFORM AREA, FOOT TREADLE
		LENGTH, 12 VOLT BATTERY, PLUG INSI	DE	614	1	DIE LIFT WITH GRAND HYDRAULIC JACK,
		CHARGER				7/8" RAM DIAMETER, 500 LB.; S/N P-1877, 22"
601	1	MULTITON MIC MODEL SM20-62 ELECTR	RIC			X 24" PLATFORM AREA
		PALLET LIFT; S/N 0893A21236179103 (NE	ΕW	615	1	DIE LIFT WITH FOOT TREADLE, 17" X 25"
		2003), 900 KG/ 1,984 LB. LIFT CAPACITY,				PLATFORM AREA
		1,575 MM / 62" LIFT HEIGHT, 42" FORK		616	1	3/4 TON HEIN WERNER ENGINE LIFT; S/N
		LENGTH, 12 VOLT BATTERY, PLUG INSI	DE			A1592
		CHARGER		617	1	2 TON K TOOL INTERNATIONAL ENGINE
602	1	MULTITON MIC MODEL SM20-62 ELECTI	RIC			LIFT
		PALLET LIFT; S/N N/A (NEW 2003), 900 K	.G/	618	1	48" X 48" AIRLIFT TABLE
		1,984 LB. LIFT CAPACITY, 1,575 MM / 62"	LIFT	619	1	48" X 48" AIRLIFT TABLE
		HEIGHT, 42" FORK LENGTH, 12 VOLT		620	1	42" X 44" TILT TABLE WITH FOOT PEDAL
		BATTERY, PLUG INSIDE CHARGER		621	1	51" X 51" TILT TABLE WITH PENDANT
603	1	NOBLELIFT MODEL SFH22-63 MANUAL				CONTROL
		PALLET LIFT (NEW 2018), 2,200 LB.		622	1	42" X 48" BISHAMON ELEVATING TABLE
		CAPACITY, 40" VERTICAL, 36" FORK LEN	NGTH			WITH PENDANT CONTROL
604	1	ECONOMY MODEL MV-54 DIE LIFT; S/N		623	1	24" X 36" ELEVATING ROLLER TABLE LIFT
		0036809, 750 LB. LIFT CAPACITY, 54" LIF	Т			WITH PENDANT CONTROL
		HEIGHT, 24" X 24" PLATFORM AREA, HA	ND	624	1	AUTOQUIP MODEL 32J20 ELEVATING
		CRANK				PLATFORM, 2,000 LB. CAPACITY, 24" X 96"
605	1	ECONOMY MODEL MV-60 DIE LIFT; S/N		625	1	100 LB. DETECTO PARTS SCALE; S/N
		JD56883, 750 LB. CAPACITY, 60" LIFT				66X017
		HEIGHT, 24" X 24" LIFT PLATFORM ARE	Α,	626	1	DELETE
		HAND CRANK		627	1	200 LB. TOLEDO MODEL 31-0854 FIT PARTS
606	1	WESCO MODEL DPL-54-2230 DIE LIFT; S	S/N			SCALE WITH ARBOR PRESS TEST; S/N
		235710, 750 LB. LIFT CAPACITY, 54" LIFT	Ī			754335
		HEIGHT, 22" X 30' PLATFORM AREA, FO	OT	628	1	STRONGHOLD TWO-DOOR HEAVY DUTY
		TREADLE				CABINET - NO CONTENTS
607	. 1	WESCO MODEL DPL-54-2230 DIE LIFT; S	S/N	629	1	STRONGHOLD TWO-DOOR HEAVY DUTY
		229618, 750 LB. LIFT CAPACITY, 54" LIFT	Γ			CABINET - NO CONTENTS
		HEIGHT, 22" X 30" PLATFORM FOOT		629A	1	2-DOOR STRONGHOLD HD CABINET
		TREADLE		629B	1	2-DOOR STRONGHOLD HD CABINET
608	1	VESTIL MODEL HYDRA HD DIE LIFT, 1,0	00	629C	1	2-DOOR STRONGHOLD HD CABINET
		LB. CAPACITY, 24" LIFT HEIGHT, 21" X 2	4"	630	1	JESCO 2 CUBIC YARD SELF DUMPING
		PLATFORM AREA, FOOT TREADLE				HOPPER
609	1	VALLEYCRAFT MODEL 8565C BARREL I	_IFT;	631	1	JESCO 2 CUBIC YARD SELF DUMPING
		S/N 1003, 1,000 LB. CAPACITY	•			HOPPER
610	1	VALLEYCRAFT MODEL 8565B BARREL I	_IFT;	632	1	APPROX 1-1/2 CUBIC YARD SELF DUMPING
		S/N 0701, 1,000 LB. CAPACITY	,			HOPPER
611	1	ECONOMY DIE LIFT, 750 LB. CAPACITY,	24"	633	. 1	APPROX. 2 CUBIC YARD SELF DUMPING
		X 24" PLATFORM AREA, HAND CRANK				HOPPER

Lot Num	Qty.	Description	Lot Num	Qty. Description
634	1	APPROX. 2 CUBIC YARD SELF DUMPING HOPPER	661	1 APPROX. 1/4 CUBIC YARD SELF DUMPING HOPPER
635	1	APPROX. 1 CUBIC YARD SELF DUMPING	662	1 APPROX. 1/4 CUBIC YARD SELF DUMPING
636	1	HOPPER APPROX. 1 CUBIC YARD SELF DUMPING	663	HOPPER  1 APPROX. 1/4 CUBIC YARD SELF DUMPING
637	1	HOPPER APPROX. 1 CUBIC YARD SELF DUMPING	664	HOPPER 1 APPROX. 1/4 CUBIC YARD SELF DUMPING
638	1	HOPPER APPROX. 1 CUBIC YARD SELF DUMPING	665	HOPPER 1 APPROX. 1/4 CUBIC YARD SELF DUMPING
639	1	HOPPER APPROX. 1 CUBIC YARD SELF DUMPING	666	HOPPER 1 APPROX. 1/4 CUBIC YARD SELF DUMPING
640	1	HOPPER APPROX. 1 CUBIC YARD SELF DUMPING	667	HOPPER 1 APPROX. 1/4 CUBIC YARD SELF DUMPING
641	1	HOPPER APPROX. 1 CUBIC YARD SELF DUMPING	668	HOPPER 1 APPROX. 1/4 CUBIC YARD SELF DUMPING
642		HOPPER APPROX. 1 CUBIC YARD SELF DUMPING	669	HOPPER 1 APPROX. 1/4 CUBIC YARD SELF DUMPING
		HOPPER		HOPPER
643		APPROX. 1 CUBIC YARD SELF DUMPING HOPPER	670	1 APPROX. 1/4 CUBIC YARD SELF DUMPING HOPPER
644	1	APPROX. 1 CUBIC YARD SELF DUMPING HOPPER	671	1 APPROX. 1/4 CUBIC YARD SELF DUMPING HOPPER
645	1	APPROX. 1 CUBIC YARD SELF DUMPING HOPPER	672	1 APPROX. 1/4 CUBIC YARD SELF DUMPING HOPPER
646	1	APPROX. 1 CUBIC YARD SELF DUMPING HOPPER	673 674	<ul><li>1 ASSORTMENT OF SCRAP METALS</li><li>1 ASSORTEMENT OF SHOP VACUUMS AND</li></ul>
647	1	APPROX. 1 CUBIC YARD SELF DUMPING HOPPER	675	TRASH CANS 1 NEW ENGLAND OVEN AND FURNACE
648	1	APPROX. 1 CUBIC YARD SELF DUMPING HOPPER	0,0	MODEL CONV PASS THRU OVEN; S/N 10-3528-5, 850 DEGREE MAX TEMP, 19"
649	1	APPROX. 1 CUBIC YARD SELF DUMPING HOPPER		MESH METAL BELT WIDTH, WITH EUROTHERM TEMP CONTROL, WATLOW EZ
650		1/2 CUBIC YARD SELF DUMPING HOPPER		ZONE GAGE, BALDOR DE BELT DRIVE WITH
651 652		1/2 CUBIC YARD SELF DUMPING HOPPER 1/2 CUBIC YARD SELF DUMPING HOPPER	676	VARIABLE SPEED, 3/60/480 VOLT, 30 KW  1 NEW ENGLAND OVEN AND FURNACE
653		1/2 CUBIC YARD SELF DUMPING HOPPER	070	MODEL CONV PASS THRU OVEN; S/N
654		1/2 CUBIC YARD SELF DUMPING HOPPER		10-3258-3, 850 DEGREE MAX TEMP, 19"
655		APPROX. 1/2 CUBIC YARD SELF DUMPING HOPPER		MESH METAL BELT WIDTH, WITH EUROTHERM TEMP CONTROL, WATLOW EZ
656	1	APPROX. 1/2 CUBIC YARD SELF DUMPING HOPPER		ZONE GAGE, BALDOR DE BELT DRIVE WITH VARIABLE SPEED, 3/60/480 VOLT, 30 KW
657	1	APPROX. 1/2 CUBIC YARD SELF DUMPING HOPPER	677	1 NEW ENGLAND OVEN AND FURNACE MODEL CONV PASS THRU OVEN; S/N
658	1	APPROX. 1/2 CUBIC YARD SELF DUMPING HOPPER		10-3258-2, 850 DEGREE MAX TEMP, 19" MESH METAL BELT WIDTH, WITH
659	1	APPROX. 1/2 CUBIC YARD SELF DUMPING HOPPER		EUROTHERM TEMP CONTROL, WATLOW EZ
660	3	APPROX. 1/4 CUBIC YARD SELF DUMPING HOPPERS		ZONE GAGE, BALDOR DE BELT DRIVE WITH VARIABLE SPEED, 3/60/480 VOLT, 30 KW

Lot Num	Qty.	Description	Lot Num	Qty. Description
678	1	NEW ENGLAND OVEN AND FURNACE	684	1 ABACUS AUTOMATION MODEL 2572 HEAT
		MODEL CONV PASS THRU OVEN; S/N		SET PRESS LINE; S/N 01459, CONSISTING
		10-3258-6, 850 DEGREE MAX TEMP, 19"		OF NEFF HEATED PLATEN PRESS; S/N
		MESH METAL BELT WIDTH, WITH		10460 (NEW 9/1996), APPROX. 30 TON,
		EUROTHERM TEMP CONTROL, WATLOW EZ		11-1/2" X 19" BED AREA, 4" RAM CYLINDER
		ZONE GAGE, BALDOR DE BELT DRIVE WITH		DIAMETER, 15" CIRCULAR HEATING
		VARIABLE SPEED, 3/60/480 VOLT, 30 KW		ELEMENT, TWO-AXIS ROBOT WITH PARTS
679	1	NEW ENGLAND OVEN AND FURNACE		STACKER, ROUND GUIDEWAY WITH BALL
		MODEL CONV PASS THRU OVEN; S/N		SCREW FOR PARTS OFFLOAD, UPPER AND
		10-3258-, 850 DEGREE MAX TEMP, 19" MESH		LOWER EUROTHERM DIGITAL
		METAL BELT WIDTH, WITH EUROTHERM		TEMPERATURE GAUGES, WATLOW
		TEMP CONTROL, WATLOW EZ ZONE GAGE,		DIGIT5AL MONITORS FOR OIL AND KNEE
		BALDOR DE BELT DRIVE WITH VARIABLE		SINGLE JOE AND AUTO BYCLES, PARKER
		SPEED, 3/60/480 VOLT, 30 KW		HYDRAULIC, ITW CHILLER
680	1	CROWN MODEL 5024W/BO STAINLESS	685	1 ABACUS AUTOMATION MODEL 2572 HEAT
		STEEL CONTINUOUS BELT PARTS WASHER	·	SET PRESS LINE; S/N 01461, CONSISTING
		S/N 45181 (NEW 4/2014), 24" METAL LINK		OF NEFF HEATED PLATEN PRESS; S/N
		BELT WIDTH, WASH SOLUTION STAGE,		10458 (NEW 9/1996), APPROX. 30 TON,
		BLOW OFF STAGE, 318 GALLON WATER		11-1/2" X 19" BED AREA, 4" RAM CYLINDER
		RESERVOIR, MENCOM COMMUNICATION		DIAMETER, 15" CIRCULAR HEATING
		PORT, SEPARATION DYNAMICS FILTRATION		ELEMENT, TWO-AXIS ROBOT WITH PARTS
		SYSTEM, ALLEN BRADLEY PANEL VIEW		STACKER, ROUND GUIDEWAY WITH BALL
		PLUS 600 PLC CONTROLLER, 3/60/480 VOLT		SCREW FOR PARTS OFFLOAD, UPPER AND
681	1	ABTEX MODEL 2000-P-3-10-W 4PHFT00		LOWER EUROTHERM DIGITAL
		DEBURRING PASS THRU PARTS FINISHER;		TEMPERATURE GAUGES, WATLOW
		S/N 2014AS0074 (NEW 2014), 12" RUBBER		DIGIT5AL MONITORS FOR OIL AND KNEE
		BELT WIDTH, (2) DEBURRING HEADS, 24"		SINGLE JOE AND AUTO BYCLES, PARKER
		DEBURRING HEAD DIAMETER, DS TRI-TEN		HYDRAULIC, WELDCRAFT CHILLER
		SERIES, ROYAL FILTERMIST, COOLANT	686	1 ABACUS AUTOMATION MODEL 2296 HEAT
		SYSTEM WITH PUMPS AND MAGNETIC		SET PRESS LINE; S/N 01430, CONSISTING
		SEPERATOR WITH ALLEN BRADLEY		OF AIR HYDRAULICS MODEL SH500 HEATED
		PANELVIEW PLUS 1000 PLC CONTROLLER		PLATEN PRESS; S/N 5230D, APPROX. 20
682	1	ABTEX DEBURRING BRUSHES, DRIVE		TON, 10" X 18" BED, 3.25" RAM CYLINDER
		BELTS, SPARE METAL WIRE BELT, CENTER		DIAMETER, 12" CIRCULAR HEAT ELEMENT
		DIRVE SPINDLES AND BRUSH SPINDLE		TWO AXIS ROBOT WITH PARTS STACKER,
		BEARINGS NEW IN BOX		ROUND GUIDEWAY WITH BALL SCREW FOR
683	1	ABACUS AUTOMATION MODEL 2572 HEAT		PARTS OFFLOAD, UPPER AND LOWER
		SET PRESS LINE; S/N 01458, CONSISTING		EUROTHERM DIGITAL TEMPERATURE
		OF NEFF HEATED PLATEN PRESS; S/N		GAUGES, WATLOW AND ORION DIGITAL
		10459 (NEW 9/1996), APPROX. 30 TON,		MONITORS, SINGLE JOE AND AUTO
		11-1/2" X 19" BED AREA, 4" RAM CYLINDER		CYCLES, PARKER HYDRAULICS, WELD
		DIAMETER, 15" CIRCULAR HEATING		CRAFT CHILLER
		ELEMENT, TWO-AXIS ROBOT WITH PARTS		
		STACKER, ROUND GUIDEWAY WITH BALL		
		SCREW FOR PARTS OFFLOAD, UPPER AND		
		LOWER EUROTHERM DIGITAL		
		TEMPERATURE GAUGES, WATLOW		
		DIGIT5AL MONITORS FOR OIL AND KNEE		
		SINGLE JOE AND AUTO BYCLES, PARKER		
		HYDRAULIC, ITW CHILLER		

Lot Num	Qty.	Description	Lot Num	Qty. Description
687	1	ABACUS AUTOMATION MODEL 2296 HEAT	690	1 ABACUS AUTOMATION MODEL 2296 HEAT
		SET PRESS LINE; S/N 01430, CONSISTING OF AIR HYDRAULICS MODEL 5230B HEATED		SET PRESS LINE; S/N 01430, CONSISTING OF AIR HYDRAULICS MODEL SH500 HEATED
		PLATEN PRESS; S/N 5230D, APPROX. 20		PLATEN PRESS; S/N 5230F, APPROX. 20
		TON, 10" X 18" BED, 3.25" RAM CYLINDER		TON, 10" X 18" BED, 3.25" RAM CYLINDER
		DIAMETER, 12" CIRCULAR HEAT ELEMENT		DIAMETER, 12" CIRCULAR HEAT ELEMENT
		TWO AXIS ROBOT WITH PARTS STACKER,		TOW AXIS ROBOT WITH PARTS STACKER,
		ROUND GUIDEWAY WITH BALL SCREW FOR	e e e e e La companya di santa	ROUND GUIDEWAY WITH BALL SCREW FOR
		PARTS OFFLOAD, UPPER AND LOWER	•	PARTS OFFLOAD, UPPER AND LOWER
		EUROTHERM DIGITAL TEMPERATURE		EUROTHERM DIGITAL TEMPERATURE
		GAUGES, WATLOW AND ORION DIGITAL		GAUGES, WATLOW AND ORION DIGITAL
		MONITORS, SINGLE JOE AND AUTO		MONITORS, SINGLE JOE AND AUTO
		CYCLES, PARKER HYDRAULICS, WELD		CYCLES, PARKER HYDRAULICS, WELD
		CRAFT CHILLER		CRAFT CHILLER
688	1	ABACUS AUTOMATION MODEL 2572 HEAT	691	1 ABACUS AUTOMATION MODEL 2296 HEAT
		SET PRESS LINE; S/N 01460, CONSISTING		SET PRESS LINE; S/N 01430, CONSISTING
		OF NEFF PRESS; S/N 10461 (NEW 9/1996),		OF AIR HYDRAULICS MODEL SH500 HEATED
		APPROX. 20 TON, 10" X 18" BED, 3.25" RAM		PLATEN PRESS; S/N 5230C, APPROX. 20
		CYLINDER DIAMETER, 12" CIRCULAR HEAT		TON, 10" X 18" BED, 3.25" RAM CYLINDER
		ELEMENT TWO AXIS ROBOT WITH PARTS		DIAMETER, 12" CIRCULAR HEAT ELEMENT
		STACKER, ROUND GUIDEWAY WITH BALL		TOW AXIS ROBOT WITH PARTS STACKER,
		SCREW FOR PARTS OFFLOAD, UPPER AND		ROUND GUIDEWAY WITH BALL SCREW FOR
		LOWER EUROTHERM DIGITAL		PARTS OFFLOAD, UPPER AND LOWER
		TEMPERATURE GAUGES, WATLOW AND		EUROTHERM DIGITAL TEMPERATURE
		ORION DIGITAL MONITORS, SINGLE JOE		GAUGES, WATLOW AND ORION DIGITAL
		AND AUTO CYCLES, PARKER HYDRAULICS,		MONITORS, SINGLE JOE AND AUTO
		BERNARD BRAND CHILLER		CYCLES, PARKER HYDRAULICS, WELD
689	1	ABACUS AUTOMATION MODEL 2296 HEAT		CRAFT CHILLER
		SET PRESS LINE; S/N 01430, CONSISTING	692	1 ABACUS AUTOMATION MODEL 2296 HEAT
		OF AIR HYDRAULICS MODEL SH500 HEATED	)	SET PRESS LINE; S/N 01430, CONSISTING
		PLATEN PRESS; S/N 5230E, APPROX. 20		OF AIR HYDRAULICS MODEL SH500 HEATED
		TON, 10" X 18" BED, 3.25" RAM CYLINDER		PLATEN PRESS; S/N 5230A, APPROX. 20
		DIAMETER, 12" CIRCULAR HEAT ELEMENT		TON, 10" X 18" BED, 3.25" RAM CYLINDER
		TOW AXIS ROBOT WITH PARTS STACKER,		DIAMETER, 12" CIRCULAR HEAT ELEMENT
		ROUND GUIDEWAY WITH BALL SCREW FOR	₹	TOW AXIS ROBOT WITH PARTS STACKER,
		PARTS OFFLOAD, UPPER AND LOWER		ROUND GUIDEWAY WITH BALL SCREW FOR
		EUROTHERM DIGITAL TEMPERATURE		PARTS OFFLOAD, UPPER AND LOWER
		GAUGES, WATLOW AND ORION DIGITAL		EUROTHERM DIGITAL TEMPERATURE
		MONITORS, SINGLE JOE AND AUTO		GAUGES, WATLOW AND ORION DIGITAL
		CYCLES, PARKER HYDRAULICS, WELD		MONITORS, SINGLE JOE AND AUTO
		CRAFT CHILLER		CYCLES, PARKER HYDRAULICS, BERNARD
				CHILLER

Lot Num	Qty.	Description	Lot Num	Qty. Description
693	1	ABACUS AUTOMATION MODEL 2296 HEAT SET PRESS LINE; S/N 01430, CONSISTING	696	1 25 TON MAGNUM MODEL MCB25SP HYDRAULIC HEATED PLATEN PRESS; S/N
		OF AIR HYDRAULICS MODEL SH500 HEATED	) }	2012130 (NEW 1/2013), 12-1/2" X 22" BED, 7"
		PLATEN PRESS; S/N 5230G, APPROX. 20		HEATING ELEMENT DIAMETER, STROKE /
		TON, 10" X 18" BED, 3.25" RAM CYLINDER		BORE 10/5", MAX PSI 2,500, 5 HP, EQUIPPED
		DIAMETER, 12" CIRCULAR HEAT ELEMENT		WITH ALLEN BRADLEY PANELVIEW, 600
		TOW AXIS ROBOT WITH PARTS STACKER,		PVC CONTROLLER, WATLOW OIL, UPPER
		ROUND GUIDEWAY WITH BALL SCREW FOR		AND LOWER TEMP, AND KNEE DIGITAL
		PARTS OFFLOAD, UPPER AND LOWER		READOUT, DUAL BANNER FINGER SAFETY
		EUROTHERM DIGITAL TEMPERATURE		SWITCHES, OMRON LIGHT SAFETY
		GAUGES, WATLOW AND ORION DIGITAL		CURTAINS, CYDE END LAMP, VALLY
		MONITORS, SINGLE JOE AND AUTO		PRESSURE GAGE, MILLER CHILLER
		CYCLES, PARKER HYDRAULICS, DYNAFLUX	697	1 30 TON GREENERD MODEL HPB-30
		CHILLER	001	HYDRAULIC HEATED PLATEN PRESS; S/N
693A	1	STRONGHOLD TWO DOOR SHOP CABINET		13T7073 (NEW 8/2013), 13" X 22" BED, 6"
		AND CONTENTS - HEAT SET PRESS PARTS		STROKE, 4" CYLINDER DIAMETER, 10"
694	1	30 TON MAGNUM MODEL MCB30		HEATING ELEMENT DIAMETER WITH ALLEN
		HYDRAULIC HEATED PLATEN PRESS; S/N		BRADLEY PANELVIEW C300 PLC
		2015111 (NEW 1-2016), 12-1/2" X 22" BED		CONTROLLER, WATLOW AND DURANT
		AREA, 11" HEATING ELEMENT DIAMETER,		DIGITAL READOUTS, ALLEN BRADLEY
		STROKE / BORE 10/6, MAX PSI 2,500, 5 HP,		GUARDSHELD LIGHT CURTAIN SAFETY
		WITH ALLEN BRADLEY PANELVIEW, 600		DEVICE, BANNER FINGER SAFETY DEVICES,
		PVC CONTROLLER, WATLOW OIL, UPPER		MILLER CHILLER
		AND LOWER TEMP, AND KNEE DIGITAL	698	1 25 TON MAGNUM MODEL MCB25SP
		READOUT, DUAL BANNER FINGER SAFETY		HYDRAULIC HEATED PLATEN PRESS; S/N
		SWITCHES, OMRON LIGHT SAFETY		2012132 (NEW 1/2013), 12-1/2" X 22" BED, 7"
		CURTAINS, CYDE END LAMP, VALLY		HEATING ELEMENT DIAMETER, STROKE /
		PRESSURE GAGE, MILLER CHILLER		BORE 10/5", MAX PSI 2,500, 5 HP, EQUIPPED
695	1	30 TON MAGNUM MODEL MCB30		WITH ALLEN BRADLEY PANELVIEW C300 PL
		HYDRAULIC HEATED PLATEN PRESS; S/N		CONTROLLER, WATLOW TEMPERATURE
		2015110 (NEW 1-2016), 12-1/2" X 22" BED		DIGITAL READOUTS, FINGER GUARD,
		AREA, 11" HEATING ELEMENT DIAMETER,		SAFETY DEVICES, LIGHT GUARD SAFETY
		STROKE / BORE 10/6, MAX PSI 2,500, 5 HP,		DEVICE
		WITH ALLEN BRADLEY PANELVIEW, 600	699	1 30 TON MAGNUM MODEL MCB30
		PVC CONTROLLER, WATLOW OIL, UPPER		HYDRAULIC HEATED PLATEN PRESS; S/N
		AND LOWER TEMP, AND KNEE DIGITAL		2015112 (NEW 1-2016), 12-1/2" X 22" BED
		READOUT, DUAL BANNER FINGER SAFETY		AREA, 11" HEATING ELEMENT DIAMETER,
		SWITCHES, OMRON LIGHT SAFETY		STROKE / BORE 10/6, MAX PSI 2,500, 5 HP,
		CURTAINS, CYDE END LAMP, VALLY		WITH ALLEN BRADLEY PANELVIEW, 600
		PRESSURE GAGE, MILLER CHILLER		PVC CONTROLLER, WATLOW OIL, UPPER
				AND LOWER TEMP, AND KNEE DIGITAL
				READOUT, DUAL BANNER FINGER SAFETY
				SWITCHES, OMRON LIGHT SAFETY
				CURTAINS, CYDE END LAMP, VALLY
				PRESSURE GAGE, MILLER CHILLER

Lot Num	Qty.	Description	Lot Num	Qty. Description
700	1	30 TON MAGNUM MODEL MCB30	710	1 1 TON HOIST RAIL WITH BUDGIT 1 TON
		HYDRAULIC HEATED PLATEN PRESS; S/N		ELECTRIC HOIST WITH PENDANT
		2015109 (NEW 1-2018), 12-1/2" X 22" BED	711	1 RACK OF SHEET STEEL, WIRE, MESH AND
		AREA, 11" HEATING ELEMENT DIAMETER,		DIAMOND PLATE
		STROKE / BORE 10/6, MAX PSI 2,500, 5 HP,	712	1 1/2 TON AND 1 TON BUDGIT ELECTRIC
		WITH ALLEN BRADLEY PANELVIEW, 600		HOISTS WITH TABLE, NO PENDANTS
		PVC CONTROLLER, WATLOW OIL, UPPER	713	3 TWO-DOOR SHOP CABINETS
		AND LOWER TEMP, AND KNEE DIGITAL	714	1 DOALL MODEL V16 VERTICAL BANDSAW;
		READOUT, DUAL BANNER FINGER SAFETY		S/N 1651849, 16" THROAT DEPTH, 20-1/2" X
		SWITCHES, OMRON LIGHT SAFETY		20-1/2" TABLE AREA, BAND AND FILE
		CURTAINS, CYDE END LAMP, VALLY		LENGTH, 120" WITH BLADE WELDER /
		PRESSURE GAGE, BERNARD CHILLER		GRINDER WORKLIGHT
701	2	BERNARD CHILLERS	715	1 6" WILTON VERTICAL BELT SANDER WITH
702	4	MILLER CHILLERS		EXTRA BELTS
703	1	HOLCROFT CONVEYOR TYPE DRAW	716	1 WATERLOO ROLLING TOOL CHEST AND
		FURNACE; JOB NO. 3550D1, ORDER NO.		CONTENTS
		6828, 36" METAL MESH BELT WIDTH,	717	1 ROLLING TOOL CABINET WITH CONTENTS
		RELIANCE VARISPEED BELT DRIVE,	718	1 WORKBENCH, (2) CABINETS AND
		HONEYWELL CHART RECORDER,		CONTENTS
		HONEYWELL DIGITAL READOUT, CLEAN,	719	1 8' CHICAGO DRIFS AND KRUMP MODEL L-37
		HARDENING UNIT WITH WASH AND		BOX AND PAN BRAKE; S/N 118516, (22)
		QUENCH, (2) DRAWS, 432 LB. PER HOUR		FINGERS
		RATING, 1,000 DEGREE MAX TEMP, TIME IN	720	1 4' CHICAGO MODEL 414 APRON BRAKE; S/N
		FURANCE VARIABLE 16-96 MINUTES, LEEDS	3	41043
		AND NORTHRUP OVER TEMP CONTROL	721	1 HEAVY DUTY PALLET RACKING WITH
		SAFETY SHUT OFF VALVE		CONTENTS
704	1	NIEDERBERGER DUAL BELT PASS THRU	722	1 ANGLE PLATES AND SQUARE BLOCKS
		BELT SANDER; S/N 650066, 6" BELT WIDTH,	723	3 5" VISES, (1) REED, (2) COLUMBIAN
		38-1/2" PULLY CL TO PULLEY CL, 6"	724	1 6" BRIDGEPORT MILLING VISE
		TRANSFER BELT WIDTH, COOLANT, EXTRA		1 ATLAS MODEL 200 POSITIONER; S/N 6124,
		ABRASIVE BELTS, CONTROL PANEL, CYCLE		10" ROUND TABLE AREA, FOOT PEDAL
		END LAMP		CONTROL
705	1	4" VERTICAL BELT SANDER WITH 6" X 12"	726	7 VISES
		MAGNETIC CHUCK ON ROLLING CART	727	1 48" X 72" HEAVY DUTY METAL TABLE
706	1	12" X 30" THOMPSON MODEL B	728	1 30" X 36" METAL TABLE WITH BLACKSMITH
		HORIZONTAL SPINDLE SURFACE GRINDER;		ANVIL TOOLS, SHEET MAGNET
		S/N B656943, WITH 12" X 30"	729	1 15" BUFFALO NO. 15 TWO SPINDLE GANG
		ELECTROMAGNETIC CHUCK WITH		DRILL, 16" X 32" TABLE, (2) 1/2 HP SPINDLE
		NEUTROFIER CONTROL, COOLANT, SIDE		MOTORS, 16" DISTANCE BETWEEN SPINDLE
		MOUNTED WELL DRESSER		CENTERLINES
707	1	LODGE AND SHIPLEY MODEL 2CT40	730	1 14" RACINE POWER HACKSAW, 1.5 HP
		POWER SQUARING SHEAR; S/N 47136, 12	731	1 PEXTO MODEL 416-E PLATE BENDING
		GAUGE X 44", 120 SPM, 1-1/2 HP, WITH FOO	Т	ROLL; S/N 5/64, 36" X 14-16 GAUGE
		PEDAL, 38" SQUARING ARM, (4) HYDRAULIC		CAPACITY, FORWARD REVERSE SWITCH
		SHEET HOLD DOWNS, 24" MANUAL FRONT	732	1 RIGID MODEL 500 POWER PIPE AND TUBE
		OPERATED BACK GAUGE		THREADER; S/N 502343, WITH FOOT PEDAL,
708	7	SHOP LADDERS, LOUISVILLE AND WERNER	}	DUAL 500 THREADING DIE, PIPE CUTOFF
		BRANDS, (3) 4', (3) 6' AND (1) 10'		ATTACHMENT, END REAMINGS
709	1	OXY ACTELYNE CART WITH HOSES AND		ATTACHMENT
		GAUGES		

Lot Num	Qty.	Description	Lot Num	Qty. Description
733	1	WA WHITNEY MODEL 610-069 HYDRAULIC NOTCHER; S/N 610-069-8201, 18 TON WITH V-BENDING ATTACHMENT, ON ROLLING	743	1 WISCONSIN OVEN CORP MODEL TOP FLOW / E8.5 ELECTRIC CONTINUOUS BELT ELECTRIC OVEN; S/N 02288A1008, 850
		CART, 4" X 4" X 1/4" NOTCHING CAPACITY		DEGREE F MAX TEMP, 72 KW, 20" WIDE
734	1	AERCOLOGY MODEL WA1000 WELD AIR PORTABLE AIR CLEANER; S/N 49225, 1-1/2	744	BELT **SUBJECT TO OVERALL BID**  1 OVERALL DIE QUENCH LINE - LOTS 740-743
735	1	HP, 3/100/120 VOLT FANUC MODEL M-10iA ROBOT; S/N		AND INCLUDING ABACUS MODEL 4469A MASTER CONTROL PANEL AND ALUMINUM
		R128015A, WITH FANUC SYSTEM R-30iA CONTROL PANEL (2012) **SUBJECT TO	745	FRAME ENCLOSURE  1 FANUC MODEL M-6ib ROBOT; S/N
736	1	OVERALL BID** 100 KW THERMATOOL RADYNE MODEL		R02375270, WITH FANUC SYSTEM R-J3iB CONTROLS **SUBJECT TO OVERALL BID**
		CFM3-1006460 INDUCTION HEATER; S/N 2778, 2-STATION HEAT STATION AND 10-STATION ROTARY PARTS LOADER AND RADYNE TRANSFORMER **SUBJECT TO	746	1 100 KW THERMATOOL / RADYNE MODEL CFM3-1006460 INDUCTION HEATER; S/N 2644, HEAT STATION, 10-STATION ROTARY PARTS LOADER, THERMATOOL
737	2	OVERALL BID** 10" DIAMETER HYDRUALIC PLATEN		TRANSFORMER, COOLING STATION **SUBJECT TO OVERALL BID**
	_	PRESSES WITH PARKER V-PAK HYDRAULIC UNISTAND TTP MODEL RM-08-42 HEAT EXCHANGERS WITH 10" WIDE TRANSFER CONVEYOR AND PICK-OFF ARM **SUBJECT		2 10" DIAMETER HYDRUALIC PRESSES, PARKER V-PAK HYDRUALIC UNIS, HEAT EXCHANGER, 10" WIDE OFF CONVEYOR WITH PARK PICK-OFF ARM **SUBJECT TO
700		TO OVERALL BID**		OVERALL BID**
738	1	GRIEVE MODEL BELT CONVEYOR CONTINUOUS BELT ELECTRIC OVEN; S/N 119660A0417, 800 DEGREE F MAX TEMP, 80KW, LARGEST MOTOR 5 HP **SUBJECT	748	1 GRIEVE MODEL BELT CONVEYOR CONTINUOUS BELT ELECTRIC OVEN; S/N 117554A0616, 80 KW, 18" WIDE BELT **SUBJECT TO OVERALL BID**
739	1	TO OVERALL BID**  OVERALL DIE QUENCH LINE - LOTS 735-738  AND INCLUDING ABACUS MODEL 5203A	749	1 OVERALL DIE QUENCH LINE - LOTS 745-749 AND INCLUDING CENTRAL CONTROL PANEL AND ALUMINUM FRAME ENCLOSURE
		MASTER CONTROL PANEL AND ALUMINUM FRAME ENCLOSURE	750	1 FANUC MODEL LR MATE 2001B ROBOT WITH FANUC SYSTEMS R-J31B MATE ROBOT
740	1	FANUC MODEL M-6iB ROBOT WITH FANUC SYTEM R-J3iB CONTROLS **SUBJECT TO		CONTROL; S/N E03200414 **SUBJECT TO OVERALL BID**
741	1	OVERALL BID**  100 KW THERMALTOOL / RADYNE MODEL CFM-3.7-1006460 INDUCTION HEATER; S/N	751	1 240 KVA LEPEL MDOEL T-100-3-KC-TL INDUCTION HEATER; S/N 8802T52, TYPE T-10001-34 **SUBJECT TO OVERALL BID**
		2515, HEAT STATION, 12-STATION ROTARY PARTS LOADER, THERMALTROL TRANSFORMER AND 2-PUMP COOLING STATION **SUBJECT TO OVERALL BID**	752	2 AIR HYDRUALICS MODEL C-400 FORMING PRESSES WITH 10" WIDE OFF-LOAD INCLINE CONVEYOR AND OFF LOAD STATION **SUBJECT TO OVERALL BID**
742	2	10" DIAMETER HYDRUALIC PLATEN PRESSES WITH PARKER HYDRAULIC UNITS AND HEAT EXCHANGER AND 10" PARTS TRANSFER CONVEYOR WITH PICK-OFF	753 S	1 375 KW THERMAL BASICS TYPE TEMPER CONTINOUS BELT ELECTRIC OVEN; S/N 393-1920, 12" WIDE BELT **SUBJECT TO OVERALL BID**
		ARM **SUBJECT TO OVERALL BID**	754	1 OVERALL DIE QUENCH LINE - LOTS 750-753 AND INCLUDING CENTRAL CONTROL PANEL
			755	1 FANUC TYPE A05B-1204-B212 ROBOT; S/N R93X35829 FANUC SYSTEM, R-J CONTROLS **SUBJECT TO OVERALL BID**

Lot Num	Qty.	Description	Lot Num	Qty. [	Description
756	1	114 KVA LEPEL MODEL LST-34 INDUCTION	771	. 1	20 KVA LEPEL MODEL LSS-15 POWER
		HEATER; S/N 1-37264-2 **SUBJECT TO			SUPPLY; S/N E-45341
		OVERALL BID**	772	1	FANUC MODEL M-6iB ROBOT; S/N
757	2	10 TON GREENERD MODEL HPB-10			R022752210, PARTS MACHINE
		HYDRAULIC PRESSES WITH 10" WIDE	773	1	(LOT) CONTAINER WITH DIE QUENCH /
		OFF-LOAD CONVEYOR **SUBJECT TO			OVEN PARTS
	,	OVERALL BID**	774	_ 1	(LOT) CONTAINER WITH DIE QUENCH /
758	1	MOTOMAN TYPE YR-UP6-A02 ROBOT; S/N			OVEN PARTS
		S9M276-1-3-3 WITH YASNAC XRC-UP6	775	8	HEATING ELEMENTS
		CONTROLS **SUBJECT TO OVERALL BID**	776	1	(LOT) METARIS MODEL V2010 2-STAGE
759	1	24" WIDE BELT THERMAL BASIC ELECTRIC			HYDRAULIC PUMP AND PENINSULAR
		CONTINUOUS BELT ELECTRIC OVEN			HYDRAULIC CYLINDER (BOTH NEW)
	•	**SUBJECT TO OVERALL BID**	777	1	2-DOOR CABINET WITH FURNANCE PARTS
760	1	OVERALL DIE QUENCH LINE - LOTS 755-759	778	1	(LOT) PIGEON HOLE AND 2-DOOR
		INCLUDING MIRAGE CENTRAL CONTROL			CABINETS WITH PARTS
		PANEL	779	1	LISTA CABINET WITH FURNACE AND
761	1	FANUC MODEL LR MATE 2001B ROBOT; S/N			OTHER PARTS
		R02113827 WITH FANUC SYSTEMS R-J3IB	780	1	HARDWARE INDEX
		MATE ROBOT CONTROL; S/N E01Z01008	781	1	(LOT) ASSORTED MACHINE PARTS
		**SUBJECT TO OVERALL BID**	782	3	2-DOOR CABINETS WITH HARDWARE AND
762	1	INDUCTION HEAT SYSTEM WITH CHILLER			MACHINE PARTS
		**SUBJECT TO OVERALL BID**	783	1	****TRANE MODEL RTWA1254XA01D1COWT
763	2	AIR-HYDRUALICS MODEL C300A			CHILLER; S/N U95K00036 (R22), BAC MODEL
		HYDRAULIC PRESSES WITH OFF-LEAD			EC5-101-2MH ENER-CHANGER PRESS; S/N
		CONVEYOR **SUBJECT TO OVERALL BID**			95101367, BAC MODELS RS1390R AND
764	1	NEW ENGLAND OVEN AND FURNACE CO			RS946R TANKS, (4) 20 HP PUMPS, (3) 10 HP
		MODEL CONV CONTINUOUS BELT			PUMPS, VALVES, PIPING **NOTE - ANY
		ELECTRIC OVEN; S/N 10-3528-4, 18' WIDE			OPENINGS IN ROOF MUST BE CAPPED**
		BELT **SUBJECT TO OVERALL BID**			**SUBJECT TO HIGH BID CONFIRMATION**
765	1	OVERALL DIE QUENCH LINE - LOTS 761-764	784	1	****300 TON (APPROX.) BALTIMORE AIR
		AND INCLUDING MIRAGE CENTRAL			COIL MODEL PT2-0812A-1L1/Q COOLING
		CONTROL PANEL			TOWER; S/N U187862501-01-01, BELT NO.
766	1	FANUC MODEL A05B-1212-B202 ROBOT; S/N			4R-B162 (NEW APPROX. 2020) **SUBJECT
		R978760043 WITH SYSTEM R-2J CONTROLS			TO HIGH BID CONFIRMATION**
		**SUBJECT TO OVERALL BID**	785	1	METFIN SERIES I MODEL 600 46" RUBBER
767	1	LEPEL POWER HEAT INDUCTION SYSTEM			BELT BARREL BLAST MACHINE WITH DUST
		WITH CONTROL PANEL, TRANSFORMER			COLLECTOR; S/N 1157, WITH WEBSTER
		AND CHILLER UNIT **SUBJECT TO OVERALL			INDUSTRIES SIZE 18/24 MODEL FS SHAKER
		BID**			TABLE
768	2	HYDRUALIC FORMING PRESSES WITH	786	2	WOODCRAFT LOAD CONVEYORS; (1) 12"
		PARKER HYDRAULIC UNITS WITH			WIDE X 12' HORIZONTAL CONVEYOR AND
		TRANSFER CONVEYOR **SUBJECT TO			(1) 12" WIDE X 20' INCLINE CONVEYOR
		OVERALL BID**	787	1	OPEN
769	1	84 KW NEW ENGLAND MODEL CONV.1-14-1	788	1	METFIN SERIES I MODEL 600 46" RUBBER
		CONTINUOUS BELT ELECTRIC OVEN; S/N			BELT BARREL BLAST MACHINE WITH DUST
		10-4077, 18" WIDE BELT **SUBJECT TO			COLLECTOR; S/N 1167, WITH WEBSTER
		OVERALL BID**			INDUSTRIES SIZE 18/24 MODEL FS SHAKER
770	1	OVERALL DIE QUENCH LINE LOTS 766-769			TABLE
		AND INCLUDING ABACUS MODEL 2805AC	789	1	16" WIDE X 20' LONG TITAN STEEL BELT
		CENTRAL CONTROL PANEL		•	INCLINE LOAD CONVEYOR

Lot Num	Otv	Description	Lot Num			Description
		:				
790	1	(LOT) 46" WIDE X 147" LONG METFIN	810	•		56" DIAMETER / 23 CUBIC FOOT ALMCO
		RUBBER BELT AND (2) METFIN P/N 4800004				VIBRATORY BOWL FINISHING BOWL
704		FILTERS (NEW)	044		4	**SUBJECT TO OVERALL BID**
791	1	PANGBORN MODEL 1000 DUST	811		1	56" DIAMETER / 23 CUBIC FOOT ALMCO
700	4	COLLECTOR; S/N 0069234				VIBRATORY BOWL FINISHING BOWL **SUBJECT TO OVERALL BID**
792	1	PANGBORN MODEL 1-S00 DUST COLLECTOR; S/N CN-69260, UNIT S-110	812		1	(LOT) ALMCO MEDIA TOP LOADING SYSTEM
793	1	PANGBORN 36" WIDE RUBBER BELT	012		'	WITH HOPPER AND APPROX. 50' OF
193	'	BARREL BLAST MACHINE S.O. NO. 301-5338				CONVEYOR SYSTEM TO PROCESS
		WITH 18" WIDE X 84" WEBSTER SHAKER	1			FINISHED PARTS AND RE-USE FINISHING
		TABLE; NO. DQ1-E8				MEDIA - LINE A **SUBJECT TO OVERALL
794	1	16" WIDE X 15' TITAN STEEL BELT INCLINE				BID**
70.		CONVEYOR; S/N 2019198	813		1	(LOT) LINE A CONTROLS WITH AC-TECH
795	1	PANGBORN 48" WIDE RUBBER BELT BLAST			•	CONTROLLER AND PUSH BUTTON PANEL
700		MACHINE MODEL 6GN; UNIT DQ3-E7, NO.				**SUBJECT TO OVERALL BID**
		800826-1, WITH WEBSTER SHAKER TABLE	814		1	OVERALL LINE A - AUTOMATED VIBRATORY
		18" X 84"				BOWL FINISHING LINE - LOTS 806-813
796	1	12" WIDE X 16' WOODCRAFT METAL BELT	815		1	56" DIAMETER / 23 CUBIC FOOT ALMCO
		INCLINE CONVEYOR				VIBRATORY FINISHING BOWL **SUBJECT TO
797	1	44" RUBBER BELT (NEW)				OVERALL BID**
798	1	PANGBORN MODEL 3GN-3R962 36" RUBBER	816		1	56" DIAMETER / 23 CUBIC FOOT ALMCO
		BELT BARREL BLAST MACHINE; S/N 340-502	<u>)</u> ,			VIBRATORY FINISHING BOWL **SUBJECT TO
		18" X 84" WEBSTER SHAKER TABLE				OVERALL BID**
799	1	12" WIDE X 16' TITAN METAL BELT INCLINE	817		1	56" DIAMETER / 23 CUBIC FOOT ALMCO
		CONVEYOR				VIBRATORY FINISHING BOWL **SUBJECT TO
800	1	GUYSON MODEL L90/RCA RUBBER BELT				OVERALL BID**
		BARREL BLAST MACHINE; S/N CM10348,	818		1	56" DIAMETER / 23 CUBIC FOOT ALMCO
		SHAKER TABLE				VIBRATORY FINISHING BOWL **SUBJECT TO
801	1	12" WIDE X 12' WOODCRAFT METAL BETL	0.40			OVERALL BID**
000		INCLINE CONVEYOR	819		1	56" DIAMETER / 23 CUBIC FOOT ALMCO
802	1	12" WIDE X 10' WOODCRAFT METAL BELT				VIBRATORY FINISHING BOWL **SUBJECT TO
002	4	INCLINE CONVEYOR	920		1	OVERALL BID**
803 804		OPEN	820		1	56" DIAMETER / 23 CUBIC FOOT ALMCO
804 805		OPEN (LOT) APPROX. 50 LINEAL FOOT X 13'				VIBRATORY FINISHING BOWL **SUBJECT TO OVERALL BID**
605	,	HEIGHT AMCRAFT HANGING CURTAIN,	821		1	56" DIAMETER / 23 CUBIC FOOT ALMCO
		WITH RAIL	021		1	VIBRATORY FINISHING BOWL **SUBJECT TO
806	1	56" DIAMETER / 23 CUBIC FOOT ALMOO				OVERALL BID**
000	ı	VIBRATORY BOWL FINISHING BOWL	822		1	56" DIAMETER / 23 CUBIC FOOT ALMCO
		**SUBJECT TO OVERALL BID**	022		'	VIBRATORY FINISHING BOWL **SUBJECT TO
807	1	56" DIAMETER / 23 CUBIC FOOT ALMCO				OVERALL BID**
007	•	VIBRATORY BOWL FINISHING BOWL	823		1	56" DIAMETER / 23 CUBIC FOOT ALMO
		**SUBJECT TO OVERALL BID**	020		•	VIBRATORY FINISHING BOWL **SUBJECT TO
808	1	56" DIAMETER / 23 CUBIC FOOT ALMCO				OVERALL BID**
		VIBRATORY BOWL FINISHING BOWL	824		1	56" DIAMETER / 23 CUBIC FOOT ALMCO
		**SUBJECT TO OVERALL BID**			•	VIBRATORY FINISHING BOWL **SUBJECT TO
809	1	56" DIAMETER / 23 CUBIC FOOT ALMCO				OVERALL BID**
		VIBRATORY BOWL FINISHING BOWL				
		**SUBJECT TO OVERALL BID**				

1	Lot Num	Qty.	Description	Lot Num	Qty.		Description
### ### ### ### ### ### ### ### ### ##	825	1	WITH HOPPER AND APPROX. 50' OF			1	BLAST MACHINE; S/N 04909, PNEUMATIC
828							
1	826	1	(LOT) LINE B CONTROSL WITH AC-TECH	849		1	ROTARY BLAST SYSTEM WITH DUST
828	827	1	OVERALL LINE B - AUTOMATED VIBRATORY	850		1	LIFT-KLEEN PARTS WASHING TANK WITH
829	828	1	56" DIAMETER / 23 CUBIC FOOT ALMCO /	851		1	60" DIAMETER ROSEMONT INDUSTRIES
830	829	1	56" DIAMETER / 23 CUBIC FOOT ALMCO /	050		,	BOWL; S/N 2881
831	830	1	56" DIAMETER / 23 CUBIC FOOT ALMCO /	852		7	MODEL RD-14-15 VIBRATORY DRYING
832   1 21" X 60" SHAKER TABLE   MODEL RD-14-15 VIBRATORY DRYING BOWL; SN 2787 CONTROLS   8534   1 C&M TOPLINE TABLE TOP DUAL BOWLS   854   1 72" DIAMETER VIBRATORY FINSIHING BOWL   72" DIAMETER VIBRATORY DRYING BOWL	831	1		853		1	
CONTROLS  834 1 C&M TOPLINE TABLE TOP DUAL BOWLS PARTS FINISHER  835 1 C&M TOPLINE TABLE TOP DUAL BOWLS PARTS FINISHER  836 1 C&M TOPLINE TABLE TOP DUAL BOWLS PARTS FINISHER  837 1 C&M TOPLINE TABLE TOP DUAL BOWLS PARTS FINISHER  838 1 C&M TOPLINE TABLE TOP DUAL BOWLS PARTS FINISHER  839 1 C&M TOPLINE TABLE TOP DUAL BOWLS PARTS FINISHER  830 1 C&M TOPLINE TABLE TOP DUAL BOWLS PARTS FINISHER  831 1 C&M TOPLINE TABLE TOP DUAL BOWLS PARTS FINISHER  832 1 C&M TOPLINE TABLE TOP DUAL BOWLS PARTS FINISHER  833 1 C&M TOPLINE TABLE TOP DUAL BOWLS PARTS FINISHER  844 1 C&M TOPLINE TABLE TOP DUAL BOWLS PARTS FINISHER  855 1 18" WIDE X 6" CLEATED RUBBER BELT INCLINE CONVEYOR  840 1 C&M TOPLINE TABLE TOP DUAL BOWLS PARTS FINISHER  851 1 8" WIDE MACHETIZER ROWLEYOR  840 1 C&M TOPLINE TABLE TOP DUAL BOWLS PARTS FINISHER  859 1 8" WIDE MACHETIZED CONVEYOR  840 1 C&M TOPLINE TABLE TOP DUAL BOWLS PARTS FINISHER  850 1 18" WIDE X 4" CLEATED RUBBER BELT INCLINE CONVEYOR  841 1 10-POSITION TOPLINE HOLDING STAND PARTS FINISHER  859 1 1 BANDPIPER PNEUMATIC DIAPHRAM PUMP PARTS FINISHER  860 1 SANDPIPER PNEUMATIC DIAPHRAM PUMP PARTS FINISHER  861 1 PANGBORN MODEL RK GN BARREL  842 1 (LOT) ASSORTED FINSHER PARTS  845 1 (LOT) ASSORTED FINSHER PARTS  846 1 40 HP DUST HOG 16-CARTRIDGE DUST COLLECTOR, ALLEN BRADLEY DISCONNECT, MINI MAX FLESOOD SUPPRESSION SYSTEM, CINCINNATI FAN UNIT AND RODRIGNE METAL AIR INTAKE "OUTSIDE OPENINGS IN WALL MUST BE CAPPED BY THE BUYER**  847 1 OPEN  847 1 OPEN	832	1	21" X 60' SHAKER TABLE				
834 1 C&M TOPLINE TABLE TOP DUAL BOWLS PARTS FINISHER BOWL 835 1 C&M TOPLINE TABLE TOP DUAL BOWLS PARTS FINISHER 836 1 C&M TOPLINE TABLE TOP DUAL BOWLS PARTS FINISHER 837 1 C&M TOPLINE TABLE TOP DUAL BOWLS SIN 8765336X, 8" WIDE BELT PARTS FINISHER 838 1 C&M TOPLINE TABLE TOP DUAL BOWLS PARTS FINISHER 839 1 C&M TOPLINE TABLE TOP DUAL BOWLS PARTS FINISHER 839 1 C&M TOPLINE TABLE TOP DUAL BOWLS PARTS FINISHER 839 1 C&M TOPLINE TABLE TOP DUAL BOWLS PARTS FINISHER 839 1 C&M TOPLINE TABLE TOP DUAL BOWLS PARTS FINISHER 840 1 C&M TOPLINE TABLE TOP DUAL BOWLS PARTS FINISHER 841 1 10-POSITION TOPLINE TABLE TOP DUAL BOWLS PARTS FINISHER 842 1 (LOT) ASSORTED FINISHER 861 1 PANGBORN MODEL RK GN BARREL TUBLE TOP DUAL BOWLS PARTS FINISHER 861 1 PANGBORN MODEL RK GN BARREL TUBLE TOP DUAL BOWLS PARTS FINISHER 861 1 PANGBORN MODEL RK GN BARREL TUBLE TOP DUAL BOWLS PARTS FINISHER 861 1 PANGBORN MODEL RK GN BARREL TUBLE TOP DUAL BOWLS PARTS FINISHER 861 1 PANGBORN MODEL RK GN BARREL TUBLE TOP DUAL BOWLS PARTS FINISHER 861 1 PANGBORN MODEL RK GN BARREL TUBLE TOP DUAL BOWLS PARTS FINISHER 861 1 PANGBORN MODEL RK GN BARREL TUBLE BLAST MACHINE; S/N 3013R98625408, WITH A C TECH MODEL M14200C MC SERIES DRIVE, 20 HP BALDOR MOTOR, VERTICAL SHOP ACCUMULATOR, MEDIA LOADER, CINCINNATI BLOWER FAN, CONTROL PANEL, AUTO DOOR 1 D	833	1	32" PARTS TUMBLER WITH AC-TECH				BOWL; S/N 2787
PARTS FINISHER  1 C&M TOPLINE TABLE TOP DUAL BOWLS PARTS FINISHER  2 CLASS 04PH DEMAGNETIZER; P/N 023628; S/N 8766336X, 8" WIDE BELT PARTS FINISHER  37 C&M TOPLINE TABLE TOP DUAL BOWLS PARTS FINISHER  38 CONVEYOR, AC-TECH CONTROLS PARTS FINISHER  38 CONVEYOR PARTS FINISHER  38 CONVEYOR PARTS FINISHER  39 CAM TOPLINE TABLE TOP DUAL BOWLS PARTS FINISHER  30 CAM TOPLINE TABLE TOP DUAL BOWLS PARTS FINISHER  30 CAM TOPLINE TABLE TOP DUAL BOWLS PARTS FINISHER  30 CAM TOPLINE TABLE TOP DUAL BOWLS PARTS FINISHER  30 CAM TOPLINE TABLE TOP DUAL BOWLS PARTS FINISHER  30 CAM TOPLINE TABLE TOP DUAL BOWLS PARTS FINISHER  30 CAM TOPLINE TABLE TOP DUAL BOWLS PARTS FINISHER  30 CAM TOPLINE TABLE TOP DUAL BOWLS PARTS FINISHER  30 CAM TOPLINE TABLE TOP DUAL BOWLS PARTS FINISHER  30 CAM TOPLINE TABLE TOP DUAL BOWLS PARTS FINISHER  30 CAM TOPLINE TABLE TOP DUAL BOWLS PARTS FINISHER  30 CAM TOPLINE TABLE TOP DUAL BOWLS PARTS FINISHER  30 CAM TOPLINE TABLE TOP DUAL BOWLS PARTS FINISHER  30 CAM TOPLINE TABLE TOP DUAL BOWLS PARTS FINISHER  30 CAM TOPLINE TABLE TOP DUAL BOWLS PARTS FINISHER  30 CAM TOPLINE TABLE TOP DUAL BOWLS PARTS FINISHER  30 CAM TOPLINE TABLE TOP DUAL BOWLS PARTS FINISHER  30 CAM TOPLINE TABLE TOP DUAL BOWLS PARTS FINISHER  30 CAM TOPLINE TABLE TOP DUAL BOWLS PARTS FINISHER  30 CAM TOPLINE TABLE TOP DUAL BOWLS PARTS FINISHER  30 CAM TOPLINE TABLE TOP DUAL BOWLS PARTS FINISHER  30 CAM TOPLINE TABLE TOP DUAL BOWLS PARTS FINISHER  30 CAM TOPLINE TABLE TOP DUAL BOWLS PARTS FINISHER  30 CAM TOPLINE TABLE TOP DUAL BOWLS PARTS FINISHER  30 CAM TOPLINE TABLE TOP DUAL BOWLS PARTS FINISHER  30 CAM TOPLINE TABLE TOP DUAL BOWLS PARTS FINISHER  30 CAM TOPLINE TABLE TOP DUAL BOWLS PARTS FINISHER  30 CAM TOPLINE TABLE TOP DUAL BOWLS PARTS FINISHER  30 CAM TOPLINE TABLE TOP DUAL BOWLS PARTS FINISHER  30 CAM TOPLINE TABLE TOP DUAL BOWLS PARTS FINISHER  30 CAM TOPLINE TABLE TOP DUAL BOWLS  40 CAM T				853A		1	DISCONNECT PANEL
835 1 C&M TOPLINE TABLE TOP DUAL BOWLS PARTS FINISHER 836 1 C&M TOPLINE TABLE TOP DUAL BOWLS PARTS FINISHER 837 1 C&M TOPLINE TABLE TOP DUAL BOWLS PARTS FINISHER 838 1 C&M TOPLINE TABLE TOP DUAL BOWLS PARTS FINISHER 838 1 C&M TOPLINE TABLE TOP DUAL BOWLS PARTS FINISHER 839 1 C&M TOPLINE TABLE TOP DUAL BOWLS PARTS FINISHER 839 1 C&M TOPLINE TABLE TOP DUAL BOWLS PARTS FINISHER 839 1 C&M TOPLINE TABLE TOP DUAL BOWLS PARTS FINISHER 839 1 C&M TOPLINE TABLE TOP DUAL BOWLS PARTS FINISHER 840 1 C&M TOPLINE TABLE TOP DUAL BOWLS PARTS FINISHER 851 1 B* WIDE X 6' CLEATED RUBBER BELT INCLINE CONVEYOR PARTS FINISHER 852 1 B* WIDE MAGNETIZED CONVEYOR 853 1 B* WIDE MAGNETIZED CONVEYOR 854 1 LOPOSITION TOPLINE HOLDING STAND 855 1 LOPOSITION TOPLINE HOLDING STAND 856 1 LOPOSITION TOPLINE HOLDING STAND 857 1 LOPOSITION TOPLINE HOLDING STAND 858 1 LOPOSITION TOPLINE HOLDING STAND 859 1 B* WIDE MAGNETIZED CONVEYOR 850 1 B* WIDE AGNOETIZED CONVEYOR 851 1 B* WIDE X 6' CLEATED RUBBER BELT 10 CLINE CONVEYOR 852 1 B* WIDE MAGNETIZED CONVEYOR 853 1 B* WIDE MAGNETIZED CONVEYOR 855 1 B* WIDE MAGNETIZED CONVEYOR 856 1 B* WIDE AGNOETIZED CONVEYOR 857 1 B* WIDE X 6' CLEATED RUBBER BELT 10 CLINE CONVEYOR 858 1 B* WIDE AGNOETIZED CONVEYOR 858 1 B* WIDE MAGNETIZED CONVEYOR 859 1 B* WIDE MAGNETIZED CONVEYOR 850 1 B* WIDE X 6' CLEATED RUBBER BELT 10	834	1		854		1	
836 1 C&M TOPLINE TABLE TOP DUAL BOWLS PARTS FINISHER 837 1 C&M TOPLINE TABLE TOP DUAL BOWLS PARTS FINISHER 838 1 C&M TOPLINE TABLE TOP DUAL BOWLS PARTS FINISHER 839 1 C&M TOPLINE TABLE TOP DUAL BOWLS PARTS FINISHER 839 1 C&M TOPLINE TABLE TOP DUAL BOWLS PARTS FINISHER 839 1 C&M TOPLINE TABLE TOP DUAL BOWLS PARTS FINISHER 840 1 C&M TOPLINE TABLE TOP DUAL BOWLS PARTS FINISHER 851 1 8" WIDE X 4" CLEATED RUBBER BELT INCLINE CONVEYOR PARTS FINISHER 852 1 18" WIDE X 4" CLEATED RUBBER BELT INCLINE CONVEYOR PARTS FINISHER 853 1 8" WIDE MAGNETIZED CONVEYOR PARTS FINISHER 854 1 10-POSITION TOPLINE HOLDING STAND 855 1 8" WIDE MAGNETIZED CONVEYOR PARTS FINISHER 856 1 SANDPIPER PNEUMATIC DIAPHRAM PUMP PARTS FINISHER 857 1 PANGBORN MODEL RK GN BARREL 858 1 TUMBLEBLAST MACHINE; S/N 859 2 SANDPIPER PNEUMATIC DIAPHRAM PUMP PARTS FINISHER 859 1 SWIDE MAGNETIZED CONVEYOR 850 1 SANDPIPER PNEUMATIC DIAPHRAM PUMP PARTS FINISHER 851 1 PANGBORN MODEL RK GN BARREL 851 1 (LOT) ASSORTED FINISHER PARTS 852 1 PANGBORN MODEL RK GN BARREL 853 1 SZ" SHAKER TABLE 855 1 SWIDE MAGNETIZED CONVEYOR 856 1 SANDPIPER PNEUMATIC DIAPHRAM PUMP PARTS FINISHER 857 1 SWIDE X 1" CLEATED RUBBER BELT INCLINE CONVEYOR 857 1 SWIDE MAGNETIZED CONVEYOR 858 1 ST 1" SWIDE X 1" CLEATED RUBBER BELT INCLINE CONVEYOR 859 1 SANDPIPER PNEUMATIC DIAPHRAM PUMP PARTS FINISHER 859 1 SWIDE MAGNETIZED CONVEYOR 859 1 SANDPIPER PNEUMATIC DIAPHRAM PUMP PARTS FINISHER 859 1 SWIDE MAGNETIZED CONVEYOR 850 1 SANDPIPER PNEUMATIC DIAPHRAM PUMP PARTS FINISHER 851 1 S"WIDE X 1" CLEATED RUBBER BELT INCLINE CONVEYOR 1 STOLEMATE ON TOPLINE TOPLINE TOPLINE 850 1 SANDPIPER PNEUMATIC DIAPHRAM PUMP PARTS FINISHER 851 1 S"WIDE MAGNETIZED CONVEYOR 1 SANDPIPER PNEUMATIC DIAPHRAM PUMP 1 PANGBORN MODEL RK GN BARREL 1 PANGBORN MODEL GONVEYOR 1 SANDPIPER PNEUMATIC DIAPHRAM PUMP 1 PANGBORN MODEL GONVEYOR 1 SANDPIPER PNEUMATIC DIAPHRAM 1 SWIDE MAGNETIZED CONVEYOR 1 STOLEMATE ON TOPLINE TOPLINE 1 SWIDE MAGNETIZED C	835	1	C&M TOPLINE TABLE TOP DUAL BOWLS	855		1	ELECTRO-MATIC MODEL A17VBSD-26
837 1 C&M TOPLINE TABLE TOP DUAL BOWLS PARTS FINISHER 838 1 C&M TOPLINE TABLE TOP DUAL BOWLS PARTS FINISHER 839 1 C&M TOPLINE TABLE TOP DUAL BOWLS PARTS FINISHER 840 1 C&M TOPLINE TABLE TOP DUAL BOWLS PARTS FINISHER 859 1 B* WIDE X 4* CLEATED RUBBER BELT INCLINE CONVEYOR PARTS FINISHER 859 1 B* WIDE MAGNETIZED CONVEYOR  840 1 C&M TOPLINE TABLE TOP DUAL BOWLS PARTS FINISHER 859 1 B* WIDE MAGNETIZED CONVEYOR  840 1 C&M TOPLINE TABLE TOP DUAL BOWLS PARTS FINISHER 859 1 B* WIDE MAGNETIZED CONVEYOR  841 1 10-POSITION TOPLINE HOLDING STAND RATS FINISHER 861 1 PANGBORN MODEL RK GN BARREL TUMBLEBLAST MACHINE; S/N 30N3R962/5408, WITH AC TECH MODEL M14200C MC SERIES DRIVE, 20 HP BALDOR MOTOR, VERTICAL SHOP ACCUMULATOR, MEDIA LOADER, CINCINNATI BLOWER FAN, CONTROL PANEL, AUTO DOOR  845 1 (LOT) ASSORTED MACHINE PARTS 846 1 40 HP DUST HOG 16-CARTRIDGE DUST COLLECTOR, ALLEN BRADLEY DISCONNECT, MINI MAX FLE3000 SUPPRESSION SYSTEM, CINCINNATI FAN UNIT AND RODRIGNE METAL AIR INTAKE **OUTSIDE OPENINGS IN WALL MUST BE CAPPED BY THE BUYER**  857 1 18" WIDE X 6* CLEATED RUBBER BELT INCLINE CONVEYOR 1 18" WIDE X 4* CLEATED RUBBER BELT INCLINE CONVEYOR 1 18" WIDE X 4* CLEATED RUBBER BELT INCLINE CONVEYOR 1 18" WIDE X 4* CLEATED RUBBER BELT INCLINE CONVEYOR 1 18" WIDE X 4* CLEATED RUBBER BELT INCLINE CONVEYOR 1 18" WIDE X 4* CLEATED RUBBER BELT INCLINE CONVEYOR 1 18" WIDE X 4* CLEATED RUBBER BELT INCLINE CONVEYOR 1 18" WIDE X 4* CLEATED RUBBER BELT INCLINE CONVEYOR 1 18" WIDE X 4* CLEATED RUBBER BELT INCLINE CONVEYOR 1 18" WIDE X 4* CLEATED RUBBER BELT INCLINE CONVEYOR 1 18" WIDE X 4* CLEATED RUBBER BELT INCLINE CONVEYOR 1 18" WIDE X 4* CLEATED RUBBER BELT INCLINE CONVEYOR 1 18" WIDE X 4* CLEATED RUBBER BELT INCLINE CONVEYOR 1 18" WIDE X 4* CLEATED RUBBER BLT INCLINE CONVEYOR 1 18" WIDE X 4* CLEATED RUBBER BLT INCLINE CONVEYOR 1 18" WIDE X 4* CLEATED RUBBER BLT INCLINE CONVEYOR 1 18" WIDE X 4* CLEATED RUBER BLAT MACHINE; S/N 2 10 PARGBORN MODEL 66-ARTRIDE 1 1 PANGBORN MODEL 66-ARTRIDE 1 1 PANGBORN MODEL 66-ARTRIDE 1 1 1 PANGBORN MODEL	836	1	C&M TOPLINE TABLE TOP DUAL BOWLS				S/N 8765336X, 8" WIDE BELT
PARTS FINISHER  838  1 C&M TOPLINE TABLE TOP DUAL BOWLS PARTS FINISHER  839  1 C&M TOPLINE TABLE TOP DUAL BOWLS PARTS FINISHER  840  1 C&M TOPLINE TABLE TOP DUAL BOWLS PARTS FINISHER  859  1 B' WIDE X 4' CLEATED RUBBER BELT INCLINE CONVEYOR PARTS FINISHER  859  1 B' WIDE MAGNETIZED CONVEYOR  840  1 C&M TOPLINE TABLE TOP DUAL BOWLS PARTS FINISHER  859  1 B' WIDE MAGNETIZED CONVEYOR  840  1 C&M TOPLINE TABLE TOP DUAL BOWLS PARTS FINISHER  861  1 1 D-POSITION TOPLINE HOLDING STAND  842  1 (LOT) ASSORTED FINSIHER PARTS  843  1 32" SHAKER TABLE  844  2 GLOBEN 24" DIAMETER X 28" OPE END BARREL FINSIHERS WITH CONTROLS AND LIGHT CURTAINS  845  1 (LOT) ASSORTED MACHINE PARTS  846  4 1 40 HP DUST HOG 16-CARTRIDGE DUST COLLECTOR, ALLEN BRADLEY DISCONNECT, MINI MAX FLE3000 SUPPRESSION SYSTEM, CINCINNATI FAN UNIT AND RODRIGNE METAL AIR INTAKE **OUTSIDE OPENINGS IN WALL MUST BE CAPPED BY THE BUYER**  857  1 18" WIDE X 4' CLEATED RUBBER BELT INCLINE CONVEYOR  858  1 18" WIDE X 4' CLEATED RUBBER BELT INCLINE CONVEYOR INCLINE CONVEYOR  1 859  1 18" WIDE X 4' CLEATED RUBBER BELT INCLINE CONVEYOR  1 859  1 18" WIDE X 4' CLEATED RUBBER BELT INCLINE CONVEYOR  1 859  1 18" WIDE X 4' CLEATED RUBBER BELT INCLINE CONVEYOR  1 859  1 18" WIDE X 4' CLEATED RUBBER BELT INCLINE CONVEYOR  1 859  1 18" WIDE X 4' CLEATED RUBBER BELT INCLINE CONVEYOR  1 859  1 18" WIDE X 4' CLEATED RUBBER BELT INCLINE CONVEYOR  1 859  1 18" WIDE X 4' CLEATED RUBBER BELT INCLINE CONVEYOR  1 859  1 18" WIDE X 4' CLEATED RUBBER BELT INCLINE CONVEYOR  1 18" WIDE X 4' CLEATED RUBBER BELT INCLINE CONVEYOR  2 S'WIDE MAGNETIZED CONVEYOR  2 S'WIDE MAGNETIZED CONVEYOR  2 S'WIDE MAGNETIZED CONVEYOR  2 SANDPIPER PNEUMATIC DIAPHCAM  3 S'WIDE MAGNETIZED CONVEYOR  3 S'WIDE MAGNETIZED CONVEYOR  4 S'WIDE MAGNETIZ	007			856		1	
1 C&M TOPLINE TABLE TOP DUAL BOWLS PARTS FINISHER 1 C&M TOPLINE TABLE TOP DUAL BOWLS PARTS FINISHER 2 PARTS FINISHER 3 PARTS FINISHER 4 PANGBORN MODEL RK GN BARREL 4 PANGBORN MODEL RK GN BARREL 5 PANGBORN MODEL RK GN BARREL 6 PANGBORN MODEL RK GN BARREL 7 PANGBORN MODEL RK GN BARREL 7 PANGBORN MODEL RK GN BARREL 8 PANGBORN MOTOR, VERTICAL SHOP ACCUMULATOR, 8 MEDIA LOADER, CINCINNATI BLOWER FAN, 8 CONTROL PANEL, AUTO DOOR 8 PARTS FINISHER 8 1 18" WIDE X 4' CLEATED RUBBER BELT 10 CLINE CONVEYOR 1 PANGBORN MODEL RK GN BARREL 1 PANGBORN MODEL RK GN BARREL 10 PANGBORN MOTOR, VERTICAL SHOP ACCUMULATOR, 10 PANGBORN MODEL 6GN-1R36 BARREL 10 PANGBORN MODEL 6GN-1R36 BARREL 11 PANGBORN MODEL 6GN-1R36 BARREL 12 PANGBORN MODEL 6GN-1R36 BARREL 13 PANGBORN MODEL 6GN-1R36 BARREL 14 OHP DUST HOG 16-CARTRIDGE DUST 14 OHP DUST HOG 16-CARTRIDGE DUST 15 COLLECTOR, ALLEN BRADLEY 16 DANGBORN MODEL 6GN-1R36 BARREL 17 PANGBORN MODEL 6GN-1R36 BARREL 18 OLD PANGLORY MODEL 6GN-1R36 BARREL 19 PANGBORN MODEL 6GN-1R36 BARREL 19 PANGBORN MODEL 6GN-1R36 BARREL 19 PANGBORN MODEL 6GN-1R36 BARREL 20 PANGB	837	1		857		1	
1 C&M TOPLINE TABLE TOP DUAL BOWLS PARTS FINISHER 840 1 C&M TOPLINE TABLE TOP DUAL BOWLS PARTS FINISHER 840 1 C&M TOPLINE TABLE TOP DUAL BOWLS PARTS FINISHER 841 1 10-POSITION TOPLINE HOLDING STAND 842 1 (LOT) ASSORTED FINISHER PARTS 843 1 32" SHAKER TABLE 844 2 GLOBEN 24" DIAMETER X 28" OPE END BARREL FINISHERS WITH CONTROLS AND LIGHT CURTAINS 845 1 (LOT) ASSORTED MACHINE PARTS 846 1 1 40 HP DUST HOG 16-CARTRIDGE DUST COLLECTOR, ALLEN BRADLEY DISCONNECT, MINI MAX FLE3000 SUPPRESSION SYSTEM, CINCINNATI FAN UNIT AND RODRIGNE METAL AIR INTAKE **OUTSIDE OPENINGS IN WALL MUST BE CAPPED BY THE BUYER**  847 1 OPEN  INCLINE CONVEYOR 845 1 8' WIDE MAGNETIZED CONVEYOR 846 1 SANDPIPER NEUMATIC DIAPHRAM PUMP PARTS FINISHER S860 1 SANDPIPER PNEUMATIC DIAPHRAM PUMP PARGORITZED CONVEYOR  846 1 PANGBORN MODEL RK GN BARREL TUMBLEBLAST MACHINE; S/N MEDIA LOADER, CINCINNATI BLOWER FAN, CONTROL PANEL, AUTO DOOR  847 1 OPEN  INCLINE CONVEYOR 847 WIDE MAGNETIZED CONVEYOR  848 849 WIDE MAGNETIZED CONVEYOR  840	838	1		007		•	
PARTS FINISHER  840  1 C&M TOPLINE TABLE TOP DUAL BOWLS PARTS FINISHER  841  1 10-POSITION TOPLINE HOLDING STAND  842  1 (LOT) ASSORTED FINSIHER PARTS  843  1 32" SHAKER TABLE  844  2 GLOBEN 24" DIAMETER X 28" OPE END BARREL FINSIHERS WITH CONTROLS AND LIGHT CURTAINS  845  1 (LOT) ASSORTED MACHINE PARTS  846  1 40 HP DUST HOG 16-CARTRIDGE DUST COLLECTOR, ALLEN BRADLEY DISCONNECT, MINI MAX FLE3000 SUPPRESSION SYSTEM, CINCINNATI FAN UNIT AND RODRIGNE METAL AIR INTAKE **OUTSIDE OPENINGS IN WALL MUST BE CAPPED BY THE BUYER**  847  1 0 PEN  1 SWIDE MAGNETIZED CONVEYOR  1 SANDPIPER PNEUMATIC DIAPHRAM PUMP SAND IN SANDETIC DIAPHRAM PUMP  1 SANDPIPER PNEUMATIC DIAPHRAM PUMP  860  1 SANDPIPER PNEUMATIC DIAPHRAM PUMP  1 SANDPIPER PNEUMATIC DIAPHRAM PUMP  860  1 PANGBORN MODEL RK GN BARREL  TUMBLE BLAST MACHINE; S/N  CONTROL PANEL, AUTO DOOR  845  1 40 HP DUST HOG 16-CARTRIDGE DUST COLLECTOR, ALLEN BRADLEY DISCONNECT, MINI MAX FLE3000 SUPPRESSION SYSTEM, CINCINNATI FAN UNIT AND RODRIGNE METAL AIR INTAKE **OUTSIDE OPENINGS IN WALL MUST BE CAPPED BY THE BUYER**  859  1 SANDPIPER PNEUMATIC DIAPHRAM PUMP PARTS FINISHER  861  1 PANGBORN MODEL RK GN BARREL TUMBLE BLAST MACHINE; S/N  MOTOR, VERTICAL SHOP ACCUMULATOR, MEDIA LOADER, CINCINNATI BLOWER FAN, CONTROL PANEL, AUTO DOOR				858		1	18" WIDE X 4' CLEATED RUBBER BELT
840 1 C&M TOPLINE TABLE TOP DUAL BOWLS 860 1 SANDPIPER PNEUMATIC DIAPHRAM PUMP PARTS FINISHER 861 1 PANGBORN MODEL RK GN BARREL TUMBLEBLAST MACHINE; S/N 30N3R962/5408, WITH AC TECH MODEL M14200C MC SERIES DRIVE, 20 HP BALDOR MOTOR, VERTICAL SHOP ACCUMULATOR, MEDIA LOADER, CINCINNATI BLOWER FAN, CONTROL PANEL, AUTO DOOR MOTOR, VERTICAL SHOP ACCUMULATOR, MEDIA LOADER, CINCINNATI BLOWER FAN, CONTROL PANEL, AUTO DOOR DISCONNECT, MINI MAX FLE3000 SUPPRESSION SYSTEM, CINCINNATI FAN UNIT AND RODRIGNE METAL AIR INTAKE **OUTSIDE OPENINGS IN WALL MUST BE CAPPED BY THE BUYER**  847 1 OPEN  1 C&M TOPLINE TABLE TOP DUAL BOWLS 861 1 PANGBORN MODEL RK GN BARREL TUMBLEBLAST MACHINE; S/N SAND LIGHT CURL BRADLEY LOAD HEIGHT 3', BARREL CAPACITY 6 CUBIC FEET, MAX WORK PIECE WEIGHT 75 SUPPRESSION SYSTEM, CINCINNATI FAN UNIT AND RODRIGNE METAL AIR INTAKE **OUTSIDE OPENINGS IN WALL MUST BE CAPPED BY THE BUYER**  847 1 OPEN  1 SANDPIPER PNEUMATIC DIAPHRAM PUMP PANGBORN MODEL RK GN BARREL TUMBLEBLAST MACHINE; S/N SAND ACCUMULATOR, MEDIA LOADER, CONTROL PANEL, AUTO DOOR	839	1					
PARTS FINISHER  841  1 10-POSITION TOPLINE HOLDING STAND  842  1 (LOT) ASSORTED FINSIHER PARTS  843  1 32" SHAKER TABLE  844  2 GLOBEN 24" DIAMETER X 28" OPE END BARREL FINSIHERS WITH CONTROLS AND LIGHT CURTAINS  845  1 (LOT) ASSORTED MACHINE PARTS  846  1 40 HP DUST HOG 16-CARTRIDGE DUST COLLECTOR, ALLEN BRADLEY DISCONNECT, MINI MAX FLE3000 SUPPRESSION SYSTEM, CINCINNATI FAN UNIT AND RODRIGNE METAL AIR INTAKE **OUTSIDE OPENINGS IN WALL MUST BE CAPPED BY THE BUYER**  847  1 10-POSITION TOPLINE HOLDING STAND TUMBLEBLAST MACHINE; S/N MOTOR, VERTICAL SHOP ACCUMULATOR, MEDIA LOADER, CINCINNATI BLOWER FAN, CONTROL PANEL, AUTO DOOR  MOTOR, VERTICAL SHOP ACCUMULATOR, MEDIA LOADER, CINCINNATI BLOWER FAN, CONTROL PANEL, AUTO DOOR  MOTOR, VERTICAL SHOP ACCUMULATOR, MEDIA LOADER, CINCINNATI BLOWER FAN, CONTROL PANEL, AUTO DOOR	0.40						
841 1 10-POSITION TOPLINE HOLDING STAND  842 1 (LOT) ASSORTED FINSIHER PARTS  843 1 32" SHAKER TABLE  844 2 GLOBEN 24" DIAMETER X 28" OPE END  BARREL FINSIHERS WITH CONTROLS AND  LIGHT CURTAINS  845 1 (LOT) ASSORTED MACHINE PARTS  846 1 40 HP DUST HOG 16-CARTRIDGE DUST  COLLECTOR, ALLEN BRADLEY  DISCONNECT, MINI MAX FLE3000  SUPPRESSION SYSTEM, CINCINNATI FAN  UNIT AND RODRIGNE METAL AIR INTAKE  **OUTSIDE OPENINGS IN WALL MUST BE  CAPPED BY THE BUYER**  1 (LOT) ASSORTED FINSIHER STAND  TUMBLE BLAST MACHINE; S/N  MEDIA LOAD REPLATED MACHINE; S/N S-970921,  LOAD HEIGHT 3', BARREL CAPACITY 6  CUBIC FEET, MAX WORK PIECE WEIGHT 75  LB., LOAD CAPACITY 960 LB. WITH AC TECH  MODEL M14200C MC SERIES DRIVE, 20 HP  BLADOR MOTOR, SHOT ACCUMULATOR,  MEDIA LOADER, CONTROL PANEL, AUTO  DOOR	840	1					
1 (LOT) ASSORTED FINSIHER PARTS 30N3R962/5408, WITH AC TECH MODEL  M14200C MC SERIES DRIVE, 20 HP BALDOR  M14200C MC SERIES DRIVE, 20 HP BALDOR  M14200C MC SERIES DRIVE, 20 HP BALDOR  MOTOR, VERTICAL SHOP ACCUMULATOR,  MEDIA LOADER, CINCINNATI BLOWER FAN,  CONTROL PANEL, AUTO DOOR  MEDIA LOADER, CINCINNATI BLOWER FAN,  CONTROL PANEL, AUTO DOOR  MEDIA LOADER, CINCINNATI BLOWER FAN,  CONTROL PANEL, AUTO DOOR  MEDIA LOADER, CINCINNATI BLOWER FAN,  CONTROL PANEL, AUTO DOOR  MEDIA LOADER, CINCINNATI BLOWER FAN,  CONTROL PANEL, AUTO DOOR  MEDIA LOADER, CINCINNATI BLOWER FAN,  CONTROL PANEL, AUTO DOOR  MEDIA LOADER, CINCINNATI BLOWER FAN,  CONTROL PANEL, AUTO DOOR  MEDIA LOADER, CONTROL PANEL, AUTO  MOTOR, VERTICAL SHOP ACCUMULATOR,  MEDIA LOADER, CONTROL PANEL, AUTO  DOOR	8/11	1		001		ı	
1 32" SHAKER TABLE  844 2 GLOBEN 24" DIAMETER X 28" OPE END BARREL FINSIHERS WITH CONTROLS AND LIGHT CURTAINS  845 1 (LOT) ASSORTED MACHINE PARTS 846 1 40 HP DUST HOG 16-CARTRIDGE DUST COLLECTOR, ALLEN BRADLEY DISCONNECT, MINI MAX FLE3000 SUPPRESSION SYSTEM, CINCINNATI FAN UNIT AND RODRIGNE METAL AIR INTAKE **OUTSIDE OPENINGS IN WALL MUST BE CAPPED BY THE BUYER**  847 1 OPEN  M14200C MC SERIES DRIVE, 20 HP BALDOR MOTOR, VERTICAL SHOP ACCUMULATOR, MEDIA LOADER, CINCINNATI BLOWER FAN, CONTROL PANEL, AUTO DOOR  MOTOR, VERTICAL SHOP ACCUMULATOR, MEDIA LOADER, CINCINNATI BLOWER FAN, CONTROL PANEL, AUTO DOOR  MOTOR, VERTICAL SHOP ACCUMULATOR, MEDIA LOADER, CINCINNATI BLOWER FAN, CONTROL PANEL, AUTO DOOR							·
844 2 GLOBEN 24" DIAMETER X 28" OPE END BARREL FINSIHERS WITH CONTROLS AND LIGHT CURTAINS  845 1 (LOT) ASSORTED MACHINE PARTS 846 1 40 HP DUST HOG 16-CARTRIDGE DUST COLLECTOR, ALLEN BRADLEY DISCONNECT, MINI MAX FLE3000 SUPPRESSION SYSTEM, CINCINNATI FAN UNIT AND RODRIGNE METAL AIR INTAKE **OUTSIDE OPENINGS IN WALL MUST BE CAPPED BY THE BUYER**  847 1 OPEN  MOTOR, VERTICAL SHOP ACCUMULATOR, MEDIA LOADER, CINCINNATI BLOWER FAN, CONTROL PANEL, SHOP ACCUMULATOR, MEDIA LOADER, CINCINNATI BLOWER FAN, CONTROL PANEL, SHOP ACCUMULATOR, MEDIA LOADER, CINCINNATI BLOWER FAN, CONTROL PANEL, AUTO DOOR							
BARREL FINSIHERS WITH CONTROLS AND LIGHT CURTAINS  1 (LOT) ASSORTED MACHINE PARTS 845 1 (LOT) ASSORTED MACHINE PARTS 846 1 40 HP DUST HOG 16-CARTRIDGE DUST COLLECTOR, ALLEN BRADLEY DISCONNECT, MINI MAX FLE3000 SUPPRESSION SYSTEM, CINCINNATI FAN UNIT AND RODRIGNE METAL AIR INTAKE **OUTSIDE OPENINGS IN WALL MUST BE CAPPED BY THE BUYER**  BARREL FINSIHERS WITH CONTROLS AND MEDIA LOADER, CINCINNATI BLOWER FAN, CONTROL PANEL, AUTO DOOR  MEDIA LOADER, CINCINNATI BLOWER FAN, CONTROL PANEL, AUTO DOOR  MEDIA LOADER, CINCINNATI BLOWER FAN, CONTROL PANEL, AUTO DOOR  MEDIA LOADER, CINCINNATI BLOWER FAN, CONTROL PANEL, AUTO DOOR  MEDIA LOADER, CINCINNATI BLOWER FAN, CONTROL PANEL, AUTO DOOR							
LIGHT CURTAINS  1 (LOT) ASSORTED MACHINE PARTS  862  1 40 HP DUST HOG 16-CARTRIDGE DUST COLLECTOR, ALLEN BRADLEY DISCONNECT, MINI MAX FLE3000 SUPPRESSION SYSTEM, CINCINNATI FAN UNIT AND RODRIGNE METAL AIR INTAKE **OUTSIDE OPENINGS IN WALL MUST BE CAPPED BY THE BUYER**  1 (LOT) ASSORTED MACHINE PARTS  862  1 PANGBORN MODEL 6GN-1R36 BARREL TUMBLE BLAST MACHINE; S/N S-970921, LOAD HEIGHT 3', BARREL CAPACITY 6 CUBIC FEET, MAX WORK PIECE WEIGHT 75 LB., LOAD CAPACITY 960 LB. WITH AC TECH MODEL M14200C MC SERIES DRIVE, 20 HP BLADOR MOTOR, SHOT ACCUMULATOR, MEDIA LOADER, CONTROL PANEL, AUTO DOOR	044						
845 1 (LOT) ASSORTED MACHINE PARTS 862 1 PANGBORN MODEL 6GN-1R36 BARREL 846 1 40 HP DUST HOG 16-CARTRIDGE DUST TUMBLE BLAST MACHINE; S/N S-970921, COLLECTOR, ALLEN BRADLEY LOAD HEIGHT 3', BARREL CAPACITY 6 DISCONNECT, MINI MAX FLE3000 CUBIC FEET, MAX WORK PIECE WEIGHT 75 SUPPRESSION SYSTEM, CINCINNATI FAN UNIT AND RODRIGNE METAL AIR INTAKE MODEL M14200C MC SERIES DRIVE, 20 HP **OUTSIDE OPENINGS IN WALL MUST BE CAPPED BY THE BUYER**  847 1 OPEN  847 1 OPEN  862 1 PANGBORN MODEL 6GN-1R36 BARREL TUMBLE BLAST MACHINE; S/N S-970921, LOAD HEIGHT 3', BARREL CAPACITY 6 CUBIC FEET, MAX WORK PIECE WEIGHT 75 LB., LOAD CAPACITY 960 LB. WITH AC TECH MODEL M14200C MC SERIES DRIVE, 20 HP BLADOR MOTOR, SHOT ACCUMULATOR, MEDIA LOADER, CONTROL PANEL, AUTO DOOR							•
COLLECTOR, ALLEN BRADLEY DISCONNECT, MINI MAX FLE3000 CUBIC FEET, MAX WORK PIECE WEIGHT 75 SUPPRESSION SYSTEM, CINCINNATI FAN UNIT AND RODRIGNE METAL AIR INTAKE MODEL M14200C MC SERIES DRIVE, 20 HP **OUTSIDE OPENINGS IN WALL MUST BE CAPPED BY THE BUYER** MEDIA LOADER, CONTROL PANEL, AUTO DOOR	845	1	(LOT) ASSORTED MACHINE PARTS	862		1	
		1	40 HP DUST HOG 16-CARTRIDGE DUST COLLECTOR, ALLEN BRADLEY DISCONNECT, MINI MAX FLE3000 SUPPRESSION SYSTEM, CINCINNATI FAN UNIT AND RODRIGNE METAL AIR INTAKE **OUTSIDE OPENINGS IN WALL MUST BE CAPPED BY THE BUYER**				TUMBLE BLAST MACHINE; S/N S-970921, LOAD HEIGHT 3', BARREL CAPACITY 6 CUBIC FEET, MAX WORK PIECE WEIGHT 75 LB., LOAD CAPACITY 960 LB. WITH AC TECH MODEL M14200C MC SERIES DRIVE, 20 HP BLADOR MOTOR, SHOT ACCUMULATOR,
	847	1	UPEN	863		1	

1 PANGBORN MOEL 30H-1R28 BARREL TUMBLE BLAST MACHINE; SIN S980772, LOAD HEIGHT 3; BARREL CAPACITY 3 CUBIC FOOT, MAX WORK PIECE 25 LB., LOAD CAPACITY 450 LB, WITH YERTICAL SHOP ACCUMULATOR, MEDIA LOADER, CONTROL PANEL, AUTO DOOR CONTROL PANEL, AUTO DOOR COLLECTOR; SIN 19/1389	Lot Num	Qty.	Description	Lot Num	Qty. Description
LOAD HEIGHT 3', BARREL CAPACITY 3   CUBIC FOOT, MAX WORK PIECE 25 LB,   LOAD CAPACITY 450 LB, WITH VERTICAL   SHOP ACCUMULATOR, MEDIA LOADER,   CONTROL PANEL, AUTO DOOR     865   1 SKID OF RUBBER BELTING, 38" WIDTH     686   1 CARBORRUNDUM BAGHOUSE DUST     COLLECTOR; SN 19/1389     867   1 METFIN SERIES 1 MODEL 600 BARREL     TUMBLE BLAST MACHINE; SN 1008 (NEW 2005), 6 CUBIC POOT, LOAD UP TO 650 LB, MAX WORK PIECE 60 LB, WITH AC TECH     ACCUMULATOR, MEDIA LOADER, AUTO DOOR     888   1 RUBBER BELTING, 46" WIDTH     1 PANGBORN PARTS; SHAFT, CYLINDER     HOUSING, METAL BIN     1 LEEDS AND NORTHROP CAT NO.     9478-UB-28-10-5 HOMO CARDORIZING PIT     1 LEEDS AND NORTHROP CAT NO.     9478-UB-28-10-5 HOMO CARDORIZING PIT     1 LINDBERG CAT NO. 09478-284X HOMO DEGREE F, 29" X 29" MESH BARREL     DIMENSIONS, WITH EUROTHERM DIGITAL READOUTS, 3/60/240 VOLT ELECTRIC CONTROL BOX     873   1 LINDBERG CAT NO. 09478-284X HOMO DEGREE F, 29" X 29" MESH BARREL     2 PENDANT, NO RAILS     874   1 1/2 TON BUDGIT ELECTRIC CONTROL BOX     875   1 NICLINED DUAL NUT DRIVING / STRIP STAKING MACHINE WITH VIBRATORY FEED BOWL MODEL 2760AC; SN 10498, 3-1/2"     STRIPM HAND RESPONSIVE, VERTICAL     STRIPM HAND RESPONSIVE, VERTICAL     CURTAIN SAFETY DEVICE, SOUND     1 SPAR JAIR CLUTCH, AIR BRAKE, LIGHT     CURTAIN SAFETY DEVICE, SOUND     1 STRIGHTENER; SN 2683, 3" WIDTH     CURTAIN SAFETY DEVICE, SOUND     CURTAIN SAFETY DEVICE, SOUND     1 STRIGHTENER; SN 2683, 3" WIDTH     CURTAIN SAFETY DEVICE, SOUND     CURTAIN SAFETY DEVICE, SOUND     1 STRIGHTENER; SN 2683, 3" WIDTH     CURTAIN SAFETY DEVICE, SOUND     1 PANGBORN PARTS; STRIP STRIP SAFE LIGHTENER; SN 26883, 3" WIDTH     CURTAIN SAFETY DEVICE, SOUND     1 STRIGHTENER; SN 26883, 3" WIDTH     CURTAIN SAFETY DEVICE, SOUND     1 STRIGHTENER; SN 26883, 3" WIDTH     CURTAIN SAFETY DEVICE, SOUND     1 STRIGHTENER; SN 26883, 3" WIDTH     CURTAIN SAFETY DEVICE, SOUND     1 STRIGHTENER; SN 26883, 3" WIDTH     CURTAIN SAFETY DEVICE, SOUND     1 STRIGHTENER; SN 268350, 3" WIDTH     1 STRIPMI	864	1		876	
CUBIC FOOT, MAX WORK PIECE 26 LB, LOAD CAPACITY 450 LB, WITH VERTICAL SHOP ACCUMULATOR, MEDIA LOADER, CONTROL PANEL, AUTO DOOR  855 1 SKID OF RUBBER BELTING, 39' WIDTH 866 1 CARBORUNDUM BAGHOUSE DUST COLLECTOR; SM 19/1389  867 1 METFIN SERIES 1 MODEL 600 BARREL TUMBLE BLAST MACHINE; SN 1008 (NEW 2005), 6 CUBIC FOOT, LOAD UP TO 650 LB, MAX WORK PIECE 60 LB, WITH AC TECH ACCUMULATOR, MEDIA LOADER, AUTO DOOR  868 1 RUBBER BELTING, 46' WIDTH 1, 400 DEGREE F, 28' X 28' BARREL PURNACE; SIN 1724828, 60 KW, MAX TEMP 1, 400 DEGREE F, 28' X 28' BARREL DIMENSIONS, WITH SHIMADAN CHART RECORDER, EUROTHERM DIGITAL READOUTS, 3600/220 VALT, ELECTRIC CONTROL BOX  871 1 LINDBERG CAT NO. 09478-284X HOMO 20 DEGREE F, 29' X 29' MESH BARREL DIMENSIONS, WITH EUROTHERM DIGITAL READOUTS, 3600/220 VALT, ELECTRIC CONTROL BOX  872 9 24-34' X 5' MESH BASKETS DIMENSIONS, WITH EUROTHERM DIGITAL READOUTS, 3600/420 VOLT, ELECTRIC CONTROL BOX  874 1 12 TON BUDGIT ELECTRIC HOIST WITH PENDANT, NO RAILS  875 1 INCLINED DUAL NUT DRIVING / STRIP STAKING MACHINE WITH YIBRATORY FEED BOWL MODEL 2760AC; SN 01498, 3-1/2' SPINDLE SPACING, INDUSTRIAL FEEDING SYSTEMS VIGRATORY BOWL; SN 970576, WITH MINARIK DRIVE, 14 HP BODINE SERVO MOTOR  889 1 OPEN  1 250085  1 1 250085  1 1 250085  1 1 250085  1 1 250085  1 1 250085  1 250085  1 250085  1 1 250085  2500MENTONS, WITH HIMPORT FEED BOWL MODEL 2760AC; SN 01498, 3-1/2' SPINDLE SPACING, INDUSTRIAL FEEDING SYSTEMS VIGRATORY BOWL; SN 970576, WITH MINARIK DRIVE, 14 HP BODINE SERVO MOTOR  890 1 1 250085  1 1 250085  1 1 250085  1 1 250085  1 1 250085  1 1 250085  1 1 250085  1 1 250085  1 250085  1 1 250087  1 250085  1 250085  1 250087  1 250085  1 250087  1 250087  1 250087  1 250087  1 250087  1 250087  1 250087  1 250087  1 250087  1 250087  1 250087  1 250087  1 250087  1 250087  1 250087  1 250087  1 250087  1 250087  1 250087  1 250087  1 250087  1 250087  1 250087  1 250087  1 250087  1 250087  1 250087  1 250087  1 250087  1 250087  1 250087  1 250087  1 250087  1 250087  1 250087  1 250087  1 250087  1 25					
LOAD CAPACITY 450 LB, WITH VERTICAL SHOP ACCUMULATOR, REDIA LOADER, CONTROL PANEL, AUTO DOOR  865 1 SKID OF RUBBER BELTING, 38" WIDTH  866 1 CARBORUNDUM BACHOUSE DUST COLLECTOR; SM 19/1389  867 1 METFIN SERIES 1 MODEL 600 BARREL TUMBLE BLAST MACHINE; SM 1008 (NEW 2005), 6 CUBIC FOOT, LOAD UP TO 650 LB, MAX WORK PIECE 60 LB, WITH AC TECH ACCUMULATOR, MEDIA LOADER, AUTO DOOR  868 1 PANGBORN PARTS; SHAFT, CYLINDER HOUSING, METAL BIN  870 1 LEEDS AND NORTHROP CAT NO. 9478-UB-28-10-5 HOMO CARDORIZIND PIT RECORDER, EUROTHERM DIGITAL READOUTS, 360020 VOLT, ELECTRIC CONTROL BOX  871 1 LINDBERG CAT NO. 09478-284X HOMO CARBORIZING PIT FURNACE; SM B1-60820-1-1, M 65 KW, MAX TEMP 1, ADD DEGREE F, 29" X 29" MESH BARREL DIMENSIONS, WITH HEUROTHERM DIGITAL READOUTS, 3000440 VOLT ELECTRIC CONTROL BOX  872 9 24-34" X 5" MESH BASKETS DIMENSIONS, WITH FURDER HOUSING RT 1, 1/2 TON BUDGIT ELECTRIC HOIST WITH PENDANT, NO RAILS  874 1 1/2 TON BUDGIT ELECTRIC HOIST WITH PENDANT, NO RAILS  875 1 INCLINED DUAL NUT DRIVING / STRIP STAKING MACHINE WITH VIBRATORY FEED BOW, MODEL 2760AC; SM 01498, 3-1/2" SPINOLE SPACING, INDUSTRIAL FEEDING SYSTEMS VIBRATORY BOWL; SM 970576, WITH MINARIK DRIVE, 14 HP BODINE  SPOON BUT AND ACHINE WITH TORST WINGER; SM VIDEX 16-1/2" DEEP BASKETS SERVO MOTOR  WITH HINARIK DRIVE, 14 HP BODINE SPOON BOOK CENTRAL BUTTONS, PA 1 DATE MINDLE CLOY SAN PEED, SM NDUSTRIES MODEL 275 CAS IN SIGNT 1 SMID OF ROLLE CO AS AFFOCL COIL TOSTA INDUSTRIES MODEL 25 CLARIPUGE CUT WITH RODRIES CAS AFROOL COIL STRAIGHTENER; SN 26883, 3" WIDTH CAPACITY, FORMARD / REVERCES SWITCH CAPACITY, FORMARD / REVERCES SWITCH CAPACITY, FORMARD / REVERSE SWITCH CAPACITY, EDVICE, SOUND STRAIGHTENER; SN 26883, 3" WIDTH CAPACITY CUTTRIN SAFETY DEVICE, SOUND ENCLOSURE 1 RRIPLE AND REVICE COIL STAYL SAN PARCEL BY TO SERVE A FREEDING STRAINCH MACHINE WITH TORS AND TORS 1 STRIGHTENER; SN 286380-1, 250 1 SKID OF FINISHING MEDIA; CETCO RM-10 REACTIVE SEPERATING ACENT CAPACITY, FORMARD / REVERCE, LIGHT CUTTRIN SAFETY DEVICE, SOUND STRAINCH MACHINE WITH TORS					· · · · · · · · · · · · · · · · · · ·
SHOP ACCUMULATOR, MEDIA LOADER, CONTROL PANEL, AUTO DOOR			•		•
CONTROL PANEL, AUTO DOOR   INDUSTRIES MODEL CX3 AIR FEED; S/M					
865         1 SKID OF RUBBER BELTING, 38" WIDTH         19914, AIR GLUTCH, AIR BRAKE, LIGHT CURTAIN SAFETY DEVICE, SOUND ENCLOSURE           867         1 METFIN SERIES I MODEL 600 BARREL TUMBLE BLAST MACHINE; SN 1008 (NEW 2005), 6 CUBIC FOOT, LOAD UP TO 650 LB, MAX WORK PIECE 60 LB. WITH AC TECH M1450C MC SERIES DRIVE, VERTICAL ACCUMULATOR, MEDIA LOADER, AUTO DOOR         878         1 LITTELL COIL CRADLE, 12" WIDTH CAPACITY, FORWARD / REVERSE SWITCH CAPACITY         24 Ph TORTI DONALDSON MODEL DF03-18 DUST COILECTOR; SN 28833, 3" WIDTH CAPACITY, FORWARD / REVERSE SWITCH CAPACITY         25 Ph TORTI DONALDSON MODEL DF03-18 DUST COILECTOR; SN 283350-1, 3600-420 VOLT WITH RODRIGUE INTENSIFER, AND RODRIGUE FIRE SUPPRESSION UNIT "BUYER RESPINSIBLE FOR COVERING TWO EXTIT HOLES IN WALL"         800 US PH TO AND ALD SWITCH RESPINSIBLE FOR COVERING TWO EXTIT HOLES IN WALL"         800 US PHINSHING LEDIA (B BUST COLLECTOR; SN 283250-1, 3600-420 VOLT, ELECTRIC CONTROL BOX         1 GEARED TUMBLE (B BUST COLLECTOR; SN 260220 VOLT ELECTRIC CONTROL BOX         880 US RESPINSIBLE FOR COVERING TWO EXTIT HOLES IN WALL"         880 US PHINSHING MEDIA, SUS SILICA, MERY SUSSED MINERALS, HESS PUMICE, BALLOTIN IMPACT BEADS         1 SKID OF FINISHING MEDIA, SUS SILICA, MERY SUSSED MINERALS, HESS PUMICE, BALLOTIN IMPACT BEADS         1 SKID OF FINISHING MEDIA; CETCO RM-10 REACTIVE SEPERATING AGENT         1 SKID OF FINISHING MEDIA; CETCO RM-10 REACTIVE SEPERATING AGENT         1 DOEN           872         9 24-3/4" X 5" MESH BASKETS         1 SKID OF FINISHING MEDIA; CETCO RM-10 REACTIVE SEPERATING AGENT         1 NEDIDANT NO RAILS         884         1 SKID OF FINISHING MEDIA; CETCO RM-10 REACTIVE SEPERATING AGENT         1 14 TON BUDGIT ELECTRIC HOIST WITH PENDA			· · · · · · · · · · · · · · · · · · ·		
1	865	1			•
COLLECTOR: \$N 19/1389					
867	000	'			
TUMBLE BLAST MACHINE; S/M 1008 (NEW 2005), 6 CUBIC FOOT, LOAD UP TO 650 LB., MAX WORK PIECE 60 LB., WITH AC TECH M1450C MC SERIES DRIVE. VERTICAL ACUMULATOR, MEDIA LOADER, AUTO DOOR	867	1		877	
2005), 6 CUBIC FOOT, LOAD UP TO 650 LB.   MAX WORK PIECE 60 LB., WITH AC TECH M1450C MC SERIES DRIVE, VERTICAL ACCUMULATOR, MEDIA LOADER, AUTO DOOR   STRIES DUST COLLECTOR; \$/N 2583500-1, 3/60/460   VOLT WITH RODRIGUE INTENSIFER, AND OVICT WITH RODRIGUE INTENSIFER, AND RODRIGUE FIRE SUPPRESSION UNIT "BUYER RESPINSIBLE FOR COVERING TWO EXIT HOLES IN WALL"   STRIES DIMETER, 26" BARREL DIMENSIONS, WITH SHIMADAN CHART RECORDER, EUROTHERM DIGITAL READOUTS, 3/60/220 VOLT, ELECTRIC CONTROL BOX   STRIES DRIVE, ST	001	. '		011	
MAX WORK PIECE 60 LB. WITH AC TECH			•		
### AGOUND SERIES DRIVE, VERTICAL ACCUMULATOR, MEDIA LOADER, AUTO DOOR  ### AUBBER BELTING, 46" WIDTH  ### AUBBER BELTING,				878	
ACCUMULATOR, MEDIA LOADER, AUTO DOOR DOOR DOOR DOOR DOOR DOOR DOOR DO			·		
DOOR				879	
1					
1 PANGBORN PARTS; SHAFT, CYLINDER HOUSING, METAL BIN HOUSING, METAL BIN HOUSING, METAL BIN   **BUYER RESPINSIBLE FOR COVERING TWO EXIT HOLES IN WALL**   9478-UB-28-10-5 HOMO CARDORIZING PIT   880   1 GEARED TUMBLE FINISH BARREL, 21"   BARREL DIMENSIONS, WITH SHIMADAN CHART RECORDER, EUROTHERM DIGITAL READOUTS, 3/60/220 VOLT, ELECTRIC CONTROL BOX BARBEL DIMENSIONS, WITH SHIMADAN CHART RECORDER, EUROTHERM DIGITAL READOUTS, 3/60/220 VOLT, ELECTRIC CONTROL BOX BARBEL DIMENSIONS, WITH SHIMADAN CHART RECORDER, EUROTHERM DIGITAL READOUTS, 3/60/220 WOLT, ELECTRIC CONTROL BOX BARBEL DEPTH, WITH TORIT MODEL 66 DUST COLLECTOR; S/N 69291, 1/2 HP, 3/60/220/440 VOLT WITH SHIMADAN CHART RECORDER, EUROTHERM DIGITAL READOUTS, 3/60/420 VOLT, ELECTRIC DIMENSIONS, WITH EUROTHERM DIGITAL READOUTS, 3/60/440 VOLT ELECTRIC CONTROL BOX BARBEL CAST SHOT, TRU CORRSE ABRASIVE CONTROL BOX BASED CONTROL BOX B	868	1	RUBBER BELTING, 46" WIDTH		
1   LEEDS AND NORTHROP CAT NO. 9478-UB-28-10-5 HOMO CARDORIZING PIT   880   1   GEARED TUMBLE FINISH BARREL, 21"   FURNACE; S/N 1724828, 60 KW, MAX TEMP   1,400 DEGREE F, 28" X 28" BARREL   DIMENSIONS, WITH SHIMADAN CHART   RECORDER, EUROTHERM DIGITAL   READOUTS, 3/60/220 VOLT, ELECTRIC   CONTROL BOX   READOUTS, 3/60/220 VOLT, ELECTRIC   CONTROL BOX   S1-60520-1-1.M 65 KW, MAX TEMP 1,400   DEGREE F, 29" X 29" MESH BARREL   883   1   SKID OF FINISHING MEDIAL, SS EDED MINERALS, HESS PUMICE, BALLOTIN IMPACT BEADS   S1-60520-1-1.M 65 KW, MAX TEMP 1,400   DEGREE F, 29" X 29" MESH BARREL   883   1   SKID OF FINISHING MEDIAL, SC ETCO RM-10   REACTIVE SEPERATING AGENT   READOUTS, 3/60/40 VOLT ELECTRIC   S84   1   OPEN   CONTROL BOX   S85   4   BARRELS OF FINISHING MEDIA; CETCO RM-10   REACTIVE SEPERATING AGENT   READOUTS, 3/60/40 VOLT ELECTRIC   S84   1   OPEN   S1-60520-1-1.M 0   REACTIVE SEPERATING AGENT   READOUTS, 3/60/40 VOLT ELECTRIC   S85   4   BARRELS OF FINISHING MEDIA; CETCO RM-10   REACTIVE SEPERATING AGENT   REACTIVE	869				RODRIGUE FIRE SUPPRESSION UNIT
9478-UB-28-10-5 HOMO CARDORIZING PIT FURNACE; S/N 1724828, 60 KW, MAX TEMP 1,400 DEGREE F, 28" X 28" BARREL DEPTH, WITH TORIT MODEL 66 DUST COLLECTOR; S/N 69291, 1/2 HP, 3/60/220/440 VOLT RECORDER ELECTRIC CONTROL BOX			HOUSING, METAL BIN		**BUYER RESPINSIBLE FOR COVERING
FURNACE; S/N 1724828, 60 KW, MAX TEMP   1,400 DEGREE F, 28" X 28" BARREL   WITH TORIT MODEL 66 DUST COLLECTOR; DIMENSIONS, WITH SHIMADAN CHART RECORDER, EUROTHERM DIGITAL READOUTS, 3/60/220 VOLT, ELECTRIC CONTROL BOX READOUTS, 3/60/220 VOLT, ELECTRIC READOUTS, 3/60/440 VOLT READOUTS, 3/60/440 VOLT ELECTRIC REA	870	1	LEEDS AND NORTHROP CAT NO.		TWO EXIT HOLES IN WALL**
1,400 DEGREE F, 28" X 28" BARREL   WITH TORIT MODEL 66 DUST COLLECTOR; DIMENSIONS, WITH SHIMADAN CHART   RECORDER, EUROTHERM DIGITAL   READOUTS, 3/60/220 VOLT, ELECTRIC   CONTROL BOX   SKID OF FINISHING MEDIA, US SILICA, IMERYS FUSED MINERALS, HESS PUMICE, BALLOTIN IMPACT BEADS   CUT WIRE, AMASTEEL CAST SHOT, TRU   CORRSE ABRASIVE   CONTROL BOX   CUT WIRE, AMASTEEL CAST SHOT, TRU   CORRSE ABRASIVE   CONTROL BOX   SKID OF FINISHING MEDIA; CETCO RM-10   REACTIVE SEPERATING AGENT   READOUTS, 3/60/440 VOLT ELECTRIC   884   1 OPEN   CONTROL BOX   BARRELS OF FINISHING MEDIA; CETCO RM-10   REACTIVE SEPERATING AGENT   READOUTS, 3/60/440 VOLT ELECTRIC   885   4 BARRELS OF FINISHING MEDIA; CETCO RM-10   REACTIVE SEPERATING AGENT   REACTIVE SEPERATING AGENT   REACTIVE SEPERATING AGENT   LUSTERLUME AM   SKID OF WIRE MESH BELTING   PENDANT, NO RAILS   886   1 SKID OF WIRE MESH BELTING   PENDANT, NO RAILS   887   1 1/4 TON BUDGIT ELECTRIC HOIST WITH PENDANT, NO RAILS   888   1 BARRETT CENTRFUGAL CHIP WRINGER, 30" WIDE X 16-1/2" DEEP BASKET AREA, MANUAL / AUTO OPERATION, (2) SPARE PARTS BASKETS   BOWL MODEL 2760AC; S/N 01496, 3-1/2"   PARTS BASKETS   PARTS BASKETS   SPINDLE SPACING, INDUSTRIAL FEEDING   SYSTEMS VIBRATORY BOWL; S/N 970576, WITH MINARIK DRIVE, 1/4 HP BODINE   SERVO MOTOR   890   1 OPEN			9478-UB-28-10-5 HOMO CARDORIZING PIT	880	1 GEARED TUMBLE FINISH BARREL, 21"
DIMENSIONS, WITH SHIMADAN CHART RECORDER, EUROTHERM DIGITAL READOUTS, 3/60/220 VOLT, ELECTRIC CONTROL BOX BALLOTIN IMPACT BEADS   1 LINDBERG CAT NO. 09478-284X HOMO RATE OF FINISHING MEDIA; REW ROUNDED CARBORIZING PIT FURNACE; S/N S1-60520-1-1,M 65 KW, MAX TEMP 1,400 DEGREE F, 29" X 29" MESH BARREL READOUTS, 3/60/440 VOLT ELECTRIC DIMENSIONS, WITH EUROTHERM DIGITAL READOUTS, 3/60/440 VOLT ELECTRIC READOUTS, 3/60/440 VOLT EL			FURNACE; S/N 1724828, 60 KW, MAX TEMP		BARREL DIAMETER, 26" BARREL DEPTH,
RECORDER, EUROTHERM DIGITAL READOUTS, 3/60/220 VOLT, ELECTRIC CONTROL BOX  871  1 LINDBERG CAT NO. 09478-284X HOMO CARBORIZING PIT FURNACE; S/N 81-60520-1-1,M 65 KW, MAX TEMP 1,400 DEGREE F, 29" X 29" MESH BARREL DIMENSIONS, WITH EUROTHERM DIGITAL READOUTS, 3/60/440 VOLT ELECTRIC CONTROL BOX  872  9 24-3/4" X 5" MESH BASKETS 1 1/2 TON BUDGIT ELECTRIC HOIST WITH PENDANT, NO RAILS 874  1 1/2 TON GON GB) BUDGIT ELECTRIC HOIST WITH PENDANT, NO RAILS 875  1 INCLINED DUAL NUT DRIVING / STRIP STAKING MACHINE WIHT VIBRATORY FEED BOWL MODEL 2760AC; S/N 01496, 3-1/2" SPINDLE SPACING, INDUSTRIAL FEEDING SYSTEMS VIBRATORY BOWL; 3/N 970576, WITH MINARIK DRIVE, 1/4 HP BODINE SERVO MOTOR  881  1 SKID OF FINISHING MEDIA, US SILICA, IMERYS FUSED MINERALS, HESS PUMICE, IMERYS FUSED MALLOTIN IMPACT BEADS  1 SKID OF FINISHING MEDIA; CCTO TOUT WIRE, AMASTEEL CAST SHOT, TRU CORRSE ABRASIVE  1 OPEN  1 OPEN  1 OPEN  1 INCLINED MEAN AT THE SEATOR TRU CORRSE ABRASIVE  1 OPEN  1 OPE			1,400 DEGREE F, 28" X 28" BARREL		WITH TORIT MODEL 66 DUST COLLECTOR;
READOUTS, 3/60/220 VOLT, ELECTRIC CONTROL BOX  1 LINDBERG CAT NO. 09478-284X HOMO CARBORIZING PIT FURNACE; S/N 81-60520-1-1,M 65 KW, MAX TEMP 1,400 DEGREE F, 29" X 29" MESH BARREL DIMENSIONS, WITH EUROTHERM DIGITAL READOUTS, 3/60/440 VOLT ELECTRIC CONTROL BOX  1 1/2 TON BUDGIT ELECTRIC HOIST WITH PENDANT, NO RAILS  1 1/2 TON (500 KG) BUDGIT ELECTRIC HOIST WITH PENDANT, NO RAILS  1 1 INCLINED DUAL NUT DRIVING / STRIP BOWL MODEL 2760AC; S/N 01496, 3-1/2" SPINDLE SPACING, INDUSTRIAL FEEDING STRY WITH MINARIK DRIVE, 1/4 HP BODINE SERVO MOTOR  READOUTS, 3/60/220 VOLT, ELECTRIC BALLOTIN IMPACT BEADS B82  1 SKID OF FINISHING MEDIA; CETCO RM-10 REACTIVE SEPERATING AGENT CORRSE ABRASIVE 1 OPEN CORRSE ABRASIVE 1 SKID OF FINISHING MEDIA; CETCO RM-10 REACTIVE SEPERATING AGENT REACTIVE SEPERATING REACTIVE SEPERATING REACTIVE SEPERATING REACTIVE SEPERATING REACTIVE SEPERATING REACTIVE SEPERATING REACTIVE AMASSEL CORRSE ABRASIVE LUTHOUT SETUM AMASSEL REACTIVE SEPERATION REACTIVE MASSEL SKID OF FINISHING MEDIA; LUSTERIUM AM 1 OPEN  1 SKID OF FINISHING MEDIA; SKID OF FINISHING MEDIA; SKID OF FINISHING MEDIA; SKID OF FINISHING REACTIVE AMASSEL REACTIVE SEPERATING REACTIVE AMASSEL REACTIVE AMA					S/N 69291, 1/2 HP, 3/60/220/440 VOLT
CONTROL BOX  1 LINDBERG CAT NO. 09478-284X HOMO CARBORIZING PIT FURNACE; S/N 81-60520-1-1,M 65 KW, MAX TEMP 1,400 DEGREE F, 29" X 29" MESH BARREL DIMENSIONS, WITH EUROTHERM DIGITAL READOUTS, 3/60/440 VOLT ELECTRIC CONTROL BOX 872 9 24-3/4" X 5" MESH BASKETS 1 1/2 TON BUDGIT ELECTRIC HOIST WIHT PENDANT, NO RAILS 874 1 1/2 TON (500 KG) BUDGIT ELECTRIC HOIST WITH PENDANT, NO RAILS 875 1 INCLINED DUAL NUT DRIVING / STRIP STAKING MACHINE WIHT VIBRATORY FEED BOWL MODEL 2760AC; S/N 01496, 3-1/2" SPINDLE SPACING, INDUSTRIAL FEEDING SYSTEMS VIBRATORY BOWL; S/N 970576, WITH MINARIK DRIVE, 1/4 HP BODINE SERVO MOTOR  882 1 SKID OF FINISHING MEDIA; CETCO RM-10 REACTIVE SEPERATING AGENT REACTIVE SEPERATING REACTIVE SEPERATION REACTIVE SEPER				881	
1 LINDBERG CAT NO. 09478-284X HOMO					
CARBORIZING PIT FURNACE; S/N 81-60520-1-1,M 65 KW, MAX TEMP 1,400 DEGREE F, 29" X 29" MESH BARREL DIMENSIONS, WITH EUROTHERM DIGITAL READOUTS, 3/60/440 VOLT ELECTRIC CONTROL BOX 872 9 24-3/4" X 5" MESH BASKETS 1 1/2 TON BUDGIT ELECTRIC HOIST WIHT PENDANT, NO RAILS 874 1 1/2 TON (500 KG) BUDGIT ELECTRIC HOIST WITH PENDANT, NO RAILS 875 1 INCLINED DUAL NUT DRIVING / STRIP STAKING MACHINE WIHT VIBRATORY FEED BOWL MODEL 2760AC; S/N 01496, 3-1/2" SPINDLE SPACING, INDUSTRIAL FEEDING SYSTEMS VIBRATORY BOWL; S/N 970576, WITH MINARIK DRIVE, 1/4 HP BODINE SERVO MOTOR  CUT WIRE, AMASTEEL CAST SHOT, TRU CORRSE ABRASIVE  CUT WIRE, AMASTEEL CAST SHOT, TRU CORRSE ABRASIVE  ABACTIVE SEPERATING AGENT  REACTIVE SEPERATING AGENT  REACTIVE SEPERATING AGENT  REACTIVE SEPERATION AGENT  BEACTIVE SEPERATION  B					
81-60520-1-1,M 65 KW, MAX TEMP 1,400 DEGREE F, 29" X 29" MESH BARREL DIMENSIONS, WITH EUROTHERM DIGITAL READOUTS, 3/60/440 VOLT ELECTRIC CONTROL BOX 885 4 BARRELS OF FINISHING MEDIA; LUSTERLUME AM 873 1 1/2 TON BUDGIT ELECTRIC HOIST WIHT PENDANT, NO RAILS 874 1 1/2 TON (500 KG) BUDGIT ELECTRIC HOIST WITH PENDANT, NO RAILS 875 1 INCLINED DUAL NUT DRIVING / STRIP STAKING MACHINE WIHT VIBRATORY FEED BOWL MODEL 2760AC; S/N 01496, 3-1/2" SPINDLE SPACING, INDUSTRIAL FEEDING SYSTEMS VIBRATORY BOWL; S/N 970576, WITH MINARIK DRIVE, 1/4 HP BODINE SERVO MOTOR  888 1 SKID OF WIRE MESH BELTING 1 SKID OF WIRE MESH BELTING 1 1/4 TON BUDGIT ELECTRIC HOIST PENDANT - NO RAIL 1 BARRETT CENTRFUGAL CHIP WRINGER, 30" WIDE X 16-1/2" DEEP BASKET AREA, MANUAL / AUTO OPERATION, (2) SPARE PARTS BASKETS CENTRIFUGAL CHIP WRINGER; S/N 2250063F CENTRIFUGAL CHIP WRINGER; S/N 2250063F	871	1		882	
DEGREE F, 29" X 29" MESH BARREL DIMENSIONS, WITH EUROTHERM DIGITAL READOUTS, 3/60/440 VOLT ELECTRIC CONTROL BOX 885 4 BARRELS OF FINISHING MEDIA; LUSTERLUME AM 873 1 1/2 TON BUDGIT ELECTRIC HOIST WIHT PENDANT, NO RAILS 874 1 1/2 TON (500 KG) BUDGIT ELECTRIC HOIST WITH PENDANT, NO RAILS 875 1 INCLINED DUAL NUT DRIVING / STRIP STAKING MACHINE WIHT VIBRATORY FEED BOWL MODEL 2760AC; S/N 01496, 3-1/2" SPINDLE SPACING, INDUSTRIAL FEEDING SYSTEMS VIBRATORY BOWL; S/N 970576, WITH MINARIK DRIVE, 1/4 HP BODINE SERVO MOTOR 889 1 SKID OF FINISHING MEDIA; CETCO RM-10 REACTIVE SEPERATING AGENT REACTIVE SEPERATING AGENT REACTIVE SEPERATING AGENT REACTIVE SEPERATING AGENT REACTIVE SEPERATING MEDIA; CETCO RM-10 REACTIVE SEPERATING AGENT REACTIVE SEPERATIOS REACTIVE SEPER					
DIMENSIONS, WITH EUROTHERM DIGITAL READOUTS, 3/60/440 VOLT ELECTRIC CONTROL BOX 885 4 BARRELS OF FINISHING MEDIA; LUSTERLUME AM 873 1 1/2 TON BUDGIT ELECTRIC HOIST WIHT PENDANT, NO RAILS 874 1 1/2 TON (500 KG) BUDGIT ELECTRIC HOIST WITH PENDANT, NO RAILS 875 1 INCLINED DUAL NUT DRIVING / STRIP STAKING MACHINE WIHT VIBRATORY FEED BOWL MODEL 2760AC; S/N 01496, 3-1/2" SPINDLE SPACING, INDUSTRIAL FEEDING SYSTEMS VIBRATORY BOWL; S/N 970576, WITH MINARIK DRIVE, 1/4 HP BODINE SERVO MOTOR  REACTIVE SEPERATING AGENT REACTIVE SEPERATIOS AGENT REACTIVE SEPERATING AGENT REACTIVE SEPERATIOS AGENT REACTIVE SEPERATIOS AGENT LUSTERLUME AM SKID OF WIRE MESH BELTING PENDANT - NO RAIL REACTIVE SEPERATIOS AGENT REACTIVE SEPERATIOS AGENT REACTIVE SEPERATIOS AGENT REACTIVE SEPERATIOS AGENT REACTIVE SEPERATION AGENT REACTIVE SEPERTION REACTIVE SEPERATION AGENT REACTIVE SEPERTION REACTIVE SEPERTENT REACTIVE SEPERTION					
READOUTS, 3/60/440 VOLT ELECTRIC CONTROL BOX 885 4 BARRELS OF FINISHING MEDIA; LUSTERLUME AM 873 1 1/2 TON BUDGIT ELECTRIC HOIST WIHT PENDANT, NO RAILS 874 1 1/2 TON (500 KG) BUDGIT ELECTRIC HOIST WITH PENDANT, NO RAILS 875 1 INCLINED DUAL NUT DRIVING / STRIP STAKING MACHINE WIHT VIBRATORY FEED BOWL MODEL 2760AC; S/N 01496, 3-1/2" SPINDLE SPACING, INDUSTRIAL FEEDING SYSTEMS VIBRATORY BOWL; S/N 970576, WITH MINARIK DRIVE, 1/4 HP BODINE SERVO MOTOR 885 4 BARRELS OF FINISHING MEDIA; LUSTERLUME AM 1 SKID OF WIRE MESH BELTING PENDANT - NO RAIL BARRETT CENTRFUGAL CHIP WRINGER, 30" WIDE X 16-1/2" DEEP BASKET AREA, MANUAL / AUTO OPERATION, (2) SPARE PARTS BASKETS 1 BARRETT MODEL 225 CLARIFUGE CENTRIFUGAL CHIP WRINGER; S/N 2250063F SERVO MOTOR 890 1 OPEN				883	
CONTROL BOX 872 9 24-3/4" X 5" MESH BASKETS 1 1/2 TON BUDGIT ELECTRIC HOIST WIHT PENDANT, NO RAILS 874 1 1/2 TON (500 KG) BUDGIT ELECTRIC HOIST WITH PENDANT, NO RAILS 875 1 INCLINED DUAL NUT DRIVING / STRIP BOWL MODEL 2760AC; S/N 01496, 3-1/2" SPINDLE SPACING, INDUSTRIAL FEEDING SYSTEMS VIBRATORY BOWL; S/N 970576, WITH MINARIK DRIVE, 1/4 HP BODINE SERVO MOTOR 885 4 BARRELS OF FINISHING MEDIA; LUSTERLUME AM  886 1 SKID OF WIRE MESH BELTING  1 1/4 TON BUDGIT ELECTRIC HOIST PENDANT - NO RAIL PARTS BASKET CENTRFUGAL CHIP WRINGER, 30" WIDE X 16-1/2" DEEP BASKET AREA, MANUAL / AUTO OPERATION, (2) SPARE PARTS BASKETS  1 BARRELT MODEL 225 CLARIFUGE CENTRIFUGAL CHIP WRINGER; S/N 2250063F SERVO MOTOR 890 1 OPEN				004	
9 24-3/4" X 5" MESH BASKETS  1 1/2 TON BUDGIT ELECTRIC HOIST WIHT PENDANT, NO RAILS  887  1 1/2 TON (500 KG) BUDGIT ELECTRIC HOIST WITH PENDANT, NO RAILS  888  1 BARRETT CENTRFUGAL CHIP WRINGER, WITH PENDANT VIBRATORY FEED BOWL MODEL 2760AC; S/N 01496, 3-1/2" SPINDLE SPACING, INDUSTRIAL FEEDING SYSTEMS VIBRATORY BOWL; S/N 970576, WITH MINARIK DRIVE, 1/4 HP BODINE SERVO MOTOR  1 LUSTERLUME AM  1 SKID OF WIRE MESH BELTING BARRETT CENTRFUGAL CHIP WRINGER, 1 BARRETT CENTRFUGAL CHIP WRINGER, 30" WIDE X 16-1/2" DEEP BASKET AREA, MANUAL / AUTO OPERATION, (2) SPARE PARTS BASKETS  1 BARRETT MODEL 225 CLARIFUGE CENTRIFUGAL CHIP WRINGER; S/N 2250063F SERVO MOTOR  890  1 OPEN					
1 1/2 TON BUDGIT ELECTRIC HOIST WIHT PENDANT, NO RAILS 887 1 1/4 TON BUDGIT ELECTRIC HOIST WITH PENDANT, NO RAILS 888 1 1 BARRETT CENTRFUGAL CHIP WRINGER, STAKING MACHINE WIHT VIBRATORY FEED BOWL MODEL 2760AC; S/N 01496, 3-1/2" SPINDLE SPACING, INDUSTRIAL FEEDING SYSTEMS VIBRATORY BOWL; S/N 970576, WITH MINARIK DRIVE, 1/4 HP BODINE SERVO MOTOR 889 1 SKID OF WIRE MESH BELTING B87 1 1/4 TON BUDGIT ELECTRIC HOIST WITH PENDANT - NO RAIL PENDANT - NO RAIL PENDANT - NO RAIL PARRETT CENTRFUGAL CHIP WRINGER, 30" WIDE X 16-1/2" DEEP BASKET AREA, MANUAL / AUTO OPERATION, (2) SPARE PARTS BASKETS 1 BARRETT MODEL 225 CLARIFUGE CENTRIFUGAL CHIP WRINGER; S/N 2250063F SERVO MOTOR 890 1 OPEN	872	a		000	
PENDANT, NO RAILS  887  1 1/2 TON (500 KG) BUDGIT ELECTRIC HOIST WITH PENDANT, NO RAILS  888  1 BARRETT CENTRFUGAL CHIP WRINGER, 30" WIDE X 16-1/2" DEEP BASKET AREA, STAKING MACHINE WIHT VIBRATORY FEED BOWL MODEL 2760AC; S/N 01496, 3-1/2" SPINDLE SPACING, INDUSTRIAL FEEDING SYSTEMS VIBRATORY BOWL; S/N 970576, WITH MINARIK DRIVE, 1/4 HP BODINE SERVO MOTOR  887  1 1/4 TON BUDGIT ELECTRIC HOIST WITH PENDANT - NO RAIL  BARRETT CENTRFUGAL CHIP WRINGER, 30" WIDE X 16-1/2" DEEP BASKET AREA, MANUAL / AUTO OPERATION, (2) SPARE PARTS BASKETS  1 BARRETT MODEL 225 CLARIFUGE CENTRIFUGAL CHIP WRINGER; S/N 2250063F  1 OPEN				886	
1 1/2 TON (500 KG) BUDGIT ELECTRIC HOIST WITH PENDANT, NO RAILS 888 1 BARRETT CENTRFUGAL CHIP WRINGER, 30" WIDE X 16-1/2" DEEP BASKET AREA, STAKING MACHINE WIHT VIBRATORY FEED BOWL MODEL 2760AC; S/N 01496, 3-1/2" SPINDLE SPACING, INDUSTRIAL FEEDING SYSTEMS VIBRATORY BOWL; S/N 970576, WITH MINARIK DRIVE, 1/4 HP BODINE SERVO MOTOR  9ENDANT - NO RAIL BARRETT CENTRFUGAL CHIP WRINGER, 30" WIDE X 16-1/2" DEEP BASKET AREA, MANUAL / AUTO OPERATION, (2) SPARE PARTS BASKETS 1 BARRETT MODEL 225 CLARIFUGE CENTRIFUGAL CHIP WRINGER; S/N 2250063F 1 OPEN	070				
WITH PENDANT, NO RAILS  1 INCLINED DUAL NUT DRIVING / STRIP STAKING MACHINE WIHT VIBRATORY FEED BOWL MODEL 2760AC; S/N 01496, 3-1/2" SPINDLE SPACING, INDUSTRIAL FEEDING SYSTEMS VIBRATORY BOWL; S/N 970576, WITH MINARIK DRIVE, 1/4 HP BODINE SERVO MOTOR  1 BARRETT CENTRFUGAL CHIP WRINGER, 30" WIDE X 16-1/2" DEEP BASKET AREA, MANUAL / AUTO OPERATION, (2) SPARE PARTS BASKETS  1 BARRETT MODEL 225 CLARIFUGE CENTRIFUGAL CHIP WRINGER; S/N 2250063F 1 OPEN	874	1		007	
1 INCLINED DUAL NUT DRIVING / STRIP STAKING MACHINE WIHT VIBRATORY FEED BOWL MODEL 2760AC; S/N 01496, 3-1/2" SPINDLE SPACING, INDUSTRIAL FEEDING SYSTEMS VIBRATORY BOWL; S/N 970576, WITH MINARIK DRIVE, 1/4 HP BODINE SERVO MOTOR  30" WIDE X 16-1/2" DEEP BASKET AREA, MANUAL / AUTO OPERATION, (2) SPARE PARTS BASKETS  1 BARRETT MODEL 225 CLARIFUGE CENTRIFUGAL CHIP WRINGER; S/N 2250063F	0, 1	•		888	
STAKING MACHINE WIHT VIBRATORY FEED BOWL MODEL 2760AC; S/N 01496, 3-1/2" SPINDLE SPACING, INDUSTRIAL FEEDING SYSTEMS VIBRATORY BOWL; S/N 970576, WITH MINARIK DRIVE, 1/4 HP BODINE SERVO MOTOR  MANUAL / AUTO OPERATION, (2) SPARE PARTS BASKETS  1 BARRETT MODEL 225 CLARIFUGE CENTRIFUGAL CHIP WRINGER; S/N 2250063F 1 OPEN	875	1			•
BOWL MODEL 2760AC; S/N 01496, 3-1/2"  SPINDLE SPACING, INDUSTRIAL FEEDING SYSTEMS VIBRATORY BOWL; S/N 970576, WITH MINARIK DRIVE, 1/4 HP BODINE SERVO MOTOR  PARTS BASKETS  1 BARRETT MODEL 225 CLARIFUGE CENTRIFUGAL CHIP WRINGER; S/N 2250063F 1 OPEN					•
SPINDLE SPACING, INDUSTRIAL FEEDING 889 1 BARRETT MODEL 225 CLARIFUGE SYSTEMS VIBRATORY BOWL; S/N 970576, CENTRIFUGAL CHIP WRINGER; S/N WITH MINARIK DRIVE, 1/4 HP BODINE 2250063F SERVO MOTOR 890 1 OPEN					
SYSTEMS VIBRATORY BOWL; S/N 970576, CENTRIFUGAL CHIP WRINGER; S/N WITH MINARIK DRIVE, 1/4 HP BODINE 2250063F SERVO MOTOR 890 1 OPEN				889	
WITH MINARIK DRIVE, 1/4 HP BODINE 2250063F SERVO MOTOR 890 1 OPEN					
SERVO MOTOR 890 1 OPEN					
				890	
				891	1 OPEN

Lot Num	Qty.	Description	Lot Num	Qty.	Description
892	1	PANGBORN MODEL GGN-1R36 BARREL TUMBLE BLAST MACHINE; S/N S980832, LOAD HEIGHT 3', BARREL CAPACITY 6 CUBIC FOOT, MAX WORKPIECE WEIGHT 75 LB. LOAD CAPACITY 960 LB., WITH	904	1	72" HAMMOND ROTO-FINISH MODEL ER-1822 VIBRATORY DEBURRING BOWL; S/N ER-1822-92-B6 (NEW 2019), ORDER NO. A296720, 10 HP, 16" PARTS CHUTE WIDTH, WITH CONTROL PANEL
893	1	VERTICAL ACCUMULATOR, MEDIA LOADER, CONTROL PANEL, AUTO DOOR, 20 HP WHEELABRATOR BARREL TUMBLE BLAST MACHINE; S/N A137219, WITH MEDIA	905	,	72" ROTO-FINISH SPIRATRON MODEL ST-20-MSAX VIBRATORY DEBURRING BOWL; S/N 20M-79-B22, 10 HP, 16" PARTS CHUTE WIDTH
		ACCUMULATOR AND LOADER, 10 HP BALDOR MOTOR, CONTROL PANEL, MANUAL SWING DOOR, TORIT DUST COLLECTOR	906		SHALCO SYSTEMS MODEL EVF-08R VIBRATORY PARTS FINISHER; S/N 1152-2, 5 CUBIC FOOT, FULL ENCLOSURE, SHAKE SCREEN
894 895		RUBBER BELTING, 34" WIDTH 78" ROTO-FINISH VIBRATORY DEBURRING BOWL, 78" BOWL DIAMETER, 10 HP, 3/60/208/460 VOLT, BRASS TAG 49-1852, 18"	906A 907		1 60" ROTO-FINISH "SPIRATRON" VIBRATORY DEBURRING BOWL, 16" PARTS CHUTE WIDTH 3 OVERHEAD HOISTS, 1/4 TON, 1 TON
896	1	PARTS CHUTE WIDTH, CONTROL PANEL 116" VIBRATORY DEBURRING BOWL, 116" BOWL DIAMETER, 30" PARTS CHUTE		`	BUDGIT ELECTRIC HOISTS WITH PENDANT,  1 TON DAYTON ELECTRIC HOIST WITH  PENDANT
897	1	WIDTH, CONTROL PANEL, BRASS TAG 49-1676 120" HAMMOND ROTO-FINISH VIBRATORY	908	•	1 RUWAC MODEL DS2720 SILO DUST COLLECTOR; S/N DS/002004, 10 HP, 3/60/460 VOLT
		DEBURRING BOWL, 30 HP, 28" PARTS CHUTE WIDTH, CONTROL PANEL, 18" TITAN INCLINED CONVEYOR; S/N 2014264, BRASS			1 16-1/2" X 19-1/2" HENDERSON BROS, TUMBLE BARREL, WITH HANDWHEEL TILT, ELECTRICS
898	1	TAG 49-1851 120" ROSLER MODEL SB-100S VIBRATORY DEBURRING BOWL; S/N 9000004880, 30 HP,	910		1 15-1/2" X 22-1/2" HENDERSON BROS. TUMBLE BARREL WITH HANDHWEEL TILT, ELECTRICS
899	1	28" PARTS CHUTE WIDTH, (RELINED 2015) WITH CONTROL PANEL 120" VL INDUSTRIES VIBRATORY	911	,	1 19-1/2" X 27" TUMBLE BARREL, WITH HANDWHEEL TILT, FOOT TREADLE, ELECTRICS
000	4	DEBURRING BOWL, 30 HP, 28" PARTS CHUTE WIDTH, WITH CONTROL PANEL	912		1 19" X 26-1/2" HENDERSON BROS, TUMBLE BARREL, WITH HANDWHEEL TILT,
900	1	PRAB SHAKEOUT CONVEYOR WITH 17" TITAN INCLINED CONVEYOR, WITH (2) ACTECH M SERIES CONTROLLERS	913 950		ELECTRICS  1 CHAIN LINK GAGE CRIBBING  1 15,000 LB. HYSTER MODEL S155XL
901	1	18" WARDCRAFT MODEL SH1800-T3-PIMPLED INCLINED CONVEYOR; S/N 36282-14885 (NEW 1998)			PROPANE FORKLIFT; S/N BUZ4D04393T, LOAD HEIGHT 94-1/2", 10 DEGREE BACK TILT, 48" FORK LENGTH, SOLID TIRES, DUAL
902	1	18" WARDCRAFT MODEL SH1800-T3-PIMPLED INCLINED CONVEYOR;	054		MAST, THREE SPEED TRANSMISSION **DELAYED REMOVAL - TBD**
903	1	S/N 19002-9435 (NEW 1989) 72" SWECO MODEL FMD-24LR VIBRATORY DEBURRING BOWL; S/N 24FM-848-325F, 10 HP, 18" PARTS CHUTE WIDTH, WITH CONTROL CONSOLE	951		1 5,000 LB. CATERPILLAR MODEL GP25N LP GAS SOLID PNEUMATIC TIRE LIFT TRUCK; S/N AT35A05796, 82" 3-STAGE MAST, 189" LIFT, SIDE SHIFT, FORK POSITIONING, 48" FORKS, 5,925 HOURS

Lot Num	Qty.	Description	Lot Num	Qty. Description
952	1	5,000 LB. TOYOTA MODEL 8FGU25 LP GAS SOLID PNEUMATIC TIRE LIFT TRUCK; S/N C0623, 84" 3-STAGE MAST, 189" LIFT, SIDE SHIFT, 42" FORKS, CAB ENCLOSURE, CAB HEATER, 6,028 HOURS	968	1 800 TON MINSTER MODEL E2-800 "HEVI-STAMPER" STRAIGHT SIDE PRESS; S/N E2-800-28280, 8" STROKE, 36" SHUT HEIGHT, 10" ADJUSTMENT, 108" X 54" BOLTER AREA, 0-50 SPM RAM SPEED
953	1	3,500 LB. HYSTER MODEL H35XM LP GAS SOLID PNEUMATIC TIRE LIFT TRUCK; S/N D001H04007U, 83" 3-STAGE MAST, 189" LIFT SIDE SHIFT, 59" FORK, 6,900 HOURS		(VARIABLE), 54" X 96" RAM AREA, 32" WINDOWS, EQUIPPED WITH OMNI LINK II LCD OPERATORS CONSOLE WITH INDRAMAT PLC CONSOLE, AIR CLUTCH AND
954	1	4,000 LB. KOMATSU MODEL FG20STLP-12 LP GAS CUSHION TIRE LIFT TRUCK; S/N 510832A, 77" 3-STAGE MAST, 167" LIFT, SIDE SHIFT, 47" FORKS, 12,451 HOURS	<u>.</u>	BRAKE, MINSTER MODEL MEF-5-32 OUTFEED AND SCRAP CHOPPER; S/N 18-50458, PAX LUBE SYSTEM AND LINCOLN LUBRICATION CONTROLLER, (5)
955	1	5,000 LB. TOYOTA MODEL 7FGCU25 LP GAS CUSHION TIRE LIFT TRUCK; S/N 65924, 82" 3-STAGE MAST, 189" LIFT, SIDE SHIFT, 48' FORKS		KNOCKOUTS, YASAKAWA A1000 DRIVE, LINKLITE BLACK MAX AND OMRON SAFETY LIGHT CURTAINS, 93) ROLLER DIE SUPPORTS, 3/60/480 VOLT
956	1	OPEN	969	1 MINSTER MODEL MEF5-32 SERVO FEED;
957	1	OPEN		S/N 18-50458, WITH PINCH ROLL CONTROL
958	1	OPEN		**SUBJECT TO OVERALL BID**
959	1	OPEN	970	1 MINSTER MODEL MR15-38D DUAL END COIL
960	1	OPEN		REEL WITH COIL CAR; S/N 13-70282, MAX
961		CALDWELL MODEL PB-40 FORKLIFT BOOM LIFT; S/N 47-32-0000150, 72" UNERTENDOO BOOM LENGTH		COIL 15,000 LB., 60" OD, 16" - 20" ID, WITH KEEPER ARMS, COIL HOLDDOWNS; S/N COIL CAR MODEL MCC2-35; S/N 13-90126,
962		FORKLIFT EXTENTIONS - 60" LENGTH		35,000 LB. LIFTING CAPACITY, 37" X 37" COIL
962A	1	MORSE FORKLIFT BARREL LIFT		AREA **SUBJECT TO OVERALL BID**
963		ATLAS COPCO MODEL GA90VSD ROTARY SCREW TYPE AIR COMPRESSOR; S/N AP1666414 (NEW 2014), MAWP 13 BAR, 189 PSI, 3/60/400 VOLT	971	1 MINSTER MODEL MS30-32-7 ROLL STRAIGHTENER; S/N 13-50242, 600 IPM LINE SPEED, 32" STOCK WIDTH, .350" STOCK THICKNESS, WITH PINCH ROLL PRESSURE
964	1	ATLAS COPCO MODEL GA90VSD ROTARY SCREW TYPE AIR COMPRESSOR; S/N AP1666445 (NEW 2014), MAWP 13 BAR, 189 PSI, 3/60/400 VOLT	972	CONTROL, MINSTER MODEL MTT-12-328 THREADING AND PEELER TABLE; S/N 13-81072 **SUBJECT TO OVERALL BID** 1 MINSTER RAIL TRAVERSING MODEL
965		ATLAS COPCO MODEL GA90VSD ROTARY SCREW TYPE AIR COMPRESSOR; S/N AP1666284 (NEW 2014), MAWP 13 BAR, 189 PSI, 3/60/400 VOLT	0,2	MDT20-120DM BOLSTER / DIE CART; S/N 1360020, MAX DIE WEIGHT 20,000 LB., (2) 68" X 68" BOLSTER / DIE PEDESTALS, EQUPPED WITH RIGID CHAIN DRIVE, CONTROLLERS
966	1	QUINCY MODEL QPNC-1250 (E17) AIR DRYER; S/N ITJ655653 (NEW 2022), 203 PSIG MAX PRESSURE, 3/60/460 VOLT	973	FOR WHEEL DRIVE, RAISE AND LOWER  **SUBJECT TO OVERALL BID**  1 OVERALL LOTS 968-972 - 800 TON MINSTER
967	1	BRUNNER AIR RECEIVING TANK, 150 PSI MAX PRESSURE, WC 3000i	913	E2-800 STRAIGHT SIDE PRESS AND FEED LINE, INCLUDING MINSTER PRESS, COIL REEL AND CAR, STRAIGHTENER, COIL FEED, OUTFEED AND SCRAP CHOPPER
			973A	1 42" X 106" X 6" BOLSTER PLATE
			974	1 42" X 106" X 6" BOLSTER PLATE
			975	1 42" X 76" X 6" BOLSTER PLATE
			976	1 42" X 76" X 6" BOLSTER PLATE

Lot Num	Qty.	Description	Lot Num	Qty.	De	escription
977	1	42" X 76" X 6" BOLSTER PLATE	991	1	1 C	CWP MODEL 4.5R COIL REEL; S/N 057844,
978	1	NIDEC MINSTER MEF5-32D ELECTRIC				10,000 LB. CAPACITY WEIGHT, 60' MAX COIL
		PRESS CONTROLS (NEW 2021) WITH (2)				DD, 14-18 / 18-22 MANDREL EXPANSION, 30"
		ALLEN BRADELY KINETIK 6500 CONTROL				STOCK WIDTH RIGHT TO LEFT, 219 STOCK
		MODULES, NEMA12/IP54 PROTECTION, 120			Т	THICKNESS MAX, WITH COIL CAR, 3/60/230
		VAC/ 24 VDC CONTROL VOLTAGE, JOB NO.			٧	/OLT, 25-1/2" X 35-1/2" COIL AREA
		850458			*	*SUBJECT TO OVERALL BID**
979	1	800 TON MINSTER DRIVE GEAR	992	. 1	1 2	20" TITAN CHIP CONVEYOR; S/N 2014811
980	1	MOOG SERVO MOTOR; S/N 1223-0632			*	*SUBJECT TO OVERALL BID**
981	1	ALLEN BRADLEY AC SERVO MOTOR; S/N PN42731 (NEW 2021)	993	1		OVERALL LOTS 988-992 - 400 TON MINSTER STRAIGHT SIDE PRESS AND FEED LINE,
982	1	ALLEN BRADLEY AC SERVO MOTOR; S/N PN42731 (NEW 2021)				NCLUDING SERVO ROLL FEED, COIL REEL AND CAR, THREADING TABLE, CHIP
983	1	800 TON MINSTER ROSS VALVES, AIRFLEX				CONVEYOR
		10CB300 BRAKES	994	1		42" X 72" X 8" BOLSTER PLATE
984	1	800 TON MINSTER MOTOR, REVLAND TYPE	995			38" X 64" X 4" BOLSTER PLATE
		A000, 10 HP MOTOR; S/N 946917A-1	996	1	1 3	38" X 64" X 3" BOLSTER PLATE
985	1	MINSTER 800 TON V BELTS, VALVES ON	997	1	1 3	38" X 58" X 4" BOLSTER PLATE
		SKIDS	998	1	1 4	47" X 60" X 3-1/2" BOLSTER PLATE
986	2	BRUSHLESS SERVO MOTORS INDRAMAT	999	1	1 3	38" X 64" X 3-1/2" BOLSTER PLATE
		BRAND	1000	1	1 3	300 TON NIAGARA MODEL SA-300-72X42
987	1	800 TON MINSTER WIRE CABLES, GEARS			5	STRAIGHT SIDE PRESS; S/N 44275, 6"
988	1	400 TON MINSTER MODEL E2-400-72-48			5	STROKE, 20-1/2" SHUT HEIGHT, 4"
		"HEVI-STAMPER" STRAIGHT SIDE PRESS;			P	ADJUSTMENT, 72" X 42" BED AREA, 72" X 30"
		S/N E2-400-20742, 8" STROKE, 28" SHUT			F	RAM AREA, 50/100 SPM RAM SPEED, 27"
		HEIGHT, 6" ADJUSTMENT, 72" X 48"			٧	WINDOWS, EQUIPPED WITH OMNILINK II
		BOLSTER ARM, 72" X 48' RAM AREA, 0-80			L	LCD OPERATORS CONSOLE, LINK LITE
		SPM RAM SPEED (VARIABLE), 26"			E	BLACK MAX SAFETY LIGHT CURTAINS,
		WINDOWS, EQUIPPED WITH WINTRISS			F	FRONT AND BACK, AIR CLUTCH AND
		SMART PAC PASS CONTROL CONSOLE, AIR	₹		E	BRAKE, (3) KNOCKOUTS **SUBJECT TO
		CLUTCH AND BRAKE, OMNILINK 805			(	OVERALL BID**
		MACHINE MOTOR, AC TECH MC SERIES	1001		1 [	DALLAS MODEL DRF-418 SERVO FEED; S/N
		DRIVE, SHAWDOW 8 SAFETY LIGHT			1	18117, .125" X 18" WIDE CAPACITY, .015
		CURTAINS, DORNER OUTFEED CONVEYOR	, ·		N	MINIMUM **SUBJECT TO OVERALL BID**
		20" TITAN INCLINE CONVEYOR, (3)	1002	•	1 (	CWP MODEL 18C STOCK STRAIGHTENER;
		KNOCKOUTS **SUBJECT TO OVERALL BID**	ŧ		9	S/N C34841, 18" WIDTH, .021187"
989	1	CWP SERVO ROLL FEED, 36" WIDTH WITH			٦	THICKNESS CAPACITY, RIGHT TO LEFT, 50
		AB PLC CONTROLLER **SUBJECT TO				FPM, WITH LOOP CONTROL STAND,
		OVERALL BID**				REMOTE PENDANT, 3/60/460 VOLT
990	1	CWP MODEL 30-35 STOCK STRAIGHTENER;				**SUBJECT TO OVERALL BID**
		S/N 578445T, 30" WIDTH, .0284219"	1003			CWP MODEL 4R-18 STOCK REEL; S/N
		THICKNESS, RIGHT TO LEFT, 100 FPM LINE				C34842, 8,000 LB. CAPACITY, 60" MAX COIL
		SPEED, WITH OPERATORS CONSOLE,				OD, 13-17" MANDREL EXPANSION RANGE,
		PENDANT, COIL HOLDDOWN, CWP MODEL				18' STOCK WIDTH, RIGHT TO LEFT,
		30PTT 12 THREADING TABLE **SUBJECT TO	)			EQUPPED WITH KEEPER ARMS, COIL
		OVERALL BID**				HOLDDOWN **SUBJECT TO OVERALL BID**
			1004			OVERALL LOTS 1000-1003 - 300 TON
						NIAGARA STRAIGHT SIDE PRESS AND FEED
			4			LINE INCLUDING PRESS, STOCK FEED,
					,	STOCK STRAIGHTENER, STOCK REEL

Lot Num	Qty.	Description	Lot Num	Qty. Description
1005	1	SLUG AND CHIP REMOVAL SYSTEM CONSISTING OF 54' LONG FLAT CONVEYOR 17" WIDTH, INCLINED CONVEYOR, (3) LOADING CONVEYORS, 17", 29-1/2" AND 17" WIDTHS	1025	<ul> <li>5 TON X APPROX. 28' SPAN SINGLE GIRDER BRIDGE CRANE WIHT 5 TON UNDERSLUNG SHAW BOX CRANE HOIST WITH PENDANT CONTROL, NO RAIL OR ELECTRICS</li> <li>5 TON X APPROX. 28' SPAN SINGLE GIRDER</li> </ul>
1006	1	DALLAS MODEL 16123E COIL UPENDER; S/N 18543, 15,000 LB. CAPACITY, 72" OD, 36" WIDE, 41" X 46" COIL BED AREA, EQUIPPED		BRIDGE CRANE WIHT 5 TON UNDERSLUNG SHAW BOX CRANE HOIST WITH PENDANT CONTROL, NO RAIL OR ELECTRICS
1007	1	WITH PENDANT CONTROL COE MODEL CP-SCU-10K COIL UPENDER; S/N 8E282-1, 10,000 LB. CAPACITY, 36" X 42" COIL AREA, PENDANT	1027	1 5 TON X APPROX. 16' SPAN DETROIT UNDER SLUNG DUAL GIRDER BRIDGE CRANE WITH SPACEMASTER II HOIST WITH PENDANT CONTROL
1008	1	LITTELL MODEL 424HVS7PD 7-ROLL COIL STRAIGHTENER; S/N 75239-66, 24" WIDTH, .078" THICKNESS, FORWARD / REVERSE	1028	1 2 TON SINGLE GIRDER BRIDGE CRANE WITH 2 TON COFFING ELECTRIC HOIST WIHT PENDANT CONTROL, 30' SPAN
1009	1	CONTROLS, 3/60/440 VOLT LITTELL MODEL 40-12 COIL REEL; S/N S-6061-76, 4,000 LB. CAPACITY, 15-20" ID, 60' OD, 12" WIDTH	1029 1030 1031	<ol> <li>RACK WITH ASSORTMETN OF CRANE,</li> <li>C-TYPE COIL LIFTS UP TO 10,000 LB.</li> <li>10,000 LB. CRANE C-TYPE COIL LIFT</li> <li>SKID OF C-TYPE COIL LIFTS UP TO 1,000 LB.</li> </ol>
1010	1	DALLAS INDUSTRIES FEED CONTROL CONSOLE AND NIDEC / ALLEN BRADELY SERVO MOTOR	1032	1 MISCELLANEOUS PRESS HARDWARE, NUTS, BOLTS, HOLDDOWN CLAMPS, CONVEYOR PARTS
1011	1	36" PALLET TYPE COIL DEREELER MODEL 275; S/N RPC-36	1033	1 36" X 96" HEAVY DUTY DIE PALLET RACKING, (4) SECTIONS, 48" X 132" HEAVY
1012	1	11-1/2" X 2" INCLINED SERVO PARTS CONVEYOR		DUTY DIE PALLET RACKING (2) SECTIONS, 16,000 LB. CAPACITY PER SHELF
1013	1	8-1/2" INCLINED PARTS CONVEYOR	1034	1 45 TON FEDERAL MODEL 45 OBI PUNCH
1014	1	10" DORNIER BELT TYPE PARTS CONVEYOR WITH VARISPEED		PRESS; S/N 45-524 (NEW 11/1981), 3" STROKE, 13" SHUT HEIGHT, 18" X 28" BED
1015	1	8" DORNIER BELT TYPE PARTS CONVEYOR ON ELEVATING CART		SPACE, 14" X 18-1/2" RAM, 10" THROAT DEPTH, 70-210 SPM RAM SPEED (VARI),
1016	1	10" DORNIER BELT TYPE PARTS CONVEYOR ON ELEVATING CART WITH VARISPEED		EQUIPPED WITH REMOTE OPERATORS CONSOLE, INCH, SINGLE, JOG AND CONTINOUS OPERATION, AIR CLUTCH AND
1017	1	10" DORNIER BELT TYPE PARTS CONVEYOR WITH VARISPEED		BRAKE, FOOT PEDAL, AIR COUNTER BLANCE LIGHT CURTAIN SAFETY DEVICE, 8"
1018	1	8" DORNIER BELT TYPE PARTS CONVEYOR WITH VARISPEED		AIR FEED, PA INDUSTRIES SCRAP CHOPPER, DIE PROBE, BRAKE MONITOR
1019	1	MISCELLANEOUS PARTS CONVEYORS AND PARTS CHUTES	1035	1 5 TON PERKINS MODEL 5C PUNCH PRESS; S/N 46776, 1-1/2" STROKE, 5-1/2" SHUT
1020	2	PARTS CONVEYORS 8" AND 10" WIDTH		HEIGHT, 1-1/2" RAM ADJUSTMENT, 7-1/2" X
1021		PAX DIE LUBE SYSTEM		12" BED AREA, 6" X 4" RAM AREA, WITH ISB
1022	1	PAX DIE LUBE SYSTEM		PRESS CONTROLS, SINGLE / INCH
1023	1	PAX DIE LUBE SYSTEM		OPERATIONS, ISB LIGHT CURTAIN SAFETY
1024	1	BLACK MAX LIGHT CURTINA SAFETY DEVICES ON SKID, WITH WINTRISS CONTROL		DEVICES, ELECTRIC BRAKE MONITOR, AIR CLUTCH AND BRAKE

Lot Num	Qty.	Description	Lot Num	Qty. Description
1036	1	110 TON MINSTER MODEL P2H-100 STRAIGHT SIDE HIGH SPEED PRESS; S/N P2H-100-27305, 1.57" STROKE, 3.94"	1044	1 60 TON MINSTER MODEL P2-60-36 STRAIGHT SIDE PRESS; S/N P2-60-17081, 3" STROKE, 14" SHUT HEIGHT, 3"
		ADJUSTMENT, 31-1/2" X 48" BOLSTER AREA, 25" X 48" RAM AREA, 450 SPM RAM SPEED,		ADJUSTMENT, 36" X 25" BOLSTER SIZE, 14-1/2" 36" RAM SIZE, 80-240 SPM RAM
		22" PASSLINE OPENING, SH RANGE ON STANDARD BOLTER 11" - 14.94", 44.7" DISTANCE FLOOR TO BOLSTER TOP, WITH		SPEED VARIABLE, 12" WINDOWS, WITH WINTRISS SMART PAC PRO PRESS CONTROL AND CONSOLE, AIR CLUTCH AND
		SERVOMASTER CONTROLLER, WINTRISS SMARTPAK CONTROL, AUTO SLIDE	1045	BRAKE **SUBJECT TO OVERALL BID**  1 PA MODEL SRF-200 SERVO ROLL FEED, 10"
		ADJUSTMENT, DIPRO SENSOR INTERFACE, FULL SOUND ENCLOSURE, 8" INCLINED SCRAP CONVEYOR, 6" AIR FEED **SUBJECT TO OVERALL BID**	•	WIDTH; S/N 5610696, "THE EDGE" SERVO ROLL FEED CONTROL, MTB 2000 SAFETY LIGHT CURTAINS, AIR ACTUATED SCRAP CHOPPER **SUBJECT TO OVERALL BID**
1037	1	PA INDUSTRIES MODEL 18SS875 STRAIGHTENER; S/N 201901-11086 (2019), 200 MM WIDTH, .5 MM - 3.44 MM THICKNESS	1046	1 PA INDUSTRIES MODEL SP-SRA12000 COIL REEL; S/N 5475/46831 **SUBJECT TO OVERALL BID**
		22.86" M/ MIN, PENDANT CONTROL, WITH LOOP CONTROLLER **SUBJECT TO OVERALL BID**	1047	1 OVERALL LOTS 1044-1046 - 60 TON MINSTER MODEL P2-60-36 STRAIGHT SIDE PRESS AND FEED LINE
1038	1	PA INDUSTRIES MODEL SRA-600D COIL REEL; S/N X15568/73651 **SUBJECT TO OVERALL BID**	1048	1 60 TON MINSTER MODEL P2-60-36 STRAIGHT SIDE PRESS; S/N P2-60-23870, 3" STROKE, 13.5" SHUT HEIGHT, 3"
1039	1	OVERALL LOTS 1039-1038; MINSTER MODEL P2H-100 STRAIGHT SIDE HIGH SPEED PRESS AND FEED LINE		ADJUSTMENT, 36" X 25" BOLSTER SIZE, 36" X 15 RAM SIZE, 80-240 SPM RAM SPEED (VARIABLE), 12" WINDOW, WITH WINTRISS
1040	1	60 TON MINSTER MODEL "PIECEMAKER" P2-60-36 STRAIGHT SIDE PRESS; S/N P2-60-15954, 2" STROKE, 3" ADJUSTMENT,		SMARTPAC PRO PRESS CONTROL AND OPERATOR CONSOLE, LITTELL CRANK ACTIVATED SCRAP CHOPPER, 10" PRAB
		14.5" SHUT HEIGHT, 36" X 25" BOLSTER SIZE, 32-1/2" X 15" RAM AREA, 125/375 SPM		INCLINED CONVEYOR, MTB2000 SAFETY LIGHT CURTAINS **SUBJECT TO OVERALL
		RAM SPEED, 12" WINDOW WITH OMNILINK LCD OPERATORS CONSOLE, AIR CLUTCH AND BRAKE, LINKLITE BLACK MAX SAFETY	1049	BID** 1 LITTELL COIL FEED; S/N 85372-79 **SUBJECT TO OVERALL BID**
1044	4	LIGHT CURTAINS, 11-1/2" PRAB INCLINED CONVEYOR **SUBJECT TO OVERALL BID**	1050	1 LITTELL NO. 308 STRAIGHTENER; S/N 81981, 041" CAPACITY, 10-60 IPM SPEED
1041	I	PA INDUSTRIES MODEL SRF-200 SERVO ROLL FEED; S/N 201412-08516, WITH K350 EDGE CONTROL, CRANK ACTIVATED	1051	**SUBJECT TO OVERALL BID**  1 EGAN MODEL M401-15 COIL REEL; S/N 4072  **SUBJECT TO OVERALL BID**
4040	4	SCRAP CHOPPER **SUBJECT TO OVERALL BID**	1052	1 OVERALL LOTS 1048-1051 - 60 TON MINSTER MODEL P2-60-36 STRAIGHT SIDE
1042	1	PA INDUSTRIES MODEL SRA35120 COIL REEL; S/N M71755X17278-01 **SUBJECT TO OVERALL BID**	1053	PRESS AND COIL LINE 3 31" X 48" X 5" BOLSTER PLATES FOR LOT 336 MINSTER P2H-100 PRESS
1043	1	OVERALL LOTS 1040-1042 - 60 TON MINSTER MODEL "PIECEMAKER" P2-60-36	1054	1 28" X 48' X 3" BOLSTER PLATE FOR LOT 336 MINSTER P2H-100 PRESS
		STRAIGHT SIDE PRESS AND FEED LINE	1055	1 42" COILMATE MODEL CM3042 PALLET DECOILER; S/N 1337, 3,500 LB. CAPACITY ON WHEELS
			1056	1 42" PALLET DECOILER ON WHEELS

Lot Num	Qty.	Description	Lot Num	Qty. Description
1057	1	42" PA INDUSTRIES PALLET DECOILER, CW/CCW ROTATION, DC VARIABLE SPEED CONTROL	1067	1 35 TON V&O "PARTSMASTER" MODEL SS2-35-32 STRAIGHT SIDE DOUBLE CRANK PRESS; S/N 3555-27, 2" STROKE 20" X 32"
1058	1	8" PA INDUSTRIES 5-ROLL COIL STRAIGHTENER, PENDANT CONTROL		BED AREA, 13" X 20" RAM AREA, 2" ADJUSTMENT, WITH OMNILINK LCD
1059	1	COE PRESS EQUIPMENT MODEL SHEAR-24W INLINE AUTO SHEAR; S/N		REMOTE PRESS CONTROL CONSOLE, SHADOW V LIGHT CURTAIN SAFETY
		83282-2, 24" BLADE LENGTH, .125" THICKNESS CAPACITY AT 24", 1.2 SECOND CYCLE TIME, 7.5 HP HYDRUALIC TANK 200		DEVICE, 4" VAMCO AIR FEED, 48" X 48" COILMATE PALLET DECOILER, CRANK ACTIVATED SCRAP CHOPPER
1060	1	LITER, NEW - NEVER INSTALLED JACO MOTORIZED COIL REEL, 12" MAX COIL WIDTH	1068	<ul> <li>1 45 TON MINSTER NO. 5 OBI PRESS; S/N</li> <li>5SS-28501, 2" STROKE, 29" X 18" BED AREA,</li> <li>14" X 24" RAM AREA, 13.25" SHUT HEIGHT,</li> </ul>
1061	1	JACO MODEL JVRE-510-1 MOTORIZED COIL REEL; S/N 3846253, 500 LB. CAPACITY, 12" MAX COIL WIDTH		0-180 SPM RAM SPEED, WITH WINTRISS SMART PAC PRESS CONTROL, DIGITAL READOUT FOR SPM PERCENT OF MOTOR
1062	1	1,000 LB. LITTELL NO. 10 MOTORIZED CENTERING REEL, 12" MAX COIL WIDTH		LOAD, PACIFIC SERVO FEED 6", RAPID AIR SCRAP CHOPPER, DUAL PALM BUTTONS,
1063	. 1	PA INDUSTRIES MODEL SRA1200D MOTORIZED COIL REEL; S/N X15475/56087, 10" MAX COIL WIDTH		LIGHT CURTAIN SAFETY DEVICE, RAPID AIR ELECTRIC PANEL, LOOP CONTROL STAND, JACO MODEL JVRE-510-1 MOTORIZED COIL
1064		60 TON MINSTER NO. 6 SS OBI PRESS; S/N 24783, 4" STROKE, 16" SHUT HEIGHT, 2.75" ADJUSTMENT, 32" X 21" BOLSTER SIZE, 24" X 14" RAM SIZE, 110-220 SPM RAM SPEED (VARIABLE), WITH CIECO PLS PLUS MODEL K-2000 PRESS CONTROL, AIR CLUTCH, AIR BRAKES, CRANK ACTUATED SCRAP CHOPPER, WITH 48" COILMATE PALLET DECOILER WITH PENTA DC MOTOR SPEED CONTROL	1069	REEL; S/N 11571/60, 10" COIL WIDTH, 500 LB.  1 45 TON BLISS MODEL C-45 OBI PRESS; S/N 58118/45407, 18" X 29" BED AREA, 9" X 15" RAM AREA, 2" STROKE, 3" ADJUSTMENT, 12-3/4" SHUT HEIGHT (SDAU), WITH SERVO MASTER REMOTE OPERATORS CONSOLE, COE MODEL CPRF SM206 ROLL REED AND SCRAP CHOPPER; S/N 27904-1, WINTRISS SMART PAC PRESS CONTROLS, DUAL PALM BUTTONS, JACO JVRE-510-1 MOTORIZED
1065	1	22 TON FEDERAL NO. 22 OBI PRESS; S/N 22176 (NEW 1977), 3" STROKE, 12" X 20" BEE AREA, 10" RAM AREA, 2" RAM ADJUSTMENT 8.25" DIE SPACE, 150 SPM RAM SPEED, 7". THROAT DEPTH, WITH AIR CLUTCH AND BRAKE, ISB LIGHT CURTAIN SAFETY DEVICE, DUAL PALM BUTTONS, FOOT PEDAL, GORDON BRAKE MONITOR, CENTROMATIC LUBRICATION		COIL REEL; S/N 8846482, LOOP CONTROL STAND, FOOT PEDAL  1 22 TON FEDERAL NO. 22 OBI PRESS; S/N 22-193 (1978) 3" STROKE, BED AREA 12" X 20", 10" X 12" RAM AREA, 8.25" DIE SPACE, 7" THROAT DEPTH, 2" RAM ADJUSTMENT, 150 SPM RAM SPEED, WITH AIRCLUTCH AND BRAKE, ISB LIGHT CURTAIN SAFETY DEVICE, GORDON BRAKE MONITOR, BIJUR
1066	1	US PRESS AND TOOL MODEL 73A-3 CANTILEVER PRESS; S/N 1093	1071	LUBE, FOOT PEDAL  1 22 TON FEDERAL NO. 22 OBI PRESS; S/N 22-192 (1978) 3" STROKE, BED AREA 12" X 20", 10" X 12" RAM AREA, 8.25" DIE SPACE, 7" THROAT DEPTH, 2" RAM ADJUSTMENT, 150 SPM RAM SPEED, WITH AIRCLUTCH AND BRAKE, STI MINI SAFE 4600 LIGHT CURTAIN SAFETY DEVICE, GORDON BRAKE MONITOR, BIJUR LUBE, FOOT PEDAL

Lot Num	Qty.	Description	Lot Num	Qty.	С	Description
1072	1	32 TON FEDERAL NO. 32 OBI PRESS; S/N 32425 (NEW 7/1980), 4" STROKE, 15" X 24" BED AREA, 12" X 15" RAM AREA, 12-1/2" DIE SPACE, 8" THROAT DEPTH, 2" ADJUSTMENT, 125 SPM RAM SPEED, WITH	1078			FERGUSON MODEL 8-F75-120 ROTARY DUAL PRESS; S/N G109191-3.249, 10" ROTARY DIE AREA, WITH VIBROBLOCK MODEL 20L VIBRATORY BOWL FEEDER; S/N 202190, VARI SPEED RAIL PART FEED
		ISB LIGHT CURTAIN SAFETY DEVICE,	1079		1	MANUAL STAMP PRESS
		GORDON BRAKE MONITOR, CENTROMATIC	1079A			BENCH TYPE OBI PRESSES, NO. 100,
		LUBRCATION, FOOT PEDAL				WATERBURY FARREL AND UNKNOWN
1073	1	32 TON FEDERAL NO. 32 OBI PRESS; S/N	1080		1	10 TON ITNAC MODEL FRL10T10F DIE
		32-445 (NEW 7/1980), 4" STROKE, 15" X 24"				HANDLING SYSTEM; S/N 97853, 20,000 LB.
		BED AREA, 12" X 15" RAM AREA, 12-1/2" DIE				CAPACITY, BELOW HOOK LIFTING, 30,650
		SPACE, 8" THROAT DEPTH, 2"				LB. TORQUE, FORWARD / REVERSE
		ADJUSTMENT, 125 SPM RAM SPEED, WITH				OPERATION, REMOTE PENDANT WITH
		ISB LIGHT CURTAIN SAFETY DEVICE,			_	RECOILER, 1.5 RAIL MOTOR
		GORDON BRAKE MONITOR, CENTROMATIC	1081			10,000 LB. CAPACITY METAL SAW HORSES
		LUBRCATION, CEICO PCI-100 PRESS CONTROL, LINK SYSTEM 1100 TONAGE	1082			4,400 LB. CAPACITY METAL SAW HORSES
		MONITOR FOOT PEDAL	1083 1084			4,400 LB. CAPACITY METAL SAWHORSES (LOT) (2) SECTIONS PALLET RACKING, (2)
1074	1	5 TON PERKINS MODEL 5-0 PRESS; S/N	1004		1	FILE CABINETS, (2) SHELF UNITS WITH DIE
1074	'	46773, 1-1/2" STROKE, 7-1/2" X 12" BED				REPAIR SUPPLIES, GAS AND ROLLER DIE
		AREA, 5" X 6" RAM AREA, 5-1/2" SHUT				SPRINGS, PUNCHES, STRAPS, (2) DIE SETS
		HEIGHT, 1-1/2" RAM ADJUSTMENT, WITH AIR	R 1085		1	35" X 72" METAL DIE REPAIR TABLE
		CLUTCH AND BRAKE, ISB PRESS	1086			35" X 72" METAL DIE REPAIR TABLE
		CONTROLS AND LIGHT CURTIAN SAFETY	1087		1	TWO-DOOR SHOP CABINET WITH MILLING
		DEVICE, PALM BUTTONS	•			HARDWARE, MILL SETUP KITS, MT DRILL
1075	1	45 TON PERKINS MODEL 550-B OBI PRESS;				CHUCKS, R-8 COLLETS, BROWN AND
		S/N 46802, 4" STROKE, 19" X 28" BED AREA,				SHARPE RIGHT ANGLE MILLING
		14" X 18" RAM AREA, 7-1/2" SHUT HEIGHT,			_	ATTACHMENT
		2-1/2" RAM ADJUSTMENT, WITH AIR CLUTCH				PUNCH PRESS PARTS BINS
		AND BRAKE, ROCKFORD ISB PRESS	1089			PUNCH PRESS PARTS BINS
		CONTROSL AND LIGHT CURTAIN SAFETY	1090			PUNCH PRESS PARTS BINS
		DEVICE, CIECO PCI-100 CONTROL, FOOT PEDAL	1091	2	.U	APPROX. 36" X 32" X 18" STACKABLE METAL TOTE BINS
1076	1	32 TON FEDERAL MODEL 32 OBI PRESS;	1092	2	0	APPROX. 36" X 32" X 18" STACKABLE METAL
		S/N 32444 (1981), 4" STROKE, 15" X 24" BED				TOTE BINS
		AREA, 12" X 15" RAM AREA, 12-1/2" SHUT	1093	2	0.	APPROX. 36" X 32" X 18" STACKABLE METAL
		HEIGHT, 125 SPM RAM SPEED, 8" THROAT	4004			TOTE BINS
		DEPTH, 2" RAM ADJUSTMENT, WITH ISB LIGHT CURTAIN SAFETY DEVICE, GORDON	1094	2	.0	APPROX. 36" X 32" X 18" STACKABLE METAL
		BRAKE MONITOR, FOOT PEDAL, AIR	1005	າ	Λ.	TOTE BINS
		CLUTCH AND BRAKE	1095	2	.0	APPROX. 36" X 32" X 18" STACKABLE METAL TOTE BINS
1077	1	22 TON FEDERAL MODEL 22 OBI PRESS;	1096	2	n	APPROX. 36" X 32" X 18" STACKABLE METAL
	•	S/N 22226 (NEW 1980), 3" STROKE, 12" X 20"			.0	TOTE BINS
		BED AREA, 10" X 12" RAM AREA, 8.25" DIE	1097	2	20	APPROX. 36" X 32" X 18" STACKABLE METAL
		SPACE, 150 SPM RAM SPEED, 2" RAM				TOTE BINS
		ADJUSTMENT, 7" THROAT DEPTH, WITH ISE	1098	. 2	20	APPROX. 36" X 32" X 18" STACKABLE METAL
		LIGTH CURTAIN SAFETY DEVICE, GORDON				TOTE BINS
		BRAKE MONITOR, AIR CLUTCH AND BRAKE	1099	2	20	APPROX. 36" X 32" X 18" STACKABLE METAL
		FOOT PEDAL				TOTE BINS

Lot Num	Qty.	Description	Lot Num	Qty. Description
1100	20	APPROX. 36" X 32" X 18" STACKABLE METAL TOTE BINS	1125	20 APPROX. 36" X 32" X 18" STACKABLE METAL TOTE BINS
1101	20	APPROX. 36" X 32" X 18" STACKABLE METAL TOTE BINS	1126	20 APPROX. 36" X 32" X 18" STACKABLE METAL TOTE BINS
1102	20	APPROX. 36" X 32" X 18" STACKABLE METAL TOTE BINS	. 1127	20 APPROX. 36" X 32" X 18" STACKABLE METAL TOTE BINS
1103	20	APPROX. 36" X 32" X 18" STACKABLE METAL TOTE BINS	. 1128	20 APPROX. 36" X 32" X 18" STACKABLE METAL TOTE BINS
1104	20	APPROX. 36" X 32" X 18" STACKABLE METAL TOTE BINS	. 1129	1 SECTION OF HEAVY DUTY PALLET RACKING
1105	20	APPROX. 36" X 32" X 18" STACKABLE METAL TOTE BINS	. 1130	1 CLEVELAND TRAMRAIL HOIST SYSTEM, NO HOIST, APPROX. 45' SPAN X 80' LENGTH,
1106	20	APPROX. 36" X 32" X 18" STACKABLE METAL TOTE BINS	. ,	1,000 LB. AND 4,000 LB. CAPACITY CROSS BEAMS
1107	20	APPROX. 36" X 32" X 18" STACKABLE METAL TOTE BINS	. 1131 1132	1 OPEN 1 OPEN
1108	20	APPROX. 36" X 32" X 18" STACKABLE METAL TOTE BINS	. 1133 1134	1 OPEN 1 OPEN
1109	20	APPROX. 36" X 32" X 18" STACKABLE METAL TOTE BINS	1135 1136	1 OPEN 1 OPEN
1110	20	APPROX. 36" X 32" X 18" STACKABLE METAL TOTE BINS	1137 1138	1 OPEN 1 OPEN
1111	20	APPROX. 36" X 32" X 18" STACKABLE METAL TOTE BINS	1139 1140	1 OPEN 1 OPEN
1112	20	APPROX. 36" X 32" X 18" STACKABLE METAL TOTE BINS	-	
1113	20	APPROX. 36" X 32" X 18" STACKABLE METAL TOTE BINS	_	
1114	20	APPROX. 36" X 32" X 18" STACKABLE METAL TOTE BINS	-	
1115	20	APPROX. 36" X 32" X 18" STACKABLE METAL TOTE BINS	-	
1116	20	APPROX. 36" X 32" X 18" STACKABLE METAL TOTE BINS	-	
1117	20	APPROX. 36" X 32" X 18" STACKABLE METAI TOTE BINS	_	
1118	20	APPROX. 36" X 32" X 18" STACKABLE METAI TOTE BINS	· -	
1119	20	APPROX. 36" X 32" X 18" STACKABLE METAI TOTE BINS	L .	
1120	20	APPROX. 36" X 32" X 18" STACKABLE METAI TOTE BINS	L .	
1121	20	APPROX. 36" X 32" X 18" STACKABLE METAL TOTE BINS	L	
1122	20	APPROX. 36" X 32" X 18" STACKABLE METAL TOTE BINS	L	
1123	20	APPROX. 36" X 32" X 18" STACKABLE METAL	L	
1124	20	APPROX. 36" X 32" X 18" STACKABLE META TOTE BINS	L	