



Sale Under the Management of





# **BIDDING ENDS:** THURSDAY, DECEMBER 20, 2018 - 11:00 AM

**18% BUYER'S PREMIUM IS IN EFFECT FOR THIS SALE ONLINE!** NO MERCHANDISE MAY BE REMOVED WHILE THE SALE IS IN PROGRESS!

ALTHOUGH INFORMATION HAS BEEN OBTAINED FROM SOURCES DEEMED RELIABLE, THE AUCTIONEER MAKES NO WARRANTY FOR GUARANTEE EXPRESSED OR IMPLIED, AS TO THE ACCURACY OF THE INFORMATION HEREIN CONTAINED. IT IS FOR THIS REASON THAT BUYERS SHOULD AVAIL THEMSELVES FOR THE OPPORTUNITY TO MAKE INSPECTION PRIOR TO THE SALE.



# CINCINNATI INDUSTRIAL AUCTIONEERS

auctioneers | appraisers | since1961 | cia-auction.com | info@cia-auction.com 2020 Dunlap St., Cincinnati, Ohio 45214 Phone 513-241-9701 Fax 513-241-6760

## **SYNOPSIS OF THE TERMS OF SALE**

### FORKLIFTS, FABRICATING, TOOLROOM & SUPPORT EQUIPMENT 110 East Seymour Ave., Cincinnati, OH 45216

### **BIDDING ENDS: THURSDAY, DECEMBER 20, 2018 – 11:00 AM**

**REGISTRATION:** All Bidders must register and complete the bidder registration form, removal agreement and sales tax exemption forms sent by the auctioneer after registering for the auction on <u>www.bidspotter.com</u>.

<u>"AS IS, WHERE IS"</u>: Everything is being sold for cash on an " as is", "where is" basis without warranties expressed or implied on part of the Owner and Auctioneer. There are NO REFUNDS, NO EXCHANGES, NO GUARANTEES or NO WARRANTIES on any item. <u>ALL SALES</u> <u>ARE FINAL</u>. Buyer is responsible for all loading and removal costs.

DEPOSITS: At the Auctioneer's discretion, Bidders may be required to post a deposit upon registration.

**<u>PAYMENTS</u>: BUYER'S INVOICES MUST BE PAID IN FULL WITHIN 24 HOURS AT THE CLOSE OF THE AUCTION.** Any merchandise not paid for by this specified time will be considered abandoned and may be resold by the auctioneer, any loss incurred in the resale to be borne by the original buyer. All payments must be made by **Wire Transfer or by Checks via Express Mail**. All payments must be made to CIA office, **NO ONSITE PAYMENTS WILL BE ACCEPTED**.

### **REMOVAL BOTH LOCATIONS:**

### ALL ITEMS MUST BE OFF THE PREMISES BY FRIDAY, JANUARY 4, 2019 at 12:00 PM.

At which time the Auctioneer representative will leave the premises. After this time, arrangements for removal must be made with the Auctioneer.

### "TIME IS OF THE ESSENCE" ALL ITEMS MUST BE OFF THE PREMISES BY FRIDAY, JANUARY 11, 2019 at 4:00 PM.

At the Owners Discretion, any items remaining after this time will be removed from the premises and stored at the expense of the buyer, considered abandoned and scrapped.

#### **CHECKOUT:**

Friday, December 21<sup>st</sup> From 8:00 AM to 2:00 PM Closed - Monday, December 24<sup>th</sup> - Wednesday, December 26<sup>th</sup> Thursday, December 27<sup>th</sup> - Friday, December 28<sup>th</sup> From 8:00 AM to 4:00 PM Closed - Monday, December 31<sup>st</sup> - Tuesday, January 1<sup>st</sup> Wednesday, January 2<sup>nd</sup> - Friday, January 4<sup>th</sup> From 8:00 AM to 4:00 PM Monday, January 7<sup>th</sup> - Friday, January 11<sup>th</sup> By Appointment Only!

IMPORTANT AUCTION NOTICES: 18% BUYERS PREMIUM IS IN EFFECT FOR THIS SALE! ALL BUYERS WILL BE REQUIRED TO EXECUTE AN "AUCTION PURCHASE REMOVAL AGREEMENT" NO MERCHANDISE MAY BE REMOVED WHILE THE SALE IS IN PROGRESS!!! ALL SALES SUBJECT TO STATE AND LOCAL SALES TAX WHERE APPLICABLE ALL BIDDERS MUST COMPLY WITH OUR CUSTOMARY "TERMS OF SALE" ATTACHED HERETO, POSTED AT THE SALE SITE & OUR WEBSITE @ WWW.CIA-AUCTION.COM.

### WIRING INSTRUCTIONS

The balance of your invoice may be wired directly to our bank: PNC Bank, 201 East Fifth Street, Cincinnati, Ohio 45201 **Call for Complete Wire Transfer Instructions** PLEASE SPECIFY YOUR BIDDER NUMBER WHEN MAKING YOUR WIRE TRANSFER NOTE: A BANK WIRE TRANSFER FEE WILL APPLY WHICH IS NOT INCLUDED IN BALANCE DUE OF INVOICE



**CINCINNATI INDUSTRIAL AUCTIONEERS** 

auctioneers | appraisers | since 1961 | cia-auction.com | info@cia-auction.com 2020 Dunlap St., Cincinnati, Ohio 45214 Phone 513-241-9701 Fax 513-241-6760

### **ONLINE TERMS OF SALE**

# NOTICE: All Bidders and other persons participating in this sale agree that they have read and have full knowledge of these terms and agree to be bound thereby.

- 1. **IDENTIFICATION -** All purchases are required to give full name and addresses at time of registration. Auctioneer, at its sole discretion, may deny registration to any person or entity.
- 2. DEPOSIT & BIDDER APPROVAL Each bidder will be required to post a deposit in cash, certified check or bank letter of guarantee if stated or maybe required to continue bidding if monetary threshold has been reached. Failure to make a required deposit may result in suspension of bidding privileges.
- 3. TIME OF PAYMENT All invoices must be paid in full within 48 hours of the sales conclusion. Any other arrangements must be made with auctioneer prior to bidding. If not, the merchandise will be deemed abandoned and Buyer will lose any right, title or interest Buyer may have acquired and the merchandise shall revert and repossess to Auctioneer without further notice to Buyer and the transaction shall be null and void as to Buyer.
- 4. REMOVAL All purchases must be removed not later than the date specified in the Auction Catalogue and/or announced on the website. In any case, No later than 14 days after the close of the sale. All goods are sold "Where Is". Removal shall be at the expense, risk and liability of the Buyer. Purchases will be delivered only on presentation of paid bill. Auctioneer shall not be responsible for goods not removed within the time allowed, but shall have the option to remove and store at the expense and risk of the Buyer any article purchased, but not paid for and removed within the time aforesaid.
- 5. MANNER OF PAYMENT All payments must be made by cash, cashier's check or company check with a bank letter of authorization guaranteeing funds to Cincinnati Industrial Auctioneers, Inc. All checks for deposits and balances due shall be payable to the order of "Cincinnati Industrial Auctioneers, Inc." All invoices must be paid to the Auctioneer at the office address 2020 Dunlap St. Cincinnati, Ohio 45214 unless otherwise announced. The full purchase price on all lots sold to the same Buyer must be paid within the time fixed and before removal of any goods.
- 6. CONDITION OF ARTICLES SOLD The auctioneer shall not be responsible for the correct description, genuineness, authenticity of, or defect in any lot, and makes no warranty in connection therewith. No sale will be set aside nor allowance made on account of any incorrectness, error in commentary, cataloging, or any imperfection not noted. No deduction allowed on damaged articles, all goods being exposed for public exhibition, are purchased and accepted by Buyer "AS IS", "WHERE IS" and "WITH ALL FAULTS". Auctioneer makes no warranties or guarantees whatsoever whether written, oral or implied as to quality, quantity, condition, usability, salability, weight, measurement, year, model, mechanical condition, performance or other specifications and without recourse.
- 7. CLAIMS No Claims will be allowed after removal of goods from premises.
- 8. **RESPONSIBILITY FOR NON-DELIVERY** Auctioneer shall not, in any event, be liable for non-delivery or for any other matter or thing, to any Buyer of any lot, other than for the return to the Buyer of the deposit or sum paid on said lot, should the Buyer be entitled thereto.
- 9. COMPLIANCE WITH TERMS OF SALE In default of payment of bills in full within the time therein specified, the auctioneer in addition to all other remedies allowed by law, may retain all monies received as deposit or otherwise, as liquidated damages. Lots not paid for and removed within the time allowed herein may be resold at public or private sale without further notice, and any deficiency, together with all expenses and charges of re-sale, will be charged to the defaulting purchaser.
- **10. RISK TO PERSON AND PROPERTY** Persons attending during exhibition, sale or removal of goods assume all risks of damage of or loss to person and property and specifically release the auctioneer from liability therefor. Neither the auctioneer nor his principal shall be liable by reason of any defect in or condition of the premises on which the sale is held.
- 11. ADDITION TO OR WITHDRAWAL FROM SALE The auctioneer reserves the right to alter the order of the sale, withdrawal from the sale any of the property listed or to sell at this sale property not listed, and also reserves the right to group one or more lots into one or more selling lots or to subdivide into two or more selling lots. Whenever the best interest of the Seller will be served, the Auctioneer reserves the right to sell property listed, in bulk.
- 12. SALE BY ESTIMATED WEIGHT, COUNT OR MEASURE Where items are sold by estimated weight, count or measure, the Buyer will be billed for and required to pay for the estimated weight, count or measure. If, upon delivery, any



CINCINNATI INDUSTRIAL AUCTIONEERS

auctioneers | appraisers | since 1961 | cia-auction.com | info@cia-auction.com 2020 Dunlap St., Cincinnati, Ohio 45214 Phone 513-241-9701 Fax 513-241-6760 shortage exists, the Buyer will receive a refund at the rate of the purchase. If there be an excess, the Buyer will be required to take and pay for such excess, at the rate of the purchase.

- **13. DISPUTE BETWEEN BIDDERS/BID INCREMENTS** If any dispute arises between two or more bidders, the auctioneer may decide the same or put the lot up for sale again at once, or resell to the highest bidder. The Auctioneer may reject a nominal or fractional bid advance if, in his estimation, it proves injurious to the sale. The auctioneer's decision shall be final and absolute.
- 14. **RESERVE** The auctioneer reserves the right to reject any and all bids. On lots upon which there is a reserve, the auctioneer shall have the right to bid on behalf of the seller.
- **15. RECORDS** The record of sale kept by the auctioneer and bookkeeper will be taken as final in the event of any dispute.
- **16. AGENCY** The auctioneer is acting as agent only and is not responsible for the acts of its principals.
- **17. SALES TAX –** All sales are subject to state and local taxes, unless a proper exemption certificate including tax exempt number is presented at the time of payment.
- 18. BUYER'S PREMIUM The Auctioneer in its sole discretion may impose a Buyer's Premium on any goods sold. The Buyer's Premium is a percentage that is added to the final purchase price of any item. Applicable Buyer's Premium will be posted on the website.
- **19. SHIPPING –** All coolants, oil and fluids must be drained from all machinery and equipment prior to removal. All of the above must be shipped in compliance with state and federal regulations.
- **20. INSURANCE –** All buyers, or the buyer's riggers must provide the auctioneer, owner and landlord a certificate of insurance in amounts acceptable to the above parties prior to removal of any machinery and equipment.
- 21. ADDITIONAL TERMS AND CONDITIONS The auctioneer may modify or supplement these terms and conditions of sale by language in the Auctioneers website, the catalog or via email to active bidders.
- 22. FALSE BIDS: If the high bidder fails to complete the transaction Auctioneer reserves the right to dispose of the assets in the best interest of the seller. Any High Bidder that fails to complete a transaction will be held responsible for all damages resulting from that action.
- **23. MALFUCTION:** ANY Malfunction, Shutdown, or Temporary loss of Service involving bidding for Items may render the results of the auction Void. In such an event Auctioneer reserves the right to remedy the situation in whatever way best represents the seller, including canceling the existing bid.



CINCINNATI **INDUSTRIAL** AUCTIONEERS auctioneers | appraisers | since 1961 | cia-auction.com | info@cia-auction.com 2020 Dunlap St., Cincinnati, Ohio 45214 Phone 513-241-9701 Fax 513-241-6760

### AUCTION PURCHASE & REMOVAL AGREEMENT FORKLIFTS, FABRICATING, TOOLROOM & SUPPORT EQUIPMENT 110 East Seymour Ave., Cincinnati, OH 45216

### **BIDDING ENDS: THURSDAY, DECEMBER 20, 2018 – 11:00 AM**

All purchasers of items at the Forklifts, Fabricating, Toolroom & Support Equipment auction conducted by Cincinnati Industrial Auctioneers, Inc. hereby agree to the following:

All purchasers agree to abide by the "Terms of Sale" as listed on our website and posted at the auction premises. The Auctioneer and Owner make no warranties express or implied as to merchantability, fitness for purpose, or condition of the articles being sold. All such expressed or implied warranties are expressly excluded hereby.

All items are purchased on an **"As Is, Where Is"** basis, with the purchaser to incur all costs in conjunction with the removal of the items from the premises. <u>ALL EQUIPMENT MUST BE REMOVED IN A WORKMAN LIKE MANNER</u> <u>AND ALL UTILITIES MUST BE CAPPED. ALL ANCHOR BOLTS MUST BE CUT OFF AT FLOOR LEVEL</u>. <u>ALL OILS AND</u> <u>COOLANTS MUST BE REMOVED FROM MACHINES PRIOR TO REMOVAL</u>. All items are available for removal during normal business hours through Friday, January 4, 2019 at 4:00 PM at which time our representatives will leave the premises. After this time arrangements for removal must be made by appointment with Auctioneer.

<u>"TIME IS OF THE ESSENCE"</u> regarding the removal of items from the premises. All items <u>must</u> be removed by Friday, January 11, 2019 at 4:00 PM. Any items remaining after this time will be removed and stored at the expense of the buyer, subject to rent / access fees. <u>NO EXCEPTIONS!</u>

All purchasers and/or riggers of machinery <u>MUST</u> provide Cincinnati Industrial Auctioneers, Inc. and Research Alloy a certificate of insurance in the amount of \$2,000,000.00 prior to removal. Cincinnati Industrial Auctioneers, Inc. and Research Alloy must be named on the policy as co-insurer.

There are NO REFUNDS, NO EXCHANGES, NO GUARANTEES OR NO WARRANTIES on any item, and ALL SALES ARE FINAL.

**Accepted By Purchaser:** 

**Company Name** 

Buyer Number / Bidspotter Username

Signature

Date

Forklifts, Fabricating, Toolroom & Support Equipment December 20, 2018



CINCINNATI **INDUSTRIAL** AUCTIONEERS auctioneers | appraisers | since 1961 | cia-auction.com | info@cia-auction.com 2020 Dunlap St., Cincinnati, Ohio 45214 Phone 513-241-9701 Fax 513-241-6760

Catalog for Auction:Forklifts, Fabricating Toolroom

This catalog is meant merely as a guide. The Auctioneers do not warrant the accuracy,

genuineness, authenticity, description, weight, count or measure of any of the lots specified

herein.

| Lot Num | Qty. | Description                            | Lot Num    | Qty. | D | escription                                |
|---------|------|--|------------|------|---|---|
| 1       | 1    | (LOT) BROACH TOOLING                   | 29         |      | 1 | LOCKFORMER BENCH MOUNTED BEADER           |
| 2       | 1    | (LOT) (6) PIECE FOWLER MICROMETER SET  | 30         |      | 1 | BENCH MOUNTED BEADER                      |
|         |      | 0"-6"                                  | 31         |      | 1 | OPEN                                      |
| 2A      | 1    | EDA MACHINIST LEVEL                    | 32         |      | 1 | OPEN                                      |
| 3       | 1    | (LOT) INSPECTION DIAL INDICATORS AND   | 33         |      | 1 | OPEN                                      |
|         |      | DIAL TYPE CALIPER                      | 34         |      | 1 | OPEN                                      |
| 4       | 1    | (LOT) (2) ARMSTRONG TOOLS              | 35         |      | 1 | OPEN                                      |
|         |      | COMPUTORQ II DIGITAL TORQUE            | 36         |      | 1 | OPEN                                      |
|         |      | WRENCHES                               | 37         |      | 1 | OPEN                                      |
| 5       | 1    | PNEUMATIC CHISEL                       | 38         |      | 1 | OPEN                                      |
| 6       | 1    | 5,000 LB. CAPACITY DILLION             | 39         |      | 1 | OPEN                                      |
|         |      | DYNAMOMETER                            | 40         |      | 1 | OPEN                                      |
| 7       | 1    | (LOT) (3) RIGHT ANGLE LIVE TOOL        | 41         |      | 1 | OPEN                                      |
|         |      | HOLDERS                                | 42         |      | 1 | OPEN                                      |
| 8       | 1    | (LOT) (6) STRAIGHT LIVE TOOL HOLDERS   | 43         |      | 1 | OPEN                                      |
| 9       | 1    | (LOT) (3) RIGHT ANGLE LIVE TOOL        | 44         |      | 1 | OPEN                                      |
|         |      | HOLDERS                                | 45         |      | 1 | OPEN                                      |
| 10      | 1    | (LOT) (4) TURNING CENTER TOOL          | 46         |      | 1 | OPEN                                      |
|         |      | HOLDERS                                | 47         | -    | 1 | OPEN                                      |
| 11      | 1    | (LOT) (2) 36" PIPE WRENCHES AND        | 48         | -    | 1 | OPEN                                      |
|         |      | CROWBAR                                | 49         |      | 1 | OPEN                                      |
| 12      | 1    | KWIK-WAY MODEL SVSII-D TABLE TOP       | 50         | ŕ    | 1 | OPEN                                      |
|         |      | VALVE REFACER; 5/32" MIN CHUCK, 9/16"  | 51         | 1    | 1 | OPEN                                      |
|         |      | MAX CHUCK, 3.375" MAX VALVE STEM       | 52         | 1    | 1 | OPEN                                      |
|         |      | LENGTH, 4" DIAMETER MAX VALVE HEAD, 7' | 53         |      | 1 | 24" X 48" X 24" SITE SAFE PORTABLE JOB    |
|         |      | DIAMETER VALVE GRINDING WHEEL          |            |      |   | BOX                                       |
| 13      | 1    | KETT ELECTRIC HAND SHEARS              | 54         |      | 1 | 30" X 48" X 30" PORTABLE JOB BOX          |
| 14      | 1    | (LOT) (2) ELECTRIC DIRLLS AND ELECTRIC | 55         | ſ    | 1 | 20" X 26" HANNAN MODEL 420T VACUUM        |
|         |      | GRINDER                                |            |      |   | FORMING SKIN PACKAGING MACHINE; S/N       |
| 15      | 1    | 1/2" BLACK AND DECKER ELECTRIC         |            |      |   | 7166                                      |
|         |      | IMPACT WRENCH                          | 56         |      |   | 10" DEWALT MODEL GW RADIAL ARM SAW        |
| 16      |      | 3" STANLEY ELECTRIC HAND BELT SANDER   | 57         | 1    | 1 | HARDINGE DOVETAIL BED SPEED LATHE;        |
| 17      | 1    | (LOT) (2) INGERSOLL-RAND MODEL         |            |      |   | S/N HSL-5C-6607-T, 750-3,000 RPM SPINDLE  |
|         |      | A05D15724 PNEUMATIC GRINDERS           | 58         |      | 1 | 20" EVERETT MODEL 20AA22 MITRE BAS        |
| 18      | 1    | (LOT) (2) INGERSOLL-RAND MODEL         |            |      |   | ABRASIVE CUT OFF SAW; S/N 5-9029, 2,365   |
|         |      | A05D15724 PNEUMATIC GRINDERS           |            |      |   | RPM                                       |
| 19      |      | NCG CUT-O-MATIC TRAK TORCH             | 59         |      |   | 20" EVERETT MODEL 20AA22 MITRE BAS        |
| 20      |      | (LOT) TUBE BENDERS                     |            |      | , | ABRASIVE CUT OFF SAW; S/N 08-10563,       |
| 21      |      | 5 TON SHEET LIFTING CLAMP              |            |      |   | 2,365 RPM                                 |
| 22      |      | PNEUMATIC MIXER                        | 60         | 1    |   | 2,500 LB. AMERICAN STEEL LINE MODEL 60    |
| 23      | 1    | WAGNER PAINT CREW AIRLESS PAINT        | <b>_</b> . |      |   | SINGLE END UNCOILER; S/N 9151             |
| <i></i> |      | SPRAYER                                | 61         |      |   | QUV MODEL QUV/BASIC ACCELERATED           |
| 24      |      | (LOT) (32) TAPER-LOCKS                 |            |      |   | WEATHERING TESTER; S/N                    |
| 25      |      | WHEELER CHAIN VISE                     |            |      |   | 95-8848-53-BASIC, 120 VOLTS, 60 HZ, 1,500 |
| 26      |      | WHITNEY NO. 1 MANUAL PUNCH             |            |      |   | WATTS                                     |
| 27      |      | PEXTO BENCH MOUNTED BEADER             | 62         |      |   | 19" CHALLENGE MANUAL PAPER CUTTER;        |
| 28      | 1    | BENCH MOUNTED BEADER                   |            |      |   | S/N C13317                                |

### Catalog for Auction:Forklifts, Fabricating Toolroom

| Lot Num | Qty. | Description   | Lot Num | Qty. Description   |
|---------|------|---|---------|--|
| 63      | 1    | 3/4 HP TORIT MODEL 64 PORTABLE DUST<br>COLLECTOR; S/N 33539       | 83      | 1 2,000 LB. X 54" X 84" ECONO LIFT ELECTRIC<br>SCISSOR LIFT TABLE WITH PENDANT |
| 63A     | 1    | 3/4 HP TORIT MODEL 64 PORTABLE DUST<br>COLLECTOR; S/N G5920       | 84      | 1 200 AMP MILLER DYNASTY 200 TIG<br>WELDER WITH MILLER COOLMATE 3              |
| 64      | 1    | 1/2 HP BALDOR DE PEDESTAL GRINDER                                 |         | CHILLER; S/N LJ250618L   |
| 65      |      | LNS BAR CHAMFER MACHINE; S/N 776030S,                             | 85      | 1 TAFA MODEL 353OV SPRAY WELDER; S/N   |
|         |      | 10" THREE JAW CHUCK, 6" STROKE, 1 HP,<br>WITH BAR STAND           |         | EN-60-974-1 WITH TAFA MODEL 8830<br>FEEDER AND GUN                             |
| 66      | 1    | HABERLE MODEL HP302 BAR CHAMFER<br>MACHINE; S/N 22733-01/08       | 86      | 1 450 AMP MILLER GOLD STAR 452 MIG<br>WELDER; S/N MB01126U                     |
| 67      | 1    | 10" CRAFTSMAN RADIAL ARM SAW                                      | 87      | 1 450 AMP MILLER GOLD STAR 452 MIG   |
| 68      |      | CONAIR MODEL TC1-DI THERMOLATOR; S/N                              |         | WELDER; S/N MB011132U  |
|         | •    | 97H011, 32-250 DEGREE FARENHEIT                                   | 88      | 1 450 AMP MILLER GOLD STAR 452 MIG   |
|         |      | OPERATING TEMP, 480 VOLT, 3-PHASE                                 | 00      | WELDER; S/N MB350759U  |
| 69      | 1    | CONAIR MODEL TC1-DI THERMOLATOR; S/N                              | 89      | 1 300 AMP LINCOLN IDEALARC TIG-300 TIG   |
|         | ·    | 96A134, 32-250 DEGREE FARENHEIT                                   |         | WELDER   |
|         |      | OPERATING TEMP, 480 VOLT, 3-PHASE                                 | 90      | 1 HYPERTHERM MAX 100 PLASMA CUTTER   |
| 70      | 1    | 30" X 22" X 10" ZEP DYNA CLEAN PARTS                              | 91      | 1 8.85" X 8.85" BOSCHERT MODEL LB12PN  |
|         |      | WASHER  |         | HYDRAULIC NOTCHER; S/N 1108  |
| 71      | 1    | 2,200 LB. HERCULES HIGH LIFT PALLET                               | 92      | 1 20 GA. LOCKFORMER 5-STAND SMALL  |
|         |      | TRUCK, 800 MM LIFT HEIGHT   |         | FEMAL PITTSBURG ROLLFORMER; S/N 5041   |
| 72      | 1    | 3,000 LB. LIFT-RITE MODE3L RG30M205048;                           | 93      | 1 52" X 16 GA. PEXTO MODEL PH452 POWER   |
|         |      | S/N 4748596-10, 30" LIFT HEIGHT                                   |         | SQUARING SHEAR; S/N 214-5-90, FOOT   |
| 73      | 1    | KWIK-WAY MODEL SVS VALVE REFACER                                  |         | PEDAL, 28" BACK GAUGE  |
|         |      | WITH CABINET BASE   | 94      | 1 FLC MACHINES SINGLE END UNCOILER;  |
| 74      | 1    | KWIK-WAY MODEL SVS VALVE REFACER<br>WITH CABINET BASE             |         | S/N N/A, CAPACITY 48" MAX OD, 18" MIN ID, 220 VOLT                             |
| 75      | 1    | 48" SWECO MODEL FM-10-3 VIBRATORY                                 | 95      | 1 146" X 1/2" GOOSNECK TOP DIE   |
|         |      | BOWL FINISHINER; S/N 10FM-168-13,                                 | 96      | 1 144" X 1/2" GOOSENECK TOP DIE  |
|         |      | 3-PHASE   | 97      | 1 (LOT) VARIOUS TOP AND BOTTOME DIES   |
| 76      | 1    | 34" X 22" X 15" CLARK MODEL SB9007                                |         | APPROX. (35) DIES  |
|         |      | BLAST CABINET   | 98      | 1 144" X 1/2" 30 DEGREE FORMING BOTTOM   |
| 77      | 1    | 5' ARM X 13" COLUMN IKEDA MODEL                                   |         | DIE  |
|         |      | RM1300 RADIAL ARM DRILL; S/N 74171, 1,040                         | ) 99    | 1 146" 90-DEGREE FORMING TOP DIE   |
|         |      | RPM, 27" X 37" X 18" DRILL BOX                                    | 100     | 1 120" 90-DEGREE FORMING TOP DIE   |
| 78      | 1    | 16" DOALL CONTOUR "16" VERTICAL BAND                              | 101     | 1 144" DIE HOLDER  |
|         |      | SAW; S/N N/A, BLADEWELDER, 24" X 24"<br>TABLE                     | 102     | 1 120" X 1.5" 90-DEGREE FORMING BOTTOM<br>DIE                                  |
| 79      | 1    | 45 TON ROUSELLE NO. 4 OBI PRESS; S/N                              | 103     | 1 146" X 5/8" 90-DEGREE FORMING BOTTOM   |
|         |      |   | 104     |  |
| 80      | 1    | LIGHT CURTAINS, 16" X 26" BED<br>1/4" X 10' CINCINNATI MODEL 1810 | 104     | 1 126" X 3/4" 90-DEGREE FORMING BOTTOM<br>DIE                                  |
|         |      | MECHANICAL POWER SQUARING SHEAR;                                  | 105     | 1 146" X 1/2" 90-DEGREE FORMING BOTTOM   |
|         |      | S/N 30774, FOPBG, 105" SQUARING ARM, 18"                          |         | DIE  |
| 04      | د    |   | 106     |  |
| 81      | 1    | 3,000 LB. X 48" X 72" PRESTO MODEL                                | 107     | 1 126" X 1" OFFSET DIE   |
|         |      | XL36-30 ELECTRIC SCISSOR LIFT TABLE;                              | 108     | 1 126" X 1" OFFSET DIE   |
| 00      |      | S/N 151020-02, PENDANT  | 109     | 1 125" X 3/4" OFFSET DIE   |
| 82      | 1    | 2,000 LB. X 54" X 84" ECONO LIFT ELECTRIC                         | 110     | 1 125" X 3/4" OFFSET DIE   |
|         |      | SCISSOR LIFT TABLE WITH PENDANT                                   | 111     | 1 144" X 3/8" OFFSET DIE   |

### Catalog for Auction:Forklifts, Fabricating Toolroom

| Lot Num | Qty. | Description                                | Lot Num      | Qty. Description   |
|---------|------|--|--------------|--|
| 112     | 1    | 144" X 3/8" OFFSET DIE                     | 125          | 1 5 HP KASER MODEL SC6 CABINET   |
| 113     | 1    | 126" X 5/8" OFFSET DIE                     |              | ENCLOSED AIR COMPRESSOR; S/N 1020,   |
| 114     | 1    | 126" X 5/8" OFFSET DIE                     |              | 110 PSIG, 21.3 CFM, 60 HZ, 3-PHASE, 208  |
| 115     | 1    | (LOT) (2) 144" X 3/4" ROUNDING TOP DIES    |              | VOLTS, 8,047 RUN HOURS SHOWING, WITH   |
| 116     | 1    | (LOT) MISCELLANEOUS DIES LEFT ON           |              | KASER KMM5-6 MEMBRANE DRYER,   |
|         |      | RACK INCLUDING ROUNDING AND FLAX           |              | FILTERS AND AIR RECEIVING TANK (NEW  |
|         |      | APPROX. (4) DIES                           |              | 2010)  |
| 117     | 1    | 18" HEM MODEL V100LM TILTING VERTICAL      | 126          | 1 6" X 18" CHEVALIER MODEL FSG-618M  |
|         |      | BAND SAW; S/N 340190, PNEUMATIC            |              | HAND FEED SURFACE GRINDER; S/N   |
|         |      | CLAMPS, 80 PSI, 220/440 VOLT, 7/3.5 AMP, 2 |              | A3829031, WITH 6" X 18" WALKER MAGNETIC  |
|         |      | HP, WITH 18" X 10' INFEED CONVEYOR AND     |              | CHUCK  |
|         |      | 18" WIDE X 4' OUTFEED CONVEYOR             | 127          | 1 6" X 18" CHEVALIER MODEL FSG-618M  |
| 118     | 1    | FLC MACHINES CUSTOM BUILT CUT TO           |              | HAND FEED SURFACE GRINDER; S/N   |
|         |      | LENGTH LINE, 28" WIDE SINGLE ROLL          |              | A3842018, WITH 6" X 18" KINJUNG  |
|         |      | STRAIGHTENER, (2) 26" WIDE X 12"           |              | MAGNETIC CHUCK   |
|         |      | FOUR-POST HYDRAULIC CUT OFFS, MP300        | 128          | 1 3 HP CHEVALIER MODEL FM-3VS VERTICAL   |
|         |      | SERIES PLC LENGTH CONTROL SYSTEMS,         |              | MILLING MACHINE; S/N BM828296, NEWALL  |
|         |      | 10 HP HYDRAULIC UNIT                       |              | SAPPHIRE DRO, 9" X 42" TABLE, 60-4,500   |
| 119     | 1    | 50 HP INGERSOLL RAND MODEL                 |              | RPM  |
|         |      | UP6-50PEI-125 CABINET ENCLOSED AIR         | 1 <b>2</b> 9 | 1 1.5 HP BRIDGEPORT VERTICAL MILLING   |
|         |      | COMPRESSOR; S/N CBV341240, 125 PSIG,       |              | MACHINE; S/N 219581, WITH ANILAM MINI  |
|         |      | 230 VOLTS, 60 HERTZ, 3 PHASE, BUILT IN     |              | WIZARD DRO, 9" X 42" TABLE, 4" RISER,  |
|         |      | AIR DRYER, 6,668 RUN HOURS SHOWING,        |              | 60-4,200 RPM   |
|         |      | 1998 LOADED HOURS SHOWING (NEW 2015        |              | 1 OPEN   |
| 119A    | 1    | MARTECH ABM-725 BREATHABLE AIR             | 131          | 1 OPEN   |
|         |      | MONITOR WITH (2) MARTECH BREATHING         | 132          | 1 OPEN   |
|         |      | AIR FILTERS AND PRESSURE GAGE              | 133          | 1 OPEN   |
| 120     | 1    | 25 HP INGERSOLL RAND MODEL SSR             | 134          | 1 OPEN   |
|         |      | UP6-25-150 HORIZONTAL TANK MOUNTED         | 135          | 1 OPEN   |
|         |      | AIR COMPRESSOR; S/N PX2279U03286, 150      | 136          | 1 OPEN   |
|         |      | PSIG, 60 HZ, 3-PHASE, 3,519 RPM, APPROX.   | 137          | 1 OPEN   |
| 404     | ,    | 16,332 LOADED HOURS (NEW 2003)             | 138          | 1 OPEN   |
| 121     | 1    | 15 HP CAS MODEL RS15ENC-CRD                | 139          | 1 OPEN   |
|         |      | HORIZONTAL TANK CABINET ENCLOSED           | 140          | 1 OPEN   |
|         |      | AIR COMPRESSOR; S/N 080912-1377, WITH      | 141          | 1 OPEN   |
|         |      | CAS MODEL HG50 AIR DRYER AND ENVIRO        | 142          | 1 OPEN   |
| 100     | ,    |  | 143          | 1 OPEN   |
| 122     | 1    | 5 HP INGERSOLL RAND MODEL T30              | 144          | 1 OPEN   |
|         |      |  | 145          | 1 OPEN   |
| 100     | 4    |  | 146          | 1 OPEN   |
| 123     | I    | TWIN 2 HP CALIFORNIA AIR TOOL DUAL         | 147          | 1 OPEN   |
|         |      | 2-STROKE HORIZONTAL TANK AIR<br>COMPRESSOR | 148<br>149   |  |
| 124     | 1    | TWIN 2 HP CALIFORNIA AIR TOOL DUAL         | 149          | 1 **30,000 LB. TAYLOR MODEL T-300M<br>CUSHION TIRE LIFT TRUCK; S/N S-BF-32472, |
| 124     | ł    | 2-STROKE HORIZONTAL TANK AIR               |              | CUMMINS B5-C-5.9L-C1600 ENGINE, 15'  |
|         |      | COMPRESSOR                                 |              | •  |
| 124A    | 4    | 30 GALLON POWEREX MODEL AR802200WL         |              | MAST HEIGHT, CAB ENCLOSURE, FORK<br>POSITIONER, 72" FORKS, 144" CARRIGE        |
| 1647    | I    | VERTICAL AIR RECEIVING TANK                | •            | WIDTH, 10,370 HOURS **LOCATED OFFSITE  |
|         |      |  |              | AT 10601 GLENDALE ROAD, CINCINNATI,  |
|         |      |  |              | OHIO 45215**   |
|         |      |  |              | 01110 40210  |

.

### Catalog for Auction:Forklifts, Fabricating Toolroom

| Lot Num    | Qty. | Description   | Lot Num | Qty. Description  |
|------------|------|---|---------|---|
| 150        | 1    | **13,500 LB. TOYOTA MODEL 7FGCU60<br>SOLID TIRE LP GAS LIFT TRUCK; S/N 70712,<br>3-STAGE MAST, 96" MAST HEIGHT, 239" LIFT<br>HEIGHT, 72" FORKS, SIDE SHIFT, 12,229<br>(APPROX.) HOURS SHOWING, NEW ENGINE<br>INSTALLED 11-28-2013 A5T 4,877 HOURS<br>(NEW 2013) **NO TANK** **LOCATED AT 6600<br>STOCKTON ROAD, FAIRFIELD, OHIO 45014** | 0 159   | <ol> <li>5,000 LB. CLARK MODEL CGP25         PNEUMATIC TIRE LP GAS LIFT TRUCK; S/N         P365-1361-9466FB, 3-STAGE MAST, 84" MAST             HEIGHT, 189" LIFT HEIGHT, 40" FORKS,             FORK ROTATING, FORK POSITIONING, 7,983             HOURS SHOWING **NO TANK**         5,000 LB. TOYOTA MODEL 7FGU25 SOLID             TREADED TIRE LP GAS LIFT TRUCK; S/N         </li> </ol> |
| 151        | 1    | 12,500 LB. HYSTER MODEL S125A SOLID<br>TIRE LP GAS LIFT TRUCK; S/N A024D02934V<br>2-STAGE MAST, 96" MAST HEIGHT, 129" LIFT<br>HEIGHT, 46" FORKS, 2,984 HOURS SHOWING  |         | 65315, 3-STAGE MAST, 84" MAST HEIGHT,<br>189" LIFT HEIGHT, 48" FORKS, SIDE SHIFT,<br>9,300 HOURS SHOWING **NO TANK**<br>1 5,000 LB. TOYOTA MODEL 7FBH25   |
| 152        | 1    | **NO TANK**<br>11,000 LB. CATERPILLAR MODEL GC55K<br>CUSHION TIRE LP GAS LIFT TRUCK; S/N<br>AT88A00314, 3-STAGE MAST, 86" MAST<br>HEIGHT, 172" LIFT HEIGHT, 96" FORKS, SIDE<br>SHIFT, 16,256 HOURS SHOWING **NO<br>TANK**   | 161     | <ul> <li>PNEUMATIC TIRE ELECTRIC LIFT TRUCK;</li> <li>S/N 11532, 3-STAGE MAST, 84" MAST</li> <li>HEIGHT, 189" LIFT HEIGHT, 48" FORKS, SIDE</li> <li>SHIFT, 48 VOLT, 10,336 KEY ON HOURS</li> <li>SHOWING, WITH CHARGER</li> <li>1 4,000 LB. TOYOTA MODEL 7FGCU20 SOLID</li> <li>TIPE LD CAS LIFT TRUCK: 040 03507</li> </ul>  |
| 153        | 1    | 11,000 LB. CATERPILLAR MODEL GC55K<br>CUSHION TIRE LP GAS LIFT TRUCK; S/N<br>AT88A00313, 3-STAGE MAST, 86" MAST<br>HEIGHT, 172" LIFT HEIGHT, 96" FORKS, SIDE<br>SHIFT, 16,695 HOURS SHOWING **NO<br>TANK**  | E 162   | <ul> <li>TIRE LP GAS LIFT TRUCK; S/N 97527,</li> <li>2-STAGE MAST, 77" MAST HEIGHT, 119" LIFT<br/>HEIGHT, 36" FORKS, SIDE SHIFT, 14,073<br/>HOURS SHOWING **NO TANK**</li> <li>1 5,000 LB. TOYOTA MODEL 5FGC25 CUSHION<br/>TIRE LP GAS LIFT TRUCK; S/N 13739,</li> <li>2-STAGE MAST, 70" MAST HEIGHT, 42"</li> </ul>  |
| 154        | 1    | 10,000 LB. CLARK MODEL C100 SOLID TIRE<br>LP GAS LIFT TRUCK; S/N<br>C100-67-818-LPG-126, 2-STAGE MAST, 95"<br>MAST HEIGHT, 138" LIFT HEIGHT, 48"<br>FORKS, 4,028 HOURS SHOWING **NO<br>TANK**   | 163     | FORKS, SIDE SHIFT, 14,575 HOURS<br>SHOWING **NO TANK**<br>1 3,000 LB. NISSAN MODEL OPTIMUM 35<br>CUSHION TIRE LP GAS LIFT TRUCK; S/N<br>CPJ01-9H3762, 3-STAGE MAST, 82" MAST<br>HEIGHT, 187" LIFT HEIGHT, 40" FORKS, SIDE   |
| 155<br>156 |      | 7,000 LB. TOYOTA MODEL 7FGCU35-BCS<br>SOLID TIRE LP GAS LIFT TRUCK; S/N 60046,<br>3-STAGE MAST, 88" MAST HEIGHT, 187" LIFT<br>HEIGHT, 42" FORKS, SIDE SHIFT, 4,227<br>HOURS SHOWING **NO TANK**<br>7,000 LB. MITSUBISHI MODEL FG35N   |         | <ul> <li>SHIFT, 9,355 HOURS SHOWING **NO TANK**</li> <li>1 4,000 LB. MITSUBISHI MODEL FB20NT SOLID<br/>TIRE 3-WHEEL ELECTRIC LIFT TRUCK; S/N<br/>EFB1450018, 3-STAGE MAST, 82" MAST<br/>HEIGHT, 188" LIFT HEIGHT, 42" FORKS, 36<br/>VOLT, SIDE SHIFT, 2,722 HOURS SHOWING,</li> </ul>   |
| 100        | ŀ    | PNEUMATIC TIRE LIFT TRUCK; S/N<br>AF13F80137, 2-STAGE MAST, 90" MAST<br>HEIGHT, 131" LIFT HEIGHT, 36" FORKS, SIDE<br>SHIFT, 15,294 HOURS SHOWING **NO<br>TANK**   | 165     | <ul> <li>WITH CHARGER</li> <li>1 4,000 LB. CLARK MODEL ESM25 ELECTRIC<br/>STAND UP LIFT TRUCK; S/N<br/>ESM245-0199-8100FB, 3-STAGE MAST, 82"<br/>MAST HEIGHT, 188" LIFT HEIGHT, 42"</li> </ul>  |
| 157        | 1    | **5,000 LB. NISSAN MODEL MCP1F2A25LV<br>LP GAS SOLID TIRE LIFT TRUCK; S/N<br>CP1F2-9P3909, 3-STAGE MAST, 177" LIFT<br>HEIGHT, 42" FORKS, SIDE SHIFT, 12,956<br>HOURS SHOWING **NO TANK **LOCATED<br>OFFSITE AT 6600 STOCKTON ROAD,<br>CINCINNATI, OHIO 45014**  | 166     | <ul> <li>FORKS, SIDE SHIFT, 36 VOLT, 8,802 HOURS<br/>SHOWING, WITH CHARGER</li> <li>1 2,000 LB. BT LIFTER ELECTRIC WALK<br/>BEHIND STACKER; S/N 330819AA, 2-STAGE<br/>MAST, 83" MAST HEIGHT, 130" LIFT HEIGHT,<br/>42" FORKS, BUILT IN 110 VOLT CHARGER</li> </ul>  |

### Catalog for Auction:Forklifts, Fabricating Toolroom

| Lot Num | Qty. | Description   | Lot Num | Qty. | Description |
|---------|------|---|---------|------|-------------|
| 167     | 1    | 4,000 LB. HYSTER MODEL W40XT ELECTRIC<br>WALK BEHIND PALLET TRUCK; S/N<br>A218H01591U, 24 VOLT, BUILT IN 110 VOLT<br>CHARGER                        |         |      |             |
| 168     | 1    | 24 VOLT BT LIFTER BATTERY WITH BUILD<br>IN 110 VOLT CHARGER   |         |      |             |
| 169     | 1    | 48 VOLT DC TECHNOLOGIES FORKLIFT<br>BATTERY   |         |      |             |
| 170     | 1    | 24 VOLT GNB MODEL FER100 12-600 IT<br>BATTERY CHARGER; S/N 97H0384F,<br>208/240/480 VOLTS IN, 3-PHASE, 60 HAZ                                       |         |      |             |
| 171     | 1    | 36 VOLT YALE MODEL 3YTF18-600 BATTERY<br>CHARGER; S/N 86778-YNX, 18 CELLS,<br>220/440 VOLT IN, 3-PHASE, 60 HZ                                       |         |      |             |
| 172     | 1    | 24 VOLT EXIDE MODEL D3E-12-850<br>BATTERY CHARGER; S/N ZD50259, 480 VOLT<br>IN, 3-PHASE, 60 HZ  | -       |      |             |
| 173     | 1    | 36 VOLT EXIDE MODEL G3-18-680 BATTERY<br>CHARGER; S/N UB22647, 208/240/480 VOLT<br>IN, 3-PHASE, 60 HZ   |         |      |             |
| 174     | 1    | SKYJACK MODEL SJIII 3219 ELECTRIC<br>SCISSOR LIFT; S/N 247167, 19' MAX HEIGHT,<br>550 LB. CAPACITY, 24 VOLT BUILT IN 110<br>VOLT CHARGER (NEW 2005) |         |      |             |
| 175     | 1    | UPRIGHT MODEL MX19 ELECTRIC SCISSOR<br>LIFT; S/N N/A, 19' MAX HEIGHT, BUILT IN 110<br>VOLT CHARGER  |         |      |             |
| 176     | . 1  | UPRIGHT MODEL MX19 ELECTRIC SCISSOR<br>LIFT; S/N N/A, 19' MAX HEIGHT, BUILT IN 110<br>VOLT CHARGER  |         |      |             |