Catalog for Auction:OFFLEASE SURPLUS LIFT TRUCK, SCISSOR LIFT This catalog is meant merely as a guide. The Auctioneers do not warrant the accuracy, genuineness, authenticity, description, weight, count or measure of any of the lots specified herein.

Lot Num	Qty.	Description	Lot Num	Qty. Description
1	1	RIDGID MODEL 1206 TRISTAND - LOCATED AT 6600 STOCKTON ROAD, FAIRFIELD, OHIO 45014	12C	1 1,000 LB. HYSTER MODEL T7ZAC WALK BEHIND TUGGER; S/N B477N01710J, NO
2	1	RIDGID MODEL 1206 TRISTAND - LOCATED AT 6600 STOCKTON ROAD, FAIRFIELD, OHIO 45014	12D	BATTERY - LOCATED AT 6600 STOCKTON RD., FAIRFIELD, OH 45014 1 6,000 LB. HYSTER MODEL W60Z ELECTRIC
3	1	RIDGID MODEL 450 TRISTAND, 1/3" - 5" - LOCATED AT 6600 STOCKTON ROAD, FAIRFIELD, OHIO 45014	405	PALLET TRUCK; S/N A231N02983K, 24 VOLT GNB "LIBERATOR" BATTERY - LOCATED AT 6600 STOCKTON RD., FAIRFIELD, OH 45014
4	1	RIDGID MODEL 450 TRISTAND, 1/3" - 5" - LOCATED AT 6600 STOCKTON ROAD, FAIRFIELD, OHIO 45014	12E	1 6,000 LB. HYSTER MODEL W60Z ELECTRIC PALLET TRUCK; S/N A231N02982K, 24 VOLT GNB "LIBERATOR" BATTERY - LOCATED AT 6600 STOCKTON RD., FAIRFIELD, OH 45014
5	1	RIDGID MODEL 450 TRISTAND, 1/3" - 5" - LOCATED AT 6600 STOCKTON ROAD, FAIRFIELD, OHIO 45014	12F	1 6,000 LB. HYSTER MODEL W60Z ELECTRIC PALLET TRUCK; S/N A231N02988K, 24 VOLT GNB "LIBERATOR" BATTERY - LOCATED AT
6		RIDGID MODEL 450 TRISTAND, 1/3" - 5" - LOCATED AT 6600 STOCKTON ROAD, FAIRFIELD, OHIO 45014	13	6600 STOCKTON RD., FAIRFIELD, OH 45014 1 BUILD-ALL PARTS WASHER - LOCATED AT 6600 STOCKTON ROAD, FAIRFIELD, OHIO
7		RIDGID MODEL 450 TRISTAND, 1/3" - 5" - LOCATED AT 6600 STOCKTON ROAD, FAIRFIELD, OHIO 45014	14	45014 1 12 GALLON PARTS WASHER - LOCATED AT 6600 STOCKTON ROAD, FAIRFIELD, OHIO
8	1	RIDGID MODEL 460 TRISTAND, 1/3" - 6" - LOCATED AT 6600 STOCKTON ROAD, FAIRFIELD, OHIO 45014	15	45014 1 22" SOLBERGA MEKANISHA MODEL SE725 GEARED FLOOR DRILL; S/N 7404 - LOCATED
9 .	1	RIDGID MODEL 460 TRISTAND, 1/3" - 6"- LOCATED AT 6600 STOCKTON ROAD, FAIRFIELD, OHIO 45014	16	AT 6600 STOCKTON ROAD, FAIRFIELD, OHIO 45014 1 20" KALAMAZOO MODEL 20RWS STARTRITE
10	1	RIDGID MODEL 460 TRISTAND, 1/3" - 6" - LOCATED AT 6600 STOCKTON ROAD, FAIRFIELD, OHIO 45014		VERTICAL BANS SAW; S/N 71294, 20-1/2" X 20-1/2" TABLE, BLADE WELDER - LOCATED AT 6600 STOCKTON ROAD, FAIRFIELD, OHIO
11	1	RIDGID MODEL 460 TRISTAND, 1/3" - 6" - LOCATED AT 6600 STOCKTON ROAD, FAIRFIELD, OHIO 45014	17	45014 1 RAPID ENGINEERING MODEL HS-1000 PROPANE OR NATRUAL GAS FIRED
12	1	RIDGID MODEL 460 TRISTAND, 1/3" - 6" - LOCATED AT 6600 STOCKTON ROAD, FAIRFIELD, OHIO 45014		BURNER / BLOWER; S/N 029329, 8,000 CFM, 1,000,000 BTUH, 1-1/2 HP - LOCATED AT 6600 STOCKTON ROAD, FAIRFIELD, OHIO 45014
12A	1	1,000 LB. HYSTER MODEL T7ZAC WALK BEHIND TUGGER; S/N B477N01717J, NO BATTERY - LOCATED AT 6600 STOCKTON RD., FAIRFIELD, OH 45014	18	1 RAPID ENGINEERING MODEL HS-1000 PROPANE OR NATRUAL GAS FIRED BURNER / BLOWER; S/N 029328, 8,000 CFM, 1,000,000 BTUH, 1-1/2 HP - LOCATED AT 6600
12B	1	1,000 LB. HYSTER MODEL T7ZAC WALK BEHIND TUGGER; S/N B477N01815J, NO BATTERY - LOCATED AT 6600 STOCKTON RD., FAIRFIELD, OH 45014	19	STOCKTON ROAD, FAIRFIELD, OHIO 45014 1 5,000 LB. CAPACITY SALTER BECKNELL MODEL 200E DIGITAL PLATFORM SCALE - LOCATED AT 6600 STOCKTON ROAD, FAIRFIELD, OHIO 45014

Lot Num	Qty.	Description	Lot Num	Qty. Description
19A	1	2010 FORD F-150XL PICK UP TRUCK WITH (2) 9' LED VIDEO BOARD ADVERTISING SCREENS; VIN # 1FTMF1CW1AKC09565, MILES 94,607, WITH VD WALL MODEL LVP605D LED VIDEO PROCESSOR, HONDA	27	1 AMERICAN LINCOLN ALTO MODEL SC7740 SIT DOWN LP GAS FLOOR SCRUBBER; S/N 891062, 2,141 HOURS (NEW 2003) - LOCATED AT 6600 STOCKTON ROAD, FAIRFIELD, OHIO 45014
20	1	MODEL EU7000is FUEL INJECTION GAS GENERATOR WITH 9 HOURS **2008 HARLEY DAVIDSON ULTRA CLASSIC TOURING PACKAGE MOTORCYCLE; VIN 1HD1FC4178Y677484, STEREO, 6-SPEED, 96	28	1 100 KW / 125 KVA GENERAC MODEL 98A04717-S NATURAL GAS GENERATOR; S/N 2043432, 7.4 LITER GENERAC V-8 ENGINE, 184 HOURS - LOCATED AT 6600 STOCKTON ROAD, FAIRFIELD, OHIO 45014
		CUBIC INCH ELECTROGLIDE, TRE DUAL PIPES, K&N STAGE 1 AIR CLEANER, 43,662 MILES - LOCATED AT 6600 STOCKTON ROAD, FAIRFIELD, OHIO 45014 - **SUBJECT TO BID CONFIRMATION**	29	1 SIMOX AERIAL MODEL X50 ELECTRIC DRIVE PLATFORM SCISSOR LIFT; S/N 6313141601227, 31" X 64" - 100" EXPANDABLE PLATFORM PENDANT DRIVE, BUILT-IN CHARGER - LOCATED AT 6600 STOCKTON
20A		2011 JOHN DEERE 350 COMPACT EXCAVATOR	30	ROAD, FAIRFIELD, OHIO 45014 1 SKYJACK MODEL SJ111 3220 ELECTRIC
20B 20C		2012 NPK 7 IMPACTOR HYDRAULIC HAMMER ATTACHMENT 2003 ISUZU TRUCK		DRIVE PLATFORM SCISSOR LIFT; S/N 607777, 800 LB. MAX LOAD, 28" X 84" - 210"
20D				EXPANDABLE PLATFORM, 20' MAX HEIGHT -
200		2005 EQUIPMENT TRAILER		LOCATED AT 6600 STOCKTON ROAD,
21	'	2011 CLUB CAR MODEL DS 2-PERSON GASOLINE POWERED PERSONNEL CARRIER / GOLF CART; S/N AG1129-206201 - LOCATED AT 6600 STOCKTON ROAD, FAIRFIELD, OHIO 45014	31	FAIRFIELD, OHIO 45014 1 MEC MODEL 2034HT SELF TRAVELING ELECTRIC SCISSOR LIFT; S/N N/A, 32" X 96" - 132" EXPANDALBE PLATFORM, PENDANT DRIVE, BUILT-IN CHARGER - LOCATED AT
22	1	2011 CLUB CAR MODEL DS 2-PERSON GASOLINE POWERED PERSONNEL CARRIER / GOLF CART; S/N AG1117-189586 - LOCATED AT 6600 STOCKTON ROAD, FAIRFIELD, OHIO 45014	. 32	6600 STOCKTON ROAD, FAIRFIELD, OHIO 45014 1 SKYJACK MODEL SJIII 6826 ROUGH TERRAIN ELECTRIC POWER PNEUMATIC TIRE SCISSOR LIFT; S/N 75619, 59" X 82" -
23	1	2011 CLUB CAR MODEL DS 2-PERSON GASOLINE POWERED PERSONNEL CARRIER / GOLF CART; S/N AG1129-206076 - LOCATED AT 6600 STOCKTON ROAD, FAIRFIELD, OHIO 45014		106" EXPANDABLE PLATFORM, 1,200 LB. MAX LOAD, 26' MAX HEIGHT, PENDANT DRIVE, BUILT-IN CHARGER (NEW 2003) - LOCATED AT 6600 STOCKTON ROAD, FAIRFIELD, OHIO 45014
24	1	2011 CLUB CAR MODEL DS 2-PERSON GASOLINE POWERED PERSONNEL CARRIER / GOLF CART; S/N AG1128-206036 - LOCATED AT 6600 STOCKTON ROAD, FAIRFIELD, OHIO 45014	33	1 4,000 LB. LINDE MODEL H25CT SOLID TIRE LP GAS LIFT TRUCK; S/N A11313C00068, 2-STAGE MAST, 84" MAST HEIGHT, 186" LIFT HEIHGT, 48" FORKS, FINGER TIP CONTROL, CASCADE MODEL 45E-PLS-489 PUSH
25	1	2011 CLUB CAR MODEL DS 2-PERSON GASOLINE POWERED PERSONNEL CARRIER / GOLF CART; S/N AG1128-205671 - LOCATED AT 6600 STOCKTON ROAD, FAIRFIELD, OHIO 45014		ATTACHMENT, 24" PUSH, 4,500 LB. MAX. (NEW 2012) - LOCATED AT 6600 STOCKTON ROAD, FAIRFIELD, OHIO 45014
26	1	TENNANT MODEL 6400 ELECTRIC RIDE-ON SWEEPER; S/N 6400-1355, 36 VOLT WITH CHARGER, 572 HOURS - LOCATED AT 6600 STOCKTON ROAD, FAIRFIELD, OHIO 45014		

Lot Num	Qty.	Description	Lot Num	Qty. Description
34	1	4,000 LB. LINDE MODEL H25CT SOLID TIRE LP GAS LIFT TRUCK; S/N A11313C00067, 2-STAGE MAST, 84" MAST HEIGHT, 186" LIFT HEIHGT, 48" FORKS, FINGER TIP CONTROL, CASCADE MODEL 45E-PLS-489 PUSH ATTACHMENT, 24" PUSH, 4,500 LB. MAX. (NEW 2012) - LOCATED AT 6600 STOCKTON ROAD, FAIRFIELD, OHIO 45014	41	1 5,000 LB. YALE MODEL GLC050 SOLID TIRE LP GAS LIFT TRUCK; S/N A910V06932D, 3-STAGE MAST, 82" MAST HEIGHT, 189" LIFT HEIGHT, 48" FORKS, FINGERTIP CONTROL, SIDE SHIFT, 13,708 HOURS (NEW 2006) - LOCATED AT 6600 STOCKTON ROAD, FAIRFIELD, OHIO 45014
35	1	5,000 LB. HYSTER MODEL S50FT SOLID TIRE LP GAS LIFT TRUCK; S/N F187V17751J, 2-STAGE MAST, 84" MAST HEIGHT, 130" LIFT HEIGHT, 48" FORKS, FINGERTIP CONTROL, SIDE SHIFT, 10,934 HOURS (NEW 2011) - LOCATED AT 6600 STOCKTON ROAD,		1 5,000 LB. YALE MODEL GLC050 SOLID TIRE LP GAS LIFT TRUCK; S/N A910V16013H, 3-STAGE MAST, 82" MAST HEIGHT, 189" LIFT HEIGHT, 48" FORKS, FINGERTIP CONTROL, SIDE SHIFT, 12,139 HOURS (NEW 2010) - LOCATED AT 6600 STOCKTON ROAD, FAIRFIELD, OHIO 45014
36	1	FAIRFIELD, OHIO 45014 5,000 LB. HYSTER MODEL S50FT SOLID TIRE LP GAS LIFT TRUCK; S/N F187V17754J, 2-STAGE MAST, 84" MAST HEIGHT, 130" LIFT HEIGHT, 48" FORKS, FINGERTIP CONTROL, SIDE SHIFT, 9,953 HOURS (NEW 2011) - LOCATED AT 6600 STOCKTON ROAD,		1 5,000 LB. YALE MODEL GLC050 SOLID TIRE LP GAS LIFT TRUCK; S/N A910V05935D, 3-STAGE MAST, 82" MAST HEIGHT, 189" LIFT HEIGHT, 48" FORKS, FINGERTIP CONTROL, 12,924 HOURS (NEW 2006) - LOCATED AT 6600 STOCKTON ROAD, FAIRFIELD, OHIO 45014
37	1	FAIRFIELD, OHIO 45014 5,000 LB. YALE MODEL GLC050 SOLID TIRE LP GAS LIFT TRUCK; S/N A910V21121K, 3-STAGE MAST, 82" MAST HEIGHT, 189" LIFT HEIGHT, 42" FORKS, FINGERTIP CONTROL, 13,889 HOURS (NEW 2012) - LOCATED AT 6600 STOCKTON ROAD, FAIRFIELD, OHIO 45014	44 4 5	1 5,000 LB. YALE MODEL GLC050 SOLID TIRE LP GAS LIFT TRUCK; S/N A910V12848F, 4-STAGE MAST, 96" MAST HEIGHT, 276" LIFT HEIGHT, 48" FORKS, SIDE SHIFT, 8,681 HOURS (NEW 2008) - LOCATED AT 6600 STOCKTON ROAD, FAIRFIELD, OHIO 45014 1 5,000 LB. YALE MODEL GLC050 SOLID TIRE
38	1	5,000 LB. YALE MODEL GLC050 SOLID TIRE LP GAS LIFT TRUCK; S/N A910V19336J, 3-STAGE MAST, 82" MAST HEIGHT, 189" LIFT HEIGHT, 42" FORKS, FINGERTIP CONTROL, 13,003 HOURS (NEW 2011) - LOCATED AT 6600 STOCKTON ROAD, FAIRFIELD, OHIO 45014	46	LP GAS LIFT TRUCK; S/N A910V18548J, 4-STAGE MAST, 96" MAST HEIGHT, 276" LIFT HEIGHT, 48" FORKS, SIDE SHIFT, 14,059 HOURS (NEW 2011) - LOCATED AT 6600 STOCKTON ROAD, FAIRFIELD, OHIO 45014 1 5,000 LB. YALE MODEL GLC050 SOLID TIRE LP GAS LIFT TRUCK; S/N A910V18569J, 4-STAGE MAST, 96" MAST HEIGHT, 276" LIFT
39		5,000 LB. YALE MODEL GLC050 SOLID TIRE LP GAS LIFT TRUCK; S/N A910V21080K, 3-STAGE MAST, 82" MAST HEIGHT, 189" LIFT HEIGHT, 42" FORKS, FINGERTIP CONTROL, 14,572 HOURS (NEW 2012) - LOCATED AT 6600 STOCKTON ROAD, FAIRFIELD, OHIO 45014	47	HEIGHT, 48" FORKS, SIDE SHIFT, 14,183 HOURS (NEW 2011)- LOCATED AT 6600 STOCKTON ROAD, FAIRFIELD, OHIO 45014 1 5,000 LB. YALE MODEL GLC050 SOLID TIRE LP GAS LIFT TRUCK; S/N A910V18562J, 4-STAGE MAST, 96" MAST HEIGHT, 276" LIFT HEIGHT, 42" FORKS, SIDE SHIFT, 13,102
40		5,000 LB. YALE MODEL GLC050 SOLID TIRE LP GAS LIFT TRUCK; S/N A910V13076F, 3-STAGE MAST, 82" MAST HEIGHT, 189" LIFT HEIGHT, 48" FORKS, FINGERTIP CONTROL, SIDE SHIFT, 14,857 HOURS (NEW 2008) - LOCATED AT 6600 STOCKTON ROAD, FAIRFIELD, OHIO 45014		HOURS (NEW 2011) - LOCATED AT 6600 STOCKTON ROAD, FAIRFIELD, OHIO 45014

Lot Num	Qty.	Description	Lot Num	Qty. Description
48	1	6,000 LB. HYSTER MODEL S60FT SOLID TIRE LP GAS LIFT TRUCK; S/N F187V17323J, 3-STAGE MAST, 98" MAST HEIGHT, 211" LIFT HEIGHT, 48" FORKS, SIDE SHIFT, 12,425 HOURS (NEW 2011) - LOCATED AT 6600 STOCKTON ROAD, FAIRFIELD, OHIO 45014		1 12,000 LB. HYSTER MODEL S120XL2S SOLID TIRE LP GAS LIFT TRUCK; S/N D004D10553Y, 3-STAGE MAST, 96" MAST, 184" LIFT HEIGHT, 4,523 HOURS (NEW 2001) - LOCATED AT 6600 STOCKTON ROAD, FAIRFIELD, OHIO 45014
49	1	6,000 LB. HYSTER MODEL S60FT SOLID TIRE LP GAS LIFT TRUCK; S/N F187V17322J, 3-STAGE MAST, 98" MAST HEIGHT, 211" LIFT HEIGHT, 48" FORKS, SIDE SHIFT, 10,428 HOURS (NEW 2011) - LOCATED AT 6600 STOCKTON ROAD, FAIRFIELD, OHIO 45014		1 12,000 LB. HYSTER MODEL S120FTPRS SOLID TIRE LP GAS LIFT TRUCK; S/N G004V06102J, 3-STAGE MAST, 98" MAST, 197" LIFT HEIGHT, MONOTROL, 13,397 HOURS (NEW 2012) - LOCATED AT 6600 STOCKTON ROAD, FAIRFIELD, OHIO 45014
50	1	6,000 LB. HYSTER MODEL S60FT SOLID TIRE LP GAS LIFT TRUCK; S/N F187V17344J, 3-STAGE MAST, 98" MAST HEIGHT, 211" LIFT HEIGHT, 48" FORKS, SIDE SHIFT, 9,913 HOURS (NEW 2011) - LOCATED AT 6600 STOCKTON ROAD, FAIRFIELD, OHIO 45014		1 12,000 LB. YALE MODEL GLC120V SOLID TIRE LP GAS LIFT TRUCK; S/N E818V04253K, 3-STAGE MAST, 104" MAST HEIGHT, 208" LIFT HEIGHT, 68" FORKS, 9,316 HOURS (NEW 2012) - LOCATED AT 6600 STOCKTON ROAD, FAIRFIELD, OHIO 45014
51	1	6,000 LB. HYSTER MODEL S60FT SOLID TIRE LP GAS LIFT TRUCK; S/N F187V17319J, 3-STAGE MAST, 98" MAST HEIGHT, 211" LIFT HEIGHT, 48" FORKS, SIDE SHIFT, 13,865 HOURS (NEW 2011) - LOCATED AT 6600 STOCKTON ROAD, FAIRFIELD, OHIO 45014		1 12,000 LB. YALE MODEL GLC120V SOLID TIRE LP GAS LIFT TRUCK; S/N E818V04256K, 3-STAGE MAST, 104" MAST HEIGHT, 208" LIFT HEIGHT, 68" FORKS, 8,876 HOURS (NEW 2012) - LOCATED AT 6600 STOCKTON ROAD, FAIRFIELD, OHIO 45014
52	1	7,000 LB. HYSTER MODEL S70FT SOLD TIRE LP GAS LIFT TRUCK; S/N F187V17363J, 3-STAGE MAST, 84" MAST HEIGHT, 181" MAST HEIGHT, 48" FORKS, 6,273 HOURS (NEW 2011) - LOCATED AT 6600 STOCKTON ROAD, FAIRFIELD, OHIO 45014	60	1 15,000 LB. HYSTER MODEL S150A SOLID TIRE LP GAS LIFT TRUCK; S/N A024D05413E, 3-STAGE MAST, 94" MAST HEIGHT, 170" LIFT HEIGHT, 60" FORKS, 5,690 HOURS (NEW 1985) - LOCATED AT 6600 STOCKTON ROAD, FAIRFIELD, OHIO 45014
53	1	9,000 LB. TOYOTA MODEL 7FBCU45 SOLID TIRE ELECTRIC LIFT TRUCK; S/N 60202, 3-STAGE MAST, 94" MAST HEIGHT, 187" LIFT HEIGHT, 76" FORKS, SIDE SHIFT, 36 VOLT WITH CHARGER, 8,220 HOURS - LOCATED AT 6600 STOCKTON ROAD, FAIRFIELD, OHIO 45014		1 15,000 LB. HYSTER MODEL S155FT SOLID TIRE LP GAS LIFT TRUCK; S/N E024V02329J, 118" MAST HEIGHT, 232" LIFT HEIGHT, 68" FORKS, FINGER TIP CONTROL, DURMATCH TRANSMISSION, MONOTROL (NEW 2013) - LOCATED AT 6600 STOCKTON ROAD, FAIRFIELD, OHIO 45014
54	1	8,000 LB. HYSTER MODEL S80XL2BC SOLID TIRE LP GAS LIFT TRUCK; S/N D004D08769X, 3-STAGE MAST, 84" MAST HEIGHT, 172" LIFT HEIGHT, 8,468 HOURS (NEW 2000) - LOCATED AT 6600 STOCKTON ROAD, FAIRFIELD, OHIO 45014		1 2007 / 30,000 LB. TAYLOR MODEL THC300 DIESEL POWER CUSHION TIRE LIFT TRUCK; S/N 34293, CUMMINS 6-CYLINDER DIESEL ENGINE, CLIMATE CONTROLLED CAB ENCLOSURE, 48" FORKS, 61" WIDE CAMAGE, 122" MAST HEIGHT, 28-16-22
55	1	11,000 LB. CATERPILLAR MODEL GC55KSPR SOLID TIRE LP GAS LIFT TRUCK; S/N AT88A30409, 3-STAGE MAST, 96" MAST HEIGHT, 189" LIFT HEIGHT, 68" FORKS, 9,691 HOURS (NEW 2011) - LOCATED AT 6600 STOCKTON ROAD, FAIRFIELD, OHIO 45014		DRIVE TIRES, 22-10-16 STEER TIRES, 18,352 HOURS, TRUCK WEIGHT 41,950 LB LOCATED IN MICHIGAN - CONTACT FRANK ROME AT 513-702-4551 FOR INSPECTION DETAILS

Lot Num	Qty.	Description	Lot Num	Qty. Description
201	1	2011 / 22,000 LB. HOIST MODEL FKS11 DIESEL POWER CUSHION TIRE LIFT TRUCK; S/N 29320, WITH 278 HOURS, 160 HP CUMMINS MODEL QSB6.7 TIER 2 ENGINE, 2-STAGE MAST, 99" LIFT, 100" MAST HEIGHT 114" OVERALL HEIGHT, HYDRAULIC FORK POSITIONING AND SIDE SHIFT, 56" FORKS, 60" CARRIAGE, CAB ENCLOSED, A/C, WEIGHT 32,200 LB LOCATED IN MICHIGAN - CONTACT FRANK ROME AT 513-702-4551	1	1 15,000 LB. YALE MODEL GDC155VXNCJV087 DIESEL POWER CUSHION TIRE LIFT TRUCK; S/N D879V01839J, CUMMINS B.3.3 ENGINE, 94" LIFT HEIGHT, 80" MAST HEIGHT, 2-STAGE MAST, 72" FORKS, FORK POSITIONING, TECHTRONIX 332 TRANSMISSION, 2,807 HOURS (NEW 2012) - LOCATED IN MICHIGAN - CONTACT FRANK ROME AT 513-702-4551 FOR INSPECTION DETAILS
202	1	FOR INSPECTION DETAILS 2010 / 22,000 LB. HOIST MODEL FKS11 DIESEL POWER CUSHION TIRE LIFT TRUCK; S/N 29265, WITH 328 HOURS, 160 HP CUMMINS MODEL QSB6.7 TIER 2 ENGINE, 2-STAGE MAST, 99" LIFT, 100" HIGH MAST, 114" OVERALL HEIGHT, HYDRAULIC FORK POSITIONING WITH SIDE SHIFT, 56" FORKS, 60" CARRIAGE, CAB ENCLOSURE, TRUCK WEIGHT 32,200 LB LOCATED IN MICHIGAN - CONTACT FRANK ROME AT 513-702-4551		1 15,000 LB. YALE MODEL GDC155VXNCJV087 DIESEL POWER CUSHION TIRE LIFT TRUCK; S/N D879V01840J, CUMMINS B.3.3 ENGINE, 94" LIFT HEIGHT, 80" MAST HEIGHT, 2-STAGE MAST, 72" FORKS, FORK POSITIONING, TECHTRONIX 332 TRANSMISSION, 3,692 HOURS (NEW 2012) - LOCATED IN MICHIGAN - CONTACT FRANK ROME AT 513-702-4551 FOR INSPECTION DETAILS
203	1	FOR INSPECTION DETAILS 15,000 LB. YALE MODEL GLC155VXNGJV087 PROPANE CUSHION TIRE LIFT TRUCK; D879V01843J, V-6 VORTEC ENGINE, 94" LIFT	208	1 4,500 LB. CROWN MODEL WP2330-45 ELECTRIC PALLET TRUCK; S/N 5A388574, 24 VOLT, BUILT IN CHARGER - LOCATED IN MICHIGAN- CONTACT FRANK ROME AT 513-702-4551 FOR INSPECTION DETAILS
		HEIGHT, 80" MAST HEIGHT, 2-STAGE MAST, 72" FORKS, FORK POSITIONING, TECHTRONIX 332 TRANSMISSION, 1,990 HOURS (NEW 2012) - LOCATED IN MICHIGAN - CONTACT FRANK ROME AT 513-702-4551	209	1 4,500 LB. CROWN MODEL WP2330-45 ELECTRIC PALLET TRUCK; S/N 5A388576, 24 VOLT, BUILT IN CHARGER - LOCATED IN MICHIGAN- CONTACT FRANK ROME AT 513-702-4551 FOR INSPECTION DETAILS
204	1	FOR INSPECTION DETAILS 15,000 LB. YALE MODEL GLC155VXNGJV087 PROPANE CUSHION TIRE LIFT TRUCK; D879V01829J, V-6 VORTEC ENGINE, 94" LIFT HEIGHT, 80" MAST HEIGHT, 2-STAGE MAST,	210	1 4,500 LB. CROWN MODEL WP2330-45 ELECTRIC PALLET TRUCK; S/N 5A388575, 24 VOLT, BUILT IN CHARGER - LOCATED IN MICHIGAN- CONTACT FRANK ROME AT 513-702-4551 FOR INSPECTION DETAILS
		72" FORKS, FORK POSITIONING, TECHTRONIX 332 TRANSMISSION, 2,752 HOURS (NEW 2012) - LOCATED IN MICHIGAN - CONTACT FRANK ROME AT 513-702-4551 FOR INSPECTION DETAILS	211	1 4,500 LB. CROWN MODEL WP2330-45 ELECTRIC PALLET TRUCK; S/N 5A388573, 24 VOLT, BUILT IN CHARGER - LOCATED IN MICHIGAN- CONTACT FRANK ROME AT 513-702-4551 FOR INSPECTION DETAILS
205	1	15,000 LB. YALE MODEL GDC155VXNCJV087 DIESEL POWER CUSHION TIRE LIFT TRUCK; S/N D879V01841J, CUMMINS B.3.3 ENGINE, 94" LIFT HEIGHT, 80" MAST HEIGHT, 2-STAGE MAST, 72" FORKS, FORK	212	1 5,000 LB. HYSTER MODEL W502 ELECTRIC PALLET TRUCK; S/N D215N01799E, 24 VOLT WITH CHARGER - LOCATED IN MICHIGAN - CONTACT FRANK ROME AT 513-702-4551 FOR INSPECTION DETAILS
		POSITIONING, TECHTRONIX 332 TRANSMISSION, 1,999 HOURS (NEW 2012) - LOCATED IN MICHIGAN - CONTACT FRANK ROME AT 513-702-4551 FOR INSPECTION DETAILS	213	1 5,000 LB. HYSTER MODEL W50Z ELECTRIC PALLET TRUCK; S/N D215N01803E, 24 VOLT WITH CHARGER - LOCATED IN MICHIGAN- CONTACT FRANK ROME AT 513-702-4551 FOR INSPECTION DETAILS

Lot Num	Qty.	Description	Lot Num	Qty.	Description
214	1	6,000 LB. HYSTER MODEL B60ZAC RIDE-ON TYPE ELECTRIC PALLET TRUCK; S/N B230N03582H, 24 VOLT WITH POWERHOUSE CHARGER (NEW) - LOCATED IN MICHIGAN- CONTACT FRANK ROME AT 513-702-4551 FOR INSPECTION DETAILS	Ē		
215		6,000 LB. HYSTER MODEL B60ZAC RIDE-ON TYPE ELECTRIC PALLET TRUCK; S/N B230N03572H, 24 VOLT WITH POWERHOUSE CHARGER (NEW) - LOCATED IN MICHIGAN- CONTACT FRANK ROME AT 513-702-4551 FOR INSPECTION DETAILS	<u> </u>		
216	1	2011 CLUB CAR MODEL CARRYALL 1 ELECTRIC DUMP BODY MAINTENANCE CART; S/N FD1141239463, 43" X 37" DUMP BED WITH TAILGATE, CAB ENCLOSURE, BUILT-IN CHARGER, 1,307 HOURS - LOCATED IN MICHIGAN- CONTACT FRANK ROME AT 513-702-4551 FOR INSPECTION DETAILS			
217	-	DELETE			
218		HYSTER MODEL T7ZAC ELECTRIC RIDE-ON TOW TRUCK; S/N B477NO1742J, 24 VOLTS, NO CHARGER - LOCATED IN MICHIGAN- CONTACT FRANK ROME AT 513-702-4551 FOR INSPECTION DETAILS			
219	1	HYSTER MODEL T7ZAC ELECTRIC RIDE-ON TOW TRUCK; S/N B477NO1744J, 24 VOLT, NO CHARGER - LOCATED IN MICHIGAN- CONTACT FRANK ROME AT 513-702-4551 FOR INSPECTION DETAILS			