

# PUBLIC AUCTION



## SALE CATALOG

### BOILER SYSTEMS, FORKLIFTS, ELECTRICAL AND SUPPORT EQUIPMENT

110 East Seymour Ave., Cincinnati, OH 45216

**TUESDAY, APRIL 27, 2021 - 10:00 AM**



**Inspection: Day Prior from 10:00 AM to 4:00 PM**

Auctioneers:

Cincinnati Industrial Auctioneers, Inc. - License # 63-1983-10439

Jeffrey L. Luggen - License # 57-1983-33789

Joseph M. Luggen - License # 2010-000-019

**18% BUYER'S PREMIUM IS IN EFFECT FOR ALL PURCHASES!**

ALTHOUGH INFORMATION HAS BEEN OBTAINED FROM SOURCES DEEMED RELIABLE, THE AUCTIONEER MAKES NO WARRANTY OR GUARANTEE EXPRESSED OR IMPLIED, AS TO THE ACCURACY OF THE INFORMATION HEREIN CONTAINED. IT IS FOR THIS REASON THAT BUYERS SHOULD AVAIL THEMSELVES FOR THE OPPORTUNITY TO MAKE INSPECTION PRIOR TO THE SALE.



Sale Under the Management of

CINCINNATI **INDUSTRIAL AUCTIONEERS**

auctioneers | appraisers | since 1961 | [cia-auction.com](http://cia-auction.com) | [info@cia-auction.com](mailto:info@cia-auction.com)  
2020 Dunlap St., Cincinnati, Ohio 45214 Phone 513-241-9701 Fax 513-241-6760

# **SYNOPSIS OF THE TERMS OF SALE**

## **BOILER SYSTEMS, FORKLIFTS, ELECTRICAL AND SUPPORT EQUIPMENT**

**110 East Seymour Ave., Cincinnati, OH 45216**

**TUESDAY, APRIL 27, 2021 – 10:00 AM**

**REGISTRATION:** All Bidders must register at [www.bidspotter.com](http://www.bidspotter.com) and complete the bidder registration form, removal agreement, sales tax exemption form and COVID-19 statement sent by the Auctioneer after registering for the auction.

**"AS IS, WHERE IS":** Everything is being sold for cash on an "as is", "where is" basis without warranties expressed or implied on part of the Owner and Auctioneer. There are NO REFUNDS, NO EXCHANGES, NO GUARANTEES or NO WARRANTIES on any item.

**ALL SALES ARE FINAL.** All Items are sold on a "Where Is" basis with the Purchaser to incur all costs in conjunction with the loading, shipping, and removal of the items from the premises.

**DEPOSITS:** The Auctioneer may request a deposit at time of registration.

**PAYMENTS: ALL INVOICES MUST BE PAID IN FULL WITHIN 24 HOURS AFTER THE AUCTION.** Any merchandise not paid for by this specified time will be considered abandoned and may be resold by the auctioneer, any loss incurred in the resale to be borne by the original buyer. All payments must be made by **check or certified funds by express mail, wire transfer or ACH.** Please inquire with auction personnel regarding the acceptance of funding. **NO ONSITE PAYMENTS OR CREDIT CARDS WILL BE ACCEPTED.**

**REMOVAL:** All Bidders must execute the COVID-19 Health Screening Questionnaire & Self Declaration Sheet. All Bidders must comply with Social Distancing Policies and any other policies as requested by Thunderbird LLC and the state of Ohio. All bidders removing their items will be required to wear a face mask.

**ALL SMALL ITEMS MUST BE OFF THE PREMISES BY FRIDAY, APRIL 30, 2021 at 4:00 PM.**

Auctioneer/Owner will not be responsible for any small items after this time.

**ALL LARGE ITEMS MUST BE OFF THE PREMISES BY WEDNESDAY, MAY 5, 2021 at 4:00 PM.**

At which time the Auctioneer's representative will leave the premises. After this time, arrangements for removal must be made with the Auctioneer.

**"TIME IS OF THE ESSENCE" ALL ITEMS MUST BE OFF THE PREMISES BY FRIDAY, MAY 7, 2021 at 4:00 PM.**

At the Owners Discretion, any items remaining after this time will be removed from the premises and stored at the expense of the buyer, considered abandoned and scrapped.

### **CHECKOUT HOURS:**

Friday, April 30<sup>th</sup> From 8:00 AM to 4:00 PM

Monday, May 3<sup>rd</sup> – Wednesday, May 5<sup>th</sup> From 8:00 AM to 4:00 PM

Thursday, May 6<sup>th</sup> – Friday, May 7<sup>th</sup> By Appointment Only!!

### **IMPORTANT AUCTION NOTICES:**

**18% BUYERS PREMIUM IS IN EFFECT FOR ALL PURCHASES!**

**ALL BUYERS WILL BE REQUIRED TO EXECUTE AN "AUCTION PURCHASE REMOVAL AGREEMENT"**

ALL SALES SUBJECT TO STATE AND LOCAL SALES TAX WHERE APPLICABLE

ALL BIDDERS MUST COMPLY WITH OUR CUSTOMARY "TERMS OF SALE" ATTACHED HERETO,

POSTED AT THE SALE SITE & OUR WEBSITE @ [WWW.CIA-AUCTION.COM](http://WWW.CIA-AUCTION.COM).

Auctioneer Can Not Assist with Export Documents!

### **WIRING INSTRUCTIONS**

The balance of your invoice may be wired directly to our bank:

PNC Bank, 201 East Fifth Street, Cincinnati, Ohio 45201

**Call for Complete Wire Transfer Instructions**

PLEASE SPECIFY YOUR BIDDER NUMBER WHEN MAKING YOUR WIRE TRANSFER

**NOTE: A BANK WIRE TRANSFER FEE WILL APPLY WHICH IS NOT INCLUDED IN BALANCE DUE OF INVOICE**



**CINCINNATI INDUSTRIAL AUCTIONEERS**  
auctioneers | appraisers | since 1961 | [cia-auction.com](http://cia-auction.com) | [info@cia-auction.com](mailto:info@cia-auction.com)  
2020 Dunlap St., Cincinnati, Ohio 45214 Phone 513-241-9701 Fax 513-241-6760

# TERMS OF SALE

**NOTICE:** All Bidders and other persons attending this sale ("Bidders") agree that they have read and have full knowledge of these terms and agree to be bound hereby. The Bidder identified by the Auctioneer as the high bidder or successful bidder at auction ("successful Bidder") shall have entered into a legally binding contract to purchase the item bid upon ("Lot") at the price and subject to the terms and conditions set forth herein. All determinations, rulings, and adjustments made by the Auctioneer in good faith shall be final, binding, and conclusive upon all Bidders. The term "Auctioneer" herein means Cincinnati Industrial Auctioneers, Inc.

1. **IDENTIFICATION** - All Bidders are required to give full name and addresses at time of registration.
2. **DEPOSIT** - Each successful Bidder will be required to make a deposit in cash or by bank cashier's or certified check of 25 percent (25%) of the successful bid on each Lot at time of knockdown. In default of such deposit, the Lot may be put up again immediately and resold.
3. **TIME OF PAYMENT** - Each successful Bidder shall receive an invoice during or at the conclusion of the auction. All invoices must be paid in full by the close of business on the last day of the auction sale and prior to removing any Lot. Any other arrangements must be made with auctioneer prior to bidding. In the absence of payment or agreement by the auctioneer, title to the Lot shall not transfer to the successful Bidder and such Bidder will lose any right, title or interest such Bidder may have acquired, and the deposit paid, if any, without further notice to such Bidder. The Bidder shall nonetheless remain liable for any damages caused by the Bidder's failure to pay.
4. **REMOVAL** - All purchases must be removed not later than the date specified in the Auction Catalogue and/or announced at the sale. No Lot can, on any account, be removed during the sale. All goods are sold "Where Is." Removal shall be at the expense, risk, and liability of the successful Bidder. Purchases will be released only on presentation of paid invoice. Auctioneer shall not be responsible for Lots not removed within the time allowed, but Auctioneer shall have the option to remove and store at the expense and risk of the successful Bidder any article purchased, but not paid for and removed within the time required.
5. **MANNER OF PAYMENT** - All payments must be made by cash, bank cashier's check or company check with a bank letter of authorization guaranteeing funds to "Cincinnati Industrial Auctioneers, Inc." All checks for deposits and balances due shall be payable to the order of "Cincinnati Industrial Auctioneers, Inc." All invoices must be paid to representatives of the Auctioneer at the auction site unless otherwise announced. The full purchase price on all Lots sold to the same successful Bidder must be paid within the time fixed and before removal of any Lot.
6. **DISCLAIMER OF ALL WARRANTIES INCLUDING IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR PARTICULAR PURPOSE; CONDITION OF ARTICLES SOLD - The Auctioneer and any owner, seller, or secured party make no warranties express or implied as to merchantability or fitness for purpose whatsoever. All such express or implied warranties are expressly excluded hereby. No oral statement or other writing by any person negates this exclusion. If you think you have received any assurance or warranty of any kind as to a Lot offered in this auction do not bid on such item unless the Auctioneer has signed a writing specifically directed to you and identifying the Lot and stating the modification of this exclusion The Auctioneer shall not be responsible for the correct description, genuineness, authenticity of, or defect in any Lot, and makes no warranty in connection therewith. No sale will be set aside nor allowance made on account of any incorrectness, error in commentary, cataloging, or any imperfection not noted. No deduction, credit or avoidance shall be allowed on damaged articles, all Lots being exposed for public exhibition are purchased and accepted by successful Bidder "AS IS", "WHERE IS" and "WITH ALL FAULTS". Auctioneer makes no warranties or guarantees whatsoever whether written, oral or implied as to quality, quantity, condition, usability, salability, weight, measurement, age, model, mechanical condition, performance or other specifications and all sales made are utterly without recourse.**
7. **CLAIMS** - No Claims will be allowed after removal of Lots from premises.
8. **RESPONSIBILITY FOR NON-DELIVERY**- Auctioneer, any owner, seller or secured party shall not, in any event, be liable to any Bidder for non-delivery of any Lot or for any other matter or thing, other than for the return to the successful Bidder of the deposit or sum paid on said Lot, should the successful Bidder be entitled thereto. This means that if are a successful Bidder and for any reason your Lot is not made available to you, you agree that the damages you may claim for such non-delivery are limited to the amounts you have paid and you waive any



**CINCINNATI INDUSTRIAL AUCTIONEERS**

auctioneers | appraisers | since 1961 | [cia-auction.com](http://cia-auction.com) | [info@cia-auction.com](mailto:info@cia-auction.com)  
2020 Dunlap St., Cincinnati, Ohio 45214 Phone 513-241-9701 Fax 513-241-6760

claim for damages for lost profits, opportunity, the value of the Lot in excess of the purchase price, your time, expenses, incidental and consequential damages, all of which are expressly waived.

9. **COMPLIANCE WITH TERMS OF SALE** – In default of payment of invoices in full within the time therein specified, the Auctioneer in addition to all other remedies allowed by law, may retain all monies received as deposit or otherwise, as liquidated damages. Lots not paid for and removed within the time allowed herein may be resold at public or private sale without further notice, and any deficiency, together with all expenses and charges of re-sale, will be charged to the defaulting successful Bidder.
10. **RISK TO PERSON AND PROPERTY** – Persons attending during exhibition, sale, or removal of Lots assume all risks of damage of or loss to person and property and specifically release the Auctioneer from liability therefore and agree to indemnify and hold the Auctioneer harmless from any loss, claim, liability, cost, or expense caused all or in part by such person(s). Neither the auctioneer nor his principal shall be liable by reason of any defect in or condition of the premises on which the exhibition, sale, or removal of Lots is held.
11. **ADDITION TO OR WITHDRAWAL FROM SALE** – The Auctioneer reserves the right to alter the order of the sale, withdrawal from the sale any of the Lots or parts thereof or to sell at this sale Lots not listed, and also reserves the right to group one or more Lots into one or more selling Lots or to subdivide into two or more selling Lots, or make any combination thereof which Auctioneer in its sole discretion determines. Whenever the best interest of the Seller will be served, the Auctioneer reserves the right to sell Lots in bulk.
12. **SALE BY ESTIMATED WEIGHT, COUNT OR MEASURE** – Where items are sold by estimated weight, count, or measure, the successful Bidder will be invoiced for and required to pay for the estimated weight, count, or measure. If upon delivery any shortage exists, the successful Bidder will receive a credit at the rate of the bid. If there be an excess, the successful Bidder will be required to take and pay for such excess, at the rate of the bid.
13. **DISPUTE BETWEEN BIDDERS/BID INCREMENTS** – If any dispute arises between two or more Bidders, the Auctioneer may decide the same or put the Lot up for sale again at once or resell to the highest Bidder. The Auctioneer may reject a nominal or fractional bid advance in the Auctioneer's sole discretion.
14. **RESERVE** – The Auctioneer reserves the right to reject any and all bids. On Lots upon which there is a reserve, the Auctioneer shall have the right to bid on behalf of the seller, owner or secured party and shall have no obligation to denote or announce such reserve or bid.
15. **RECORDS** – The record of sale kept by the Auctioneer and bookkeeper will be taken as final in the event of any dispute.
16. **AGENCY** – The Auctioneer is acting as agent only and is not responsible for the acts of its principals.
17. **SALES TAX** – All sales are subject to state and local taxes, which will be collected from the successful Bidder unless a proper exemption certificate including tax-exempt number is presented at the time of payment.
18. **BUYER'S PREMIUM** – The Auctioneer in its sole discretion may impose a Buyer's Premium on any Lots sold. The Buyer's Premium is a percentage that is added to the final purchase price of any Lot.
19. **SHIPPING** – All coolants, oil and fluids must be drained from all machinery and equipment prior to removal. All of the above must be shipped in compliance with state and federal regulations. Unless otherwise expressly provided in writing, preparation and shipment shall be at the sole responsibility and cost of the successful Bidder.
20. **INSURANCE** – All successful Bidders, or their riggers must provide the Auctioneer and the owner of the premises of the sale a certificate of insurance in amounts acceptable to the Auctioneer prior to removal of any Lot.
21. **ADDITIONAL TERMS AND CONDITIONS** – Except as set forth in Section 6 above, the Auctioneer may modify or supplement these terms and conditions of sale by language in the catalog available at the sale site or by announcement at the start of the sale.



**CINCINNATI INDUSTRIAL AUCTIONEERS**

auctioneers | appraisers | since 1961 | [cia-auction.com](http://cia-auction.com) | [info@cia-auction.com](mailto:info@cia-auction.com)  
2020 Dunlap St., Cincinnati, Ohio 45214 Phone 513-241-9701 Fax 513-241-6760

# **AUCTION PURCHASE & REMOVAL AGREEMENT**

## **BOILER SYSTEMS, FORKLIFTS, ELECTRICAL & SUPPORT EQUIPMENT**

**110 East Seymour Ave., Cincinnati, OH 45216**  
**TUESDAY, APRIL 27, 2021 – 10:00 AM**

All purchasers of items at the Boiler Systems, Forklifts, Electrical and Support Equipment auction conducted by Cincinnati Industrial Auctioneers, Inc. hereby agree to the following:

All purchasers agree to abide by the "Terms of Sale" as listed on our website and posted at the auction premises. The Auctioneer and Owner make no warranties express or implied as to merchantability, fitness for purpose, or condition of the articles being sold. All such expressed or implied warranties are expressly excluded hereby. All Bidders must execute the COVID-19 Health Screening Questionnaire & Self Declaration Sheet. All Bidders must comply with Social Distancing Policies and any other policies as requested by Thunderbird LLC and the state of Ohio. Any bidder removing items will be required to wear a face mask.

All items are purchased on an **"As Is, Where Is"** basis, with the purchaser to incur all costs in conjunction with the loading, shopping and removal of the items from the premises. ALL EQUIPMENT MUST BE REMOVED IN A WORKMAN LIKE MANNER AND ALL UTILITIES MUST BE CAPPED. ALL ANCHOR BOLTS MUST BE CUT OFF AT FLOOR LEVEL. ALL OILS AND COOLANTS MUST BE REMOVED FROM MACHINES PRIOR TO REMOVAL. All items are available for removal during normal business hours through **Wednesday, May 5, 2021 at 4:00 PM** at which time our representatives will leave the premises. After this time arrangements for removal must be made by appointment with Auctioneer.

**"TIME IS OF THE ESSENCE"** regarding the removal of items from the premises. All items must be removed by **Friday, May 7, 2021 at 4:00 PM**. Any items remaining after this time will be removed and stored at the expense of the buyer or considered abandoned and scrapped. NO EXCEPTIONS!

All purchasers and/or riggers of machinery **MUST** provide Cincinnati Industrial Auctioneers, Inc., and Thunderbird LLC a certificate of insurance in the amount of **\$2,000,000.00** prior to removal. Cincinnati Industrial Auctioneers, Inc., and Thunderbird LLC must be named on the policy as co-insurer.

There are NO REFUNDS, NO EXCHANGES, NO GUARANTEES OR NO WARRANTIES on any item.  
ALL SALES ARE FINAL.

**Accepted By Purchaser:**

\_\_\_\_\_  
**Company Name**

\_\_\_\_\_  
Buyer Number / Bidspotter Email

\_\_\_\_\_  
Signature

\_\_\_\_\_  
Date

Boiler Systems, Forklifts, Electrical and Support Equipment  
April 27, 2021



**CINCINNATI INDUSTRIAL AUCTIONEERS**  
auctioneers | appraisers | since 1961 | [cia-auction.com](http://cia-auction.com) | [info@cia-auction.com](mailto:info@cia-auction.com)  
2020 Dunlap St., Cincinnati, Ohio 45214 Phone 513-241-9701 Fax 513-241-6760

# CINCINNATI INDUSTRIAL AUCTIONEERS, INC.

## COVID-19 Health Screening Questionnaire & Self Declaration

CIA values the health and welfare of our customers, employees, and business partners. We will take all necessary precautions to avoid against the spread of the COVID-19 Virus. For the latest of information regarding the COVID-19 virus and precautions to avoid the spread please review the CDC's website at (<https://www.cdc.gov/coronavirus/2019-ncov/index.html>).

**CIA will ask you to confirm that the following statements are correct prior to entering any auction facility for inspection or removal of purchases:**

1. You have not knowingly had any contact with a person that has COVID-19 in the last 14 days.
2. You have not been out of the U.S., or in any risk sites in the last 14 days.
3. You do not have any respiratory systems (cold, cough or shortness of breath), **do not have a fever of 100°F**, or have been fever free for at least 48 hours WITHOUT the use of any fever-reducing or other symptom relief medication.

### AUCTION INSPECTION & REMOVAL GUIDELINES

1. Take your temperature before coming to the facility. **IF YOU ARE SICK STAY HOME!**
2. Please bring your own Personal Protective Equipment to the facility. This includes Safety Glasses, Face Mask & Gloves. You will not be allowed on the premises without these items.
3. Please practice safe Social Distancing while in the facility. Keep at least 6' apart from other individuals.
4. A limited number of customers will be allowed in the facility at one time. Please remain in your vehicle until it is your turn to enter the facility.
5. Truck drivers MUST remain outside the facility.
6. Other safety precautions to remember; wash your hands frequently, do not touch your face and sneeze or cough into your arm or a Kleenex.
7. Additional onsite policies will be posted at the sale site.

Temperature: \_\_\_\_\_

Signature: \_\_\_\_\_ Buyer #: \_\_\_\_\_ Date: \_\_\_\_\_

Cell #: \_\_\_\_\_ Email: \_\_\_\_\_

**Catalog for Auction:Boiler Systems, Forklifts, Electrical**

This catalog is meant merely as a guide. The Auctioneers do not warrant the accuracy, genuineness, authenticity, description, weight, count or measure of any of the lots specified herein.

Lot Num	Qty.	Description	Lot Num	Qty.	Description
1	1	10" DAYTON MODEL 4CY85A BENCH DRILL	25	1	EDCO MODEL CPM8-9H GAS POWERED
2	1	1" ENCO MODEL NO. 00234013 BENCH BELT SANDER			CONCRETE SCARIFIER PLANER; S/N 12167,
3	1	MFG UNKNOWN BENCH MULTI-PURPOSE HAND BENDER	26	1	8" WORKING WIDTH, 1/8" DEPTH PER PASS, 9 HP HONDA GX270-270 GAS ENGINE
4	1	(LOT) MISCELLANEOUS COMBINATION WRENCHES			18" BLADE TARGET MODEL PAC IV GAS
5	1	(LOT) MISCELLANEOUS ALLEN WRENCHES	27	1	POWERED WALK BEHIND CONCRETE SAW; S/N 263426, 13 HP HONDA GX390 GAS ENGINE
6	1	(LOT) MISCELLANEOUS ALLEN WRENCHES			ESSICK MODEL FME5-1 ELECTRIC
7	1	(LOT) MISCELLANEOUS ALLEN WRENCHES			PORTABLE CONCRETE PUMP; S/N 971205,
8	4	1" OUTSIDE MICROMETERS			1-1/2 HP ELECTRIC MOTOR, 115-208 / 230 VOLT
9	1	(LOT) MISCELLANEOUS INSPECTION GAGES	28	1	GOODALL MODEL 718 START ALL 18 HP
10	1	24" DIGITAL HEIGHT GAGE			BRIGGS AND STRATTON TWIN CYLINDER
11	1	24" DIGITAL HEIGHT GAGE			GAS ENGINE DUAL BOOSTER CABLES
11A	3	CASES 4.000" - .1001" RECTANGULAR GAGE BLOCKS **NOT COMPLETE SETS**			BATTERY JUMP STARTER, 2 AWG X 20'
12	1	AINSWORTH MODEL 400 DE SERIES DIGITAL READ-OUT SCALE WITH DYMO M3 316 DIGIAL POSTAL SCALE	29	1	PROFESSIONAL GRADE BOOSTER CABLES, 550 AMP, PUSH BUTTON START, STEEL PLATFORM MOUNTED
13	5	LARGE DIAMETER MORSE TAPER DRILLS			GOODALL MODEL 718 START ALL 18 HP
14	1	(LOT) CREFORM PIPE AND JOINT RACK (DISASSEMBLED)			(APPROX.) KOHLER TWIN CYLINDER GAS
15	1	HYDAC CHARGING AND GAUGING UNITS FOR BLADDER, DIAPHRAGM AND PISTON ACCUMULATORS			ENGINE DUAL BOOSTER CABLES BATTERY
16	1	2 TON CAPACITY ALVA MODEL B2 1/2 HP PRESS	30	1	JUMP STARTER, 2 AWG AND 20'
17	1	18" DIAMETER CHALLENGE PART NO. LR-1804 LAPPING PLATE; S/N 12124-8			PROFESSIONAL GRADE BOOSTER CABLES, 550 AMP, PUSH BUTTON START STEEL PLATFORM MOUNTED
18	1	16" BTC FOUR JAW CHUCK, SIX PIN BACK 3-1/2" CENTER TO CENTER ON PINS	31	1	25 KVA AMERICAN POWER SERVICE
19	10	FIVE GALLON STAINLESS STEEL MILK CANS			PORTABLE POWER STATION WITH 480
20	10	FIVE GALLON STAINLESS STEEL MILK CANS			VOLTS, 3 PHASE CONNECTIONS, 220
21	11	TOTAL - (8) FIVE GALLON AND (3) EIGHT GALLON STAINLESS STEEL MILK CANS			VOLTS, SINGLE PHASE CONNECTIONS, 25 KVA GENERAL ELECTRIC TRANSFORMER
22	1	200 GALLON (APPROX.) FUEL OIL TANK			GARDNER DENVER MODEL ENV513
23	1	55" DIAMETER X 8" DEEP BRADLEY CONCRETE WASH FOUNTAIN	32	1	ENVIROAIRE S7 TRIPLEX ROTARY SCROLL
24	1	8" BLADE EDCO MODEL C10-11H CRACK CHASE GAS POWERED SAW; S/N 1492, 11 HP HONDA GX340 GAS ENGINE, 1" MAX DEPTH CUT	33		AIR COMPRESSOR WITH (3) 7.5 HP
			34	1	ELECTRIC MOTORS; S/N D155490, ID # BENV57T, WITH (3) 7.5 HP WEG ELECTRIC
					MOTORS, 116 PSI RATING 2,650 RPM AND 48
					ACFM, 3 PHASE, 480 VOLT MOUNTED
					ELECTRICAL CABINET, (3) AIR ENDS
					1,000 CAPACITY SALTER BRECKNELL
					MODEL DCSB48&48 FLOOR SCALE; S/N
					43327, WITH SALTER 200E READ OUT
					400 AMP LINDE MODEL V1400 CV-DC
					WELDING POWER SUPPLY; S/N D80D16993,
					WITH STAND, 3 PHASE, 230/460 VOLTS
					1/2 HP MFG UNKNOWN DUAL SIDE TABLE
					MOUNTED GROMMET MACHINE; S/N N/A

Catalog for Auction:Boiler Systems, Forklifts, Electrical

Lot Num	Qty.	Description	Lot Num	Qty.	Description
35	1	CHICAGO RIVET MODEL 555 DUAL HEAD RIVET MACHINE; S/N 1581DS, SIZE .060	47	1	7.5 HP BELL AND GOSSETT SIZE E-1510 SSF 5.75 1.25AD WATER PUMP; S/N
36	1	6" X 12" BOYAR-SCHULTZ HAND FEED SURFACE GRINDER; SN 25680			C199088-01M41, 7.5 HP BALDOR ELECTRIC MOTOR, 3 PHASE, 208-230/460 VOLTS, 175 MAX WATER PRESSURE PSI, 150 GPM
37	1	ELDAN MODEL M3 CABLE STRIPPER MACHINE; 3 PHASE, 220 VOLTS	48	1	7.5 HP BELL AND GOSSETT SIZE 15010 BF 5.5 1.5 AC WATER PUMP; S/N
38	1	130 TON (APPROX.) WATSON-STILLMAN MODEL 9283-J FOUR POST HYDRAULIC PRESS; S/N N/A			C118930-02M01, 7.5 HP WEG ELECTRIC MOTOR, 3 PHASE, 208-230/460 VOLTS, 175 MAX WATER PRESSURE PSI, 150 GPM
39	2	15 HP GOULD PUMPS ITT G&L SERIES SSV CAT NO. 46SVBB22M6TA WATER PUMPS WITH (2) 15 HP BALDOR ELECTRIC MOTORS, 3 PHASE, 208-230/460 VOLTS, 3,500 RPM AND (2) SILENT CHECK VALVES	49	1	7.5 HP BELL AND GOSSETT SIZE 1510 BF 7 1.5AC WATER PUMP; S/N 1BF180-B40, 7.5 HP BALDOR ELECTRIC MOTOR, 3 PHASE, 230/460 VOLTS, 175 MAX WATER PRESSURE PSI, 150 GPM
40	1	15 HP BELL AND GOSSETT SIZE 1510 MODEL 2314 WATER PUMP; S/N CP4564-03B30, 175 MAX WATER PRESSURE PSI, 375 GPM, 1,800 RPM, 15 HP LINCOLN ELECTRIC MOTOR, 3 PHASE, 230/460 VOLTS	50	1	7.5 HP BELL AND GOSSETT SIZE 1510 BF 5.5 1.5 AC WATER PUMP; S/N
41	1	15 HP BELL AND GOSSETT SIZE 1510 MODEL 2314 WATER PUMP; S/N CP4564-02B30, 175 MAX WATER PRESSURE PSI, 375 GPM, 1,800 RPM, 15 HP LINCOLN ELECTRIC MOTOR, 3 PHASE, 230/460 VOLTS	51	1	7.5 HP BELL AND GOSSETT SIZE R1510 SSF 5.75 1.25 AD WATER PUMP; S/N
42	1	15 HP BELL AND GOSSETT SIZE 1510 MODEL 2314 WATER PUMP; S/N CP4564-01B30, 175 MAX WATER PRESSURE PSI, 375 GPM, 1,800 RPM, 15 HP LINCOLN ELECTRIC MOTOR, 3 PHASE, 230/460 VOLTS	52	1	7.5 HP BELL AND GOSSETT SIZE 1510 BF 5.500 1.5 AC WATER PUMP; S/N
43	1	7.5 HP BELL AND GOSSETT SIZE 1510BF 5.5 1.5AC WATER PUMP; S/N C115390-01K01, 7.5 HP MARATHON ELECTRIC MOTOR, 175 MAX WATER PRESSURE PSI, 3 PHASE, 208/230 / 460 VOLTS, 150 GPM	53	1	5.0 HP BELL AND GOSSETT SIZE 1510 BF 7.75 2BC WATER PUMP; S/N C119715-01M01, 5 HP WEG ELECTRIC MOTOR, 3 PHASE, 208-230/460 VOLTS, 175 MAX WATER PRESSURE PSI, 160 GPM
44	1	7.5 HP BELL AND GOSSETT SIZE 1510BF 5.5 1.5AC WATER PUMP; S/N C118930-01M01, 7.5 HP WEG ELECTRIC MOTOR, 3 PHASE, 208-230/460 VOLTS, 150 GPM, 175 MAX WATER PRESSURE PSI	54	1	5.0 HP BELL AND GOSSETT SIZE 1510 BF XX 2BC WATER PUMP; S/N C123792-04C11, 5.0 HP WEG ELECTRIC MOTOR, 3 PHASE, 208-230/460 VOLTS, 175 MAX WATER PRESSURE PSI, 120 GPM
45	1	7.5 HP BELL AND GOSSETT SIZE 1510BF 5.5 1.5 AC WATER PUMP; S/N C053637-01L70, 7.5 HP BALDOR ELECTRIC MOTOR, 3 PHASE, 208-230/460 VOLTS, 175 MAX WATER PRESSURE PSI, 150 GPM	55	1	1 HP BELL AND GOSSETT SIZE 1510 BF 6.25-1.25AC WATER PUMP; S/N
46	1	7.5 BELL AND GOSSETT SIZE 1510BF 5.5 1.5AC WATER PUMP; S/N CS1323-01 D40, 7.5 HP BALDOR ELECTRIC MOTOR, 3 PHASE, 208-230/460 VOLTS, 175 MAX WATER PRESSURE PSI, 150 GPM			C124045-01C11, 1 HP US ELECTRICAL MOTORS ELECTRIC MOTOR, 3 PHASE, 230/460 VOLTS, 17.5 MAX WATER PRESSURE PSI, 29 GPM

Catalog for Auction:Boiler Systems, Forklifts, Electrical

Lot Num	Qty.	Description	Lot Num	Qty.	Description
56	1	1 HP BELL AND GOSSETT SIZE 1510 BF 6.25-1.25AC WATER PUMP; S/N C124045-02C11, 1 HP CENTURY ELECTRIC MOTOR, 3 PHASE, 230/460 VOLTS, 175 MAX WATER PRESSURE PSI, 29 GPM	65	1	****EMK POWERJET MODEL 4046E AUTOMATIC PARTS WASHER; S/N 10486519, 40" X 46" MAX LOAD SIZE, 37" TURN TABLE, (3) ELECTRIC HEATING ELEMENTS, 100 GALLON TANK, 1.5 HP PUMP MOTOR, 3 PHASE, 220 VOLT ****LOCATED IN FRANKFORT, INDIANA, OWNER WILL LOAD****
57	1	(LOT) BELL AND GOSSETT MODEL SJ62-4 HEAT EXCHANGER WITH (2) STAINLESS STEEL PIPING WITH SHUT OFF VALVES			
58	1	2,205 LB MULTITON MODEL SM20 WALK-BEHIND ELECTRIC STRADDLE LIFT; S/N 93A31036135, WITH BUILT IN CHARGER, NEW 12 VOLT BATTERY, 62" MAX LIFT HEIGHT, 78" MAST HEIGHT, 42" FORKS WITH 40" X 42" PLATFORM (NEW 2003)	65A 66	1 1	SHOP BUILT TUBE FORMING MACHINE IPM SEMI-AUTOMATIC UNI-TENSION STRETCH WRAP MACHINE; S/N N/A, 60" TURNTABLE, 32" MAX FILM ROLLS, VARIABLE SPEED ELEVATION, 72" APPROX. WRAP HEIGHT
59	1	800 LB. CAPACITY PRESTO MODEL C74 ELECTRIC WALK-BEHIND COUNTERBALANCE STACKER TRUCK; S/N 73709, WITH BUILT IN BATTERY CHARGER, 12 VOLT BATTERY, 74" LIFT HEIGHT, 92" MAST HEIGHT, 24" FORKS	67	1	YASKAWA MODEL E7BVB077YL VARIABLE SPEED DRIVE/BYPASS PULSE WIDTH MODULATED DRIVE SYSTEM FOR 3 PHASE AC INDUCTION MOTORS ELECTRICAL ENCLOSURE, AC INPUT 480 VOLTS, 3 PHASE, 85.6 AMP, AC OUTPUT, 0-460 VOLTS, 3 PHASE, 77.0 AMPS
60	1	1,000 LB. ECONOMY MODEL WF-56-26 MANUAL HYDRAULIC STRADDLE LIFT TRUCK; S/N 0039610, 72" LIFT HEIGHT, 24" FORKS	68	1	YASKAWA MODEL E7BVB052T VARIABLE SPEED DRIVE / BYPASS PULSE WIDTH MODULATED DRIVE SYSTEM FOR 3 PHASE INDUCTION MOTORS ELECTRICAL ENCLOSURE, AC INPUT 480 VOLTS, 3 PHASE, 57.9 AMPS, AC OUTPUT 0-460 VOLTS, 3 PHASE, 52.0 AMPS
61	1	GRAND SPECIALTIES MODEL 4054 SHOP CADDY MANUAL HYDRUALIC LIFT STACKER; S/N 3215			
62	1	350 LB. CAPACITY SKYJACK MODEL M12 SINGLE PERSON ELECTRIC WORK PLATFORM; S/N 03265, WITH BUILT IN CHARGER, 12" PLATFORM HEIGHT, 12 VOLT SYSTEM (NEW 11-1997)	69	1	YASKAWA MODEL E7BVB052T VARIABLE SPEED DRIVE / BYPASS PULSE WIDTH MODULATED DRIVE SYSTEM FOR 3 PHASE INDUCTION MOTORS ELECTRICAL ENCLOSURE, AC INPUT 480 VOLTS, 3 PHASE, 57.9 AMPS AC OUTPUT, 0-460 VOLTS, 3-PHASE, 52.0 AMPS
63	1	300 LB. CAPACITY CROWN MODEL WAV50-118, 24 VOLT ELECTRIC ONE PERSON WORK ASSIST VEHICLE; S/N 9A167756, WITH BUILT IN CHARGR, 118" PLATFORM LIFT HEIGHT	70	1	YASKAWA MODEL E7LVB052G VARIABLE SPEED DRIVE / BYPASS PULSE WIDTH MODULATED DRIVE SYSTEM FOR 3-PHASE INDUCTION MOTORS ELECTRICAL ENCLOSURE, AC INPUT 480 VOLTS, 3-PHASE, 57.3 AMPS, AC OUTPUT 0-480 VOLTS, 3-PHASE, 52.0 AMPS
64	1	CUDA MODEL G95 FRONT LOAD SOLVENT FREE PARTS WASHER; S/N 100597, 36" DIAMETER PART ROTARY TABLE, 35" (APPROX.) CLEARANCE HEIGHT, (4) 24" DIAMETER X 6" DEEP BASKETS (NEW 7-28-1998)	71	1	YASKAWA MODEL E7CVB065CL TYPE E7 VARIABLE SPEED DRIVE, AC INPUT 480 VOLTS, 3-HASE, 71.6 AMP, AC OUTPUT 0-460I VOLTS, 3-PHASE, 65.0 AMPS

Catalog for Auction:Boiler Systems, Forklifts, Electrical

Lot Num	Qty.	Description	Lot Num	Qty.	Description
72	1	YASKAWA MODEL E7BVB052NFS VARIABLE SPEED DRIVE / BYPASS PULSE WIDTH MODULATED DRIVE SYSTEM FOR 3 PHASE INDUCTION MOTORS ELECTRICAL ENCLOSURE AC INPUT 480 VOLTS, 3-PHASE, 57.3 AMPS AC OUTPUT 0-480 VOLTS, 3-PHASE, 52.0 AMPS	84	3	250 AMP SIEMENS CAT NO. FD63F250 SENTRON SERIES CIRCUIT BREAKERS, 600 VOLTS MAX, 3-POLES, 200 AMP MAGNETIC ADJUSTMENT MAX
73	1	YASKAWA MODEL E7CVB014CZL TYPE E7 VARIABLE SPEED DRIVE; AC INPUT 480 VOLTS, 3-PHASE, 16.4 AMPS AC OUTPUT 0-460 VOLTS, 3-PHASE, 14.0 AMPS	85	2	250 AMP SIEMENS CAT NO. FD63F250 SENTRON SERIES CIRCUIT BREAKERS, 600 VOLTS MAX, 3-POLES, (1) 175 AMP AND (1) 100 AMP MAGNETIC ADJUSTMENT
74	1	YASKAWA MODEL E7CVB014C2L TYPE E7 VARIABLE SPEED DRIVE; AC INPUT 480 VOLTS, 3-PHASE, 16.5 AMPS, AC OUTPUT 0-460 VOLTS, 3-PHASE, 14.0 AMPS	86	1	2014 - 17,600 LB. HUBTEX MODEL DQ80-LPG LP GAS FOUR WAY STEER SIDE LOADER; S/N 64.356, 3051EL SERIES, UNIT 334 (NEW 2014) TWO-STAGE MST, FORK POSITIONER, 157.5" MAX LIFT HEIGHT, 135" MAST HEIGHT, 8" X 96" FORKS, 3,770 HOURS SHOWING
75	1	YASKAWA MODEL E7BVB021NFZS VARIABLE SPEED DRIVE / BYPASS PULSE WIDTH MODULATED DRIVE SYSTEM FOR 3-PHASE INDUCTION MOTORS ELECTRICAL ENCLOSURE AC INPUT 480 VOLTS, 3-PHASE, 25.7 AMPS AC OUTPUT 0-480 VOLTS, 3-PHASE, 21.0 AMPS	87	1	2014 - 10,000 LB. HUBTEX MODEL MSU45 2240-PU SERIES ELECTRIC POWERED SIDE LOADER; S/N 64.704, WITH BATTERY CHARGER (NEW 2014), 72 VOLT SYSTEM, 240" MAX LIFT HEIGHT, 154" MAST LENGTH, 160" (APPROX.) MAST HEIGHT WHEN MOUNTED TO LOADER, FORK POSITIONER, 6" X 48" FORKS *HUBTEX MAST HAS BEEN REMOVED FOR SHIPMENT*
76	1	ONAN MODEL OT400 TRANSFER SWITCH ELECTRICAL ENCLOSURE, 480 VOLTS, 3-PHASE, 400 AMP, 3/4 WIRE	87A	1	2015 - 12,000 LB. HYSTER MODEL S120FTS LP GAS CUSHION TIRE LIT TRUCK; S/N H004VQ3836N, 163.2" LIFT HEIGHT, 81" OVERALL MAST HEIGHT, 22" X 12" X 16" FRONT CUSHION TIRES, 18" X 8" X 12.125" REAR CUSHION TIRES, EQUIPPED WITH PAPER CLAMP CONTROLS, 7,075 HOURS SHOWING **NO PROPANE TANK - PROPERTY OF AUCTION CO.**
77	1	ONAN MODEL OT400 TRANSFER SWITCH ELECTRICAL ENCLOSURE, 480 VOLTS, 3 PHASE, 400 AMP, 3/4 WIRE			
78	1	ONAN MODEL OT225 TRANSFER SWITCH ELECTRICAL ENCLOSURE, 480 VOLTS, 3-PHASE, 225 AMPS, 3/4 WIRE			
79	1	ONAN MODEL OTCU225-G/236 TRANSFER SWITCH ELECTRICAL ENCLOSURE, 227/480 VOLTS, 3-PHASE, 225 AMP, 4 WIRE	87B	1	2015 - 12,000 LB. HYSTER MODEL S120FTS LP GAS CUSHION TIRE LIFT TRUCK; S/N H004V03845N, 163.2" LIFT HEIGHT, 81" OVERALL MAST HEIGHT, 22" X 12" X 16" FORNT CUSHION TIRES, 18" X 8" X 12.125" REAR CUSHION TIRES, EQUIPPED WITH PAPER CLAMP CONTROLS, 9,419 HOURS SHOWING **NO PROPANE TANK - PROPERTY OF AUCITON CO.**
80	1	ONAN MODEL OT800 TRANSFER SWITCH ELECTRICAL CAIBNET, 480 VOLT, 3-PHASE, 800 AMP, 3/4 WIRE			
81	1	SIEMENS CAT NO. HF328N HEAVY DUTY SAFETY SWITCH, 1,200 AMPS MAX, 240 VOLTS, AC MAX, 250 VOLTS DC MAX, 3-PHASE	87C	1	2015 - 12,000 LB. HYSTER MODEL S120FTS LP GAS CUSHION TIRE LIFT TRUCK; S/N H004V03845N, 163.2" LIFT HEIGHT, 81" OVERALL MAST HEIGHT, 22" X 12" X 16" FRONT CUSHION TIRES, 18" X 8" X 12.125" REAR CUSHION TIRES, EQUIPPED WITH PAPER CLAMP CONTROLS, 12,493 HOURS SHOWING **NO PROPANE TANK - PROPERTY OF AUCTION CO.**
82	4	(3) 400 AMP AND (1) 300 AMP SIEMENS SENTRON SERIES CIRCUIT BREAKERS, 240 VOLTS, 3-POLES			
83	3	250 AMP SIEMENS CAT NO. FD63F250 SENTRON SERIES CIRCUIT BREAKERS, 600 VOLTS MAX, 3 POLES, 225 AMP MAGNETIC ADJUSTMENT MAX			

Catalog for Auction:Boiler Systems, Forklifts, Electrical

Lot Num	Qty.	Description	Lot Num	Qty.	Description
88	1	2015 - 9,000 LB. HYSTER MODEL S120FTPRS LP GAS THREE-STAGE MAST LIFT TRUCK; S/N J004V01807N, 226.4" LOAD HEIGHT, 108" OVERALL MAST HEIGHT, 22" X 12" X 16" FRONT CUSHION TIRES, 18" X 8" X 12,125" REAR CUSHION TIRES, 8,921 HOURS SHOWING **NOTICE PAPER CLAMP TO BE SOLD SEPARATE AND OVERALL **NO PROPANE TANK - PROPERTY OF AUCTION CO**	101	1	2017 - 8,000 LB. HYSTER MODEL S80FT LP GAS CUSHION TIRE THREE-STAGE MAST LIFT TRUCK; S/N J004V02601P, 185.6" LIFT HEIGHT, 87" OVERALL MAST HEIGHT, 22" X 9" X 16" FRONT TIRES, 18" X 7" X 12.125" REAR TIRES, 5" X 48" FORKS, 10,743 HOURS SHOWING **NO PROPANE TANK - PROPERTY OF AUCTION CO.**
89	1	9,000 LB. CASCADE MODEL 90F-RCS-21C ROTATING PAPER ROLL CLAMP; S/N 2028422T3 (NEW 7-29-15)	102	1	2014 - 8,000 LB. YALE MODEL GLC080VXNGAE094 LP GAS THREE-STAGE MAST CUSHION TIRE LIFT TRUCK; S/N F818V02462M, 200.8" LIFT HEIGHT, 92" OVERALL MAST HEIGHT, SIDE SHIFT, 22" X 9" X 16" FRONT TIRES, 18" X 7" X 12-1/8" REAR TIRES, 8" X 48" FORKS, 6,293 HOURS SHOWING **NO PROPANE TANK - PROPERTY OF AUCTION CO.**
90	1	OVERALL LOTS 88 AND 89 - 9,000 LB. FORKLIFT & CASCADE CLAMP			
91	1	2015 - 9,000 LB. HYSTER MODEL S120FTPRS LP GAS THREE STAGE MAST LIFT TRUCK; S/N J004V01806N, 226.4 LOAD HEIGHT, 108" OVERALL MAST HEIGHT, 22" X 12" X 16" FRONT CUSHION TIRES, 18" X 8" X 12.125 REAR CUSHION TIRES, 9,355 HOURS SHOWING **NOTICE PAPER CLAMP TO BE SOLD SEPARATE AND OVERALL** **NO PROPANE TANK - PROPERTY OF AUCTION CO**	103	1	2017 - 7,000 LB. HYSTER MODEL S70FT LP GAS CUSHION TIRE THREE-STAGE MAST LIFT TRUCK; S/N H187V05440P, 188" MAX LIFT HEIGHT, 87" OVERALL MAST HEIGHT, 21" X 9" X 15" FRONT TIRES, 16" X 6" X 10.5" REAR TIRES, SIDE SHIFT, 5" X 42" FORKS, 9,761 HOURS SHOWING **NO PROPANE TANK - PROPERTY OF AUCTION CO**
92	1	9,000 LB. CASCADE MODEL R90F-RCS-21C ROTATING PAPER ROLL CLAMP; S/N 2028422-T2 (NEW 7-29-15)	104	1	2017 - 7,000 LB. HYSTER MODEL S70FT LP GAS CUSHION TIRE THREE-STAGE MAST LIFT TRUCK; S/N H187V05098P, 188" MAST LIFT HEIGHT, 87" OVERALL MAST HEIGHT, 21" X 9" X 15" FRONT TIRES, 6" X 16" X 10.5" REAR TIRES, 11,418 HOURS SHOWING **NO PROPANE TANK - PROPERTY OF AUCTION CO.**
93	1	OVERALL LOTS 91 AND 92 - 9,000 LB. FORKLIFT & CASCADE CLAMP			
94	1	2015 - 9,000 LB. HYSTER MODEL S120FTPRS LP GAS THREE-STAGE MAST LIFT TRUCK; S/N J004V01809N, 226.4" LOAD HEIGHT, 108" OVERALL MAST HEIGHT, 22" X 12" X 16" FRONT CUSHION TIRES, 18" X 8" X 12.125" REAR CUSHION TIRES, 9,701 HOURS SHOWING **NOTICE PAPER CLAMP TO BE SOLD SEPARATE AND OVERALL** **NO PROPANE TANK - PROPERTY OF AUCTION CO.**	105	1	2017 - 7,000 LB. CAPACITY HYSTER MODEL S70FT LP GAS CUSHION TIRE THREE-STAGE MAST LIFT TRUCK; S/N H187V05439P, 188" MAX LIFT HEIGHT, 87" OVERALL MAST HEIGHT, 21" X 9" X 15" FRONT TIRES, 6" X 16" X 10.5" REAR TIRES, SIDE SHIFT, 5" X 48" FORKS, 14,170 HOURS SHOWING **NO PROPANE TANK - PROPERTY OF AUCTION CO.**
95	1	9,000 LB. CASCADE MODEL R90F-RCS-21C ROTATING PAPER ROLL CLAMP; S/N 2028422-T1 (NEW 7-29-15)			
96	1	OVERALL LOTS 94 AND 95 - 9,000 LB. FORKLIFT & CASCADE CLAMP			
97	1	9,000 LB. CASCADE MODEL 90F-RCP-03C PAPER ROLL CLAMP; S/N PTL1953702-1R3			
98	1	OPEN			
99	1	OPEN			
100	1	OPEN			

Catalog for Auction:Boiler Systems, Forklifts, Electrical

Lot Num	Qty.	Description	Lot Num	Qty.	Description
106	1	5,000 LB. CAPACITY TOYOTA MODEL SFGCU25 LP GAS THREE-STAGE MAST, NON MARKING TIRES LIFT TRUCK; S/N 5FGCU25-81854, 185" LIFTING HEIGHT, 82" OVERALL MAST HEIGHT, SIDE SHIFT, 5" X 42" FORKS, 21" X 7" X 15" RIBBED CUSHION FRONT TIRES, 7,660 HOURS SHOWING **NO PROPANE TANK - PROPERTY OF AUCTION CO.**	110	1	3,500 LB. HYSTER MODEL E35XL ELECTRIC LIFT TRUCK W/ CHARGER; S/N C114V04609L WITH 36-VOLT HOBART BATTERY CHARGER, 191.50" MAX LIFT HEIGHT, 84" OVERALL MAST HEIGHT, SIDE SHIFT, 4" X 36" FORKS, 18" X 6" X 12-1/8" SMOOTH FRONT TIRES, 14" X 4-1/2" X 8" SMOOTH REAR TIRES, 1,501 HOURS SHOWING
107	1	4,000 LB. CATERPILLAR MODEL 2C5000 LP GAS THREE STAGE LIFT TRUCK; S/N AT9032509, 188" MAST LIFT HEIGHT, 81" OVERALL MAST HEIGHT, 21" X 7" X 15" RIBBED SOLID FRONT TIRES, 16" X 6" X 10-1/2" SOLID SMOOTH REAR TIRES, 4" X 48" FORKS, 18,657 HOURS SHOWING **NO PROPANE TANK - PROPERTY OF AUCTION CO.**	111	1	4,400 LB. TOYOTA MODEL 8FBCHU25 ELECTRIC LIFT TRUCK (NO BATTERY); S/N 61720, WITH 36 VOLT BATTERY CHARGER, 188" MAX LIFT HEIGHT, 82" OVERALL MAST HEIGHT, SIDE SHIFT, 5" X 42" FORKS, 21" X 7" X 15" SOLID FRONT TIRES, 16" X 5" X 10-1/2" SOLID REAR TIRES **SPECIAL NOTICE - THIS LIFT HAS A RECONDITIONED BATTERY**
108	1	3,500 LB. CLARK MODEL TM20 ELECTRIC THREE WHEEL LIFT TRUCK W/ PAPER CLAMP; S/N TM247-0460-6625FA WITH 36 VOLT BATTERY CHARGER, 188" MAX LIFT HEIGHT, 84" OVERALL MAST HEIGHT, 18" X 8" X 12-1/8" SMOOTH FRONT TIRES, 18" X 7" X 12-1/8" SINGLE SMOOTH REAR TIRE EQUIPPEND WITH PAPER CLAMP ATTACHMENT CONTROLS, 7,064 TOTAL HOURS SHOWING, 6,553 BATTERY HOURS SHOWING, WITH 3,500 LB. (APPROX.) CASCADE MODEL UNKNOWN ROTATING PAPER ROLL CLAMP ATTACHMENT	112	1	TEREX MODEL TSM26 24-VOLT ELECTRIC NON-MARKING TIRE SCISSOR LIFT; S/N 01340017, 32' MAX WORKING HEIGHT, 26' PLATFORM HEIGHT, 36" EXTENDABLE PLATFORM, BUILT-IN BATTERY CHARGER, NEW BATTERIES, 4,500 LB. (APPROX.) SHIPPING WEIGHT
109	1	3,000 LB. NISSAN MODEL MAOLL15S ELECTRIC THREE-WHEEL LIFT TRUCK W/ PAPER CLAMP; S/N MA01-00229L, WITH 24-VOLT BATTERY CHARGER, 187" MAX LIFT HEIGHT, 77" OVERALL MAST HEIGHT, 18" X 6" X 12-1/8" SMOOTH FRONT TIRES, 18" X 5" X 12-1/8" SINGLE SMOOTH REAR TIRE EQUIPPED WITH PAPER CLAMP ATTACHMENT CONTROLS, 5,181 HOURS SHOWING, WITH 2,640 LB. CAPACITY CASCADE MODEL 25-F-RC-02A PAPER ROLL CLAMP ATTACHMENT; S/N 206697-00218P	113	1	UPRIGHT MODEL MX19 24-VOLT SMOOTH TIRE SCISSOR LIFT; S/N N/A, 22.5" X 98.5" STANDARD PLATFORM SIZE WITH DECK, 500 LB. MAX CAPACITY, 25' WORKING HEIGHT, 19' MAX PLATFORM HEIGHT, 19' DRIVEABLE HEIGHT, BUILT IN BATTERY CHARGER **SPECIAL NOTICE - NEEDS NEW RUBBER ON RIMS**
			113A	1	****COLUMBIA MODEL EU4-L-48 ELECTRIC UTILITY VEHICLE, 42" X 60" FLAT BED, 48-VOLT, WITH INTERNAL BATTERY CHARGER ****LOCATED IN DETROIT AREA - CONTACT DON MCCHRISTIAN AT 586-747-0918 FOR INSPECTION****
			114	1	****2013 - 15,000 LB. YALE MODEL GLC155 GASOLINE POWERED LIFT TRUCK; S/N E879V01523, 2-STAGE, 85" MAST, 94" LIFT HEIGHT, MONOTRAL CONTROLS, 48" FORKS, HYDRAULIC FORK POSITIONING, HYDRA-SMOOTH ATTACHMENT, 16,850 HOURS ****LOCATED IN DETROIT AREA - CONTACT DON MCCHRISTIAN AT 586-747-0918 FOR INSPECTION****

Catalog for Auction:Boiler Systems, Forklifts, Electrical

Lot Num	Qty.	Description	Lot Num	Qty.	Description
114A	1	****2018 / 15,500 LB. HYSTER MODEL S155T DIESEL POWERED CUSHION TIRE LIFT TRUCK; S/N G024V03179R, 86" 2-STAGE MAST, 95" LIFT HEIGHT, 48" FORKS, MONOTRAIL, HEATED HARRIS CAB ENCLOSURE, 13,528 HOURS **LOCATED IN DETROIT AREA, CONTACT DON MCCHRISTIAN AT 586-747-0918 FOR INSPECITON**	116	1	****2010 - 4,000 LB. RAYMOND MODEL 420-C-40TT ELECTRIC STAND UP LIFT TRUCK W/ BOX CLAMP & CHARGER; S/N 420-10-18731, 3-STAGE 83" MAST, 188" LIFT HEIGHT, WITH 2,000 LB. AURAMO MODEL K50926AR01 CARTON CLAMP; S/N 07D071090, 36-VOLT WITH STANBURY SOLID STATE BATTERY CHARGER ****LOCATED IN DETROIT AREA - CONTACT DON MCCHRISTIAN AT 586-747-0918 FOR INSPECTION****
115	1	****2013 - 30,000 LB. TAYLOR MODEL THC-300-S DIESEL POWERED LIFT TRUCK; S/N 37980, CUMMINS ENGINE, 2-SPEED TRANSMISSION, 2-STAGE 126" MAST HEIGHT, 72" FORKS, HYDRAULIC FORK POSITIONING, CLIMATE CONTROLLED CAB, 28" X 16" X 22' DRIVE TIRES, 22" X 10" X 16" STEER TIRES, 4,291 HOURS, 42,100 LB. TRUCK WEIGHT ****LOCATED IN DETROIT AREA - CONTACT DON MCCHRISTIAN AT 586-747-0918 FOR INSPECTION****	117	1	60" WIDE ENGEL MODEL M-4616DH DUPLEX 16-STAND TDF ROLLFORMER; S/N 1279090, 68" MAX WIDTH, 24" MIN WIDTH, WITH READ OUT CONTROL, 230 VOLTS, 3-PHASE
			118	1	60" WIDE X 360 DEGREE IOWA PRECISION MODEL B-S-1 HYDRUALIC FULL WRAP DUCT BRAKE; S/N BSW8210 **NO CONTROL**
			119	1	24" - 60" WIDE LOCKFORMER / IOWA PRECISION FIVE-STAND DUPLEX CLEAT ROLLFORMER MODEL CF-5C; S/N CR-8217, WITH GLVING HEAD
115A	1	****18,000 LB. TAYLOR MODEL XC180S LP GAS CUSHION TIRE LIFT TRUCK; S/N 38208, 95" MAST HEIGHT, 59" BEVELED (COIL HANDLING), FORKS, HYDRAULIC FORK POSITIONING, GM V-8 LP ENGINE, JOY STICK TYPE CONTROLS, 26,350 LB. TOTAL TRUCK WEIGHT, 2-SPEED TRANSMISSION, 2 LP RACKS, 28 X 12 X 22 SOLID DRIVE TIRES, 22 X 8 X 16 SOLID STEER TIRES, 2,404 HOURS **LOCATED IN DETROIT AREA, CONTACT DON MCCHRISTIAN AT 586-747-0918 FOR INSPECITON**	120	1	24" - 120" WIDE X 18 GAUGE LOCKFORMER 9-STAND DUPLEX ROLLFORMER; S/N -D12237, WITH MALE / FEMALE PITTSBURG
			121	1	500 LB. CAPACITY X 112" HIGH X 12' WIDE SPANCO PORTABLE GANTRY CRANE WITH 500 LB. CAPACITY CM SHOPAIR PNEUMATIC CHAIN HOIST
			122	1	10,000 LB. PSI GARDNER BENDER MODEL CM4 MANUAL HYDRAULIC CONDUIT BENDER WITH (6) DIES AND YOKE
115B	1	****2014 / 22,400 LB HYSTER MODEL H230HD2 DIESEL POWERED PNEUMATIC TIRE LIFT TRUCK; S/N K007E01740L, 174" MAST HEIGHT, 213" LIFT HEIGHT, 53" FORKS, HYDRAULIC FORK POSITIONING, 6 CYCLE CUMMINS ENGINE, 10.00-R-20 DUAL FRONT TIRES, 10.00-R-20 STEER TIRES, 33,480 LB. TRUCK WEIGHT, CLIMATE CONTROLLED CAB ENCLOSURE, AIR BRAKES (NOTE: FOR EASE OF SHIPMENT, MAST AND CARRIAGE ALREADY REMOVED) **LOCATED IN DETROIT AREA, CONTACT DON MCCHRISTIAN AT 586-747-0918 FOR INSPECITON**	123	1	ROTHENBERGER MINI COLLINS ELECTRIC HAND HELD THREADING MACHINE WITH 1/2" DRIVE SOCKET ATTACHMENT
			124	1	1" DRIVE CENTRAL PNEUMATICS HEAVY DUTY PNEUMATIC IMPACT GUN
			125	1	BOSCH HEAVY DUTY ELECTRIC NIBBLER
			126	1	MILWAUKEE CAT NO. 6509 ELECTRIC SAWZALL
			127	1	SHOP BUILT HEAVY DUTY WELDED STEEL OXY-ACETYLENE STORAGE RACK WTH FORKLIFT FORK POCKETS
			128	1	2,200 LB. CAPACITY NORTHERN INDUSTRIAL MANUAL HYDRAULIC STATIONARY SCISSOR LIFT TABLE, 24" X 47" PLATFORM

Catalog for Auction:Boiler Systems, Forklifts, Electrical

Lot Num	Qty.	Description	Lot Num	Qty.	Description
129	1	1,650 LB. CAPACITY NORTHERN INDUSTRIAL MANUAL HYDRAULIC PORTABLE SCISSOR LIFT TABLE, 20" X 39" PLATFORM	309	1	****2,047 SQ. FT. ENGLISH BOILER MODEL 25-DR-250 GAS FIRED STEAM BOILER; S/N 31003-2, ECONOMIZER SPECS: MAWP 250-PSI, 2,047 SQ. FT. TOTAL HEAT SURFACE, 25,000 LB. / HR. STEAMING CAP., FEED SPECS: MAWP 490-PSI AT 700 DEG., 3,319 SQ. FT. HEAT SURFACE, 2,115,000 BTU / HR., EACH W/ 50-HP WEBSTER MODEL HDSXC-725B-9V BURNER UNIT, CALMAG INSULATED TANK, FROM GOOD SAM HOSPITAL IN DAYTON, OHIO IN 2019 (NEW 2011 / 2012) **SUBJECT TO HIGH BID CONFIRMATION**
130	1	750 LB. (APPROX.) WESCO MANUAL HYDRAULIC PORTABLE SCISSOR LIFT TABLE, 20" X 32" PLATFORM			
131	1	500 LB. MFG UNKNOWN MANUAL HYDRAULIC PORTABLE SCISSOR LIFT TABLE, 17" X 28" PLATFORM			
<b>Lots 300 Thru 312 are located offsite at a construction yard just East of Downtown Cincinnati, Ohio. Inspection and removal of these assets are by appointment only with jeffjr@cia-auction.com.</b>			310	1	****2,047 SQ. FT. ENGLISH BOILER MODEL 25-DR-250 GAS FIRED STEAM BOILER; S/N 31003-3, ECONOMIZER SPECS: MAWP 250-PSI, 2,047 SQ. FT. TOTAL HEAT SURFACE, 25,000 LB. / HR. STEAMING CAP., FEED SPECS: MAWP 490-PSI AT 700 DEG., 3,319 SQ. FT. HEAT SURFACE, 2,115,000 BTU / HR., EACH W/ 50-HP WEBSTER MODEL HDSXC-725B-9V BURNER UNIT, CALMAG INSULATED TANK, FROM GOOD SAM HOSPITAL IN DAYTON, OHIO IN 2019 (NEW 2011 / 2012) **SUBJECT TO HIGH BID CONFIRMATION**
300	1	****15" BIRO MODEL 3334 STAINLESS STEEL VERTICAL MEAT SAW; S/N 47186			
301	1	****YORK MODEL YCAL003EE46X R410A CHILLER; S/N 2DXM011166 (2011)			
302	1	****YORK MODEL YCAL0025EC46X R22 CHILLER UNIT; S/N RMSM020960 (2007)			
303	1	****EFCO E-Z DECK MODULAR ALUMINUM SHORING SYSTEM; APPROX. (80) 6' SCREW TYPE POSTS ON (5) SKIDS, APPROX. (30) 20" X 90" BRACES ON (2) SKIDS, APPROX. (75) 20" X 42" BRACES ON (3) SKIDS, POST MOUNTS ON (1) SKID	311	1	****358 SQ. FT. SUPERIOR MODEL 08-225-358 NATURAL GAS FIRED BOILER; S/N 15342, 200-PSI (NEW 2003)
304	1	****CATERPILLAR MODEL D397 DIESEL GENERATOR; 12-CYLINDER ENGINE	312	5	****PRYCO FUEL TANK AND PUMP SYSTEMS
305	1	****CATERPILLAR MODEL D348 DIESEL GENERATOR	400	1	****OKUMA MODEL LNC8 CNC TURNING CENTER WITH FMB TURBO 10-65/3800 BAR FEEDER; S/N 0708D037, OSP5020L CONTROL, CHIP CONVEYOR ****LOCATED IN BROOKSVILLE, FLORIDA**** **SUBJECT TO HIGH BID CONFIRMATION** **BUYER RESPONSIBLE FOR RIGGING COST**
306	1	****CATERPILLAR MODEL D348 DIESEL GENERATOR (MISSING HEAD)			
307	1	****1,000-KVA SQUARE D CAST COIL DRY TYPE TRANSFORMER; S/N 986076-AI (NEW 1998)	401	1	****OKUMA MODLE LNC8 CNC TURNING CENTER; S/N 0712D308, OSP5020L CONTROL, 8" 3-JAW CHUCK, 12-POSITION TOOL TURRET, TAILSTOCK ****LOCATED IN BROOKSVILLE, FLORIDA**** **SUBJECT TO HIGH BID CONFIRMATION** **BUYER RESPONSIBLE FOR RIGGING COST**
308	1	****2,047 SQ. FT. ENGLISH BOILER MODEL 25-DR-250 GAS FIRED STEAM BOILER; S/N 31003-1, ECONOMIZER SPECS: MAWP: 250-PSI, 2,047 SQ. FT. TOTAL HEAT SURFACE, 25,000 LB./ HR. STEAMING CAP., FEED SPECS: MAWP 490-PSI AT 700 DEG., 3,319 SQ. FT. HEAT SURFACE, 2,115,000 BTU / HR., EACH W/ 50-HP WEBSTER MODEL HDSXC-725B-9V BURNER UNIT, CALMAG INSULATED TANK, FROM GOOD SAM HOSPITAL IN DAYTON, OHIO IN 2019 (NEW 2011 / 2012) **SUBJECT TO HIGH BID CONFIRMATION**			

Catalog for Auction:Boiler Systems, Forklifts, Electrical

Lot Num	Qty.	Description	Lot Num	Qty.	Description
402	1	****MAZAK MODEL QUICK TURN 10 CNC TURNING CENTER; S/N 147126752, MAZATROL T PLUS CONTROL, COLLET CHUCK **LOCATED IN BROOKSVILLE, FLORIDA**** **SUBJECT TO HIGH BID CONFIRMATION** **BUYER RESPONSIBLE FOR RIGGING COST**			