



C3-Crescent Commercial Corporation

PPG Architectural Coatings

Ends from Nov 20, 2019 10am EST (9am CST)

3280 Blvd Sainte-Anne
Quebec
Quebec
QC G1E 3K9
Canada

Lot	Description
-----	-------------

0A	*Preview Lot- Online bidding Begins November 13th*
1	Sartorius scale, capacity 34,000g, model MC1 Laboratory LC34, sn 20100882
2	Sartorius scale, capacity 212g, model MC1 AC210S, sn 20802149
3	Mettler scale, capacity 1510g, model PB1502 sn 1114380852
4	Mettler scale capacity 1200g, model PL1200 sn 693759
5	Mettler scale capacity 310g, model PB302 sn 1114372795
6	Mettler scale capacity 4200g, model PC4400
7	Brookfield viscometer model RVT sn 2494 115V
8	Arthur H. Thomas viscometer sn 78103
9	Incubator VWR model 1556 s/n 11030114 part no 9121188
10	Centrifuge Danon IEC Division model HNSII sn 235515006
11	Oven Precision Gravity Convection Oven Cat 31477 sn 21AK-4 Temperature to 225 deg. C
12	Color check booth Color-Chex sn 810 115V 3A
13	Cooling apparatus Haake typ. 000-6209 sn 830153 115V
14	Cooling apparatus Neslab Bom 228103220602 sn 101107006 115V 4.2A
15	Oven Blue M model OV-480A sn OV2-4800 120V 1600w inside dimensions 20"x20"x16"
16	Slow mixer Ragonia 2hp with drive and 12 impellers
17	Water bath Fisher Scientific model 10L water bath sn 92A792 120V

18	Water bath Fisher Scientific model 10L water bath sn 92C579 120V
19	Marble table 22"x18" Technilab Instruments model 386 sn J7775
20	Marble table 22"x18" Technilab Instruments model 386 sn J7773
21	Vacuum pump W.M. Welch duo seal pump sn 15263-0 and 7 x vacuum plates
22	standard weights 11 boxes: 1mg to 20kg
23	PH meter Corning model 125 sn 2144. Refractometer Fisher Scientific cat no. 13-946-28. Glossmeter Pacific Scientific GlossgardII 60 degrees no 260 02604 MISSING POWER SUPPLY. Adherence tester Electro-Optix model M-7. Electrinoc caliper Max-Cal
24	Hydraulic pallet unloader (depalletizer Rago) American Can Company 12a63n326x
25	Hydraulic pallet unloader (depalletizer Serac) Fabrication PM.
26	Empty containers cable conveyors (2xgallons, 1xquarts) Cable Conveyor Systems
27	Empty gallons lowering conveyor Serac line
28	Labeller gallons Mateer/Pneumatic Scale, Model: 704DBMKV, s/n: 290 600V Serac line
29	Filler Serac rotary 8 heads gallons
30	gallons conveyors approx 60' long
31	Bail-o-Matic Heisler, model: C, s/n: 10-657, date: 6-1-98 including infeed conveyor
32	Plastic shrink wrapper applicator and heating tunnel #1 Ideal Equipment, model: 1830, s/n: 1295060 575V 30A
33	Empty gallons lowering conveyor Rago line
34	Labeller gallons/quarts Mateer-Burt, model: 704DBMKV-LH, s/n: 807305 600V Rago line
35	Filler Rago inline 4 heads gallons/quarts Festo System/Ragonia, project no. 404-03-030206, s/n/date: 0858 0307
36	Gallons/quarts conveyors approx 30' long
37	Plastic shrink wrapper applicator and heating tunnel #2 Ideal Equipment, model: 1830, s/n: 1295067 575V 30A
38	Filler 5 gals line 2 heads (prefill and fill)
39	Empty containers sorter

40	Labeller MDC Mateer-Burt, model: 704B, s/n: 809314 600V
41	Label applicator #1 Labelling Technologies, Type: UT2 MAC control box, s/n: 0025071008, 120V, 10A
42	Label applicator #2 Labelling Technologies, Type: T2 MAC control box, s/n: 0024981001, 120V, 5A
43	Robot Motoman, Type: YR-EPL160-A10, payload 160 kg, s/n: S5M019-1-1, date: 2005.09
44	Carton dispenser (robot sérac) Solutech
45	Carton dispenser (robot rago) Solutech
46	Pallet stretch wrapper Orion M67-121SY, s/n: 7057369, 115V, 15A
47	Pallet stretch wrapper Orion M67-121SX, s/n: 6046176, 115V, 15A
48	Air Compressor 150hp Sullair, Model: LS-20S-150H ACAC, s/n: 003-112279
49	Air Compressor 75hp Sullair, Model: LS-20S-150H ACAC, s/n: 003-112279
50	Air Compressor 50hp #1 CompAir LeRoi, model: A219-180 G8, s/n: 4166X2530, 125psi, 50hp 600v
51	Air Compressor 50hp #2 LeRoi International model: A219-180 G8, s/n: 4166X2457, 125psi, 50hp 600v
52	Compressed air tank #1 28" dia x 74" long
53	Compressed air tank #2 spare 28" dia x 64" long 200psi, year 2004
54	Buggy Motrec, Model: E120, s/n: 9009140 (#233)
55	2000, electric forklift Yale, 3,360lbs, 3 stage mast, side shift, 3 wheels, Model: ERP035TGN36TE082, s/n: E807N02320X, hours: 2582 , includes charger life guard, input 208/240/480 output 36vdc 90A max DEFECTIVE CONTROLLER (#240)
56	2001, electric forklift Yale, 3,350lbs, 3 stage mast, side shift, 3 wheels, Model: ERP035TGN36TE082, s/n: E807N04110Z, hours: 1670 , includes charger power gard kawker pro, input 480/550/600 out 48vdc 105A max (#241)
57	2005, electric forklift Jungheinrich, 3,730lbs, 3 stage mast, side shift, 3 wheels, Model: EFG220, s/n: FN317745, hours: 36419 , includes charger gnb industrial power, input 600v out 48vdc 115A max (#245)
58	2006, electric forklift Jungheinrich, 3,700lbs,3 stage mast, side shift, 3 wheels, Model: EFG220, s/n: FN323582, hours: 38327 , includes charger gnb industrial power, input 600v out 48vdc 93A max (#246). DELAYED DELIVERY TO DECEMBER 20TH 2019.
59	2007, electric forklift Jungheinrich, 3,730lbs, 3 stage mast, side shift, 3 wheels, Model: EFG220, s/n: FN356935, hours: 6618 , includes charger posicharge serie 2500, input 480-600v out 7-72 vdc 300A max (#247)

- 60 2002, electric forklift Toyota, 2,900lbs, 3 stage mast, side shift, 3 wheels, Model: 2FBE15, s/n: 2FBE15-11430, hours: 2846, includes charger station, input 600v out 48vdc 81A max. MISSING HYDRAULIC PUMP (#248)
-
- 61 2005, electric forklift Jungheinrich, 3,910, 3 stage mast, side shift, 4 wheels, Model: EFG320, s/n: FN328031, hours: 48280 , includes charger Gnb scr200, input 600v out 48vdc 115A max (#250)
-
- 62 1999, electric forklift Toyota, EE, 4,300lbs, 3 stage mast, side shift, 4 wheels, Model: 5FBCU25, s/n: 5FBCU25-6032, hours: 3963 , includes charger gnb industrial power, input 600v out 36vdc 134A max (#251). DELAYED DELIVERY TO DECEMBER 20TH 2019
-
- 63 Caterpillar electric forklift, 3,500lbs, 3 stage mast, side shift, 3 wheels, Model: EP18KT, s/n: ETB5B00267, hours: 6768, includes charger gnb industrial power, input 600v out 36vdc 186A max (#252)
-
- 64 Yale electric pallet truck, 3,500lbs, Model: MP100C24M2760, s/n: 352326, includes charger gnb industrial power, input 240V out 24vdc 105A max (#253)
-
- 65 High Speed Dispenser Cowleswith motor 70hp 600v frame 365t, 1800rpm (#23)
-
- 66 High Speed Dispenser with motor 60 hp 600v, 1800rpm (#27)
-
- 67 Mixer low speed, motor 30hp 600v frame 364uc, 1775rpm (#105)
-
- 68 Mixer low speed, motor 10hp 600v frame 215t, 1800rpm (#35)
-
- 69 Mixer low speed, motor 10hp 600v frame 215t, 1800rpm, gearbox ratio 16.24:1 (#36)
-
- 70 Mixer low speed, motor 10hp 600v frame 215t, 1800rpm, gearbox ratio 16.24:1 (#37)
-
- 71 Mixer low speed Bowers motor 20hp (rework)
-
- 72 tank 1, 1500 gals,Stainless Steel, round 72"dia x 84" high, motor 10hp 600v frame 256t, 1160rpm, gearbox ratio 60:1
-
- 73 tank 2, 2000 gals, Stainless Steel, round, 72"dia x 112" high, motor 7.5hp 1750 rpm, gearbox ratio 26.66
-
- 74 tank 18, Stainless Steel, 1900 gals,mixer motor 10hp, gearbox ratio 36.44
-
- 75 Electrical panel, 600v breaker
-
- 76 square tank Stainless Steel approx 3' x 3,x 2' high on wheels
-
- 77 tank 538, 500 gals, Stainless Steel, 60"dia x 48" high, with mixer, motor 2hp 600v 1735rpm, gear box ratio 31.23:1
-
- 78 tank slurry, Stainless Steel, 41"dia x 41" high on legs, mixer motor Baldor 1hp, gearbox ratio 30:1
-
- 79 tank R1, 500 gals Stainless Steel
-
- 80 tank varnish, 500 gals Stainless Steel

81	plastic tank 500 gals, horizontal, with metal support 80"x 49" OUTLET PIPE BROKEN
82	RM tank 1, round, Stainless Steel, 13,600 US gals, 14'dia x 12' high. With mixer Does not go through the doors.
83	RM tank 2-3, square, Stainless Steel liner, sectioned in 2 x 4,000 gals, approx. total size 20' x 9' x 10' high
84	RM tank 4-5, square, Stainless Steel liner, sectioned in 2 x 4,000 gals, approx. total size 20' x 9' x 10' high
85	RM tank 6, square, Stainless Steel liner, 8,000 gals, approx size 20' x 9' x 10' high
86	RM tank 7, round, Carbon Steel, 3,300 gals, approx. size 10' dia x 10' high, with mixer
87	RM tank 8, round, Carbon Steel, 3,300 gals, approx. size 10' dia x 10' high, with mixer
88	RM tank 9, square, Stainless Steel liner, 7,300 gals, approx. Size 13' x 13' x 10' high, with mixer
89	RM tank 10-11, square, Stainless Steel liner, sectioned in 2 x 4,300 gals, approx size 20' x 10' x 10 high
90	RM tank 12-13, square, Stainless Steel liner, sectioned in 2 x 4,300 gals but connecting , approx size 20' x 10' x 10 high, with mixer in tank 13
91	RM tank 14, square, Stainless Steel liner, 8,300 gals, approx size 20' x 10' x 10' high, with humidification system.
92	tank 1500, 1500 gallons, square, carbon steel, 72"x 72" x 124" high, mixer motor 15hp 600v frame 254t, 1800rpm, gearbox ratio 25:1
93	tank 1501, 1500 gallons, square, carbon steel, 72"x 72" x 124" high, mixer motor 10hp 600v frame 254t, 1800rpm, gearbox ratio 25:1
94	tank 1502, 1500 gallons, square, carbon steel, 72"x 72" x 124" high, mixer motor 15hp 600v frame 254t, 1800rpm, gearbox ratio 25:1
95	tank 1503, 1500 gallons, square, carbon steel, 72"x 72" x 124" high, mixer motor 15hp 600v frame 254t, 1800rpm, gearbox ratio 25:1
96	tank 1504, 1500 gallons, square, carbon steel, 73"x 73" x 122" high, mixer motor 15hp 600v frame 254t, 1800rpm, gearbox ratio 25:1
97	tank 1505, 1500 gallons, square, carbon steel, 73"x 73" x 122" high, mixer motor 15hp 600v frame 254t, 1800rpm, gearbox ratio 25:1
98	tank 1506, 1500 gallons, square, carbon steel, 73"x 73" x 122" high, mixer motor 15hp 600v frame 254t, 1800rpm, gearbox ratio 25:1
99	tank 1507, 1500 gallons, square, carbon steel, 73"x 73" x 122" high, mixer motor 15hp 600v frame 254t, 1800rpm, gearbox ratio 25:1
100	tank 1201, 1200 gallons, round, carbon steel, 72"dia x 96" high, motor 10 hp 600v frame 254t, 1800rpm, gear box ratio 45,37:1
101	tank 1202, 1200 gallons, round, carbon steel, 72"dia x 98" high, motor 5 hp 600v frame 254t, 1800rpm, gear box ratio 45,37:1
102	tank 1203, 1200 gallons, round, carbon steel, 72"dia x 96" high, motor 5 hp 600v frame 254t, 1800rpm, gear box ratio 45,37:1

103	tank 1204, 1200 gallons, round, carbon steel, 72"dia x 96" high, motor 5 hp 600v frame 254t, 1800rpm, gear box ratio 45,37:1
104	tank 1207, 1200 gallons, round, carbon steel, 72"dia x 96" high, motor 5 hp 600v frame 254t, 1800rpm, gear box ratio 45,37:1
105	tank 1208, 1200 gallons, round, carbon steel, 72"dia x 96" high, motor 5 hp 600v frame 254t, 1800rpm, gear box ratio 45,37:1
106	tank 1209, 1200 gallons, round, carbon steel, 72"dia x 96" high, motor 10 hp 600v frame 215t, 1800rpm, gear box ratio 38.79:1
107	tank 1210, 1200 gallons, round, carbon steel, 72"dia x 96" high, motor 10 hp 600v frame 215t, 1800rpm, gear box ratio 38.79:1
108	tank 1211, 1200 gallons, square, carbon steel, 66"x 66" x 102" high, motor 10 hp 600v frame 215t, 1800rpm, gear box ratio 38.79:1
109	2 x tanks 200gals Carbon Steel
110	5 x tanks 300gals Carbon Steel
111	2 x tanks 300 to 500 gals Carbon Steel
112	2 x tanks 300 to 500 gals Carbon Steel
113	2 x tanks 300 to 500 gals Carbon Steel
114	2 x tanks 300 to 500 gals Carbon Steel
115	2 x tanks 300 to 500 gals Carbon Steel
116	2 x tanks 300 to 500 gals Carbon Steel
117	2 x tanks 300 to 500 gals Carbon Steel
118	2 x tanks 300 to 500 gals Carbon Steel
119	2 x tanks 300 to 500 gals Carbon Steel
120	2 x tanks 300 to 500 gals Carbon Steel
121	2 x tanks 300 to 500 gals Carbon Steel
122	2 x tanks 300 to 500 gals Carbon Steel
123	Tank 2201, 6000 gals, square, Stainless Steel, 118" x 118" x 180" high
124	Liquid dispensing system from totes #1 including ball valves, plastic pump, containment tank and tote support

125	Liquid dispensing system from totes #2 including ball valves, plastic pump, containment tank and tote support
126	Water treatment system Alar Engineering Corporation, model Flex-o-Star 500, s/n: 11493 NO CONTROL PANEL
127	Table top scale, 16"x20", capacity 12 kg, Jadever model lac-1260
128	Scale on support, 13"x 16.5" , capacity 60lbs, make AND model FV-30KA2 sn C1518682
129	In floor scale 5'x5', capacity 5000 kg ,Mettler Toledo model ind560 sn 04492636MM
130	Floor top scale, 4'x 4', capacity 5000 lbs, Mettler Toledo model LFTA sn 52452455AD
131	Floor top scale, 4'x 4', capacity 6000 lbs ,Mettler Toledo model Puma sn 5555325-BJ
132	Floor top scale, 4'x 4', capacity ????? lbs ,Mettler Toledo model PTHK sn 00489436FM
133	7 x Diaphragm pumps 2" Wilden
134	8 x Diaphragm pumps 2" Wilden
135	7 x Diaphragm pumps 2" Wilden
136	5 x Diaphragm pumps 2" Wilden
137	6 x Diaphragm pumps 2" Wilden
138	7 x Diaphragm pumps 2" Wilden
139	6 x Diaphragm pumps 2" Sandpiper, Warren Rupp + 1 x Diaphragm pumps 2" plastic
140	6 x Diaphragm pumps 2" Sandpiper + 1 x Diaphragm pumps
141	1 x Diaphragm pump 2" Sandpiper with filter on cart
142	1 x Diaphragm pumps 3" Wilden on cart
143	3 x Diaphragm pumps 3" Wilden
144	4 x Diaphragm pumps 3" Wilden
145	4 x Diaphragm pumps 3" Wilden
146	Mass flow meter Rheonik RHM 60 FNT NEW

147	Bag filter housing 2"
-----	-----------------------

148	Liquid dispensing system from drum Dosemaster 1000 with scale and air pump
-----	--

149	pallet hydraulic scissor lift table Blue Giant 4'x 4' with hydraulic unit
-----	---

150	pallet hydraulic scissor lift table Blue Giant 4'x 4' with hydraulic unit
-----	---

151	pallet hydraulic scissor lift table Blue Giant 4'x 4' with hydraulic unit
-----	---

152	pallet hydraulic scissor lift table Blue Giant 4'x 4' with hydraulic unit
-----	---

153	pallet hydraulic scissor lift table Blue Giant 4'x 4' with hydraulic unit
-----	---

154	pallet hydraulic scissor lift table Blue Giant 4'x 4' with hydraulic unit
-----	---

155	Cardboard bailer press Bramidan, Model: B5W, s/n: PVB353357
-----	---

156	Pail shaker Harbil
-----	--------------------

157	3 x boxes flexible hoses 2"
-----	-----------------------------

158	2 x boxes flexible hoses 2"
-----	-----------------------------

159	2 x boxes flexible hoses 3"
-----	-----------------------------

160	2 x boxes flexible hoses 3"
-----	-----------------------------

161	2 x boxes valves and actuators
-----	--------------------------------

162	2 x boxes valves 2" and 3"
-----	----------------------------

163	Hoist 17 RWM 1000 kg hook
-----	---------------------------

164	Hoist 32 CM Lodestar 500 kg trolley
-----	-------------------------------------

165	Hoist Vulcan 500lbs
-----	---------------------

166	Hoist 10 Vulcan 2 tons trolley
-----	--------------------------------

167	Hoist 15 Kito 1000kg trolley
-----	------------------------------

168	Hoist 16 Kito 1000kg trolley
-----	------------------------------

169	Hoist 21 Demag 1500kg with trolley
170	Hoist 26, Kito, 500kg
171	Hoist 27 Kito Corp 500kg, hook
172	Hoist 43 RW-M 250kg, electrical trolley
173	Hoist 44 Vulcan 500lbs hook
174	Hoist Demag 1100lbs trolley
175	Hoist Vulcan 500lbs
176	jib Gorbel 250lbs SIZE
177	20 X drum caddies
178	3 x skids Electrical panels Siemens, Telemecanique, Square D
179	2 x skids Electrical panels Siemens, Telemecanique, Square D
180	shelves 22 x 48" long, 24" deep, 88" high
181	4 x carts on wheels
182	5 x working table steel 4' x 8'
183	5 x drum handling device for liftruck
184	4 x drum tilter device for hoist
185	2-drums spill containment pan + 2 x tote spill containment pan
186	4 x trailer T-stand + 2 stand posts
187	5 x trailer T-stand
188	4 x trailer T-stand
190	4 x hose reels
191	4 x hose reels

192	4 x hose reels
193	4 x hose reels
194	4 x hose reels
195	4 x mobile stepladder 2, 3, 4, 6 steps steel
196	5 x mobile stepladder 2, 3, 4, 5, 6 steps steel
197	Dust collector outside Rodrigue Metal model Cartfiltre CA-30/6 HP 9920 cfm
198	Dust collector inside Farr Tenkay part no C-100544-A, size 20-L, s/n 130689 4100 cfm
199	Gangway to access tanker manhole, two stations, make: Carbis. DISMANTLED READY TO GO
200	motor weg 75hp 1800rpm 37.5hp 900rpm 600v, frame 405t
201	motor PMR 150hp 1772rpm 75hp 895rpm 600v, frame 447t
202	motor Tamper 40hp 1772 rpm 600v, frame 324u
203	motor 40hp 1777rpm 20hp 890rpm 600v, frame 404u
204	motor reducer Nord 2hp 72 rpm model sk2282AF-90LP/4 NEW
205	tank 2201 motor Weg 30 hp 600v, 1800rpm model 286t0294
206	tank 2201 shaft mounted gearbox 25,8788:1 model 307smt25
207	tank 2202 motor Weg 30hp 600v frame 286t, 1800rpm model 286t1189
208	tank 2202 shaft mounted gearbox Weg ratio 25,8788:1 307smt25
209	Empty Lot
210	tank 2203 gearbox Browning shaft mounted ratio 25,8788 model 307smt25
211	tank 2204 motor Weg 30hp 600v frame 286t, 1800rpm model
212	tank 2204 gearbox Weg shaft mounted ratio 25,8788:1 model 307smt25
213	tank 2205 motor Weg 30 hp 600v frame 286t, 1800rpm model 0798ap25806

214 tank 2205 gearbox Weg ratio 25,8788:1 model 307smt25

215 tank 2206 motor Weg 30 hp 600v frame 286t, 1800rpm model 0798ap25806

216 tank 2206 shaft mounted gearbox Weg ratio 25,8788:1 model 307smt25

217 tank 2207 motor Hico 30hp 600v frame 286t, 1770rpm model hplt52

218 tank 2207 shaft mounted gearbox Nord Gear ratio 44.38:1 83f n2807c

219 tank 2208 motor Weg 25hp 600v frame 324t, 1180rpm model 0395 a39200

220 tank 2208 shaft mounted gearbox Rexdale ratio 25:1 model vcs3140
