Equipment Located at: 41100 Plymouth Road, Suite 370

Plymouth, MI 48170

Auction Date: May 30, 2024 at 10:00 AM

This catalog is meant merely as a guide. The Auctioneers do not warrant the accuracy, genuineness, authenticity, description, weight, count, or measure of any of the lots specified herein.

100 1 7,700 LB. CAPACITY CHALLENGER MODEL DX77NNS02CAA SURFACE MOUNTED HYDRUALIC DOUBLE SCISSOR LIFT; S/N 21000000314807, WITH CONTROLS, SPOTTING BLOCKS, HOSE GUARDS (NEW IN BOX)  109 1 HUNTER ENGINEERING MODEL 20-3101- 101 1 OPEN 102 1 HUNTER ENGINEERING MODEL 72-630- 1BLK ROAD FORCE ELITE BALANCER; S/N  108 1 HUNTER ENGINEERING MODEL 72-688- 1-BLK AUTOMATIC TIRE CHANGER; S/N  CFC5579, MAX RIM 30" DIAMETER, MIN RIM 12 DIAMETER, MAX TIRE 50" DM, MAX WHEEL WIDTH 15" 109 1 HUNTER ENGINEERING MODEL 20-3101- 1101 1 OPEN 1 WHEEL LIFT ACCESSORY KIT 1 WHEEL LIFT ACCESSORY KIT		0.	authenticity, description, weight, count, or		•	·
MODEL DX77NNS02CAA SURFACE MOUNTED HYDRUALIC DOUBLE SCISSOR LIFT; S/N 21000000314807, WITH CONTROLS, SPOTTING BLOCKS, HOSE GUARDS (NEW IN BOX)  1-BLK AUTOMATIC TIRE CHANGER; S/N CFC5579, MAX RIM 30" DIAMETER, MIN RIM 12 DIAMETER, MAX TIRE 50" DM, MAX WHEEL WIDTH 15" HUNTER ENGINEERING MODEL 20-3101- 1 WHEEL LIFT ACCESSORY KIT 1 HUNTER ENGINEERING MODEL 20-3101- 1BLK ROAD FORCE ELITE BALANCER; S/N 1-BLK AUTOMATIC TIRE CHANGER; S/N  FINAL TIRE CHANGER; S/N  HUNTER ENGINEERING MODEL 20-3101- 1 WHEEL LIFT ACCESSORY KIT	Lot	Qty.	Description	Lot	Qty.	Description
MOUNTED HYDRUALIC DOUBLE SCISSOR LIFT; S/N 21000000314807, WITH CONTROLS, SPOTTING BLOCKS, HOSE GUARDS (NEW IN BOX)  101 1 OPEN 1 HUNTER ENGINEERING MODEL 72-630- 1BLK ROAD FORCE ELITE BALANCER; S/N  CFC5579, MAX RIM 30" DIAMETER, MIN RIM 12 DIAMETER, MAX TIRE 50" DM, MAX WHEEL WIDTH 15" 1 HUNTER ENGINEERING MODEL 20-3101- 1 WHEEL LIFT ACCESSORY KIT 1 WHEEL LIFT ACCESSORY KIT	100	1	•	108	1	
LIFT; S/N 21000000314807, WITH CONTROLS, SPOTTING BLOCKS, HOSE GUARDS (NEW IN BOX)  109 1 HUNTER ENGINEERING MODEL 20-3101- 102 1 HUNTER ENGINEERING MODEL 72-630- 110 110K ROAD FORCE ELITE BALANCER; S/N  RIM 12 DIAMETER, MAX TIRE 50" DM, MAX WHEEL WIDTH 15" 104 1 HUNTER ENGINEERING MODEL 20-3101- 1 WHEEL LIFT ACCESSORY KIT 1 WHEEL LIFT ACCESSORY KIT						• •
CONTROLS, SPOTTING BLOCKS, HOSE GUARDS (NEW IN BOX)  109 1 HUNTER ENGINEERING MODEL 20-3101- 1 HUNTER ENGINEERING MODEL 72-630- 1 BLK ROAD FORCE ELITE BALANCER; S/N  109 1 HUNTER ENGINEERING MODEL 20-3101- 1 WHEEL LIFT ACCESSORY KIT 1 WHEEL LIFT ACCESSORY KIT						•
GUARDS (NEW IN BOX)  109  1 HUNTER ENGINEERING MODEL 20-3101- 101  1 OPEN  1 WHEEL LIFT ACCESSORY KIT  102  1 HUNTER ENGINEERING MODEL 72-630- 1BLK ROAD FORCE ELITE BALANCER; S/N  1 WHEEL LIFT ACCESSORY KIT			, ·			•
101 1 OPEN 1 WHEEL LIFT ACCESSORY KIT 102 1 HUNTER ENGINEERING MODEL 72-630- 1BLK ROAD FORCE ELITE BALANCER; S/N 1 WHEEL LIFT ACCESSORY KIT 1 WHEEL LIFT ACCESSORY KIT			•			
102 1 HUNTER ENGINEERING MODEL 72-630- 110 1 HUNTER ENGINEERING MODEL 20-3101- 1BLK ROAD FORCE ELITE BALANCER; S/N 1 WHEEL LIFT ACCESSORY KIT			,	109	1	
1BLK ROAD FORCE ELITE BALANCER; S/N 1 WHEEL LIFT ACCESSORY KIT			· · -· ·			
- /-1	102	1		110	1	
LICCOLC DOAD CODE CTRAICHT TAIL 144 4 HINTER ENCINEERING MACRE 30 3404			• •			
, , , , , , , , , , , , , , , , , , ,			HFC2156, ROAD FORCE STRAIGHT TALK,	111	1	HUNTER ENGINEERING MODEL 20-3101-
TOUCH SCREEN INTERFACE, SMART 1 WHEEL LIFT ACCESSORY KIT			TOUCH SCREEN INTERFACE, SMART			
WEIGHT, ECAL AUTO CALIBRATION, 112 1 HUNTER ENGINEERING MODEL 20-3101-				112	1	
AUTO OPEN HOOD, TPMS SPECS, 1 WHEEL LIFT ACCESSORY KIT			AUTO OPEN HOOD, TPMS SPECS,			1 WHEEL LIFT ACCESSORY KIT
HUNTER NET REPORTING IS, TDC LASER 113 1 HUNTER ENGINEERING MODEL 20-3101-			HUNTER NET REPORTING IS, TDC LASER	113	1	HUNTER ENGINEERING MODEL 20-3101-
(NEW) 1 WHEEL LIFT ACCESSORY KIT			(NEW)			1 WHEEL LIFT ACCESSORY KIT
103 1 HUNTER ENGINEERING MODEL 72-630- 114 1 OPEN	103	1	HUNTER ENGINEERING MODEL 72-630-	114	1	OPEN
1-BLK ROAD FORCE ELITE BALANCER; 115 1 OPEN			1-BLK ROAD FORCE ELITE BALANCER;	115	1	OPEN
S/N CFC5803, ROAD FORCE, STRAIGHT 116 1 5,000 LB. TOYOTA MODEL 8FGCU32			S/N CFC5803, ROAD FORCE, STRAIGHT	116	1	5,000 LB. TOYOTA MODEL 8FGCU32
TALK, TOUCH SCREEN INTERFACE, SOLID TIRE LP GAS LIFT TRUCK; S/N			TALK, TOUCH SCREEN INTERFACE,			SOLID TIRE LP GAS LIFT TRUCK; S/N
SMART WEIGHT, ECAL AUTO 65254, 87" 3-STAGE MAST, 187" LIFT			SMART WEIGHT, ECAL AUTO			65254, 87" 3-STAGE MAST, 187" LIFT
CALIBRATION, AUTO-OPEN HOOD, TPMS HEIGHT, 48" FORKS, 10,515 HOURS			CALIBRATION, AUTO-OPEN HOOD, TPMS			HEIGHT, 48" FORKS, 10,515 HOURS
SPECS, HUNTER NET REPORTING IS, (10) 117 1 5,000 LB. TOYOTA MODEL 8FGCU32			SPECS, HUNTER NET REPORTING IS, (10)	117	1	5,000 LB. TOYOTA MODEL 8FGCU32
COLLETS, SPEED CLAMP, TDC LASER SOLID TIRE LP GAS LIFT TRUCK; S/N			COLLETS, SPEED CLAMP, TDC LASER			SOLID TIRE LP GAS LIFT TRUCK; S/N
104 1 HUNTER ENGINEERING MODEL 72-630- 65208, 87" 3-STAGE MAST, 187" LIFT	104	1	HUNTER ENGINEERING MODEL 72-630-			65208, 87" 3-STAGE MAST, 187" LIFT
1-BLK ROAD FORCE ELITE BALANCER; HEIGHT, 48" FORKS, 10,975 HOURS			1-BLK ROAD FORCE ELITE BALANCER;			HEIGHT, 48" FORKS, 10,975 HOURS
S/N CFC5801, ROAD FORCE, STRAIGHT 118 1 200 KG KAWASAKI MODEL BV200LFE02			S/N CFC5801, ROAD FORCE, STRAIGHT	118	1	200 KG KAWASAKI MODEL BV200LFE02
TALK, TOUCH SCREEN INTERFACE, 6-AXIS ROBOT; S/N BX200014085, WITH			TALK, TOUCH SCREEN INTERFACE,			6-AXIS ROBOT; S/N BX200014085, WITH
SMART WEIGHT, ECAL AUTO CUBIC S CONTROLLER AND TEACH			SMART WEIGHT, ECAL AUTO			CUBIC S CONTROLLER AND TEACH
CALIBRATION, AUTO-OPEN HOOD, TPMS PENDANT (2021)			CALIBRATION, AUTO-OPEN HOOD, TPMS			PENDANT (2021)
SPECS, HUNTER NET REPORTING IS, (7) 119 1 PHD TIRE MANIPULATOR / GRIPPER			SPECS, HUNTER NET REPORTING IS, (7)	119	1	PHD TIRE MANIPULATOR / GRIPPER
COLLETS, SPEED CLAMP, TDC LASER ATTACHMENT (NO CLECO)			COLLETS, SPEED CLAMP, TDC LASER			ATTACHMENT (NO CLECO)
105 1 HUNTER ENGINEERING MODEL 20-2698- 120 1 200 KG KAWASAKI MODEL BX200LFEOZ	105	1	HUNTER ENGINEERING MODEL 20-2698-	120	1	200 KG KAWASAKI MODEL BX200LFEOZ
1 UNIVERSAL FLANGE PLATE-AL KIT 6-AXIS ROBOT; S/N BX20014B023, WITH			1 UNIVERSAL FLANGE PLATE-AL KIT			6-AXIS ROBOT; S/N BX20014B023, WITH
(NEW) CUBIC S CONTROLLER (2021)			(NEW)			CUBIC S CONTROLLER (2021)
106 2 HUNTER ENGINEERING MODEL 20-3698- 121 1 PHD TIRE MANIPULATOR / GRIPPER	106	2	HUNTER ENGINEERING MODEL 20-3698-	121	1	PHD TIRE MANIPULATOR / GRIPPER
1 UNIVERSAL FLANGE PLATE (USED) ATTACHMENT (NO CLECO)			1 UNIVERSAL FLANGE PLATE (USED)			ATTACHMENT (NO CLECO)
107 1 HUNTER ENGINEERING MODEL 72-688- 122 1 200 KG KAWASAKI MODEL BX200LFE02	107	1	HUNTER ENGINEERING MODEL 72-688-	122	1	200 KG KAWASAKI MODEL BX200LFE02
1-BLK AUTOMATIC TIRE CHANGER; S/N 6-AXIS ROBOT; S/N BX200014088, WITH			1-BLK AUTOMATIC TIRE CHANGER; S/N			6-AXIS ROBOT; S/N BX200014088, WITH
CFC5768, MAX RIM 30" DIAMETER, MIN CUBIC S CONTROLLER (2021)			· ·			CUBIC S CONTROLLER (2021)
RIM 12 DIAMETER, MAX TIRE 50" DM, 123 1 CLECO / PHD TIRE MANIPULATOR /				123	1	CLECO / PHD TIRE MANIPULATOR /
MAX WHEEL WIDTH 15" GRIPPER ATTACHMENT						GRIPPER ATTACHMENT



Equipment Located at: 41100 Plymouth Road, Suite 370

Plymouth, MI 48170

Auction Date: May 30, 2024 at 10:00 AM

This catalog is meant merely as a guide. The Auctioneers do not warrant the accuracy, genuineness, authenticity, description, weight, count, or measure of any of the lots specified herein.

		authenticity, description, weight, count, or		•	·
Lot	Qty.	Description	Lot	Qty.	Description
124	1	200 KG KAWASAKI MODEL BX200LFE02	140	1	7 KG MITSUBISHI MODEL RV7FRD 6-AXIS
		6-AXIS ROBOT; S/N BX200014086, WITH			ROBOT; S/N BC1020036R, CR800-07VD
		CUBIC S CONTROLLER (2021)			CONTROLLER, R32TB PENDANT, WIRE
125	1	PHD TIRE MANIPULATOR / GRIPPER			SET (NEW MFG. 2021)
		ATTACHMENT WITH STANLEY	141	1	7 KG MITSUBISHI MODEL RV7FRD 6-AXIS
		EBSSMB3F2-320 DRIVER			ROBOT; S/N BC1050054R, CR800-07VD
126	1	CLECO MPRO400 CONTROLLER			CONTROLLER, R32TB PENDANT, WIRE
127	1	OPEN			SET (NEW MFG. 2021)
128	1	PHD MODEL EGRR12-5-63S 250-R	142	1	MITSHUBISHI MODEL R32TB PENDANT
		PNEUMATIC GRIPPER			CONTROLLER (NEW MFG. 2021)
129	1	PHD MODEL EGRR12-5-63S 250-R	143	1	MITSUBISHI ESA01832 CONTROL
		PNEUMATIC GRIPPER			CABINET
130	1	PHD MODEL EGRR12-5-63S 250-R	144	1	MITSUBISHI ESA01832 CONTROL
		PNEUMATIC GRIPPER			CABINET
131	1	PHD MODEL EGRR12-5-63S 250-R			
		PNEUMATIC GRIPPER			
132	1	OPEN			
133	2	61" X 43" X 1-1/4" STEEL ROBOT BASE			
		PLATES			
134	1	OPEN			
135	1	7 KG MITSUBISHI MODEL RV7FRD 6-AXIS			
		ROBOT; S/N BC1020041R, CR800-07VD			
		CONTROLLER, R32TB PENDANT, WIRE			
		SET (NEW MFG. 2021)			
136	1	7 KG MITSUBISHI MODEL RV7FRD 6-AXIS			
		ROBOT; S/N BC1060020R, CR800-07VD			
		CONTROLLER, R32TB PENDANT, WIRE			
		SET (NEW MFG. 2021)			
137	1	7 KG MITSUBISHI MODEL RV7FRD 6-AXIS			
		ROBOT; S/N BC01020025R, CR800-07VD			
		CONTROLLER, R32TB PENDANT, WIRE			
		SET (NEW MFG. 2021)			
138	1	7 KG MITSUBISHI MODEL RV7FRD 6-AXIS			
		ROBOT; S/N BC1020051R, CR800-07VD			
		CONTROLLER, R32TB PENDANT, WIRE			
		SET (NEW MFG. 2021)			
139	1	7 KG MITSUBISHI MODEL RV7FRD 6-AXIS			
		ROBOT; S/N BC1060013R, CR800-07VD			
		CONTROLLER, R32TB PENDANT, WIRE			
		SET (NEW MFG. 2021)			



Equipment Located at: 41100 Plymouth Road, Suite 370

Plymouth, MI 48170

Auction Date: May 30, 2024 at 10:00 AM

This catalog is meant merely as a guide. The Auctioneers do not warrant the accuracy, genuineness, authenticity, description, weight, count, or measure of any of the lots specified herein.

Description Lot Qty. DOOSAN MODEL LYNX 2100LSYB CNC 145 1 TURNING CENTER; S/N ML0406-000950 (NEW 8/2022), 24-POSITION TURRET WITH 1/2 INDEXING, WITH (4) LIVE TOOLHOLDERS, 20 HP A2-6 MAIN SPINDLE WITH 2.68" THRU BORE CAPACITY, 1,417 IPM RAPIDS, FULL C-AXIS ON MAIN AND SUB, Y-AXIS MILLING WITH RIDGID TAPPING ON BOTH MAIN AND SUB, FLAT NOSE SUB SPINDLE WITH 7.5 HP AND 6,000 RPM, 8" 3-JAW CHUCK ON MAIN, 5" 3-JAW CHUCK ON SUB, PROGRAMMABLE PARTS CATCHER AND PARTS CONVEYOR, SUB SPINDLE PARTS EJECT, CHUCK AIR BLAST, TURBO SIDE DISCHARGE CHIP CONVEYOR, WITH BARIABLE SPEED DRIVE AND M-CODE CAPACITY, EPPINGER PRECI-FLEX BMT-45 ER20 X-AXIS (STRAIGHT) MILLING HEAD, EPPINGER PRECI-FLEX BMT-45 ER20 Z-AXIS (ANGULAR) MILLING HEAD, EPPINGER PRECI-FLEX BMT-45 ER20 Z-AXIS (ANGULAR OFFSET) MILLING HEAD (SUB SPINDLE ONLY), COOLANT SPRAY GUN, 10 BAR (145 PSI) COOLANT PUMP, ILO 4.5 BAR (65 PSI) PUMP, MIST FIT MIST COLLECTOR WITH INSTALLATION, DOOSAN FANUC I SERIES PLUS TOUCH CONTROL (NEVER USED)

Lot Description Qty. 146 DOOSAN MODEL SVM4100 CNC VERTICAL MACHINING CENTER; S/N MV0157-000036 (NEW 8/2021), 30-POSITION ATC, CAT 40, 12,000 RPM SPINDLE, FANUC OIMF PLUS TOUCH CONTROL, iHMi, 200 BLOCK LOOK AHEAD WITH aicc, 1 GIG DATA SERVER, SPINDLE OPERATIONS, CUSTOM MACROS, COORDINATE ROTATION AND SCALING, SECOND REFERSINCE POINT / HOME POSITION, MANUAL PULSE GENERATOR, DIRECT COUPLED BALL SCREWS, LINEAR BALL GUIDES, CHILLED SPINDLE, DOOSAN SMART THERMAL COMPENSATION, 230 PSI TSC WITH CYCLONIC FILTRATION, AIR THROUGH SPINDLE, THREE COLOR SIGNAL LIGHT, RENISHAW OMP60 SPINDLE PROB, CAT 40 TOOL SHANK, 100 MM PROBE STYLUS, RENISHAW OTS-AA TOUCH TRIGGER TOOL SETTER, RENISHAW CAT 40 TOOLSETTER CALIBRATION MASTER, SPINDLE PROBE CALIBRATION RING

GAGE WITH 2" ID

Equipment Located at: 41100 Plymouth Road, Suite 370

Plymouth, MI 48170

Auction Date: May 30, 2024 at 10:00 AM

This catalog is meant merely as a guide. The Auctioneers do not warrant the accuracy, genuineness, authenticity, description, weight, count, or measure of any of the lots specified herein.

# Lot Qty. Description

147 DOOSAN MODEL NHP5000 CNC 1 HORIZONTAL MACHINING CENTER; S/N MH0029-000368 (NEW 10/2020), 257 CUTTING HOURS, CAT 40, FULL B-AXIS, 15,000 RPM, 50/25 HP BIG PLUS SPINDLE, 2,382 IMP RAPIDS WITH IG ACCELLERATION, 235 PSI TSC, CHILLED BALL SCREWS, 28.7" X 28.7" X 34.6" TRAVELS, 1,100 LB. TABLE LOAD CAPACITY, 275-POSITION ATC, 12-PALLET DOOSAN LPS 5000 PALLET POOL SYSTEM WITH LNS CONTROL, TURBO NH250 MICRO HINGE REAR DISCHARGE FILTERING CHIP CONVEYOR, MP SYSTEM AK-VR8-SD HEAVY DUTY 8 GPM HIGH PRESSURE COOLANT SYSTEM, MISTFIT MF550 MIST COLLECTOR, COOLANT **GUN, RENISHAW OMP60 SPINDLE** PROBE, RTS-AA TOUCH TRIGGER TOOL SETTER, SPINDLE PROBE CALIBRATION RING GAGES WITH 2" ID, BK-MIKRO BROKEN TOOL DETECTION, FANUC SERIES 31i-MODEL B TOUCH CONTROL